

This PDF is a selection from an out-of-print volume from the National Bureau of Economic Research

Volume Title: The Mining Industries, 1899-1939: A Study of Output, Employment and Productivity

Volume Author/Editor: Harold Barger and Sam H. Schurr

Volume Publisher: UMI

Volume ISBN: 0-87014-042-6

Volume URL: <http://www.nber.org/books/barg44-1>

Publication Date: 1944

Chapter Title: Index

Chapter Author: Harold Barger, Sam H. Schurr

Chapter URL: <http://www.nber.org/chapters/c6338>

Chapter pages in book: (p. 423 - 447)

# Index

- Abrasives**  
artificial, 409  
bauxite, 410  
diamonds, 413  
employment, 65, 67n  
mine value, 306  
output, 293  
prices, 293  
sandstone, 53, 293, 303, 355n  
(*see also* Corundum; Emery; Feldspar; Garnet; Pumice; Silica abrasives)
- Accident bulletins, 272-75, 315-25, 327-41, 369, 385-91** (*see also* individual publications, e.g., "Coal-Mine Accidents in the United States")
- Accident rates, 180n, 276**
- "Accidents at Metallurgical Works in the United States," 316, 317n, 318n, 319, 321, 322n, 323
- Accuracy of data, 275-76, 351n** (*see also* Bias in indexes; Coverage of data)
- Acoustic plaster, 418**
- Active period average employment, 64-65, 67n, 68n, 273-75, 315, 319, 325-27, 331, 367**  
defined, 273-74
- Actual copper content**  
concentrates, 396-401, 403-05  
ores, 231n, 396-401, 403 (*see also* Grade of ore)
- Adams, William W., 316, 317n, 322n, 325, 339n, 388n**
- African copper, 31, 260, 264**
- Agate, 409** (*see also* Precious stones)
- Age of mining industries, 5-6, 39-40, 56, 58, 184, 193, 252**
- Agglomeration of iron ore, 149**
- Aggregate, 409** (*see also* Concrete aggregate)
- Agricultural interests, opposition to sluicing, 100-01**
- Agricultural occupations, 60n**
- Agricultural use of limestone, 55, 415**
- Agriculture, 4, 5, 249**  
diminishing returns, 251  
employment, 79-80  
jointly pursued with mining, 99, 100  
labor force, 60
- Agriculture (cont.)**  
output, 14-17, 79-80  
productivity, 79-80, 85-86
- Air separation, 148, 270**
- Alabama, 52, 149, 209, 220n, 410, 415**
- Alabaster, 409**
- Alaska**  
exclusion of, 201n, 228n, 269n, 299, 307n, 316, 317n, 318, 321, 322n, 376  
tin mines, 421
- Alcohol as fuel, 256-57**
- Alkali works, limestone used by, 55**
- Alloy metals 24-27** (*see also* individual metals, e.g., Manganese; Molybdenum)
- Alloy steels, 24-27**  
calcium, 411  
cobalt, 412  
columbium, 412  
in mine locomotives, 132  
in mining tools, 118, 203
- Alloys, nonferrous**  
copper, 37 (*see also* Beryllium; Selenium)  
dental (*see* Indium)  
low melting point (*see* Bismuth; Cadmium; Indium)  
magnesium, 416  
platinum, 418
- Alternative indexes of output**  
copper, 394-405  
dimension stone, 379-82
- Alumina, 409** (*see also* Artificial abrasives; Corundum; Emery)
- Aluminum, 21, 39, 45, 409**  
cryolite, 413  
(*see also* Alumina; Andalusite; Bauxite; Clay; Dumortierite; Feldspar; Kyanite; Pyrophyllite)
- Amalgamation process, 98n, 151-52, 155, 409**
- Amarillo, Tex., 415**
- American Bureau of Metal Statistics, 359n, 360n**
- American Economic Association, 175n**
- American Economic Review, 175n**
- American Iron and Steel Institute, 406**
- American Petroleum Institute, 325, 366n**

- Amethyst, 418  
 Ammonia soda process, 55n  
 Amphibole, 409, 410  
 Anaconda Copper Company, 115n  
 Andalusite, 68n, 409  
 Angite (*see* Basalt)  
 Animal feed, limestone used for, 55n  
 Animal power in mines, 100, 118, 130-32, 138  
 Anthracite, 4, 7, 9, 40-44, 181-87, 254, 362n, 409, 412  
   consumption, 44  
   mine value, 305  
   outside Pennsylvania, 67n  
   preparation, 147-48, 187  
   prices, 284  
   (*see also* Anthracite mining; Coal)  
 Anthracite Coal Industry Commission (Pennsylvania), 182n  
 Anthracite mining, 181-87, 263  
   bootlegging, 62n, 104n, 181-82, 298  
   culm banks, 181, 185, 413  
   depletion, 184, 250, 252, 261  
   employment, 64, 66n, 69, 70, 77, 182-83, 190, 312, 324, 347  
   hours per day, 72  
   mechanization, 103-04, 124, 185, 254  
   open pit mines, 185, 187, 190  
   output, 40-44, 77, 84-85, 182, 284, 298, 347  
   output per man, 181n, 183  
   output per manday, 182, 183, 187n, 347  
   output per manhour, 183, 347  
   productivity, 77, 81-82, 84-85, 90-92, 165, 182-84, 275, 347  
   strikes, 68n, 77n, 83n, 183, 408  
   technology, 103-05, 185-87, 254  
   (*see also* Anthracite; Coal mining)  
 Anticline, 202  
 Antifouling paint, mercury, 416  
 Antifriction bearings, 409  
 Antiknock fuel, 58, 411  
 Antimonial lead, 360n  
 Antimony, 20, 66n, 67n, 70n, 305, 307n, 409  
 Apatite (*see* Granite)  
 Archbald, Hugh, 173n, 175n  
 Argentiferous ores, 102, 147, 151, 375  
   (*see also* Complex ores; Silver mining)  
 Argentina, 410  
 Arizona, 110n, 222, 227n, 228n, 402n, 403n, 405n, 411, 415  
 Arkansas, 39, 162, 259, 297, 342n, 353n, 373, 409, 410, 417, 418, 421  
 Armor plate, 26  
 Arrastra (*see* Arrastre)  
 Arrastre, 151, 409  
 Arsenic, 409  
 Artesian wells, 203  
 Artificial abrasives, 409, 418  
 Artificial asphalt, 410  
 Asbestos, 58, 65, 295, 304, 305, 355n, 410, 412  
 Ash content of coal, 162, 412  
 Ashmead, Dever C., 104n  
 Asia, 264, 416, 421 (*see also* Ceylon; China; India; Malaya; Philippines; Turkey)  
 Asphalt, 58, 65, 294, 303, 305, 355n, 410  
   limestone used as filler, 55  
   and occurrence of oil, 201  
   from petroleum, 410, 417  
 Asphalt-base petroleum, 191  
 Assaying, 411  
 Assembly-line technique in coal mines, 176  
 Atomic power, 256  
 Auger drills, 121-22  
 Auriferous ores (*see* Complex ores; Gold mining; Placer mining)  
 Australia, 155, 421  
 Automatic stoking equipment, 182  
 Automobile, development of, 44, 49  
 Automobile manufacture, consumption of copper in, 35, 359  
 Auxiliary functions, 134-36 (*see also* Lighting; Pumping; Supports; Ventilation)  
 Auxiliary works, 316-19, 321-23  
 Averages, in measuring employment, 272-75  
 Axe, E. W., 260n  
 Balanced hoisting, 133  
 Ball, Max W., 199n, 207n  
 Ball clay (*see* Clay)  
 Ball mills, 154, 410  
 Ballast (*see* Railroad ballast)  
 Barger, Harold, 13n, 15n, 49n, 60n, 79n, 80n, 406  
 Barite, 58, 65, 294, 304, 305, 355n, 410  
   (*see also* Witherite)  
 Barrel, defined, 296  
 Barytes (*see* Barite)  
 Basalt, 240, 327, 410  
   mine value, 306  
   output, 49, 54, 288, 299-301  
   prices, 288, 301  
   (*see also* Trap rock quarries)  
 Basic data  
   employment, 310-42  
   output, 278-304  
   prices, 278-304  
   value of products, 305-09

- Batteries, storage (*see* Storage batteries: Storage battery locomotives)
- Bauxite, 20-21, 77n, 409, 410  
 employment, 64, 66n, 70n, 320, 323  
 mine value, 305  
 output, 38-39, 283, 297-98, 354  
 prices, 283
- Beehive coke, 45, 362
- Belgian Congo, 412, 418, 421
- Belgium, 413
- Benches, 141, 410
- Beneficiation, 410  
 iron ore, 148-49, 209, 214-16  
 metallic ores, 89-90, 93, 107-10, 114, 146, 153-57, 263, 269-70  
 (*see also* Milling)
- Bentonite (*see* Clay)
- Berquist, F. E., 125n, 126n, 128n, 129n, 167-68, 178n, 180n, 269n
- Beryl (*see* Beryllium)
- Beryllium, 410
- Bessemer steel, 24
- Bias in indexes, 9-10, 78n, 395, 400-01
- Bingham, Utah, 109
- Bismuth, 305, 410
- Bits  
 detachable, 121  
 roller and cone, 203  
 (*see also* Drills)
- Bitumen, 308n, 409, 410, 412 (*see also* Asphalt; Bituminous coal)
- Bituminous coal, 40-47, 410, 412  
 ash, sulfur and moisture, 162  
 consumption, 44-47, 362  
 energy content, 46n  
 mine value, 305  
 preparation, 147-48, 162-63  
 prices, 82n, 284, 299  
 (*see also* Bituminous coal mining: Coal)
- Bituminous coal mining, 161-80  
 in Britain, 179  
 compared with anthracite, 179  
 compared with copper, 170  
 depletion, 167-69, 177-78, 257  
 employment, 64, 66n, 69, 70, 77, 163-66, 190n, 312, 324-25, 347, 357  
 hours per day, 72  
 mechanical cutting, 123-24, 173-75  
 mechanical loading, 173-76  
 open pit, 169-70, 357  
 output, 40-47, 77, 163-64, 284, 298-99, 347, 357  
 output per man, 166  
 output per manday, 164, 166, 170, 179n, 347, 357  
 output per manhour, 166, 347
- Bituminous coal mining (*cont.*)  
 productivity, 77, 81-82, 90, 92, 164-67, 169-70, 179-80, 275, 347  
 technology, 103-05, 123-24, 169-80  
 (*see also* Bituminous coal; Coal mining)
- Black lead (*see* Graphite)
- Black powder, 106, 122, 144
- Blacksmiths, 5, 105n, 203
- Blast furnaces  
 durability of linings, 56  
 source of potash, 302
- Blast-hole drilling (*see* Drilling)
- Blasting  
 mines, 106-07, 111, 112, 119, 122, 138  
 oil wells, 204-05  
 quarries, 142-44, 243
- Block caving, 110, 112-14, 121, 123, 125, 410-11  
 copper mining, 233, 235n, 236n, 237  
 not used in coal mining, 177  
 not used in iron mining, 220n
- Blow-outs, oil-well, 204
- Bog ore, 5, 411
- Bolivia, 409, 421
- Bolles, Albert S., 5n, 73n
- Bootleg anthracite, 62n, 104n, 181-82, 298
- Bootlegging, 411
- Borates, 65, 355n, 411  
 mine value, 305  
 output, 55-57, 292, 302  
 prices, 292, 302  
 uses, 56, 411
- Borax (*see* Borates)
- Boring (*see* Drilling)
- Boron (*see* Borates)
- Bowen, Eli, 103n, 104
- Bowles, Oliver, 55n, 109n, 145n, 378n, 381n, 382n, 385n
- Brake linings, asbestos, 410
- Brass making  
 tin, 421  
 zinc, 37, 361, 422
- Brazil, 410, 413, 416, 417, 421
- Breaker, anthracite, 147-48, 187, 411
- Breaking the mineral, 106, 107, 109, 115, 119-24, 270  
 gravity, 110-14, 121, 122-23  
 mechanization, 106, 108  
 open pit mines, 138  
 secondary, 143-44  
 stone quarries, 142-43
- Breast, 411
- Breckenridge oil field, 201n
- Brick, 6
- Brick making, 55n, 56n, 67n, 301

- Brine, 58, 202, 302-03, 411 (*see also* Magnesium; Potash; Salt; Salt cake; Sea water)
- Bristol, Conn., 6
- Britain (*see* England; United Kingdom)
- British thermal unit, 41-43, 407, 411  
output per manhour, 82-83
- Bromine, 355n, 411  
mine value, 305  
output, 55-58, 292, 302-03  
prices, 292  
uses, 58, 411
- Brown ore, 278
- Bruceite, 67n, 70n, 303, 304, 309n, 411  
(*see also* Magnesite)
- Bucket, hoisting by, 133
- Bucking iron, 100, 411
- Bucky, Philip B., 114n
- Building construction  
copper in, 35, 359  
costs, 364  
gypsum in, 56  
lead in, 36, 360  
sand and gravel in, 56  
and stone output, 50-51, 364  
volume of, 364
- Building materials, 6  
pumice, 418  
(*see also* Roofing materials; and individual products, e.g., Dimension stone; Gypsum)
- Building stone, 49-52, 144, 243, 299, 378-79, 381n, 413 (*see also* Dimension stone)
- Bureau of the Census, 11, 60n, 62n, 63n, 66n, 99n, 269-70, 273-74, 321, 373-74, 377-79, 381
- Bureau of Labor Statistics, 63n
- Bureau of Mines, 11, 13, 64-65, 66n, 67n, 74n, 77n, 175n, 181, 240, 273-74, 276, 296-99, 302, 304, 307n, 315, 316, 317n, 319, 321, 322n, 324, 327, 336n, 339n, 366n, 369, 371, 376, 378n, 379-81, 384-88, 392, 402n, 403n, 405n, 407
- Burns, Arthur F., 299
- Business cycle (*see* Cyclical fluctuations)
- Butler, B. S., 101n, 102n, 114n, 139n
- Butte, Mont., 102
- Byproduct coke, 45-47, 362
- Byproducts  
antimony, 307n, 409  
arsenic, 410  
bismuth, 410  
cadmium of zinc, 411  
copper not paid for, 372  
crushed of dimension stone, 49  
fluorspar of lead and zinc, 414
- Byproducts (*cont.*)  
indium, 415  
molybdenum of copper, 223n, 298, 416-17  
nickel of talc, 417  
nonferrous metal mines, 369n  
nonferrous scrap, 34-38  
pyrites of copper and zinc, 302, 308n  
recovery in concentration, 156  
selenium of copper, 419-20  
silver, 29
- Cable coverings, use of lead for, 36, 360, 415
- Cable drills, 203-04, 412 (*see also* Churn drills)
- Cable-reel locomotives, 131
- Cadmium, 369n, 410, 411
- Cage, hoisting by, 133, 411
- Calcareous marl (*see* Marl)
- Calcining, 411  
bauxite, 298  
gypsum, 8, 66n, 70n, 89, 269, 271, 308n, magnesite, 304
- Calcium, 411
- Calcium carbide works, crushed stone used by, 55
- Calcium chloride, 58, 292, 303, 305, 355n, 411
- California, 4, 40, 58, 100, 153n, 203, 330n, 402n, 403n, 405n, 409, 410, 412, 413, 414, 415, 416, 417, 418, 419, 421, 422
- Camp, J. M., 24n
- Canada, 410, 413, 414, 415, 417, 418, 421
- Capping, 112, 113, 407
- Captive mines, 299
- Carbon, 409, 412 (*see also* Carbon black: Carbon steel; Diamonds; Graphite; Peat; Silicon carbide)
- Carbon black, 417
- Carbon dioxide  
in coal mining, 122n  
from limestone, 55n
- Carbon steel, 24-25 (*see also* Steel)
- Carbonate iron ore, 278
- Carson, Daniel, 60n
- Cash, F. E., 137n
- Cast iron, 23
- Catalysts  
cobalt, 412  
vanadium, 422
- Caterpillar traction, development of, 139, 144
- Caving methods, 102, 110-15, 122-23, 136, 229n, 232, 234-35, 236n, 411 (*see also* Block caving; Sublevel caving)
- Celestite (*see* Strontium minerals)

- Cement, 409, 411, 412  
 clay for, 411, 412  
 limestone for (*see* Cement rock; Lime-  
 stone; Magnesite; Nondimension  
 stone)  
 oil-well, 204  
 (*see also* Cement mills)
- Cement mills, 142, 269-71, 301, 330n,  
 339n, 384  
 employment, 334, 385-89  
 source of potash, 302
- Cement rock, 51, 54-55, 142, 300-01, 411  
 employment, 328, 330n, 332, 334, 338,  
 385-87  
 mine value, 384-85  
 output, 289, 384-85, 392
- Cementation, 381-82, 414
- Census Bureau, 11, 60n, 62n, 63n, 66n,  
 99n, 269-70, 273-74, 321, 373-74, 377-  
 79, 381
- Census of Manufactures, 7-8, 71n, 240,  
 269, 333n, 377n, 378-79
- Census of Mineral Industries (*see* Census  
 of Mining)
- Census of Mines and Quarries (*see* Cen-  
 sus of Mining)
- Census of Mining, 62, 120, 131, 132,  
 307n, 308n, 315, 323-26, 331, 339n, 341,  
 367-76, 385, 390n  
 and contract employment, 190  
 definition of wage earners, 71n  
 duplication with manufactures, 7, 378-  
 79  
 method of averaging employment, 66n,  
 272-76, 319  
 mining defined, 269-70, 378-79
- Census of Population, 59-63
- Ceramics (*see* Pottery)
- Cerium (*see* Monazite)
- Ceylon, 414
- Chain-breast machine, 123-24
- Chain index, use of, 271-72
- Chalcocite, 151n, 411
- Channeling machine, 144-45, 411
- Chapman, Thomas G., 155n
- Charcoal, 105n
- Chats, 308n, 309n, 411
- Chawner, Lowell J., 364n, 365n
- Chemical industry, 25, 56
- Chert, 309n, 411
- Chile, 31, 415
- China, 421
- China clay (*see* Clay)
- Chino copper mine, 140, 402, 403n, 405n
- Chromite, 20, 66n, 67n, 70n, 305, 411
- Chromium, 25-27, 260, 412 (*see also*  
 Chromite)
- Chrysotile, 412
- Church, John A., 110n, 407-08
- Churn drills, 115n, 143, 412 (*see also*  
 Cable drills)
- Chutes (*see* Ore chutes)
- Cinnabar, 412 (*see also* Mercury)
- Civil War, 102, 193
- Classification of nonferrous metal mines,  
 28, 368-76
- Clay, 412  
 for brick making, 55n  
 for cement, 411  
 employment, 65, 67n, 68  
 mine value, 305  
 output, 55-57, 290, 301, 355  
 prices, 290  
 uses, 56, 412  
 (*see also* Meerschau)
- Cleaning, dry (*see* Dry cleaning)
- Cleaning of minerals, 109  
 coal, 117-18, 147-48, 187
- Climax molybdenum mine, 417
- Coal, 5, 18, 412  
 demand for, 255-57  
 grade, 86n  
 mine value, 305  
 output, 88, 284, 298-99, 346  
 preparation, 147-48, 187  
 reserves, 167-69  
 (*see also* Anthracite; Bituminous coal;  
 Coal mining)
- Coal Act of 1937, 259
- Coal Age, 104n, 171
- Coal and Coal Trade Journal, 168n
- Coal Commission, 173n, 175n, 176n, 179n,  
 184n, 186n
- Coal cutting  
 hand, 120  
 machine, 104n, 120, 123-24, 173-75, 185,  
 253, 261
- Coal gas, 48, 256, 416 (*see also* Manufac-  
 tured gas industry)
- "Coal-Mine Accidents in the United  
 States," 187n, 324-25
- Coal mining  
 employment, 62, 64, 68, 312, 324-25,  
 346-47  
 hours per day, 72  
 mechanization, 104, 127-28, 253-54  
 nonselective mining, 109  
 open pit mining, 137  
 output, 88, 284, 298-99, 346  
 productivity, 77, 88-90, 92, 346-47  
 skill, 116n  
 technology, 103-05, 119-24, 127-28, 130,  
 132, 134

- Coal mining (*cont.*)  
 (see also Anthracite mining; Bituminous coal mining; Coal cutting)
- Cobalt, 25-27, 66n, 67n, 70n, 308n, 412
- Coke, 412  
 for calcium carbide, 55n  
 coal used for, 45, 362, 410  
 manufacture, 269, 271, 299  
 from petroleum, 417  
 in steel making, 46
- Coking, not included, 163, 271
- Cole, William P., Jr., 259
- Cole bill, 259
- Collectors, 156
- Colliery fuel, 299, 362n
- Collins, James H., 98n, 118n, 122n, 152n
- Colorado, 119, 151, 296, 330n, 402n, 403n, 405n, 409, 418, 422
- Columbia University, 114n
- Columbite, 308n
- Columbium, 412, 421
- Commerce, Department of (see Bureau of the Census)
- Committee on Price Research, 162n
- Common clay, 55n, 65, 67n, 69n, 70n, 301, 355n
- Communication industry, 60n
- Comparability of output and employment, 78, 275-76, 351n
- Comparisons  
 bituminous and anthracite, 179  
 coal mining and copper mining, 170  
 coal mining in U.K. and U.S., 179  
 mining and agriculture, 14, 16-18, 79-80  
 mining and manufacturing, 14, 16-18, 79-80
- Competition  
 coal and oil, 44, 48-49, 255-57, 263  
 foreign  
   bauxite, 38-39  
   copper, 253-54, 259-60  
   mercury, 38-39  
 imperfect, 236n  
 iron ore and ferrous scrap, 23-24
- Complex ores, 102, 146-47, 150-53, 370-71, 414
- Compressed air  
 breaking, 122n  
 drilling, 106, 119, 121, 140, 142  
 scraping, 127
- Comstock lode, 6, 101-02, 135, 151
- Concentrates, 9, 21, 146-57, 259, 412  
 copper, 216, 222-25, 236n, 373, 394-405  
 grade of, 86n, 225n, 400-01, 404-05  
 iron, 209, 215-16  
 lead and zinc, 155-56, 374
- Concentrates (*cont.*)  
 molybdenum, 298  
 pyrites, 302
- Concentrating ores  
 copper, 148n, 215, 222-23, 227-31, 235n, 396-405  
 iron, 148-49, 209, 215
- Concentration  
 copper ore, 222-25, 229n, 232, 235, 262  
 and depletion, 252  
 metallic ores, 89-90, 93, 107-10, 114, 146, 153-57, 263, 269-70  
 nonmetals, 109  
 (see also Milling)
- Concrete, 409, 412  
 in construction, 51, 53
- Concrete aggregate, 53, 55, 299, 365, 378, 409, 410, 412, 415, 419
- Congo, 412, 418, 421
- Connecticut, 6, 416
- Connellsville seam, 168
- Conservation, 256-59  
 oil and gas, 194, 197n, 257, 259, 263
- Constant prices, use in measuring output, 8, 271
- Construction, volume of, 51, 54, 364-65
- Construction costs, 364-65
- Construction industry, 60n (see also Building construction; Highway construction)
- Construction materials (see Building materials)
- Construction work, employment in, 10, 68n, 383n, 388-89
- Consumption, 21  
 bituminous coal, 44-47, 362  
 copper, 35, 359  
 lead, 36-38, 360  
 zinc, 37-38, 361
- Content of concentrates (see Grade of copper concentrates)
- Content of ores (see Actual copper content; Grade of ore; Recoverable content)
- Contract employment, 10, 65, 66n, 67n, 68n, 69n, 70n, 189-90, 325-26, 367
- Contract services, 65, 66n, 67n, 68n, 69n, 70n, 367
- Contractors (see Contract services)
- Conveyors, 127-28, 132, 186
- Copper, 20-21, 153, 223, 271, 369-73, 412, 414  
 alloys (see Beryllium; Graphite; Selenium)  
 consumption, 35, 359  
 foreign, 31, 253-54, 260  
 mine value, 370, 373

- Copper (*cont.*)  
 output, 28-38, 280, 282, 297, 354  
 prices, 30, 271, 280, 282, 296-97  
 in pyrites, 316  
 secondary output, 31, 34, 356  
 tariff, 259-60  
 (*see also* Copper mining)
- Copper mining, 4, 6, 9n, 28, 222-39, 368-73, 394-405  
 byproduct metals, 222, 307n, 308n, 375n  
 compared with coal mining, 170  
 employment, 64, 66n, 69, 70n, 77, 190n, 224-27, 311, 320-23, 344-45  
 grade of ore, 90, 114, 123n, 148n, 225, 227-31, 235, 238, 260, 262, 394-401  
 hours per day, 72  
 open pit mines, 222, 229, 232-34, 236-38, 358  
 ore dressing, 153-57, 222-25, 229n, 232, 235, 262  
 output, 77, 224-27, 280, 297, 344-45, 358  
 output per manday, 224, 234, 345, 358  
 output per manhour, 226, 232-37  
 productivity, 77, 90, 224-27, 230, 232-39, 344-45  
 technology, 101-02, 108-16, 122-23, 227, 232-39  
 underground, 114, 126, 128-29, 132, 136, 232-38, 358  
 (*see also* Copper; Leaching)
- Copper Queen mine, 403n, 405n
- Cornish miners, 99
- Corrosion, resistance to (*see* Beryllium; Stainless steel)
- Corry, Andrew V., 114n, 126n, 127n, 230n, 394n
- Corundum, 67n, 305, 409, 413
- Cosmetics  
 talc, 421  
 titanium, 421
- Costs  
 construction, 364-65  
 depletion and, 177, 262  
 and grade of ore, 114-15, 236n, 260, 262  
 joint, 373  
 milling, 235  
 transportation, 150  
 (*see also* Diminishing returns; Overhead costs; Wage rates)
- Country coal banks, 299
- Coverage adjustment not used, 276
- Coverage of data, 275-76  
 Census canvasses, 62-63  
 employment, 315, 331, 337-39, 351-52, 386-91  
 output, 13-16, 315  
 productivity, 76-78, 351n
- Cradle, 413
- Crane, Walter R., 99n, 100n, 101n, 102n
- Cross drift, 112
- Crosscut, 413
- Crump, N. E., 38n
- Crushed stone (*see* Nondimension stone)
- Crushing, 149-51, 153-54, 270  
 of stone (*see* Stone crushing)
- Cryolite, 413
- Crystalline quartz (*see* Quartz)
- Cuba, 412, 416
- Culm banks, 181, 185, 413
- Curbing, 144, 299, 379
- Custom milling, 369n
- Cut-and-fill mining, 110, 233, 235, 237, 413
- Cutting of coal (*see* Coal cutting)
- Cyanide process, 151-53, 155, 409, 413
- Cyanide of sodium, 156 (*see also* Cyanide process)
- Cyanite (*see* Kyanite)
- Cyclical fluctuations, 19, 21  
 comparability of 1902 and 1939, 78n  
 gold output, 28-29  
 iron ore, 210, 219  
 nonferrous metals, 32-33
- Data (*see* Basic data; Indexes)
- Day, Edmund E., 15, 16
- Demand  
 crushed stone, 142  
 gasoline, 47-48  
 metals, 20-40  
 petroleum, 255-57
- Denmark, 413-14
- Department of Commerce (*see* Bureau of the Census)
- Department of the Interior (*see* Bureau of Mines)
- Depletion, 5, 7, 86, 89-92, 249-54, 263-65  
 anthracite, 184  
 bituminous coal, 167-69, 177-78, 257  
 copper, 227-31  
 financial provision for, 236n  
 iron ore, 148, 213-16  
 petroleum, 197-99, 257  
 and tariff policy, 260-61  
 and technology, 86, 177-78, 258, 261-62  
 (*see also* Exhaustion of deposits)
- Depressants, 156
- Depth  
 of mines, 168, 180n, 184, 214, 227n  
 of oil wells, 204, 205
- Derricks, 143, 189, 203, 412, 413
- Design of mines, 89, 115, 117, 132-33, 176  
 (*see also* Mining methods)
- Detachable bits, 121 (*see also* Drills)

- Detonators, mercury for, 416  
 Devaluation of the dollar and gold out-  
 put, 28-29  
 Development work, employment in, 10,  
 59, 68n, 188-89, 194-96, 218, 316n  
 Diamond drills, 203  
 Diamonds, 409, 413  
 Diatomaceous earth (*see* Diatomite)  
 Diatomite, 67n, 306, 309n, 409, 413  
 Diatoms (*see* Diatomite; Tripoli)  
 Diesel power shovels, 144  
 Differential flotation, 89, 156  
 Dimension stone, 240, 378, 413  
   depletion, 243  
   employment, 242-43, 313, 327-32, 349,  
   382-84, 390-91  
   mine value, 306-08  
   output, 49-53, 242-43, 286-87, 299-300,  
   349, 364, 379-82  
   prices, 286-87  
   productivity, 242-43, 349  
   technology, 144-45, 243  
 Dimension stone dressing, 145, 240, 327,  
 341n, 352n, 377-84, 413  
   excluded from quarrying, 8, 10, 67n,  
   70n, 240-41, 271, 378-84  
   (*see also* Outside works)  
 Diminishing returns, 86-87, 250-54, 258  
 Dinkeys, 138, 413  
 Direct recovery of gold, 151-53  
 Direct-shipping iron ores, 209, 215  
 Direct smelting ores, 106, 150n, 223, 227-  
 31, 396-97, 399n, 400n, 402  
 Discovery of minerals, 198, 200-01, 250-  
 51, 257  
 Diversification in use  
   metals, 21  
   stone, 53  
 Dock facings, use of sandstone for, 53, 413  
 Dolomite, 413 (*see also* Lime; Limestone;  
   Magnesium)  
 Domestic service, 60n  
 Dragstones (*see* Millstones)  
 Drainage, 10, 100, 103-04, 107, 134-35  
 Drake, Edwin L., 203  
 Dressing, 413  
   ores (*see* Milling)  
   stone (*see* Dimension stone dressing;  
   Stone crushing)  
 Drift, 112, 131, 413  
 Drifter drills (*see* Hammer drills)  
 Drilling  
   exploratory, 115n, 203  
   in mines, 106-07, 111, 119, 121, 171, 173  
   of oil wells, 189, 194-96, 202-04, 206, 252  
   in quarries, 140, 142  
   Drills  
     auger, 121-22  
     cable, 203-04  
     churn, 115n, 143  
     diamond, 203  
     hammer, 121, 143  
     hand, 119, 138, 140, 142  
     piston, 119, 121, 142  
     rotary oil-well, 203-04  
   Drugs (*see* Pharmaceuticals)  
   Dry cleaning, use of clay, 412  
   Dry holes, 195, 199, 413  
   Drying of minerals, 270  
   Dumortierite, 68n, 409, 41<sup>o</sup>  
   Dumping, 132-33  
   Duplication with statistics of manufac-  
   tures, 377-79  
   Durable goods, demand for, 255  
   Dynamite  
     diatomite for, 413  
     in mines, 106, 122, 144  
   Eckel, E. C., 106n, 133n, 152n, 168n, 180n,  
   251n, 269n  
   Economy of fuel, 10, 44-47, 263  
   Economy of materials, 9-10, 23, 157  
   Edgeworth formula, 271, 380n  
   Efficiency, 3, 76  
     and methods of wage payment, 178  
     technical, 99-100, 106 (*see also* Mill  
     recovery; Ratio of concentration)  
   (*see also* Productivity)  
   Elasticity of supply of scrap, 34-35  
   Electra oil field, 201n  
   Electric shovels, 139, 144  
   Electric utilities, 60n  
     consumption of coal by, 44-47, 362  
   Electrical apparatus  
     copper, 35, 359, 412  
     indium, 415  
     slate, 53, 420  
   Electricity in mines  
     channeling, 144  
     drilling, 121-22, 140  
     haulage, 131, 141  
     hoisting, 127  
     lighting, 134-35  
     loading, 139  
     pumping oil, 205-06  
     sawing stone, 145  
   Electroplating, cadmium for, 411  
   Emergency work, employment on, 62n  
   Emery, 67n, 305, 409, 413  
   Employment, 59-75, 77, 249, 254, 262-63  
     active period average, 64-65, 67n, 68n,  
     273-75  
     basic data, 310-42, 367

- Employment (*cont.*)  
 by contractors, 10, 65, 189-90, 325-26, 367  
 in development work, 10, 59, 68n, 188-89, 194-96, 218, 316n, 388-89  
 indexes, 69, 77, 80, 275-76, 343-53  
 in leased workings, 10  
 mandays, 11, 273-75  
 manhours, 11, 273-75  
 manufacturing excluded, 10, 316-17, 321-22, 327-36, 382-84, 385-86  
 method of averaging, 63-68, 80n, 272-75  
 number of workers, 10-11, 59-71, 273
- Enamelware  
 antimony, 409  
 borates, 56, 411  
 cryolite, 413  
 fluorspar, 414
- Encyclopaedia Britannica*, 110n
- Energy Resources and National Policy*, 45n, 47n, 197n, 200n, 259n
- Energy supply  
 future, 255-57, 263-64  
 growth of, 41-43  
 by source, 43, 256
- Engineering and Mining Journal*, 114n, 121n, 127n
- Engineering News-Record*, 364n, 365n
- Engineering principles, application of, 101
- England, 100, 105n (*see also* United Kingdom)
- Enrichment (*see* Milling)
- Entry, 413
- Erosion, resistance of sandstone to, 53
- Europe, 251, 263 (*see also* Belgium; Denmark; England; France; Italy; Russia; Scotland; Spain; Sweden; United Kingdom)
- European machinery, introduction of, 102
- European methods, 103-04
- European miners, introduction of, 99n, 103
- Everett, Helen, 186n
- Exhaustion of deposits, 5-7, 239n, 250, 253-54, 260-63 (*see also* Depletion)
- Exploration  
 employment, 10  
 metal mining, 108  
 petroleum, 194, 196n, 200-02, 257
- Exploratory drilling, 115n, 203
- Explosives  
 manufacture of, 56  
 use in mining (*see* Blasting)  
 (*see also* Black powder; Dynamite)
- Exports, 259-60  
 bituminous coal, 45, 362
- Exports (*cont.*)  
 copper manufactures, 35, 359
- Extractive industries compared, 85-86, 249
- Fabricant, Solomon, 7n, 13n, 15n, 23n, 48n, 71n, 79n, 80n, 219n, 240n, 249n, 276n, 377n, 397n, 401n
- Fair Labor Standards Act (*see* Wage and Hour Act)
- Farming (*see* Agriculture)
- Fatigue, 413  
 copper, 410  
 steel, 26
- Fay, Albert H., 386n, 409
- Federal Reserve Board index, 13, 15, 406
- Federal Reserve Bulletin*, 406
- Feeding stuffs, limestone used for, 55n
- Feldspar, 58, 65, 294, 304, 305, 308n, 309n, 355n, 413
- Ferro-alloys, 24-27
- Ferrosilicon, 420
- Fertilizer, 45  
 borates, 411  
 magnesite, 416  
 peat, 417  
 phosphate rock, 56, 418  
 potash, 58, 418
- Field services (*see* Contract services)
- Fieldner, A. C., 117n
- Filters  
 clay, 412  
 diatomite, 413  
 tripoli, 421
- Finance industry, 60n
- Fire clay (*see* Clay)
- Fire damp, 135
- Firm members (*see* Individual proprietors)
- Fiscal policy, 259-61
- Fishing industry, 60n
- Fixed costs (*see* Overhead costs)
- Flagging, 144, 299
- Flask, defined, 298
- Flint, 67n, 308n, 309n, 413-14
- Flint pebbles, 154, 309n, 413-14, 421
- Floors, use of marble for, 53
- Florida, 4, 88, 417, 418
- Flotation process, 89, 153-57, 239n, 270, 399, 414  
 selective, 89, 156  
 for talc, 417
- Fluorspar, 20n, 58, 67n, 70n, 77n, 281, 291, 297, 302, 305, 309n, 315-16, 351n, 355n, 371, 374-75, 414
- Flush production, 194, 197, 414
- Flux  
 bauxite, 410

- Flux (*cont.*)  
 fluorspar, 414  
 limestone, 55, 138n, 415  
 Flux, A. W., 105n  
 Fluxing ores, manganese, 296, 307n  
 Foremen, inclusion of, 319-20  
 Forestry, 60n  
 Formula, index number, 271  
 Foundry sand, 67n, 419  
   (*see also* Sand)  
 France, 413, 421  
 Francis, C. B., 24n  
 Free milling ores, 152  
 Freight charges, 150  
 French, mining of lead in Missouri by, 6  
 Fuel  
   consumed, double counting of, 9  
   economy of, 10, 44-47, 263  
   (*see also* Fuels)  
 Fuel equivalent of water power, 406-07  
 Fuel oil, 44, 48, 256, 363, 417  
 Fuel values, 42n, 46n, 82, 407  
 Fuels  
   competition among, 44, 48-49, 254-57, 263  
   demand for, 255-57  
   employment, 64, 68-70, 77  
   output index, 14, 18, 77, 354  
   output of individual fuels, 40-49  
   productivity, 77, 80-83  
   (*see also* Anthracite; Bituminous coal; Natural gas; Natural gasoline; Petroleum)  
 Full year average employment, 273-74, 319, 325-26  
   defined, 273-74  
 Fuller's earth (*see* Clay)  
 Furnaces for ventilation, 134  
 Furness, J. W., 260  
  
 Gainfully occupied, 59-63, 80n  
 Gallery, 413  
 Galvanizing, consumption of zinc in, 37, 38, 361  
 Gangue, 149, 153-55, 395, 412, 414, 415, 422  
 Gardner, E. D., 101n, 102n, 114n, 139n, 140n, 141n  
 Garnet, 67n, 293, 306, 355n, 409, 414  
 Gas (*see* Coal gas; Gasoline; Natural gas; Natural gasoline)  
 Gas lifting of oil, 205  
 Gas mantles, 68, 417  
 Gas oil, 363n  
 Gasoline, 191, 257, 417  
   antiknock, 58, 411  
   output, 48, 363  
 Gasoline power shovels, 144  
 Gathering locomotives, 131  
 Gauge of mine tracks, 138, 141, 144  
 Gems (*see* Precious stones)  
 General contract services, 65, 68n, 69n, 70n  
 Geological Survey, 66n, 296, 302, 307n, 324  
   (*see also* Bureau of Mines)  
 Geology, 115  
   and mechanization, 170-71, 185, 253  
   use in oil finding, 201-02  
 Geophysical prospecting, 202  
 Georgia, 414, 416  
 Germany, 153  
 Ghost towns, 5  
 Glass making  
   arsenic, 409  
   borates, 56, 411  
   cryolite, 413  
   feldspar, 413  
   fluorspar, 414  
   indium, 415  
   limestone, 55  
   lithium, 416  
   monazite, 417  
   sand (*see* Glass sand)  
   selenium, 419  
   soda ash, 420  
   zircon, 422  
 Glass sand, 67n, 308n, 419  
   (*see also* Sand)  
 Glucinum (*see* Beryllium)  
 Gold, 4, 6, 9n, 20, 223, 271, 369-73, 375-76, 414  
   mine value, 370, 373, 375  
   output, 28-30, 280, 282, 297, 354-55  
   prices, 271, 280, 282, 296-97  
   (*see also* Gold mining; Gold and silver mining; Mixed ore mining; Placer mining)  
 Gold Coast, 416  
 Gold mining, 368-70, 414  
   history, 98-101, 149-53  
   technology, 98-101, 151-53, 409  
   value of products, 369  
   (*see also* Amalgamation process; Cyanide process; Gold; Gold and silver mining; Mixed ore mining; Placer mining)  
 Gold and silver mining, 90, 149-53, 368-72, 375-76  
   employment, 64, 66n, 70n, 77n, 320, 323  
   output, 280-81, 297  
   value of products, 305, 369  
   (*see also* Gold; Gold mining; Mixed ore mining; Placer mining; Silver; Silver mining)

- Goodrich, Carter, 99n, 116n, 168n, 171n, 175n, 201n
- Gould, Jacob M., 49n
- Grade of copper concentrates, 225n, 400-01, 404-05
- Grade of ore  
 caving methods, 123n  
 copper, 90, 114, 123n, 148n, 225, 227-31, 235, 238, 260, 262  
 and diminishing returns, 86, 250-52, 258  
 iron ore, 148, 209-10, 213-16  
 and measurement of output, 8-9, 394-405  
 mercury, 91-92  
 and mining costs, 115n  
 and mining method, 106-10, 114
- Grade of stone  
 crushed limestone, 54-55, 384-85  
 dimension, 381-82
- Granite, 240, 414  
 employment, 67n, 328, 330, 332, 334, 337-38, 340, 387n, 391  
 millstones, 416  
 mine value, 306  
 monumental, 51-52, 381  
 output, 49, 51-52, 54, 286, 288, 299-300, 377n, 379-80, 382  
 prices, 286, 288, 300, 381  
 quarries, 145  
 uses, 51-52
- Graphite, 58, 67n, 295, 304, 305, 309n, 355n, 414
- Gravel, 289, 301, 409, 412, 414 (*see also* Sand and gravel)  
 gold-bearing, 98, 101, 150
- Gravity breaking, 110-14, 121, 122-23 (*see also* Block caving; Sublevel caving)
- Gravity concentration, 151-55
- Gravity loading, 110-14, 125, 129  
 copper mining, 235  
 iron mining, 220n  
 not used in coal mining, 177  
 (*see also* Block caving; Shrinkage stopping)
- Gravity separation (*see* Hydraulic mining; Jigs)
- Great Britain (*see* England; Scotland; United Kingdom)
- Great Depression, 73
- Greenland, 413
- Greensand (*see* Marl)
- Grinding, 150-51, 153-55, 270 (*see also* Abrasives; Arrastre; Ball mills; Chert; Flint pebbles; Grindstones; Millstones; Pulpstones; Tube mills)
- Grindstones, 53, 67n, 303, 409, 414 (*see also* Pulpstones)
- Grizzly level, 113
- Gross, John, 154n
- Gross and net output, 8-10, 396-97, 400n
- Ground sand, 293, 303, 306, 308n, 409, 414
- Gushers, 204
- Gypsum  
 calcining excluded, 8, 66n, 70n, 271  
 employment, 64, 66n, 77, 314, 341, 350  
 hours per day, 72-73  
 mine value, 305, 308n  
 output, 56-57, 77, 84, 290, 301, 350, 355n  
 prices, 290, 301-02  
 productivity, 77, 88-89, 275, 350  
 (*see also* Alabaster)
- Gyratory crushers, 154
- Hall, R. D., 171n
- Hamilton, Walton H., 175n
- Hammer drills, 121, 143, 414 (*see also* Piston drills)
- Hand cutting of coal, 120
- Hand drills, 119, 138, 140, 142
- Hand loading, 138n, 146, 173, 176, 177, 185 (*see also* Hand shovels)
- Hand shovels, 110, 125, 127
- Hand sorting, 138n, 146-50, 270n
- Hand tramping, 130-32, 138
- Harz jig, 153
- Haskell, A. P., Jr., 88n, 302, 341
- Haulage, 68n, 130-32  
 bituminous coal, 171  
 conveyors, 127-28, 132  
 electric, 130  
 and hoisting techniques, 132-33  
 mechanization, 130  
 open pit mines, 138, 141  
 rope, 130-31  
 stone quarries, 144
- Haulage level, 111-13
- "Health and Safety Statistics," 317n, 318n, 319, 322n, 332, 333n, 336n
- Heat in mines, 135
- Hedges, J. H., 101n, 123n, 132n, 133n
- Helium, 415
- Hematite, 149, 210, 278, 307n
- Henderson, Charles W., 315n, 376n
- Highway construction  
 asphalt, 410  
 calcium chloride, 411  
 costs, 365  
 and crushed stone output, 53-54, 142, 365  
 volume, 365
- Highway vehicles, 44, 49, 255
- History of mining, 5-6, 98-105

- Hoisting, 107, 130-34  
 in balance, 133  
 (see also Shafts)
- Hoists, 127, 131
- Hoosac tunnel, 119
- Horse whim, 100
- Horses in mines (see Animal power in mines)
- Hotchkiss, Willard E., 109n, 119n, 120n, 122n, 125n, 126n, 127n, 128n, 130n, 131n, 132n, 141n, 147n, 168n, 176n, 177n, 257n, 324, 357n
- Houghton, R. E., 260n
- Hours of work, 72-75, 319-20, 323, 332, 337n
- Hourwich, Isaac, 99n, 152n
- Hunter, Louis C., 105n
- Hydraulic cleaning of coal, 147-48
- Hydraulic mining  
 gold, 100-01  
 phosphate rock, 88  
 stone, 144
- Hydraulic separation (see Jigs)
- Hydrocarbons (see Asphalt; Bitumen; Manufactured gas; Natural gas; Natural gasoline; Petroleum)
- Hydrochloric acid for oil wells, 205
- Idaho, 402n, 403n, 405n
- Illegal production of anthracite, 62n, 104n, 181-82, 298
- Illinois, 67n, 70n, 77n, 178, 297, 315, 342n, 351n, 353n, 369, 373-74, 410, 414, 418, 421
- Illumination, 134-35
- Ilmenite, 308n, 415, 421
- Immigrants as miners, 99, 103
- Imperfect competition, 236n
- Imports, 21, 257-58, 259-61, 409-22  
 bauxite, 39  
 iron ore, 26-27  
 manganese, 24-27  
 mercury, 39  
 steel alloy metals, 24-27
- Indexes of employment, 69, 77, 80, 343-53
- Indexes of output, 14-15, 343-55  
 alternative, 379-82, 394-405  
 methods of construction, 271-72, 275-76
- Indexes of productivity, 77, 80, 343-53
- India, 415, 416, 417, 421
- Indiana, 52, 300, 410, 415, 417
- Indium, 415
- Individual proprietors, 67n, 69-71, 367, 376
- Industrial Commission, 120n, 122n, 185n
- Industrial location, 45
- Infusorial earth, 67n, 415
- Innovation, slackening of, 238n
- Input, 3, 9-10
- Inscriptions, use of granite for, 51-52
- Insecticides  
 arsenic, 409  
 cryolite, 413  
 litharge, 416
- Insulation  
 electrical  
 mica, 416  
 slate, 420  
 thermal  
 asbestos, 410  
 vermiculite, 422
- Interior, Department of (see Bureau of Mines)
- Intermittent operation, 10-11, 178-79, 183-84, 253
- Iodine, 308n, 415
- Ionium, 415
- Iowa, 297, 342n, 353n, 373, 414
- Iridium, 418
- Iron, 415  
 in complex ores, 153  
 nickel and cobalt, 412  
 in pyrites, 316  
 scrap, 21  
 substitution of steel for, 23-24  
 (see also Iron ore; Steel)
- Iron ore, 4-6, 9, 209-21, 271, 415  
 beneficiation, 148-49, 209, 214-16  
 depletion, 148, 213-16, 250  
 employment, 64, 66n, 68, 69, 70n, 77, 190n, 210-12, 311, 320-21, 344  
 grade of ore, 148, 209-10, 213-16  
 hours per day, 72  
 imports, 26-27  
 for magnets, 308n  
 mine value, 305, 307  
 open pit mining, 89-90, 136-39, 213, 216-21  
 output, 20-24, 77, 210-12, 278, 296, 344, 354n  
 output per manday, 210-12, 344  
 output per manhour, 212, 217, 220, 344  
 for paint, 215n  
 prices, 278, 296  
 productivity, 77, 85, 89-90, 211-13, 216-21, 344  
 tariff, 260  
 technology, 216-21  
 underground mining, 112, 125-28, 132-33, 136, 213-14, 216, 220n
- Iron and Steel Institute, American, 406
- Ironstone, 5, 415  
 (see also Iron ore)

- Italy, 416, 421  
 Itinerant miners, 376
- Jack, 415  
 Jackhammer (*see* Hammer drills)  
 Jackson, C. F., 101n, 123n, 126n, 132n, 133n  
 Jaw crushers, 154  
 Jerome, Harry, 179n  
 Jevons, W. Stanley, 104n, 105n  
 Jewelry (*see* Precious stones)  
 Jigs, 100, 147-48, 153-54, 415  
 Johnson, C. H., 101n, 102n, 114n, 139n  
 Joint costs, 373  
*Journal of the American Statistical Association*, 372n  
*Journal of Economic and Business History*, 105n  
 Julihn, C. E., 31n, 106n, 108n, 133n, 134n, 152n, 153n, 270n  
 Junk pile (*see* Secondary metals)
- Kaempffert, Waldemar, 98n, 118n, 122n, 152n  
 Kansas, 4, 129n, 259, 297, 320n, 342n, 353n, 371n, 373-75, 415, 418  
 Kantor, Harry S., 138n, 139n, 142n, 144n, 331, 337n, 387, 390  
 Kaolin, 304 (*see also* Clay)  
 Kelley, Cornelius, 115n  
 Kentucky, 52-53, 67n, 70n, 77n, 297, 315, 342n, 351n, 353n, 369, 373-74, 410, 414  
 Kerosene, 48, 363, 417  
 Kiessling, O. E., 46n, 66n, 74n, 88n, 114n, 121n, 126n, 127n, 138n, 140n, 141n, 142n, 143n, 197n, 199n, 202n, 230n, 302, 315n, 325, 326n, 341, 376n, 394n  
 Kuznets, Simon, 238n  
 Kyanite, 67n, 415
- Labor (*see* Employment; Hours of work; Salaried workers; Wage earners)  
 Labor force, 59-63  
 Labor shortage and mechanization, 126  
 Labor Statistics, Bureau of, 63n  
 Labor unions, 73  
 LaFollette, Robert M., Sr., 102n, 135n  
 Laist, Frederick, 154n, 155n, 156n  
 Lake asphalt, 410  
 Lake Superior, 6, 112, 119, 128, 133, 209, 214n, 220n, 411
- Lamps  
 mercury, 416  
 tellurium, 421  
 tungsten, 421-22  
 (*see also* Mine lighting)
- Landsberg, Hans H., 13n, 15n, 60n, 79n, 80n, 406  
 Large scale enterprise, 100, 104, 115, 235-36, 243, 262  
 Lawrence county, Ind., 300  
 Leaching, 150n, 228n, 397n, 415  
 Lead, 20-21, 223n, 271, 369-71, 374-75, 415  
 alloys (*see* Bismuth)  
 consumption, 36-38, 360  
 mine value, 370, 374-75  
 output, 28-38, 281, 283, 297, 354  
 pigments, 38, 360n, 374, 415, 419, 422  
 prices, 30, 271, 281, 283, 296-97, 373-76  
 secondary output, 32, 34, 356  
 tariff, 259-60  
 uses, 36-38, 360, 409  
 (*see also* Lead mining; Lead and zinc mining; Litharge; Red lead; White lead)
- Lead mining, 6, 28, 368-71  
 byproduct antimony, 307n  
 in Mississippi Valley, 99-100  
 value of products, 369  
 in western states, 102  
 (*see also* Lead; Lead and zinc mining)
- Lead and zinc mining, 90, 371  
 employment, 64, 66n, 70n, 77n, 315, 320, 323  
 mechanization, 126, 129, 132, 133  
 Mississippi Valley, 281, 297, 305, 342, 353, 369, 371-75  
 ore dressing, 153-57  
 (*see also* Lead mining; Zinc mining)
- Leadville, Colo., 151  
 Length of the shift, 72-75  
 Leong, Y. S., 110n, 116n, 119n, 121n, 122n, 123n, 125n, 126n, 131n, 133n, 134n, 136n, 139n, 140n, 141n, 149n, 227n, 228n, 233n, 234n, 235n, 237n, 358n, 372n, 407-08  
 Leshner, C. E., 184n  
 Level, 111-13, 413, 415  
 Leven, David D., 199n  
 Lewis, Robert S., 110n, 407-08  
 Lighting, 134-35  
 Lignite, 67n, 262, 298, 412, 415  
 Lime, 411, 415  
 limestone for (*see* Limestone for lime)  
 sales, 333  
 Limekilns, 269, 301, 328, 331, 333-34, 384-85  
 employment, 333, 385-86  
 Limestone, 203, 205, 240, 415-16  
 crushed, 142  
 dolomite, 413

- Limestone (*cont.*)  
 employment, 67n, 328, 330-34, 337-40, 387n, 391  
 marble, 416  
 mine value, 306-08  
 output, 49, 52-55, 286, 288-89, 299-301, 379-80, 382  
 prices, 286, 288-89, 300-01  
 quarries, 144  
 uses, 52, 54-55  
 (*see also* Cement rock; Limestone for lime)
- Limestone for cement (*see* Cement rock)
- Limestone for lime, 54-55, 138n, 288, 300-01, 415  
 employment, 331-34, 338, 385-86, 390  
 mine value, 306, 308n, 384-85
- Linoleum  
 clay, 412  
 cobalt, 412  
 lithopone, 416
- Litharge, 36, 360, 416
- Lithium, 67n, 308n, 309n, 416
- Lithopone, 416
- Load factor, 44-45
- Loading the mineral, 68n, 107, 124-34  
 anthracite, 91, 185  
 bituminous coal, 173-76  
 gravity, 110-14, 125, 129, 177, 220n, 235  
 hand shovel, 110, 125, 127, 138n, 146, 173, 176, 177, 185  
 mechanical, 117, 122, 125-29, 147, 150, 173-76, 185-86, 261 (*see also* Power shovels)
- Localization, 4, 264-65
- Locomotive fuel, 45, 105n, 362
- Locomotives (*see* Mine locomotives; Railroad locomotive)
- Lode, 416 (*see also* Veins)
- Lode mining (*see* Gold and silver mining)
- Logan, Leonard, 259n
- Long ton, defined, 296, 416
- Losses (*see* Recovery losses)
- Louisiana, 56, 259, 417, 418, 421
- Lubin, Isador, 178n, 186n
- Lubricants, 48, 191, 257, 363, 417 (*see also* Graphite)
- Lumber, 6
- Machine differential in coal mining, 178
- Machine runners, 173, 175
- Madagascar, 414
- Magnesia, 416 (*see also* Dolomite; Limestone)
- Magnesite, 58, 66n, 67n, 70n, 294, 304, 305, 355n, 416
- Magnesium, 409, 410, 416  
 alloys with calcium, 411  
 (*see also* Brucite; Dolomite; Magnesia; Magnesite; Magnesium salts)
- Magnesium salts, 58, 292, 303, 305, 355n  
 (*see also* Dolomite; Lime; Limestone; Magnesite)
- Magnetic concentration of iron ore, 149
- Magnetic steels, 25
- Magnetite, 149, 278, 307n (*see also* Granite)
- Maine, 300, 414
- Maintenance work, 235n  
 employment, 68n, 189, 316n
- Malaya, 421
- Managers, inclusion of, 319-20
- Mandays, 11, 273-75, 310-25, 327-42, 357-58  
 indexes, 343-53  
 per year, 273-75, 315, 319-20  
 (*see also* Employment)
- Manganese, 9, 20-21, 77n, 416  
 byproduct, 369n  
 employment, 64, 66n, 70n, 320, 323  
 mine value, 305, 307n  
 output, 24-27, 279, 296, 354-55  
 prices, 279  
 tariff, 260
- Manhours, 11, 273, 275, 310-15, 319-21, 326-27, 332, 337, 341-42, 387  
 hours per day, 72-75, 319-20, 323, 332, 337n  
 hours per year, 74-75, 337n  
 indexes, 343-53  
 used as weights in output index, 16  
 (*see also* Employment)
- Mann, L., 46n
- Manual workers, 71
- Manufactured gas, 48, 256, 416
- Manufactured gas industry, 60n
- Manufactures, Census of, 7-8, 71n, 240, 269, 333n, 377n, 378-79
- Manufacturing, 5, 249  
 distinguished from mining, 7-8, 269-71, 307n, 377-86  
 employment, 79-80  
 labor force, 60-61  
 output, 14, 16-17, 79-80  
 productivity, 79-80, 85-87  
 salaried workers in, 69-70
- Many years, 80n
- Marble, 240, 416  
 employment, 67n, 327, 329, 330, 340-41, 391  
 mine value, 306-07  
 output, 49, 52-53, 286, 299-300, 377n, 379-80, 382

- Marble (*cont.*)  
 prices, 286, 300  
 quarries, 144  
 uses, 53
- Marginal character of large scale methods, 235
- Market prices, 4, 9n  
 nonferrous metals, 280-83, 297-98, 373-75
- Marl, 67n, 306, 414
- Marshall, Alfred, 251n
- Maryland, 5, 414
- Massachusetts, 5, 119, 414
- Materials  
 building (*see* Building materials)  
 economy in use of, 9-10, 23, 157 (*see also* Economy of fuel)
- Mechanical loading, 117, 122, 125-29, 147, 150, 173-76, 185-86, 261
- Mechanical shovels (*see* Power shovels)
- Mechanical track shifting, 141
- Mechanization, 7, 89, 106, 115, 117-47  
 anthracite, 91, 103-05, 117, 147, 185-87  
 bituminous coal, 103-05, 117, 147, 173-78  
 and labor shortage, 126  
 metal mining, 102, 150  
 and mining method, 117-18, 232  
 and profitability, 186n  
 and salaried workers, 71  
 and wage rates, 105n, 178  
 and waste, 146
- Meerschaum, 416
- Men employed, number of, 10-11, 59-71, 273, 310-16, 319-21, 324-27, 331-33 (*see also* Employment)
- Menaccanite (*see* Ilmenite)
- Merchantable iron ore, 209, 215-16
- Mercury, 4, 6, 20-21, 77n, 250, 252, 271, 353, 412, 416  
 amalgamation process, 98n, 151, 409  
 employment, 64, 66n, 70n, 320, 323, 342, 353, 371  
 mine value, 305  
 mining selective, 110  
 output, 38-40, 283, 298, 353, 354n  
 output per manhour, 92  
 prices, 283, 298  
 productivity, 91-92, 353  
 tariff, 260  
 (*see also* Cinnabar)
- Merrill, Charles W., 315n, 376n
- Mesabi range, 105n, 107, 108-09, 137-38, 140, 142, 253, 260
- "Metal-Mine Accidents in the United States," 316, 318n, 319, 321, 322n, 323, 342n
- Metal mining  
 discoveries, 201  
 employment, 62, 64, 66n, 67n, 68-70, 77, 310-11, 315-24, 344-45, 351  
 hours per day, 72, 319-20, 323  
 output, 77, 278-84, 296-98, 344-45, 351  
 productivity, 77, 81, 88-92, 275, 344-45, 351  
 technology, 98-102, 106-16, 119-41, 149-57  
 value of products, 305  
 (*see also* Copper mining; Gold and silver mining; Iron ore; Lead and zinc mining; Placer mining)
- Metallic content of ores (*see* Actual copper content; Grade of ore; Recoverable content)
- Metallurgical limestone, 55, 138n, 415
- Metallurgical losses (*see* Recovery losses)
- Metallurgical works, 316
- Metallurgy and mining tools, 118, 143
- Metals, 19-40  
 demand for, 255  
 mine value, 305  
 output index, 14, 18, 354  
 output of individual metals, 20-40, 278-84, 296-98, 354-55  
 prices, 278-84, 296-98, 373-75  
 (*see also* Secondary metals; and individual commodities, e.g., Gold; Iron ore)
- Metamorphism of coal, 162n, 418-19
- Methods of mining (*see* Mining methods)
- Mexican grinding mills, 151
- Mexico, 409, 410, 411
- Meyer, Helena M., 31n
- Miami Copper Co., 402n, 403n, 405n
- Miami copper mine, 402, 403n, 404-05, 411
- Mica, 58, 65, 295, 304, 306, 309n, 355n, 416  
 (*see also* Granite; Vermiculite)
- Michigan, 6, 90, 120n, 128, 209, 222, 227n, 228n, 259, 411, 412, 414, 415, 416, 418, 419
- Microcline (*see* Granite)
- Military equipment (*see* Armor plate; Caterpillar traction; Helium; Magnesium; Strontium minerals)
- Mill recovery, 156-57, 230, 236n, 239n  
 copper, 399-401, 404-05
- Milling, 416  
 copper ore, 222-25, 229n, 232, 235, 262, 396-401, 404-05  
 custom, 369n  
 and depletion, 252

- Milling** (*cont.*)  
 efficiency (*see* Mill recovery; Ratio of concentration)  
 employment, 316-19, 321-23  
 included in mining, 8, 269-71  
 iron ore, 148-49, 209, 214-16  
 metallic ores, 89-90, 93, 107-10, 114, 146, 153-57, 263, 269-70  
 (*see also* Stone crushing)  
 Milling ores (*see* Concentrating ores)
- Mills**  
 cement (*see* Cement mills)  
 ore dressing (*see* Milling)
- Millstock, 300
- Millstones, 67n, 306, 409, 416
- Mine lighting, 134-35
- Mine locomotives, 131-32, 138
- Mine output (*see* Output)
- Mine railroads, 130-32, 138, 141, 144, 171
- Mine temperatures, 135
- Mine value of minerals, 8, 271, 278-79, 283-95, 305-09, 369-70, 373-75  
 determination, 373  
 quarrying, 380-82
- Mineral enrichment (*see* Milling)
- Mineral Industry, The*, 302, 308n
- "Mineral Market Reports," 74n
- Mineral pigments, 70n (*see also* Paint)
- Mineral reserves, 249-50, 257, 259-61  
 coal, 167-69, 257, 261-62  
 copper, 262  
 natural gas, 258, 261  
 petroleum, 198, 254, 257, 261, 366
- Mineral Resources of the United States*, 31n, 46n, 162n, 296, 298, 303, 307n, 359n, 370n, 372n, 374n (*see also* *Minerals Yearbook*)
- Mineral waters, 306, 309n
- Mineral wool from limestone, 55n
- Minerals Yearbook*, 26n, 41n, 46n, 55n, 56n, 68n, 82n, 175n, 179n, 181n, 185n, 187n, 189n, 196n, 215n, 219n, 228n, 296, 301, 303, 305, 307n, 308n, 321, 324, 325, 326n, 333n, 336n, 339n, 342n, 356n, 359n, 360n, 361n, 362n, 363n, 365n, 369, 370, 373n, 381n, 386n, 388-89, 402n, 403n, 405n, 406, 409
- Mines**, Bureau of, 11, 13, 64-65, 66n, 67n, 74n, 77n, 175n, 181, 240, 273-74, 276, 296-99, 302, 304, 307n, 315, 316, 317n, 319, 321, 322n, 324, 325, 327, 336n, 339n, 366n, 369, 371, 376, 378n, 379-81, 384-88, 392, 402n, 403n, 405n, 407
- Mining**  
 defined, 4
- Mining** (*cont.*)  
 distinguished from manufacturing, 7-8, 269-71, 307n, 377-86  
 history, 5-6, 98-105  
 share of labor force, 60-62  
 share of national income, 5
- Mining, Census of (*see* Census of Mining)
- Mining methods**  
 and grade of ore, 106-10, 114  
 and mechanization, 117-18  
 underground metal mining, 110-14  
 (*see also* Block caving; Cut-and-fill mining; Open pit mining; Shrinkage stopping; Square-set timbering; Sub-level caving; Top slicing; Underground mining)
- Mining and Scientific Press*, 115n
- Minnesota, 5, 52, 137, 149, 209, 218n, 259n, 300, 415
- Minor nonmetals, 55-58
- Mississippi, state of, 259
- Mississippi Valley, 9n, 99, 100, 281, 305, 323, 342, 369, 371, 373-75, 415, 422  
 defined, 297, 373
- Missouri, 6, 126, 129n, 297, 320n, 342n, 353n, 371n, 373-75, 410
- Mixed ore mining, 369, 371-72, 374-75  
 employment, 323  
 mine value, 305  
 output, 280-81, 297  
 (*see also* Complex ores)
- Mobile loaders, 128, 132
- Mobility of labor, 61
- Molding**  
 clay, 412  
 sand, 419
- Molybdenum, 20, 25-27, 64, 66n, 70n, 77n, 223n, 284, 298, 305, 354n, 371, 416-17, 422
- Monazite, 65, 68, 306, 309n, 417
- Monroe county, Ind., 300
- Montana, 102, 222, 227n, 228n, 298, 402n, 403n, 405n, 415, 422
- Monumental stone, 299, 378-79, 381
- Morenci copper mine, 402, 403n, 404-05
- Mortar, 409, 411
- Mosier, McHenry, 126n, 127n, 139n, 140n, 141n
- Motor trucks, 141, 144  
 and bootlegging, 181
- Mud for well drilling, 203-04  
 clay, 412
- Mules, 130-31
- Multiple-bench quarries, 141, 142
- National income**  
 share of mining, 5

- National Industrial Recovery Act, 73  
 National Recovery Administration, 325  
 National Research Project, 140, 176, 197, 199, 232, 234, 277, 321, 325, 327, 332, 386  
   output index, 15, 16, 406  
 National Resources Committee, 45n, 47n, 110n, 197n, 259, 366n  
 National Resources Planning Board, 117n (*see also* National Resources Committee)  
 Native asphalt (*see* Asphalt)  
 Natural abrasives (*see* Abrasives)  
 Natural cement, 301, 388-89  
 Natural gas, 4, 9, 16, 188-90, 256, 258, 261, 306, 308n, 351n, 417  
   employment, 326n  
   hours of work, 74n  
   industrial use, 44  
   not included in Federal Reserve Board index, 13, 15  
   output, 40-43, 47-49, 285, 299, 355  
   pressure, 205  
   prices, 285, 299  
   waste of, 9-10, 193-94, 259  
   (*see also* Oil and gas wells)  
 Natural gasoline, 15, 41, 66n, 67n, 188-90, 194, 285, 299, 351n, 355n, 417  
   employment, 326n, 367  
   (*see also* Oil and gas wells)  
 Net and gross output, 8-10, 396-97, 400n  
 Nevada, 6, 101, 151, 222, 402n, 403n, 405n, 409, 411, 413, 414, 416, 418, 421, 422  
 Nevada Consolidated Copper Co., 403n, 405n  
 Nevada copper mine, 403n, 405n  
 New England, 4, 6, 52, 411  
 New Hampshire, 300, 416, 417  
 New Jersey, 6, 149, 209, 220n, 414  
 New Mexico, 58, 228n, 259, 402n, 403n, 405n, 409, 410, 418  
 New York, state of, 149, 191, 209, 299, 414, 416, 419, 421  
 New York City, 298  
 Newcomb, Robinson, 66n, 341  
 Nickel, 21, 25-27, 66n, 67n, 70n, 260, 417  
 Nicolson, C. W., 121n  
 Nigeria, 412  
 Nighman, C. E., 121n, 138n, 140n, 141n, 142n, 143n  
 Nineteenth century mining, 5-6, 98-105  
 Nitroglycerine, 122  
 Nonagricultural occupations, 60n  
 Noncommercial employment, crushed stone, 327, 351n, 392n  
 Noncommercial output  
   crushed stone, 50, 53, 55n, 241, 300, 351-52, 365n, 392  
   sand and gravel, 301, 308n  
 Nondimension stone, 240, 378  
   employment, 242-43, 313, 327-29, 349  
   mine value, 306-08  
   output, 49-50, 53-55, 242-43, 288-89, 299-301, 349  
     and highway construction, 53-54, 365  
   not included in Federal Reserve Board index, 15  
   prices, 288-89  
   productivity, 241-43, 349  
   technology, 138, 141-44, 243  
   uses, 54-55, 409  
   (*see also* Concrete aggregate; Railroad ballast; Road metal; Stone; Stone\* crushing; Stone quarrying)  
 Nonferrous alloys (*see* Alloys, nonferrous)  
 Nonferrous metal mines, classification of, 28, 368-76  
 Nonferrous metal mining (*see* Copper mining; Gold and silver mining; Metal mining; Mixed ore mining; Placer mining)  
 Nonferrous metals  
   measurement of output, 9, 368-76, 394-95  
   mine value, 305, 373-75  
   ore dressing, 149-57  
   output, 20, 28-40, 279-84, 296-98, 354-55  
   prices, 279-84, 296-98, 373-75  
   (*see also* Copper; Gold; Lead; Secondary metals; Silver; Zinc)  
 Nonmetals other than fuels (*see* Other nonmetals)  
 Nonselective mining, 107-16, 146, 152  
   coal, 109  
   copper, 232, 233n, 235  
   other nonmetals, 109  
   underground, 110-14  
   (*see also* Selective mining)  
 North Carolina, 6, 414, 416  
 North Dakota, 162, 168n, 298, 415  
 Obsolescence of equipment, 23n  
 Occupied population, 59-63, 80n  
 Ohio, 191, 299, 410, 414, 417, 419  
 Oil (*see* Oil and gas wells; Petroleum)  
*Oil and Gas Journal*, 196n, 201n  
 Oil and gas wells, 4, 188-208, 249  
   blow-outs, 204  
   depletion, 197-99, 250, 257  
   employment, 10, 62, 64, 66n, 67n, 68-

- Oil and gas wells (*cont.*)  
 70, 77, 191-94, 272, 312, 315, 325-26,  
 348, 367  
 gushers, 204  
 hours of works, 73-75, 326  
 mine value, 306, 308n  
 mud, 203-04  
 output, 77, 191-94, 285, 299, 348  
 productivity, 77-87, 191-97, 207-08, 275,  
 348  
 recovery ratios, 204  
 technology, 199-208  
 wells drilled, 195  
 wells producing, 195
- Oil well bits, 26, 203
- Oilstones, 67n, 303, 409, 417
- Oklahoma, 129n, 259, 297, 342n, 353n,  
 371n, 373-75, 410, 414, 417, 418
- Olivine (*see* Basalt)
- Opal, 417
- Open cut mining (*see* Open pit mining)
- Open pit mining, 93, 114-15, 136-41, 417  
 anthracite, 185, 187  
 bituminous coal, 169-70, 357  
 copper, 90, 108-09, 170, 222, 229, 232-  
 34, 236-38, 358  
 gold, 98-99  
 iron ore, 89-90, 136-39, 213, 216-21  
 phosphate rock, 88  
 productivity, 89, 170, 217, 234  
 (*see also* Mesabi range; Power shovels)
- Open stopes, 101, 220n, 233, 237
- Ore chutes, 111-13, 127
- Ore dressing (*see* Milling)
- Oregon, 413, 416, 418
- Ores (*see* Complex ores; Concentrating  
 ores; Direct smelting ores; and individ-  
 ual metals, e.g., Copper; Gold)
- Orthoclase (*see* Granite)
- Osmium, 418
- Other nonmetals  
 employment, 62, 64, 68-70  
 nonselective mining, 109  
 output index, 14, 18, 354  
 output of individual products, 49-58
- Output, 13-58, 249  
 basic data, 278-304  
 comparable with employment, 77, 343-  
 52  
 correlation with productivity, 85  
 gross and net, 8-10  
 indexes, 14-15, 271-72, 343-55  
 per manday, 77, 80, 343-53, 357-58  
 per manhour, 77, 81, 343-53  
 measurement of, 7-10, 271-72  
 per worker, 80, 249
- Outside works, 327-31, 334-36, 341n, 382-  
 83, 390-91
- Overburden, 68n, 137, 144, 218, 417 (*see*  
*also* Open pit mining)
- Overcapacity in coal mining, 166
- Overhead costs, 107, 179, 253
- Paint  
 antimony, 409  
 cadmium, 411  
 clay, 412  
 cobalt, 412  
 graphite, 414  
 iron ore, 215n  
 lead, 38, 360n, 374, 415, 419, 422 (*see*  
*also* Litharge)  
 mercury, 416  
 radium, 418  
 talc, 421  
 titanium, 421  
 zinc, 38, 374 (*see also* Lithopone)
- Palladium, 418
- Paper clay (*see* Clay)
- Paper making  
 clay, 56, 412  
 limestone, 55  
 pulpstones, 418  
 salt cake, 419  
 talc, 421  
 titanium, 421
- Paraffin-base petroleum, 191, 417
- Parker, Glen L., 168n
- Parsons, A. B., 110n, 139n, 149n, 151n,  
 154, 155n, 156n, 224n, 239n
- Paving blocks, 299, 379, 381n, 413
- Paving materials, stone, 52-53, 379n
- Pay streak, 107
- Peat, 67n, 306, 309n, 412, 417
- Pebbles  
 concrete, 412  
 grinding, 154, 309n, 413-14, 421  
 (*see also* Gravel)
- Peekskill, N. Y., 413
- Peele, Robert, 110n, 407-08
- Penalties on ores, 147, 224n
- Pennsylvania, 4, 5, 6, 53, 67n, 103, 104n,  
 105n, 138, 149, 161-62, 171, 181, 182n,  
 191, 197, 203, 209, 298, 299, 409, 410,  
 414, 418, 419, 420
- Pennsylvania anthracite (*see* Anthracite;  
 Coal)
- Pennsylvania grade crude oil, 9, 191, 285,  
 299
- Pennsylvania rottenstone, 303
- Percussive drills  
 cable, 203-04  
 churn, 115n, 143

- Percussive drills (*cont.*)  
 hammer, 121, 143  
 piston, 119, 121, 142
- Peru, 410, 422
- Peterson, Knute, 66n, 341
- Petroleum, 4, 6, 9, 16, 306, 351n, 417-18  
 demand for, 255-57  
 depletion, 197-99  
 discoveries, 198, 366  
 employment, 326n  
 foreign, 257  
 industry, 188-208  
 mining, 188  
 output, 40-43, 47-49, 285, 299, 355  
 prices, 82n, 285  
 recovery ratios, 204, 206  
 refined products, 48, 363  
 reserves, 198, 254, 257, 366
- Petroleum refining, 25, 47-48, 56, 363, 417  
 bauxite, 410  
 clay, 56, 412  
 excluded from mining, 8, 271
- Pharmaceuticals  
 arsenic, 409-10  
 bismuth, 410  
 iodine, 415
- Phelps Dodge Corp., 402n, 403n, 405n
- Philippines, 412
- Phosphate rock, 4, 6, 418  
 depletion, 250  
 employment, 64, 77, 314, 341, 350  
 hours per day, 72  
 mine value, 306  
 output, 55-57, 77, 291, 302, 350, 355n  
 prices, 291, 302  
 productivity, 77, 84-85, 88, 275, 350
- Phosphates (*see* Monazite; Phosphate rock; Superphosphates; Turquoise)
- Physical output (*see* Output)
- Picher field, 201n
- Pick, 120
- Pick mines, 178
- Pickawee hammer, 100
- Piece wages in coal mining, 173, 178-79, 253
- Pig iron, 23-24
- Pigments (*see* Mineral pigments; Paint)
- Pillars (*see* Block caving; Room-and-pillar mining; Supports)
- Piston drills, 119, 121, 142, 418 (*see also* Hammer drills)
- Pit-car loader, 127-28
- Placer mining, 28, 77n, 90n, 369, 372, 376, 414, 418  
 employment, 64, 69n, 315-16, 318n, 323, 351n  
 output, 282, 297, 351n
- Placer mining (*cont.*)  
 technology, 98, 100-01, 150  
 value of products, 305, 369
- Plagioclase (*see* Basalt)
- Platinum, 20, 305, 369n, 418
- Plein, L. N., 125n, 126n, 128n, 129n
- Plumbago (*see* Graphite)
- Pneumatic cleaning of coal, 148
- Polishing (*see* Abrasives)
- Polonium, 418
- Population Census, 59-63
- Population growth, 16-18
- Porcelain (*see* Pottery)
- Porphyry, 410, 418
- Porphyry ores, 150, 153, 155, 229-30, 236
- Portland cement, 301 (*see also* Cement)
- Potash, 65, 69n, 70n, 355n, 418  
 mine value, 306  
 output, 55-58, 291, 302  
 prices, 291, 302  
 uses, 58, 418
- Potter, A. A., 47n
- Pottery  
 clay, 56, 412  
 cobalt, 412  
 diatomite, 413  
 feldspar, 413  
 ground sand, 414  
 litharge, 416  
 lithium, 416  
 molybdenum, 416-17  
 talc, 421  
 titanium, 421  
 vanadium, 422  
 zircon, 422
- Power shovels, 89-90, 109, 126, 137-44, 253  
 caterpillar treads, 139  
 (*see also* Electric shovels; Steam shovels)
- Power supply (*see* Energy supply)
- Pratt, Wallace E., 200n
- Precious metals (*see* Gold; Silver)
- Precious stones, 68n, 240, 305, 309n, 418  
 (*see also* Diamonds; Kyanite; Opal; Turquoise)
- Precision of data (*see* Accuracy of data)
- Preparation of coal, 147-48, 187
- Preservatives for wood  
 arsenic, 409  
 in mines, 136
- Pressure control at oil wells, 204-07
- Prices  
 basic data, 278-304  
 coal and oil, 82n  
 copper, lead and zinc, 30
- Processing (*see* Milling)
- Productivity, 76-93, 249-54

- Productivity (*cont.*)  
 compared with agriculture and manufacturing, 85-87  
 correlation with output, 85  
 indexes, 77, 80, 275-76, 343-53  
 measurement of, 3, 8-12, 275-76  
 retardation of growth, 239n  
 underground and open pit mines, 170, 217-21, 232-36, 357-58
- Profitability as a deterrent to mechanization, 186n
- Progress, rate of technical, 238n
- Proprietors, individual, 67n, 69-71, 367
- Proration of oil output, 207
- Prospecting (*see* Exploration)
- Public emergency work, employment, 62n
- Pulpstones, 303, 418
- Pumice, 67n, 293, 306, 355n, 409, 418
- Pumicite (*see* Pumice)
- Pumping  
 oil from wells, 205, 261, 263  
 water from mines, 10, 100, 103-04, 107, 134-35
- Purification of the product, 109, 146-57  
 (*see also* Milling)
- Pyrites, 58, 66n, 67n, 70n, 77n, 153, 155, 291, 302, 306, 308n, 315-16, 320, 323, 355n, 369n, 418
- Pyrophyllite, 303, 418
- Quality changes, 8-10, 86  
 coal, 161-63  
 (*see also* Grade of copper concentrates; Grade of ore; Grade of stone)
- "Quarry Accidents in the United States," 327-32, 334-41, 382n, 383n, 386n, 391n
- Quarrying (*see* Stone quarrying)
- Quartz, 6, 67n, 293, 303, 306, 308n, 409, 418  
 mining of gold, 98  
 (*see also* Granite; Silica)
- Quicksilver (*see* Mercury)
- Radiolaria (*see* Tripoli)
- Radium, 418
- Railroad ballast, 53, 55, 299, 378, 410, 415, 419
- Railroad construction, use of power shovel in, 137
- Railroad development, effect of, 4, 102
- Railroad equipment, 26, 255  
 mine (*see* Mine locomotives; Mine railroads)
- Railroad locomotive, efficiency, 44
- Railroad tunnels and early mining, 118-19
- Railroads  
 fuel efficiency, 46
- Railroads (*cont.*)  
 source of scrap, 35  
 (*see also* Mine railroads)
- Raise, 111, 112, 418
- Ralston, Oliver C., 109n
- Rank of coal, 162, 418-19
- Ratio of concentration, 148n, 150, 216, 400, 404-05
- Raw materials, economy in use of, 9-10, 23, 157 (*see also* Economy of fuel)
- Ray Consolidated Copper Co., 402n, 403n, 405n
- Ray copper mine, 402, 403n, 405n, 411
- Razor blades, 25
- Read, Thomas T., 101n, 134, 156n, 171n
- Recent Social Trends*, 102n, 114n
- Recoverable content, 8n, 223-25, 231n, 234, 372, 374, 394-96, 399-401
- Recovery losses  
 copper milling, 230, 372n, 396, 399-401, 404-5  
 copper smelting, 231, 372n, 396, 399-402  
 metals, 150, 152-53, 374n  
 petroleum, 204, 206
- Rectifiers (*see* Selenium)
- Red lead, 36, 360, 419
- Refinery output  
 lead, 374n  
 metals, 297  
 oil products, 47-48, 363
- Refining  
 metals, 222, 225n, 231n, 269-71, 307n, 395  
 petroleum (*see* Petroleum refining)
- Refractories  
 bauxite, 410  
 brucite, 411  
 chromite, 411  
 clay, 56, 412  
 dolomite, 413  
 kyanite, 415  
 magnesite, 416  
 stone, 54-55, 419  
 vermiculite, 422  
 zircon, 422
- Refractory ores, 152 (*see also* Complex ores)
- Refrigeration, calcium chloride in, 411
- Regular producers, oil and gas wells, 74
- Repressuring, 205-06
- Reserve Board index, 13, 15
- Reserves (*see* Mineral reserves)
- Resource conditions  
 anthracite, 92  
 bituminous coal, 167-69  
 copper, 227-31  
 iron ore, 213-16

- Resource conditions (*cont.*)  
 petroleum, 197-99  
 stone, 243  
 (*see also* Depletion; Grade of ore)
- Restriction of output  
 coal, 259  
 oil and gas, 194, 197n, 206-08, 259
- Retardation of growth  
 output, 16-18  
 productivity, 239n  
*Review of Economic Statistics*, 16n, 406
- Rhodium, 418
- Rice, G. S., 188n  
 Rice, W. E., 117n
- Rickard, T. A., 98n, 99n, 115n, 149n, 155n
- Ridgway, Robert H., 302
- Riffles, 98n, 152, 419 (*see also* Sluicing)
- Rig, 419
- Riprap, 55, 299-301, 378, 418
- River coal, 181, 185
- Road metal, 53, 55, 299, 365, 378, 410, 415, 419
- Road oil, 417
- Roberts, Peter, 103n
- Rock dressing plants, 383, 386n (*see also* Stone dressing)
- Rock drills (*see* Drills)
- Rock salt, 65, 69n, 70n, 419
- Rockers, 98n, 419 (*see also* Cradle)
- Roller and cone bits, 203
- Rolls, 104, 419
- Roofing materials  
 asbestos, 410  
 asphalt, 410  
 lead, 415  
 pumice, 418  
 slate, 53, 300, 420  
 stone, 379n  
 talc, 421
- Room-and-pillar mining, 117, 171-77, 419
- Rope haulage, 130-31
- Rotary drills  
 auger, 121-22  
 diamond, 203  
 oil-well, 203-04
- Rottenstone, Pennsylvania, 303, 419
- Rubber manufacture  
 carbon black, 417  
 clay, 412  
 lithopone, 416  
 talc, 421  
 tellurium, 421
- Rubble, 51, 299-301, 378, 419
- Rubies, 409
- Run-of-the-mine coal, 148, 163
- Russia, 416
- Rustless steel (*see* Stainless steel)
- Ruthenium, 418
- Rutile, 66n, 70n, 305, 419, 421  
 (*see also* Titanium)
- Saeger, Geoffrey E., 138n, 139n, 142n, 144n, 331, 337n, 387, 390
- Salaried workers, 66n, 67n, 69-71, 272, 319-20, 367
- Saline deposits, 302
- Salt, 6, 65, 69n, 70n, 419
- Salt cake, 419
- San Francisco, 298
- Sand, 65, 67n, 68, 289, 293, 301, 303, 306, 308n, 355n, 409, 412, 419  
 in iron ore, 149  
 (*see also* Foundry sand; Glass sand; Ground sand; Sand and gravel)
- Sand and gravel, 55-57, 65, 69n, 70n  
 mine value, 306  
 not included in Reserve Board index, 15  
 output, 55-57, 289, 301, 303, 355  
 prices, 289  
 (*see also* Gravel; Sand)
- Sandstone, 240, 378n, 419  
 abrasive, 53, 293, 303, 355n  
 employment, 67n, 329-30, 332, 335, 337-38, 340, 387n, 391  
 ground, 293, 303, 306, 308n, 414  
 mine value, 306  
 output, 49, 52-54, 287, 289, 299-300, 379-80, 382  
 prices, 287, 289, 381  
 quarries, 144  
 uses, 53  
 (*see also* Grindstones; Millstones; Pulpstones)
- Sanitary enamelware (*see* Enamelware)
- Sapphires, 409
- Sawing of stone (*see* Dimension stone dressing)
- Scabbling, 378n, 382n, 419
- Scheelite (*see* Tungsten)
- Schist, 304
- Schoenfeld, Margaret H., 102n, 114n, 168n
- Schoolcraft, Henry R., 99n
- Schuette, C. N., 110n
- Scotland  
 coal mining, 186n  
 shale oil, 420
- Scrap metal (*see* Secondary metals)
- Scrap mica, 295, 304
- Scrapers, 112, 126-28, 129n, 132, 220n
- Screens, 98n, 104, 113, 147-48, 243 (*see also* Jigs)
- Scythestones (*see* Oilstones)
- Sea walls, use of sandstone for, 53, 413

- Sea water (*see* Bromine; Magnesium)
- Secondary breaking, 143-44
- Secondary metals, 19, 255, 263, 264  
ferrous, 21-24, 46  
nonferrous, 31-38, 356
- Seismograph, 202
- Selective flotation, 89, 156
- Selective mining, 105-07, 110, 152, 233n, 235, 236n, 397, 399n, 419 (*see also* Non-selective mining)
- Selenium, 419-20, 421
- Self-sufficiency, 261
- Semiprecious stones (*see* Andalusite; Precious stones)
- Separation of minerals (*see* Milling)
- Service industries, 60n
- Shaft, depth of, 168, 180n, 184, 214, 227n
- Shafts, 100, 104-05, 132-34
- Shaking tables, 152, 154
- Shale, 65, 254, 257, 420
- Shaping of stone (*see* Dimension stone dressing)
- "Share the work" movement, 73
- Shells as aggregate, 409
- Shift, length of, 72-75
- Short ton, defined, 296
- Shovel loaders, 126-27
- Shovels (*see* Electric shovels; Hand shovels; Power shovels; Steam shovels)
- Shrinkage methods, 102, 110-11, 220n, 233, 235, 236n, 237
- Shrinkage stoping, 110-11, 125, 136, 420
- Shurick, A. T., 147n
- Silica, 412 (*see also* Opal; Rottenstone; Sand; Sandstone; Silica abrasives)
- Silica abrasives, 58, 293, 303, 306, 409 (*see also* Diatomite; Flint; Grindstones; Ground sand; Millstones; Oilstones; Quartz; Sandstone; Tripoli)
- Silicates, 420 (*see also* Abrasives; Andalusite; Asbestos; Beryllium; Clay; Dumortierite; Feldspar; Garnet; Kyanite; Mica; Pumice; Pyrophyllite; Talc; Vermiculite)
- Silicon, 420
- Silicon carbide, 409, 418
- Silver, 4, 6, 9n, 20, 153, 223, 271, 369-73, 375-76, 409, 414, 420  
mine value, 370, 373, 375  
output, 28-30, 280, 282, 297, 354-55  
prices, 271, 280, 282, 296-97
- Silver mining, 98, 101, 151, 368-70 (*see also* Argentiferous ores; Gold and silver mining; Metal mining; Mixed ore mining; Silver)
- Sintering, 148-49
- Sizing of coal, 146-48, 162-63
- Skill, 115-16, 275
- Skips, 133, 420
- Slag as aggregate, 409
- Slate, 240, 420  
employment, 67n, 327, 329, 340-41  
granules and flour, 55, 300  
mine value, 307  
output, 49, 52-53, 287, 299-300, 377n, 379, 382  
prices, 287, 300  
quarries, 145  
uses, 53, 55, 300, 420
- Slimes, 155, 421
- Sluicing, 100, 420
- Small scale enterprise, 98-100, 104, 132, 141n, 142, 243, 262, 367
- Smelter contract, 224n
- Smelter output, 297, 372, 374, 396
- Smelter recovery, 231, 399-402
- Smelter value, 307n, 37°
- Smelting, 106-07, 150, 152, 155-57, 225n, 231, 372, 394-96, 399-402  
efficiency, 399-402  
excluded from mining, 8, 222-23, 269-71, 316
- Soap, feldspar, 413
- Soapstone, 65, 304, 308n, 309n, 420
- Soda ash, 420
- Soderberg, A., 139n
- Sodium salts, 58, 292, 303, 306, 355n, 420
- Soft coal (*see* Bituminous coal)
- Solar radiation, 256
- Solvay process, 55n
- South Africa, 412, 413
- South America, 264 (*see also* Argentina; Bolivia; Brazil; Chile; Peru; Surinam)
- South Dakota, 162, 298, 415, 416
- Southeast Missouri mining district, 126, 129
- Spain, 416
- Spark plug manufacture, 409, 413, 418
- Specialization of function, 173-76, 244, 270
- Spelter, 420
- Spencer, Vivian E., 16n, 317n, 332, 337n, 380n, 390n, 406-08
- Spurr, J. E., 224n
- Square-set timbering, 101-02, 110, 114, 129, 220n, 233, 237, 420
- Stainless steel, 25, 411
- Stamp mill, 151-52, 421
- Steam drills, 119
- Steam engine, efficiency of, 44-47
- Steam power in mining, 100, 103-04, 109, 137, 142, 144, 151, 203
- Steam shovels, 109, 137, 139n, 144 (*see also* Power shovels)

- Steel, 21-24, 46, 269  
 alloy metals, 24-27  
 in construction, 51  
 (*see also* Ball mills; Iron; Manganese)
- Steel industry  
 bauxite, 410  
 coke, 46  
 fluorspar, 414  
 fuel efficiency, 46  
 titanium, 421
- Steinmesch, J. H., 126n
- Still gas, 417
- Stone  
 miscellaneous varieties, 54, 68n, 240, 287, 289, 300-01, 306, 308n, 379  
 output, 49-55, 241-43, 286-89, 299-301, 348-49, 355n  
 and building construction, 50-51  
 (*see also* Dimension stone; Nondimension stone; Stone quarrying; and individual varieties, e.g., Marble; Slate)
- Stone crushing, 144, 243, 378-79  
 employment, 328, 334, 385  
 included in quarrying, 8, 270-71, 378  
 (*see also* Outside works)
- Stone dressing (*see* Dimension stone dressing; Outside works)
- Stone quarrying, 4, 6, 240-43, 377-93  
 and construction activity, 50-51, 53-54  
 depletion, 243  
 employment, 64, 66n, 68, 69, 77, 241-43, 313, 327-41, 348-49  
 hours per day, 72, 332, 337n  
 in 1902, 78n  
 output, 49-55, 77, 241-43, 286-89, 299-301, 348-49  
 productivity, 77, 85, 92, 241-43, 275, 348-49  
 value of products, 306-08, 380-82  
 (*see also* Stone)
- Stoneware clay (*see* Clay)
- Stope, defined, 420
- Stoping  
 methods, 235  
 open, 101, 220n, 233, 237  
 shrinkage, 110-11
- Storage batteries, 36, 256, 360, 409, 415  
 (*see also* Litharge)
- Storage battery locomotives, 131
- Strikes in anthracite, effects of, 68n, 77n, 83n, 183-84, 408
- Stripping, 68n, 420 (*see also* Open pit mining)
- Strontium minerals, 420
- Subanthracite, 298
- Sublevel caving, 110, 111, 123, 125, 220n, 421
- Substitution  
 electricity for steam, 44  
 fuel oil for anthracite, 44  
 natural gas for coal, 44  
 oil for coal, 44, 49, 82  
 scrap for iron ore, 23-24  
 steel for iron, 23-24
- Sugar refining  
 bauxite, 410  
 limestone, 55n
- Sulfide ores of copper, 154-56
- Sulfur, 55-57, 65, 67n, 70n  
 in coal, 162  
 mine value, 307, 308n  
 output, 55-57, 291, 302  
 prices, 291, 302  
 removed by calcining, 411
- Sulfuric acid, 56, 150n, 418, 421
- Superphosphates, 56
- Supervision in coal mines, 173, 176
- Supervisory workers, inclusion of, 66n, 67n, 319-20
- Supports, 9, 101-02, 105-06, 112, 135-36  
 (*see also* Pillars; Square-set timbering)
- Surface mining (*see* Hydraulic mining; Open pit mining; Placer mining)
- Surinam, 409, 410
- Survey of Current Business*, 364n, 365n
- Surveyors, inclusion of, 319-20
- Sweden, 410
- Tailings, 100n, 152-53, 413, 415, 421
- Talc, 58, 65, 294, 303-04, 355n, 417, 418, 420, 421
- Tanning, use of chromite, 411-12
- Tantalum, 308n, 412, 421
- Tar, 421  
 concrete, 412
- Tariff Act of 1922, 260
- Tariff Commission, 260n, 261
- Tariff on minerals, 259-61
- Technical progress, rate of, 238n
- Technological Trends and National Policy*, 47n, 131n 134n
- Technology, 97-157, 250  
 and depletion, 86-87, 238n, 239n, 251-54  
 metal mining, 98-102, 106-16  
 and productivity, 89
- Tellurium, 419, 421
- Temperature and ventilation, 135
- Temporary National Economic Committee, 115n, 325
- Tennessee, 53, 297, 302, 308n, 342n, 353n, 373, 416, 418
- Terneplate, 421

- Texas, 56, 162, 201n, 259, 298, 410, 414, 415, 416, 417, 421
- Thermal efficiency of steam engine, 44-47
- Thickness of anthracite beds, 184
- Thompson, A. Beeby, 205n
- Thompson, Sanford E., 175n
- Thorium, 68, 417 (*see also* Monazite)
- Tidal energy, 256
- Tiles  
   clay, 412  
   ground sand, 414  
   pumice, 418
- Timbering (*see* Square-set timbering; Supports)
- Tin, 21, 260, 410, 421
- Tipple, coal, 148
- Titanium, 20-21, 66n, 67n, 70n, 305, 308n, 421 (*see also* Ilmenite)
- Titusville, Pa., 203
- Toenges, Albert L., 117n, 118n, 122n, 128n
- Top slicing, 112, 220n
- Torsion balance, 202
- Track shifting, mechanical, 141
- Trade, 60n
- Transportation costs, 150
- Transportation industries, 49n, 60n
- Transporting the mineral (*see* Haulage)
- Trap rock (*see* Basalt)
- Trap rock quarries, employment at, 327, 329, 330, 332, 335, 337-39, 387n
- Treasury Department, 30, 414
- Trinidad, 410
- Tripoli, 67n, 293, 303, 306, 308n, 355n, 409, 421 (*see also* Rottenstone)
- Tri-State mining district, 129, 132, 133
- Trucking (*see* Motor trucks)
- Tryon, F. G., 46n, 102n, 106n, 114n, 125n, 126n, 128n, 129n, 131n, 133n, 152n, 162n, 167-68, 180n, 251n, 269n, 299
- Tube mills, 154, 308n, 309n, 410, 413, 421
- Tungsten, 20, 25-27, 64, 66n, 70n, 77n, 260, 284, 298, 305, 354n, 421-22
- Tunneling, 118-19
- Turkey, 416
- Turquoise, 422 (*see also* Precious stones)
- Tyler, Paul M., 109n
- Tyne, 105n
- Undercoverage of data (*see* Coverage of data)
- Undercutting  
   bituminous coal, 119-20, 173  
   block caving, 112-13
- Underground mining  
   coal, 89, 103-05, 168-77, 184-86, 357  
   copper, 90, 170, 232-37, 358
- Underground mining (*cont.*)  
   mechanization, 118-36  
   metals, 90, 101-02, 110-16  
   nonselective, 108, 110-16
- Unemployment, 61-62
- Unionization, 73
- United Kingdom, 104n, 105n  
   coal mining, 179, 186n
- United Mine Workers, 178
- U. S. Government, 415 (*see also* individual agencies, e.g., Bureau of Mines)
- United Verde copper mine, 110n
- Uranium, 20, 26n, 64, 66n, 70n, 308n, 418, 422
- Utah, 109, 114, 140, 168n, 222, 402n, 403n, 405n, 412, 418
- Utah Copper Co., 141, 403n, 405n
- Utah copper mine, 403n, 404-05
- Value added by manufacture, 382
- Value of minerals, 305-09  
   meaning of mine value, 8
- Van Barneveld, Charles E., 125n, 130n
- Vanadium, 20, 25-27, 64, 66n, 70n, 308n, 422
- Veins, 98, 413, 414, 422 (*see also* Stope)
- Ventilation, 105, 107, 134-35, 220n  
   and temperature, 135
- Vermiculite, 67n, 308n, 422
- Vermont, 53, 300, 410, 414, 416, 420
- Virginia, 5, 162, 297, 409, 410, 415, 416, 421
- Virginia City, Nev., 101
- Von Bernewitz, M. W., 137n
- Voskuil, Walter H., 115n
- Wage earners, 64-65, 272-73, 315, 319-20, 325-26, 367
- Wage and Hour Act, 73
- Wage rates and mechanization, 105n, 178
- Wagon mines, 299
- Walking beam, 143, 203, 422
- Walter, R. A., 184n
- Washing, 270  
   coal, 147-48, 181, 187  
   gold, 98, 100, 151-53  
   iron ore, 149
- Washington, state of, 402n, 403n, 405n, 418
- Waste  
   natural gas, 9-10, 193-94, 259  
   not included in output, 190n  
   separation of mineral from, 107, 110, 111, 114-15, 146-57, 222, 270  
   (*see also* Gangue; Overburden; Tailings)

- Water  
 in mines (*see* Drainage)  
 in oil fields, 206-07
- Water power, 42-45, 161, 256, 406-07
- Water softeners (*see* Marl)
- Watkins, Harold M., 179n
- Wax from petroleum, 191, 417
- Weed killer, arsenic, 409
- Weighting of output indexes  
 use of constant prices, 8-9, 271-72  
 use of manhours, 16
- Well drills, 143, 412 (*see also* Cable drills;  
 Churn drills)
- Wells, David A., 73n
- West Virginia, 191, 299, 410, 414, 417, 418
- Western states, statistics of copper mining in, 402, 404-05
- Whetstones (*see* Oilstones)
- Whim, 100, 422
- White collar workers, 71
- White lead, 36, 360, 422
- Whitehaven, 105n
- Whitney, J. D., 5n, 6
- Wilmington, N. C., 411
- Windlass, 100, 422
- Wire saw, 145
- Wisconsin, 6, 52, 209, 297, 300, 302, 308n, 342n, 353n, 371n, 373-75, 415
- Witherite, 422
- Wolframite (*see* Tungsten)
- Workday, length of, 72-75, 319-20, 323, 332, 337n
- Working population, share of mining, 60
- World War I, 19, 21, 24, 31, 38, 46, 58, 72-73, 124, 125, 126, 131, 137n, 140, 163, 169, 201, 210, 212, 226, 249n, 263, 302  
 development of caterpillar traction, 139n
- World War I (*cont.*)
- Wormser, F. E., 224n
- Wright, Helen M., 175n
- Wrought iron, 23
- Wyoming, 418
- Xanthate of sodium, 156
- Yaworski, Nicholas, 44n, 47n, 118n, 120n, 121n, 123n, 125n, 126n, 127n, 130n, 131n, 132n, 133n, 137n, 138n, 139n, 140n, 141n, 148n, 209n, 211n, 213n, 214n, 219n, 220n, 259n, 320n, 321
- Yield (*see* Grade of ore; Productivity)
- Zern, E. N., 135n
- Zimmerman, Erich W., 23n
- Zinc, 20-21, 223n, 271, 369-71, 374-75, 422  
 consumption, 37-38, 361  
 in cyanide process, 413  
 mine value, 370, 374-75  
 output, 28-38, 281, 283, 297, 354-55  
 prices, 30, 271, 281, 283, 296-97  
 secondary output, 33, 34, 356  
 tariff, 259-60
- Zinc mining, 6, 28, 308n, 368-71 (*see also* Lead and zinc mining; Metal mining; Zinc)
- Zircon, 306, 422 (*see also* Granite)
- Zirconium, 422