
Subject Index

- Age breakdowns, for categories of respiratory diseases, 152–55
- Air quality, chronic respiratory diseases and, 149–50
- Antebellum period, decline in height during, 115–16
- Asthma, 153–55
- Carded Medical Records (CMR), 3–4, 7–8
- Center for Population Economics (CPE), 14
- Child death rates, 68–74
- Chronic obstructive pulmonary diseases (COPD), 153
- Chronic respiratory diseases, 314; age breakdowns for categories of, 161–63; diagnosing, in Union Army recruits, 155–56; disease categories for Union Army recruits, 158–60; ICD-9 classification of, 152–55; industrialization and, 149; introduced, 147–48; occupation breakdowns for categories of, 164–67; probit regression results for categories of, 169–76; regional breakdowns for categories of, 167–70; smoking and, 150–51; urbanization and, 149. *See also* Diseases
- Cigarette smoking, respiratory diseases and, 150–51
- Civil War pension system, 156–57, 315; eligibility requirements of, 243; General Law system, 233–35; participation rate in, 235–43; pension income and participation in, 243–50; retirement and, 231–35; service pension system, 233–35, 236–37
- Death rates. *See* Mortality
- Diarrhea, 64, 71
- Disability pension system, 233–35
- Disease environments, 312–13; disease mortality and, 95–98; Union Army recruits and, 92–93
- Diseases: immunity, 64–67; incidence of, and regions, 95–98; infectious, 51–52; influence of prior exposure to, and later health, 68–74, 312; nonimmunity, 64–67; resistance to, 82; seasoning and, 64, 100–110, 312–13; Union Army recruits and, 57–68. *See also* Chronic respiratory diseases; Health
- Dysentery, 64
- Early Indicators of Later Work Levels, Disease, and Death (EI) project, 54–57, 206–7; early history of, 1–9
- Enlisted men, mortality of, vs. officers, 97–98
- Environmental variables, and height, 116–17
- Farmers, diseases and mortality of, vs. nonfarmers, 61–63
- Father's wealth, effect of, and height, 133

- Gender, hernias and, 255–56
- General Law pension system, 233–35
- Grand Army of the Republic (GAR), 236
- Hazard rate of dying, 67
- Health, 82; causes of long-term changes in, 52–53; household wealth and, 58–60; inequality in, 52; lead water mains and, 191–92; socioeconomic status and, 52–53; of Union Army veterans, and lead water mains, 192–99; wealth and, 52. *See also* Diseases
- Height, 63n11, 69, 82–83, 148, 313–14; antebellum decline in, 115–16; father's wealth and, 133; fixed effects model for, 134–38; impact of environmental variables on, 116–17; introduced, 113–15; migratory history and, 133; mother's literacy and, 133–34; occupation and, 132; OLS regression analysis for, 124–34; quantile regressions for, 138–42; regional and county-level influences on, 126–32; Union Army Data Collection for, 117–24. *See also* Union Army recruits
- Hernias, 316; Civil War data for studying, 257–63; empirical framework for studying, 263–77; gender distribution, 255–56; labor supply implication of, 254; prevalence of, 255; retirement and, 277–94; symptoms of, 256; treatment of, 255, 256–57
- Household wealth, and health, 58–60
- Immunity diseases, 64
- Income. *See* Pension income; Socioeconomic status; Wealth
- Industrialization, respiratory diseases and, 149
- Infectious diseases, 51–52. *See also* Diseases
- Internal migration, 203–4. *See also* Migration
- Labor force participation rate, of Union Army veterans, 235–43
- Lead water mains, 314–15; effect of, on health of Union Army veterans, 192–99; engineering concerns for use of, 183–85; frequency and correlates of usage of, 185–91; health effects of, 191–92; introduced, 181–82; limiting exposure to lead through, 185–86
- Life expectancy, 82; estimating, 213–14; migration and, 205–6; results for, 219–23
- Lower respiratory conditions, 153–55; Union Army recruits and, 155
- Malaria, 64, 71
- Measles, 64, 71
- Migration, 315; estimating across counties, 211–12; estimating life expectancy and, 213–14; estimating return, 212–13; height and, 133; literature on, 204–5; models of, 210–11; mortality and, 205–6; results for life expectancy and, 219–23; results for migration across counties, 214–17; results for return, 217–19. *See also* Internal migration
- Military Service Records (MSR), 3–4, 7–8
- Mobility. *See* Internal migration; Migration
- Mortality, 82–83, 311–12; data for, 15–25; from diseases for Union Army recruits, 57–68; introduced, 11–12; migration and, 205–6; nineteenth-century, 12–15; nutrition hypothesis and, 83; officers vs. enlisted men, 97–98; regional differences, 74–80; seasoning and, 100–110; and socioeconomic status among adult males in 1850, 25–29; time patterns for, 67–68; urbanization and, 90–95
- Nonfarmers, diseases and mortality of, vs. farmers, 61–63
- Nonimmunity diseases, 64
- Nutrition hypothesis, mortality and, 83
- Observations, measuring length of, and deaths, 98–100
- Occupation: and categories of chronic respiratory diseases, 164–67; height and, 132
- Officers, mortality of, vs. enlisted men, 97–98
- Pension income: interaction effects of, and retirement, 243–50; participation in Civil War pension system and, 243–50
- Pension Records (PEN), 4, 7–8
- Pensions. *See* Civil War pension system
- Pneumonia, 64
- Population at risk, 98
- Public health movement, 151; mortality rates and, 82–83

- Quantile regression, 138–42
- Regional differences: for categories of respiratory diseases, 167–70, 175; disease mortality and, 96–97; for wartime mortality and socioeconomic factors, 74–80
- Regional influences, on height, 126–32
- Respiratory diseases. *See* Chronic respiratory diseases
- Retirement, 315; Civil War pension system, 231–35; effect of hernias on, 277–94; interaction effects of pension income and, 243–50
- Return migration: estimating, 212–13; results for, 217–19
- Seasoning, 64, 312–13; effect of duration of service and, 100–110
- Service pension system, 233–35, 236–37
- Smallpox, 64
- Smoking, respiratory diseases and, 150–51
- Socioeconomic background, for Union Army recruits, and mortality from diseases, 57–60
- Socioeconomic status, 311–12; among families in 1850 and 1860, 29–35; data for, 15–25; health and, 52–53; introduced, 11–12; and mortality among adult males in 1850, 25–29; nineteenth-century, 12–15
- Surgeons' Certificates (SCRT), 4, 7–8, 156, 326–27
- Typhoid, 64
- Union Army Migration Data set (UAMD), 205, 206–7; representativeness of, 207–8; residential information in, 208–9
- Union Army recruits, 53; categories of respiratory diseases for, 158–60; data for, 54–57; diagnosing respiratory diseases in, 155–56; disease environments of, 92–93; diseases and, 57–68; farmers vs. nonfarmers, and mortality, 61–63; length of observation and deaths of, 98–100; native vs. foreign-born, and mortality, 60–61, 63; socioeconomic status for, 57–60. *See also* Diseases; Height
- Union Army veterans: effect of lead water mains on health of, 192–99; labor force participation rate of, 235–43. *See also* Civil War pension system; Retirement
- Upper respiratory conditions, 152–53; Union Army recruits and, 155
- Urbanization: effect of, on height, 126–32; mortality and, 90–95; respiratory diseases and, 149
- Wealth: of fathers, and height, 133; health and, 52; household, and health, 58–60