



OB-11 Record of Current Pregnancy

Form OB-11 was used to record the obstetrician's evaluation of positive items recorded on OB-3 (History Since Last Menstrual Period) and OB-8 (Return Prenatal History). It was used as a physician's worksheet only; no cards are included in the master file. This form was first used at the beginning of the study, revised once in July 1959, and replaced by form OB-46 in April 1962 (Physician's Clinic Record). Records are available on microfilm only.

OBG-321
REV. 7-70

I. PATIENT IDENTIFICATION

RECORD OF CURRENT PREGNANCY

Normal 38-40 (4-62)

INSTRUCTIONS: For each visit record and describe on:

1. General health, signs, symptoms.
2. Findings of physical examination.
3. Significant laboratory results and tests ordered.
4. Summary of Complications.
5. Response and response rate.
6. Medications prescribed and instructions given.

DATE and SIGN EACH ENTRY.

AT FIRST VISIT:

SUMMARIZE ANTEPARTUM COURSE TO DATE

Collaborative Systems
Physician Research Branch, NIH, NIH
Building 14, Md.

OB-11 Rev. 7-70
Page of

Form OB-11 superseded by OB-76 (4-62)
This manual is superseded
by Instruction & Procedures Manual
dated 10-62
for use with OB-46 (4-62)

RECORD OF CURRENT PREGNANCY

(For Form OB-11)

**THE COLLABORATIVE STUDY ON CEREBRAL PALSY,
MENTAL RETARDATION, AND OTHER NEUROLOGICAL AND
SENSORY DISORDERS OF INFANCY AND CHILDHOOD**

February 1959

(For Forms in Use April 1961)

RECORD OF CURRENT PREGNANCY
(For Form OB-11)

INSTRUCTIONS FOR PHYSICIAN

- Par. 1 This is the record of the obstetrician's evaluation of positive items obtained by the interviewer on OB-3, "History Since Last Menstrual Period", and OB-8, "Return Prenatal History". Each positive item must be discussed with the patient and described here. If any physical examination is done other than the routine obstetrical examination called for on the "Return Visit and Laboratory Record", the examination done and results should be recorded here. Start with first visit, summarizing antepartum course to date. Record any diagnosis made and indicate whether it is definite (DF), based on physical examination and/ or laboratory findings at the time of this visit, or is probable (PR) or possible (PS), made purely in retrospect based on the patient's history.
- Par. 2 If the interviewer indicates that a physician has been seen, you must contact him and summarize his findings and diagnosis. List any non-routine laboratory examinations made and the results. Indicate any medication prescribed and any special instructions given. Always be sure to include Items 1, 2, 3, 4, 5 and 6 as indicated at the top of this sheet. It is important to date and sign each entry.
- Par. 3 If the patient is sent for a consultation, summarize the consultation report on this sheet or append a copy of the consultation, laboratory report, or other pertinent record.
- Par. 4 When you run out of space, start a new sheet, making sure that the patient is identified on the next sheet by name, hospital number, and KINDB number, but remember to number each page in the lower right corner.

February 1959
(For Forms in Use April 1961)

What
RECORD OF CURRENT PREGNANCY

INSTRUCTIONS: For each visit record and comment on:

1. Unusual events, signs, symptoms.
2. Findings of physical examination.
3. Significant laboratory results and tests ordered.
4. Summary of Counseling.
5. Diagnosis and management.
6. Medications prescribed and instructions given.

DATE AND SIGN EACH ENTRY.

2. PATIENT IDENTIFICATION

*supervised
by strong JMS
2 cur*

AT FIRST VISIT:

SUMMARIZE ANTEREPARTUM COURSE TO DATE

Form 11
1-40

RECORD OF CURRENT PREGNANCY

INSTRUCTIONS: Be sure to: (1) Describe conditions with patient history and other unusual events, (2) Indicate results of any physical examinations made, (3) Record any diagnosis, (4) List any laboratory examinations made, and (5) Indicate medications prescribed and special instructions given.
BE TRUE TO DATE AND SIGN EACH ENTRY. Signature or initials of physician or other qualified person, laboratory reports, and other pertinent reports.

Lined area for medical record entries.

Department of Health, Education and Welfare
Public Health Service

(08-11) 9-64 39

OB-46 Physician's Clinic Record, Record of Current Pregnancy

Form OB-46, Physician's Clinic Record, was used to record the physician's notes pertaining to the prenatal examination and each subsequent prenatal clinic visit. It was first used in April of 1962 as a replacement for OB-11 and did not undergo revision. No cards containing this information were included in the master file; records are available on microfilm only.

OB-46 PHYSICIAN'S CLINIC RECORD

INSTRUCTIONS: For each visit record and comment on:

1. Medications administered, prescribed, or discontinued
2. DIAGNOSES AND IMPRESSIONS made or corrected
3. Abnormal or unusual events, signs, symptoms
4. Treatment and procedures.
5. DATE AND SIGN EACH ENTRY

AT INITIAL VISIT,
SUMMARIZE ANTEPARTUM COURSE TO DATE

OB-46 RECORD OF CURRENT PREGNANCY

- I. Purpose of form** For physicians' information pertaining to the prenatal examination and at each subsequent prenatal clinic visit.
- II. General instructions**
- Date each entry.
 - Enter name and title of the physician whose findings are being reported, following each note.
 - If more than one physician sees the patient at a particular visit, record the comments, diagnoses, impressions, etc. of all physicians.
 - Report clearly the source of all data recorded which is not obtained at a prenatal visit, i.e., telephone conversation, perusal of records, etc.
 - Summarize findings in sufficient detail to demonstrate the logic of any conclusions reached.
 - Avoid repetition of facts adequately reported elsewhere, if they do not contribute to the commentary and evaluation that these notes should contain.
- III. Initial note.** In addition to data recorded as on other visits (listed below), report the following in the initial note:
- Events noted in the past medical or obstetric histories which may influence the course of, or treatment during, the current pregnancy.
 - The general health of the patient at the beginning of pregnancy.
 - Description of the course of pregnancy to the time of the initial note.
- IV. All prenatal notes**
- Elaboration of history.** Elaborate upon any suggestive or positive history of disorder obtained by the interviewer (OB-3, OB-8), or the physician (OB-42, OB-44). This should include onset, duration, and severity.
 - Elaboration of positive physical findings.** Describe in detail any abnormal physical findings noted on OB-43 or OB-44.
 - Interpretation of laboratory findings.** Interpret findings indicative or suggestive of pathological states, when laboratory reports are first available.
 - Diagnoses.** Record all diagnostic expressions arrived at as a result of interpretation of the history and physical findings.
 - Procedures or treatments.** Record any diagnostic, therapeutic, or prophylactic procedures or treatments initiated or ordered, including medication. Specify:
 - All medications administered at prenatal visits (specify dosage, route).
 - All medication given to or prescribed for the patient (specify daily dosage, manner of use, total amount provided or prescribed).
 - All medication discontinued (specify date).
 - Medication the physician knows the patient is taking, obtained from other sources. This will include medication routinely taken for chronic diseases such as epilepsy, diabetes, etc. (specify dosage, change in dosage).
 - Medication given for research or prophylactic purposes only.
 - Duration of pregnancy**
 - Record original EDC.
 - Record any change in EDC as a result of:
 - Re-evaluation of menstrual history.
 - Interpretation of obstetrical examination findings.
 - Non-Study prenatal care (out-patient).** This will usually describe a positive mark in item #22, OB-44 Prenatal Observations.
 - Consultations.** Record the date of and diagnoses made by consultation. Procedures, treatments, or changes in

October 1962

Instruction Manual for Obstetric Forms

OB-44 REG'20 OF CURRENT PREGNANCY (Continued)

obstetrical management are handled as in IV. 2.

2. Study hospital, non-Study facilities: Record as for consultations.

3. Outside Study hospital: Record the date, diagnoses, and treatment given as learned by patient history or direct communication with the facility which rendered care. Submit supporting data such as abstracts or photostats when obtained.

October 1962

OB-12 Summary of Hospitalization for Any Antepartum Condition

Form OB-12, first used at the beginning of the study, was intended for use when a study patient was admitted to the hospital for a reason other than delivery. It was replaced in April 1962 by form OB-47, Summary of Antepartum Hospitalization. Records for both forms are available on microfilm only.

SUMMARY OF HOSPITALIZATION FOR ANY ANTEPARTUM CONDITION

1. PATIENT IDENTIFICATION

INSTRUCTION: Use this form when, at the time of admission, delivery is not anticipated.

2. SURNAME: BY 3. TITLE OR POSITION

4. DATE ADMITTED 5. DATE DISCHARGED
Mo. Day Year Mo. Day Year

replaced by OB-47 (4-62)

6. REASON FOR ADMISSION (Give condition which necessitated Patient's admission to this Hospital. If admitted to another hospital, specify name of hospital.)

Do not use this space

7. ANESTHESIA GIVEN DURING HOSPITALIZATION ☐ No ☐ Yes (If Yes, fill in ANESTHESIA RECORD)

8. DIAGNOSTIC PROCEDURES (Include laboratory data, X-Ray examinations, and special procedures.)

9. DIAGNOSIS (Based on diagnostic procedures and observations during hospital stay) 10. APPROX. DATE OF ONSET - GIVE AS
Mo. Day Year

11. THERAPY (If therapy consists of observation or bed rest only, check here) ☐

12. MEDICAL (Indicate specific drugs, dosage, time given, response to medication, untoward reactions, etc.)

13. SURGICAL (Describe carefully any surgical therapeutic procedure performed and be sure to have ANESTHESIA RECORD filled in)

14. STATUS OF PREGNANCY ON DISCHARGE ☐ UNCHANGED ☐ TERMINATED ☐ OTHER (Specify)

15. CONDITION ON DISCHARGE (As for condition for which patient admitted to hospital)
☐ CURED ☐ IMPROVED ☐ UNCHANGED ☐ WORSE ☐ DECEASED

COLLABORATIVE RESEARCH
PERINATAL RESEARCH BRANCH, WAPPS, NCH
BETHESDA, MD.

(REV. 1961) (OB-12)

Form OB-12 (Rev. 7-59) superseded
by OB-17 (4-62)

∴ This manual superseded by
Instruction and Procedure Manuals
each dated 10-62 for use
with OB-17 (4-62)

SUMMARY OF HOSPITALIZATION FOR ANY ANTEPARTUM CONDITION

(For Form OB-12, Revised 7-59)

**THE COLLABORATIVE STUDY OF CEREBAL PALSY AND
OTHER NEUROLOGICAL AND SENSORY DISORDERS OF
INFANCY AND CHILDHOOD**

February 1959

(For Forms in Use April 1961)

SUMMARY OF HOSPITALIZATION FOR ANY ANTEPARTUM CONDITION
(For Form OB-12, Revised 7-59)

INSTRUCTIONS FOR OBSTETRICIAN

This form is to be used for summarizing any antepartum admission, to any service of any hospital, terminating in the discharge of a patient who is either undelivered or delivered of a fetus of 400 gms. weight or less, or less than 26 weeks gestational age (based on LMP).

Item #2. "Summary By:"

Insert your first and last name.

Item #3. "Title or Position"

Give your official title, such as "medical student", "intern", "resident", "project obstetrician", etc.

Item #4. "Date Admitted"

Record the date the patient was admitted to the hospital: month, day, and year.

Item #5. "Date Discharged"

Record the date the patient was discharged from the hospital: month, day, and year.

Item #6. "Reason for Admission"

Give as complete a description as possible of the condition for which the patient was hospitalized. This is important in the event that a specific diagnosis cannot be made. If admitted to another hospital, specify name of hospital.

Item #7. "Anesthesia Given During Hospitalization"

If the patient received anesthesia during this hospitalization for any reason, for either diagnostic or therapeutic procedures, check the box marked "Yes"; otherwise check "No". If the patient did receive anesthesia, the anesthesia record must be completed.

Item #8. "Diagnostic Procedures"

Include all common diagnostic procedures such as laboratory tests, x-ray examinations and any special procedures such as colpotomy or culdoscopy, etc. Specify kinds of physical examinations done.

Items #9-#10. "Diagnosis"

If a definite diagnosis based on observations during the hospital stay can be made, record the diagnosis here and indicate the approximate date

SUMMARY OF HOSPITALIZATION FOR ANY ANTEPARTUM CONDITION (Con't)

Items #9-#10. "Diagnosis" (Con't)

of onset in the appropriate box.

Items #11-#13. "Therapy"

If therapy consists of observation or bed rest only, so indicate. Record in the appropriate space any medical therapy the patient received. List specific drugs, dosage, dates given, response to medication, untoward reactions etc. If a surgical therapeutic procedure is performed, describe it carefully and be sure to have the anesthesia record completed.

Item #14. "Status of Pregnancy or Discharge"

This is intended to distinguish between the status of the pregnancy on discharge and the status of the condition for which the patient was admitted. If the status of the pregnancy was unaltered by the condition for which the patient was admitted, or by therapy, check appropriate box. If for reason other than unchanged or terminated, specify the change in such terms as "aborted", "suspected fetal death", etc.

Item #15. "Disposition on Discharge"

This refers to the patient's status on discharge as far as the condition for which she was admitted is concerned. Check the appropriate box to indicate whether in your opinion she is cured, improved, unchanged, worse, or deceased.

**SUMMARY OF HOSPITALIZATION
FOR ANY ANTEPARTUM CONDITION**

INSTRUCTIONS: Use this form when, at the time of admission, delivery is not anticipated.

PATIENT'S NAME	TITLE OR POSITION
DATE ADMITTED (Mo-Da-Yr)	DATE DISCHARGED (Mo-Da-Yr)

Superseded by No. 7-59

1. REASON FOR ADMISSION (Give condition which necessitated Patient's admission to hospital)

2. ANESTHESIA GIVEN DURING HOSPITALIZATION ☐ No ☐ Yes *(If Yes, fill in ANESTHESIA RECORD)*

3. DIAGNOSTIC PROCEDURES (Include laboratory tests, X-ray examinations, and any special procedures such as culpecentesis, or colposcopy)

4. EXAMINATIONS (Based on diagnostic procedures and observations during hospital stay)	APPROX. DATE OF TEST	DO NOT USE

5. TREATMENT of chronic condition of admission or before entry to hospital

(Include all chronic conditions, such as diabetes, hypertension, etc., and any treatment given, including hospitalization, etc.)

REMARKS: Describe completely any special diagnostic procedure performed and its results in this ANESTHESIA RECORD filed on

6. STATUS OF PREGNANCY ON DISCHARGE

7. CONDITION ON DISCHARGE (As for condition for which patient admitted to hospital)

☐ CURED	☐ IMPROVED	☐ UNCHANGED	☐ WORSE	☐ DECEASED
--------------------------------	-----------------------------------	------------------------------------	--------------------------------	-----------------------------------

Department of Health, Education and Welfare,
Public Health Service

OPR 67100-4

(28-13)

OB-47 Summary of Antepartum Hospitalization

Form OB-47 was used to summarize any antepartum hospitalization or portion of hospitalization and to record all maternal deaths prepartum or postpartum. It was first used in April 1962 and revised once in February 1963. OB-47 replaced form OB-12, Summary of Antepartum Hospitalization. Records are available on microfilm only.

CEM-000017
CHANGED 2-60

1. PATIENT IDENTIFICATION

OB-47

SUMMARY OF ANTEPARTUM HOSPITALIZATION

3. DATE
ADMITTED

4. DATE
DIS-
CHARGED

Mo. Day Year

Mo. Day Year

5. PLACE HOSPITALIZED BY (In other than study hospital specify name and address of the institution, and, if a private case, that of the attending physician.)

☐ THIS HOSPITAL

☐ ELSEWHERE

6. ADMISSION INFORMATION

7. CONDITION OF FETUS AT DELIVERY

☐ ALIVE

☐ PRETERM (Specify)

☐ DEAD

☐ NOT EVAL.

8. CONDITION OF MOTHER AT DELIVERY

☐ GOOD

☐ UNSTABLE

☐ IMPROVED

☐ DETERIORATED

9. IF EXPOSED, AUTOPSY DONE

☐ NO

☐ YES

☐ UNKNOWN

10. HOSPITAL WOUND AUTOPSY DONE

☐ YES

☐ NO

11. SURGICAL PROCEDURES

☐ YES

☐ NO

12. DATE OF DELIVERY

DISCHARGE DIAGNOSES

13. OBSTETRIC DIAGNOSES

☐ FALSE LABOR

☐ PRESENT

☐ ABSENT

14. APPROPRIATE
DATE OF ONSET

15. NON-OBSTETRIC DIAGNOSES

☐ NONE

☐ OTHER

☐ ABSENT

16. COMMENTS:

17. MEDICAL EDIT

☐ YES

☐ NO

18. MEDICAL EDIT BY

☐ YES

☐ NO

19. TITLE OR
POSITION

20. TO BE COMPLETED BY LAB EDITOR

21. LABORATORY DATA

☐ YES

☐ NO

(Attach OB-47)

22. LABORATORY DATA

☐ YES

☐ NO

(Attach OB-47)

23. LABORATORY DATA

☐ YES

☐ NO

(Attach OB-47)

24. LABORATORY DATA

☐ YES

☐ NO

(Attach OB-47)

25. COLLABORATIVE DIAGNOSIS
PERINATAL RESEARCH DESIGN, NUMBER, AND
DATE OF STUDY

CHANGED 2-60

OB-47

OB-47 SUMMARY OF ANTEPARTUM HOSPITALIZATION

I. Purpose of form

- A. To summarize any antepartum hospitalization or portion of a hospitalization.
- B. To record all maternal deaths prepartum or postpartum.

II. General instructions

- A. This form may be completed by any member of the Project staff. In all cases, lay and medical editing are required procedures.
- B. When hospitalization has occurred in a non-Study hospital, supporting data in the form of abstracts, photostats, etc., are required.
- C. This form is required in all cases of maternal death whether delivered or undelivered.

III. Specific instructions

Item Number

2. Date admitted. Record.
3. Date discharged. Record date discharged or transferred. If to another institution, state this fact.
4. Place hospitalized.
 - a. If in the Study institution, mark "this hospital"; if in another institution, mark "elsewhere" and record the name and address of the hospital, as well as the name of the private physician, if any.
 - b. If on a non-Study facility of the Study institution, note area; e.g., "medical ward."
5. Admission impression. Record. If unknown, record reason for admission.
6. Condition of fetus at discharge. Record the estimated condition of the fetus at discharge or transfer by marking the appropriate box. If the status of the fetus was in doubt at that time, mark "uncertain" and specify details. If there is no knowledge of the condition, mark "not evaluated."

Item Number

7-9. Condition of mother at discharge.

- a. Mark as appropriate. In the event the patient expired, complete items #8 and 9, specifying details regarding autopsy. If autopsy was not done in place hospitalized, specify the name and address of the institution at which the autopsy was performed. Submit autopsy findings.
- b. If reporting a maternal death which did not occur during a period of hospitalization, complete items #7, 8 and 9, reporting any other details known in item #15, and complete items #12 and 14 if appropriate.

10, 11. Surgical procedures. Record all, with dates. If none, mark "none."

DISCHARGE DIAGNOSES

- a. Record all discharge diagnoses, using standard nomenclature whenever possible. If information at discharge is insufficient to establish a firm diagnosis, probable and/or possible diagnoses are to be included and be so titled.
- b. Complete OB-47 based only on information known at the time of discharge. (Subsequent editors' comments may be based on later information, but editor must not delete any findings or conclusions originally noted.)
12. Obstetric diagnoses. Record all, such as "Pregnancy, vterine, undelivered"; "Threatened abortion"; "Pre-eclampsia, mild"; "Possible placenta previa." For false labor (with or without other diagnoses), mark the box provided.
13. Approximate date of onset. Opposite any diagnosis for which it is appropriate record the approximate date of onset, especially of acute infectious processes and toxemia. This should be the date at which the condition is thought to have first occurred, rather than the date of diagnosis.

October 1967

OB-47 SUMMARY OF ANTEPARTUM HOSPITALIZATION (Continued)

Item Number

14. Non-obstetric diagnoses. Record all, such as "Rheumatic heart disease, Class II," etc.
15. Comments. Use space provided here as appropriate.
EDITING. Report completion of the editing procedure by completing items #16-18.
16. Medical edit. Record whether editing is accomplished with or without the original hospitalization record.
- 17, 18. Medical edit by. Provides for the signature and position of the medical editor.
19. Anesthesia given. Indicate whether or not any anesthetic agent was administered during the hospitalization. If "yes," complete and attach form OB-57.
20. Radiation. Mark to indicate if there were any diagnostic x-rays or radiation therapy during the hospitalization. If "yes," report results or summarize therapy administered on form OB-45 and attach. Alternatively, attach photocopy of hospital record.

Item Number

21. Drug therapy. Indicate whether or not drug therapy was administered during the hospitalization. If "yes," record details (including dosage, route of administration and dates of commencement and discontinuance) on form CP-5, unless previously recorded on OB-32 during observation for labor. Alternatively, attach photocopy of hospital record.

"Drug therapy" includes all medications prescribed for the treatment of the patient, other than aspirin, routine vitamins, and laxatives. Of especial importance are those drugs which may have an effect upon the fetus. Specifically to be reported would be: all antibiotics, chemotherapeutic agents, hormones, narcotics, sedatives, tranquilizers, oxytocics, or other medications given to inhibit or initiate labor.
22. Laboratory work. Indicate whether or not laboratory studies were done during the hospitalization. If "yes," record results on OB-45 and attach.

OB-47

SUMMARY OF ANTEPARTUM HOSPITALIZATION

Use this form to report only those hospitalizations from which the provider is discharged and delivered.

I. PATIENT IDENTIFICATION

*supplemented by OB-47 (4-62)
(changed 2-63)*

2. DATE ADMITTED

3. DATE DISCHARGED

4. PLACE HOSPITALIZED (If in other than county hospital specify name and address of the hospital, and, if a private clinic, name of the physician.)

☐ COUNTY HOSPITAL

☐ PRIVATE CLINIC

5. ADMISSION REFERENCE

6. CONDITION OF PATIENT AT ADMISSION

☐ ALIVE ☐ DEAD ☐ UNKNOWN

7. CONDITION OF MOTHER AT DISCHARGE

☐ ALIVE ☐ DEAD ☐ UNKNOWN

8. IF EXAMINED, AUTOPSY DONE

☐ YES ☐ NO

9. HOSPITAL WHERE AUTOPSY DONE

☐ YES ☐ NO

10. SURGICAL PROCEDURES

☐ NONE

11. DATE OF SURGERY

DISCHARGE DIAGNOSES

12. OBSTETRIC DIAGNOSES

☐ Fetus Large

☐ Fetus Small

13. DISCHARGE DATE OF ENTRY

14. NON-OBSTETRIC DIAGNOSES

☐ None

15. COMMENTS:

16. MEDICAL

☐ YES ☐ NO

17. MEDICAL

☐ YES ☐ NO

18. VITALS ON

☐ YES ☐ NO

19. TO BE COMPLETED BY LAY EDITION

20. ANALGESIA GIVEN

☐ YES ☐ NO

21. EXAMINATION

☐ YES ☐ NO

22. DRUG THERAPY

☐ YES ☐ NO

23. LABORATORY TESTS

☐ YES ☐ NO

COOPERATIVE RESEARCH
PERINATAL RESEARCH BRANCH, WHO, 1960
STANDARD 10, 1960

6-60

OB-47

OB-15 Drugs in Pregnancy

Form OB-15, introduced in May 1963, served as an in-house worksheet for recording drugs taken during pregnancy. Data were recorded on card 0315 in the master file (Table OB-15.1).

Data on drugs were abstracted by nurses and medical students at the Perinatal Research Branch (NINCDS) from study forms submitted by the collaborating institutions. From the raw data on drugs, Dr. Dennis Slone (co-director of the Drug Epidemiology Unit, Boston University Medical Center) created two drug files (see Volume IV of this user's guide). Researchers wishing to use drug data are directed to the drug work files.

TABLE OB-15.1 Cards and Data Records by Revision for Form OB-15

CARD NAME	CARD NUMBER	REV. NO.	NUMBER RECORDS
OB-15: Drugs	0315	0	222,398
			222,398
	total for form		222,398

data items Referencing Form OR-15, Drugs in Pregnancy

DATA ITEM ID	ITEM 30 F30H	CARD NUM	FROM IN	DATA ITEM NAME
6232.....W-4			15	15 Drug, active compound, use frequency, lunar month of pregnancy, 1
6233.....W-4			16	16 Drug, active compound, use frequency, lunar month of pregnancy, 2
6234.....W-4			17	17 Drug, active compound, use frequency, lunar month of pregnancy, 3
6235.....W-4			18	18 Drug, active compound, use frequency, lunar month of pregnancy, 4
6236.....W-4			19	19 Drug, active compound, use frequency, lunar month of pregnancy, 5
6237.....W-4			20	20 Drug, active compound, use frequency, lunar month of pregnancy, 6
6238.....W-4			21	21 Drug, active compound, use frequency, lunar month of pregnancy, 7
6239.....W-4			22	22 Drug, active compound, use frequency, lunar month of pregnancy, 8
6240.....W-4			23	23 Drug, active compound, use frequency, lunar month of pregnancy, 9
6241.....W-4			24	24 Drug, active compound, use frequency, lunar month of pregnancy, 10
6242.....W-4			25	25 Drug, active compound, use frequency, lunar month of pregnancy, 11
6243.....W-4			26	26 Drug, active compound, use frequency, lunar month of pregnancy, 12

**OB-15 DRUGS IN PREGNANCY
WORKSHEET**

LMP (OB-4)

MO.	DAY	YR.
-----	-----	-----

NUMBER OF
ANTEPARTUM ADMISSIONS

☐

NUMBER OF
OB-12 FORMS*

☐

NUMBER OF
OB-17 FORMS*

☐

NO DRUGS TAKEN

☐

X-RAY PELVIMETRY
ABSTRACTED

☐

* Exclude forms for events on OB service when admission results in AB or delivery.

DRUG INDEX

- Page 1 I ANTIINFECTIVES
- Page 2 II ANALGESICS, RELAXANTS, ANTIARTHRITICS,
SEDATIVES, ANTICONVULSANTS
- Page 3 III ATARACTICS, TRANQUILLIZERS, ANTIEMETICS,
ANTERSTAMINES, ANTIEMETICS
- Page 4 IV STIMULANTS, AUTONOMICS, HORMONES
- Page 5 V ANTHYPERTENSIVES, DIURETICS,
MISCELLANEOUS
- Page 6 VI IMMUNIZATIONS, VAGINAL MEDICATIONS,
CONTRACEPTIVES
- Page 7 VII COMMON COMBINATIONS - PRESCRIPTION
- Page 8 VIII COMMON PATENT MEDICINES
- Page 9 IX MISCELLANEOUS DRUGS (cardiac, vascular, cough
medicine, vitamin E, pediatric immunizations)

EXCLUDE ALL OF THE FOLLOWING

Topical medications
Laxatives, except those containing polyethylene
Vitamin, except for vitamin K
Minerals (except parenteral iron)
Antacids
Salts (except all iodides)
Drugs not reported by specific name, except for "Salts" and
"antihistamines", not otherwise specified

1000 - "Salts", NOS

9245 - "Antihistamines", NOS

OB-15 DRUGS IN PREGNANCY - I

CODE: A - TAKEN 1 DAY ONLY
B - TAKEN 1-7 DAYS
C - TAKEN MORE THAN 7 DAYS
D - TAKEN UNKNOWN TIME

ANTI-INFECTIVES	Indicate as LMP	LUNAR MONTH OF PREGNANCY											
		-1	1	2	3	4	5	6	7	8	9	10	11
ANTIBIOTICS, BACTERIAL													
1001 chloramphenicol	☐												
1002 erythromycin	☐												
1003 tetracycline	☐												
1004 penicillin (all derivatives)	☐												
1005 streptomycin	☐												
1006 vancomycin	☐												
Other (Specify)	☐												
Other (Specify)	☐												
Other (Specify)	☐												
ANTIFUNGALS													
1007 nystatin (Contra)	☐												
1008 sulfadiazine	☐												
1009 sulfamethoxazole (Kymon)	☐												
Other (Specify)	☐												
Other (Specify)	☐												
Other (Specify)	☐												
MISCELLANEOUS													
1010 flucanazole (Miconazole)	☐												
1011 griseofulvin	☐												
1012 NMI (iron-sulfate)	☐												
1013 Miconazole	☐												
1014 mycostatin	☐												
1015 PAS (para-aminobenzoic acid)	☐												
1016 griseofulvin	☐												
Other (Specify)	☐												
Other (Specify)	☐												
Other (Specify)	☐												

OB-15 DRUGS IN PREGNANCY - II

PATIENT IDENTIFICATION

C300: A - TAKEN 1 DAY ONLY
B - TAKEN 1-7 DAYS
C - TAKEN MORE THAN 7 DAYS
D - TAKEN UNKNOWN TIME

ANALGESICS RELAXANTS, ANTIARTHRITICS SEDATIVES, ANTICONVULSANTS	Date prior to LMP	LUNAR MONTH OF PREGNANCY											
		-1	1	2	3	4	5	6	7	8	9	10	11
ANALGESICS													
2017 Aspirin.....	☐												
2018 acetaminophen.....	☐												
2019 Darvon (dextropropoxyphene).....	☐												
2020 Zostren (ethopazine).....	☐												
Other (Specify).....	☐												
RELAXANTS, ANTIARTHRITICS													
2021 phenylbutazone.....	☐												
2022 Robaxin (methocarbamol).....	☐												
2023 Soma (carisoprodol).....	☐												
2024 Zanaflex (tizanidine).....	☐												
Other (Specify).....	☐												
SEDATIVES, ANTICONVULSANTS													
2025 chloral hydrate.....	☐												
2026 diazepam.....	☐												
2027 Darvon (phenothiazine).....	☐												
2028 Miltex (methoxyphenol).....	☐												
2029 pentobarbital (Nembutal).....	☐												
2030 phenobarbital.....	☐												
2031 Placidyl (methofenemine).....	☐												
2032 Seconal (secobarbital).....	☐												
2033 Valium (diazepam).....	☐												
Other (Specify).....	☐												
Other (Specify).....	☐												
Other (Specify).....	☐												
Other (Specify).....	☐												

OB-15 DRUGS IN PREGNANCY - III

CODE A - TAKEN 1 DAY ONLY
B - TAKEN 1-7 DAYS
C - TAKEN MORE THAN 7 DAYS
D - TAKEN UNKNOWN TIME

**ATARACTICS, TRANQUILLIZERS,
ANTHAISSANTS
ANTHSTANINCS, ANTIPRUSTICS**

Public Safety

6TH MONTH OF PREGNANCY



1	2	3	4	5	6	7	8	9	10	11-	12
---	---	---	---	---	---	---	---	---	----	-----	----

ATRACTICS, TRANQUILLIZERS

3214 Computer (programming)

2035 Exon 1 (nucleotide).....2836 *Labrum (abertisopoda)*

3837 Spring (summit).....

2410 *Thymus (chirographus)*

3239 Trifolium (symphyne-mel)

Other (Specify)

ANTIHAUSEANTS

3845 ~~Dromedary~~
.....

341 medicine (Sanskrit, Sansa)

3642 Murex-lung (p-pennings)

343 Tegen (nietbetreft)

3846 Taronen (nightmare)

Other (Specify):

College (University)

ANTHELMINTHICS, ANTIPROTOZOALS

2843 *bramptonii* (Dierke) ☐

1046 ~~Philadelphia, Pa.~~

3347 *Asplenium* (Lamour.) ☐

2040 promethazine (Phenergan).....

3649 Transposon (Factor)

3056 *Microgaster* (*Pythogenus*)

Other (Specify):

Order (Specify)

PATIENT IDENTIFICATION

OB-15 DRUGS IN PREGNANCY - IV

CODE: A - TAKEN 1 DAY ONLY
B - TAKEN 1-7 DAYS
C - TAKEN MORE THAN 7 DAYS
D - TAKEN UNKNOWN TIME

STIMULANTS AUTONOMICS HORMONES

Is this drug
in LMP

LUNAR MONTH OF PREGNANCY

-1

1 2 3 4 5 6 7 8 9 10 11- LMP

CNS STIMULANTS, ANTIDEPRESSANTS

- 4621 amphetamine (Dexedrine)
- 4622 ephedrine
- 4623 epinephrine
- 4624 phenylephrine (Neo-synephrine)
- 4625 Prothelid (phenmetrazine)
- Other (Specify)

LAST MENSTRUAL PERIOD

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED

- 4626 scopolamine
- 4627 bromine
- 4628 belladonna
- 4629 probanthine
- Other (Specify)

LAST MENSTRUAL PERIOD

HORMONES AND ENDOCRINE RELATED

- 4640 Chlorpropamide
- 4641 Cortisone
- 4642 Doflaxone
- 4643 Enovid
- 4644 progesterone
- 4645 prophyllanthine
- 4646 Inhibitor
- 4647 tolbutamide
- 4648 "insulin"
- 4649 "diuretic"
- Other (Specify)

LAST MENSTRUAL PERIOD

OB-15 DRUGS IN PREGNANCY - V

CODE: A - TAKEN 1 DAY ONLY
B - TAKEN 1-7 DAYS
C - TAKEN MORE THAN 7 DAYS
D - TAKEN UNKNOWN TIME

ANTIHYPERTENSIVES DIURETICS MISCELLANEOUS	4 weeks prior to LMP	LUNAR MONTH OF PREGNANCY											
		-1	1	2	3	4	5	6	7	8	9	10	11+
ANTIHYPERTENSIVES													
3648 hydralazine (Apresoline).....	☐												
3649 nifedipine.....	☐												
Other (Specify).....	☐												
Other (Specify).....	☐												
DIURETICS													
3678 acetazolamide (Diaman).....	☐												
3671 amilorium chloride.....	☐												
3672 benzothiazide.....	☐												
3673 chlorothalidone (Hygroton).....	☐												
3674 chlorthalidone (Dacil).....	☐												
3675 hydrochlorothiazide (Ecton).....	☐												
3676 furosemide.....	☐												
3677 triethacromethiazide (Naspra).....	☐												
Other (Specify).....	☐												
Other (Specify).....	☐												
MISCELLANEOUS													
(Specify).....	☐												
(Specify).....	☐												
(Specify).....	☐												
(Specify).....	☐												
(Specify).....	☐												
(Specify).....	☐												
(Specify).....	☐												
(Specify).....	☐												
(Specify).....	☐												

OB-15 DRUGS IN PREGNANCY - VI

CODE: A - TAKEN 1 DAY ONLY
B - TAKEN 1 - 7 DAYS
C - TAKEN MORE THAN 7 DAYS
D - TAKEN UNKNOWN TIME

IMMUNIZATIONS VAGINAL MEDICATIONS CONTRACEPTIVES	Subgroup to LMP	LUNAR MONTH OF PREGNANCY											
		-1	1	2	3	4	5	6	7	8	9	10	11
IMMUNIZATIONS													
6078 mumps (poly-cen)	☐												
6079 measles (b.tad)	☐												
6080 measles (live - oral)	☐												
6081 polio (b.tad)	☐												
6082 polio (live - oral)	☐												
6083 measles - vaccine	☐												
6084 tetanus	☐												
Other (Specify)	☐												
Other (Specify)	☐												
VAGINAL MEDICATIONS													
6085 Flacortin	☐												
6086 Paredin	☐												
6087 Myocortin	☐												
6088 Spontocortin	☐												
6089 Triple Salts	☐												
Other (Specify)	☐												
Other (Specify)	☐												
CONTRACEPTIVES													
6090 Dellen	☐												
6091 Enbo	☐												
6092 Orthogynol	☐												
6093 Proceptra	☐												
Other (Specify)	☐												
Other (Specify)	☐												

OB-15 DRUGS IN PREGNANCY - VII

CODE: A - TAKEN 1 DAY ONLY
 B - TAKEN 1-7 DAYS
 C - TAKEN MORE THAN 7 DAYS
 D - TAKEN UNKNOWN TIME

COMMON COMBINATIONS - PRESCRIPTION

no other
 no LMP

LUNAR MONTH OF PREGNANCY

-1

1 2 3 4 5 6 7 8 9 10 11 12 LMP

7186 Ashtrocin.....	☐													
7452 Ambu.....	☐													
7455 Amphotec.....	☐													
7217 APC (anem).....	☐													
7340 Bendurin.....	☐													
7451 Celargol.....	☐													
7454 Combil.....	☐													
7253 Compromit.....	☐													
7219 Daven Compound.....	☐													
7451 Danamyl.....	☐													
7458 Danomyl.....	☐													
7216 Edisal.....	☐													
7448 Eshetrol.....	☐													
7344 Novakymine.....	☐													
7214 Pabalone.....	☐													
7218 Paracolon.....	☐													
7215 Phosphor.....	☐													
7341 Proctosol.....	☐													
7234 Proctol.....	☐													
7449 Quadronal.....	☐													
7453 Tadol.....	☐													
Other (Specify).....	☐													
Other (Specify).....	☐													
Other (Specify).....	☐													
Other (Specify).....	☐													

LAST MENSTRUAL PERIOD..... LAST MENSTRUAL PERIOD.....

06-15 DRUGS IN PREGNANCY - VIII

CODE: A - TAKEN 1 DAY ONLY
B - TAKEN 2-7 DAYS
C - TAKEN MORE THAN 7 DAYS
D - TAKEN UNKNOWN TIME

PATIENT IDENTIFICATION

[illegible]

OB-15 DRUGS IN PREGNANCY - IX

CODE A - TAKEN 1 DAY ONLY
B - TAKEN 1-7 DAYS
C - TAKEN MORE THAN 7 DAYS
D - TAKEN UNKNOWN TIME

MISCELLANEOUS DRUGS (cardiac,
steroid, cough medicine, vitamin K,
pedophyllin-containing)

4-Register
by LAST

LUNAR MONTH OF PREGNANCY

	-1	1	2	3	4	5	6	7	8	9	10	11	12
9000 Alerteine	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9102 Bonylin	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9005 Carter's Little Liver Pills	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9003 Coccaro capsule	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9103 Chroprel	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9105 Colben cough medicine	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9000 Compound cough syrup	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9001 Digitalis	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9004 digitoxin	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9109 Endoscan	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9000 Hepara	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9006 Hinkle's pills	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9106 Pantosan	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9002 Phosin	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9107 Pyralin	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9104 Robinson	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9002 Sparteine sulfate (Spartecin)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9001 Syntocinon	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9100 Tergin Hydrate (terbut).	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9003 Tocoamine	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9100 Tocoamine	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
9001 Vitamin K (Menadiolone)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Other (Specify)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
Other (Specify)	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐
.....	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐	☐

For item numbers linked to data items on OA-15, drugs in pregnancy

ITEM NM FORM	DATA TYPE IN	CANON NUM	FROM	TO	DATA ITEM NAME
796..OA-15	0315	30	30	Drug nch, 4 wk, prior to lap	
797..OA-15	0315	31	31	Drug nch, lunar month of pregnancy 1	
806..OA-15	0315	40	40	Drug nch, lunar month of pregnancy 10	
807..OA-15	0315	41	41	Drug nch, lunar month of pregnancy 11	OF MORE
798..OA-15	0315	32	32	Drug nch, lunar month of pregnancy 2	
799..OA-15	0315	33	33	Drug nch, lunar month of pregnancy 3	
800..OA-15	0315	34	34	Drug nch, lunar month of pregnancy 4	
801..OA-15	0315	35	35	Drug nch, lunar month of pregnancy 5	
802..OA-15	0315	36	36	Drug nch, lunar month of pregnancy 6	
803..OA-15	0315	37	37	Drug nch, lunar month of pregnancy 7	
804..OA-15	0315	38	38	Drug nch, lunar month of pregnancy 8	
805..OA-15	0315	39	39	Drug nch, lunar month of pregnancy 9	
806..OA-15	0315	42	42	Drug nch, lunar month of pregnancy unknown	
795..OA-15	0315	26	26	Drug nch, lunar month of pregnancy unknown	
6230.....M-4		10	13	Drug, active compound, code	
6231.....M-4		14	14	Drug, active compound, use frequency, four weeks prior to lap	
6232.....M-4		15	15	Drug, active compound, use frequency, lunar month of pregnancy, 1	
6241.....M-4		24	24	Drug, active compound, use frequency, lunar month of pregnancy, 10	
6267.....M-4		25	25	Drug, active compound, use frequency, lunar month of pregnancy, 11	
6233.....M-4		16	16	Drug, active compound, use frequency, lunar month of pregnancy, 2	
6234.....M-4		17	17	Drug, active compound, use frequency, lunar month of pregnancy, 3	
6235.....M-4		18	18	Drug, active compound, use frequency, lunar month of pregnancy, 4	
6236.....M-4		19	19	Drug, active compound, use frequency, lunar month of pregnancy, 5	
6237.....M-4		20	20	Drug, active compound, use frequency, lunar month of pregnancy, 6	
6238.....M-4		21	21	Drug, active compound, use frequency, lunar month of pregnancy, 7	
6239.....M-4		22	22	Drug, active compound, use frequency, lunar month of pregnancy, 8	
6240.....M-4		23	23	Drug, active compound, use frequency, lunar month of pregnancy, 9	
6263.....M-4		26	26	Drug, active compound, use frequency, lunar month of pregnancy, 11	
6214.....M-3		10	13	Drug, trade name, code	
6223.....M-3		22	22	Drug, trade name, use frequency, lunar month of pregnancy, 8	
6215.....M-3		14	14	Drug, trade name, use frequency, four weeks prior to lap	
6216.....M-3		15	15	Drug, trade name, use frequency, lunar month of pregnancy, 1	
6225.....M-3		24	24	Drug, trade name, use frequency, lunar month of pregnancy, 10	
6226.....M-3		25	25	Drug, trade name, use frequency, lunar month of pregnancy, 11	
6217.....M-3		16	16	Drug, trade name, use frequency, lunar month of pregnancy, 2	
6218.....M-3		17	17	Drug, trade name, use frequency, lunar month of pregnancy, 3	
6219.....M-3		18	18	Drug, trade name, use frequency, lunar month of pregnancy, 4	
6220.....M-3		19	19	Drug, trade name, use frequency, lunar month of pregnancy, 5	
6221.....M-3		20	20	Drug, trade name, use frequency, lunar month of pregnancy, 6	
6222.....M-3		21	21	Drug, trade name, use frequency, lunar month of pregnancy, 7	

Form Item numbers linked to data items on DR-15, minus in pregnancy

ITEM ON FORM	DATA ITEM IN	CARD NUM	FROM	TO	DATA ITEM NAME
6224.....d-3			23	23	urua, trade name, use frequency, lunar month of pregnancy, *
6227.....d-3			26	26	urua, trade name, use frequency, lunar month of pregnancy, *
793...JA-15 031*			24	24	urua, trade name, use frequency, lunar month of pregnancy, *
791...JA-15 031*			22	22	urua, trade name, use frequency, lunar month of pregnancy, *
792...JA-15 031*			21	21	urua, trade name, use frequency, lunar month of pregnancy, *
790...JA-15 031*			21	21	urua, trade name, use frequency, lunar month of pregnancy, *
0364...VAR			1461	1461	urua, trade name, use frequency, lunar month of pregnancy, *
788...JA-15 031*			17	17	urua, trade name, use frequency, lunar month of pregnancy, *
787...JA-15 031*			15	15	urua, trade name, use frequency, lunar month of pregnancy, *
786...JA-15 031*			14	14	urua, trade name, use frequency, lunar month of pregnancy, *
796...JA-15 031*			25	25	urua, trade name, use frequency, lunar month of pregnancy, *

DEFINITION OF CODES
DRUGS IN PREGNANCY
FORM OB-15 CARD 0315

<u>FIELD</u>		<u>CARD COLUMN</u>
1.	<u>Card Number</u> Code: 0	1
2.	<u>Form Number</u> Code: 315	2-4
3.	<u>Revision Number</u> Code: 0 - Form Dated: 5/63	5
4.	<u>HMDB Number</u> Nine-digit number for Patient Identification Code: As given	6-14
5.	<u>IMP (OB-4)</u> Six-digit number for month (cols. 15-16), day (cols. 17-18), and year (cols. 19-20) Code: As given 99 - Month, day and/or year unknown	15-20
6.	<u>Number of Antepartum Admissions</u> Code: 0 - None 1-7 - Number reported 8 - 8 or more reported 9 - Unknown	21
7.	<u>Number of OB-12 Forms</u> Code: Same as in Field 6	22
8.	<u>Number of OB-47 Forms</u> Code: Same as in Field 6	23
9.	<u>No Drugs Taken</u> Code: 0 - Drugs taken 1 - No drugs taken	24
10.	<u>X-Ray Pelvimetry</u> Code: 0 - No 1 - Yes	25

Revised March 1965

DEFINITION OF CODES (Continued)

FORM OB-15
Card 0315

FIELD

CARD
COLUMN

11.

FIRST DRUG

Fourteen-digit code for:

Drug (columns 26-29)

Code: See Attachment "Drugs In Pregnancy"
page OB 13-4 - 6

Lunar Month of Pregnancy in
Which Taken

<u>Four weeks prior to LMP</u>	(col. 30)
<u>First Month</u>	(col. 31)
<u>Second Month</u>	(col. 32)
<u>Third Month</u>	(col. 33)
<u>Fourth Month</u>	(col. 34)
<u>Fifth Month</u>	(col. 35)
<u>Sixth Month</u>	(col. 36)
<u>Seventh Month</u>	(col. 37)
<u>Eighth Month</u>	(col. 38)
<u>Ninth Month</u>	(col. 39)
<u>Tenth Month</u>	(col. 40)
<u>Eleventh month or more</u>	(col. 41)
<u>Unknown Month</u>	(col. 42)

Code for each column:

- 4 - Not taken
- A - Taken 1 day only
- B - Taken 1-7 days
- C - Taken more than 7 days
- D - Taken unknown time

NOTE: If No Drugs are reported, card ends in column 25. If more than one drug reported, a card is punched for each drug with columns 1-42 same as above.

Revised March 1965

**Drugs in Pregnancy
(OB-15)**

Blank	No drugs	1003	Furadantin
0010	Dinitrogen Monoxide	1004	Penicillin (all derivatives)
0011	Cyclopropane	1005	Streptomycin
0012	Anesthetic Ether	1006	Achromycin
0013	Trichloroethylene	1007	Gantrisin
0014	Ethylene	1008	Sulfadiazine
0015	Bromochlorotrifluoroethane	1009	Kynex
0016	Fluoromar	1010	Flagyl
0017	Chloroform	1011	Griseofulvin
0018	Aethylis Chloridum	1012	Isoniazid
0019	Vinyl Ether	1013	Mandelamine
0021	Somnoform	1014	Mycostatin
0022	Alcoform	1015	Para-aminosalicylic Acid
0023	Anesthol	1016	Quinine
0024	GOE	1017	Sulamyd
0025	Oxygen	1018	Trisulfapyrimidine
0026	Methoxyflurane	1019	Sulphadimethoxine
0030	Cyclonal Sodium	1020	Gentian Violet
0031	Sumital Sodium	1021	Sulfathiazole
0032	Intraval Sodium	1022	Povan
0033	Brevital Sodium	1023	Piperazine
0034	Hydroxydione Sodium	1024	Aspidium
0035	629-505	1025	Azomandelamine
0050	Cyclaine	1026	Azotrex
0051	Diothane HCl	1027	Sulfaquandine
0052	Isocaine	1028	Sulfanilimide
0053	Chloroprocaine HCl	1029	Sulfasuxidine
0054	Dibucaine HCl	1030	Succinylsulfathiazole
0055	Amethocaine HCl	1031	Gantanol
0056	Allocaïne	1032	Bacitracin
0057	Blockaine	1033	Sulfamerazine
0058	Xylocaine	1034	Sulfacetamide
0059	Amylocaine HCl	1035	Crystamycin
0060	Carbocaine	1036	Sulfapyridine
0061	Oxaine	1037	Altafur
0062	Anesthesin	1038	Aerosporin
0063	Butethamine HCl	1039	Daraprim
0070	Diethyl (Allyl Methox-Phenoxy) Acetamide	1040	Paludrine
0071	Cytamast	1041	Diamerazole
0077	Caine Derivatives, n.o.s.	1042	Delvex
0078	L 67	1043	Sonilyn
0081	Nupercaine Lozenge	1044	Urisol
0096	Bratacaine	1045	Combiotic
1000	Antibiotics, n.o.s.	1046	Panaiba
1001	Chloramphenicol	1047	Plaquenil Sulfate
1002	Erythrocin	1048	Hexol

Revised September 1975

Drugs in Pregnancy (cont.)

1049	Acrotetracyl	2014	Aldazine
1050	K-Neopasalat	2015	Pyridine
1051	Primaquine Phosphate	2016	Phenacetin
1052	Sulfathalidine	2017	Acetylsalicylic Acid
1053	Sulfadine	2018	Codeine
1054	Azo-Kynex	2019	Garvon
1060	Emetine HCl	2020	Ethoheptazine
1061	Benzapas	2022	Methocarbamol
1062	Diodoquin	2023	Carisprodol
1063	Cystex	2024	Flexin
1088	Sulfa, (P.O. or Parenteral)	2025	Chloral Hydrate
1101	Neomycin	2026	Dilantin
1102	Albacycin	2027	Glutemide
1103	Lincomycin	2028	Methypylon
1105	Dihydrostreptomycin Sulfate	2029	Carbrital
1106	Aureomycin	2030	Phenobarbital
1107	Cyclamycin	2031	Ethchlorovynol
1114	Amphotericin B	2032	Secobarbital
1115	Districin	2033	Ethinamate
1116	Chloroquine	2034	Magnesium Sulfate
1117	Sulfazem	2035	Barbital
1121	Thiosulfil-A	2036	Mysolin
1126	Urised	2037	Peganone
1136	Azulfidine	2038	Phenurone
1140	Diamerzine	2039	Mesantoin
1141	Pansulfa	2040	Mephesisin
1201	Kanamycin	2041	Paraldione
1202	Spontin	2042	Tempra
1206	Oxytetracycline	2043	Kemadrin
1210	Mycelin	2044	Metaxalone
1211	Vancomycin HCl	2045	Celontin
1212	Paromomycin	2046	Elipten
1306	Declomycin	2047	Mercodione
1307	Keflin	2048	Acetanilide
1375	Bismarsen	2049	Tensilon
1376	Mapharsen	2050	Levodromoran
1603	Tricofuron (non-vaginal)	2051	Tridione
1614	Declostatin	2052	Valpin P-B
1991	Myacin	2053	Rumorphon
2001	Meperidine	2054	Dimethylane
2002	Methadone	2055	Marijuana
2003	Morphine Sulfate	2056	Menalgesic
2004	Paregoric	2095	Barbiturate, n.a.s.
2005	Heroin	2101	Dipyrone
2006	Dilaudid	2103	Alvodine
2007	Apomorphine	2107	Colchicine
2008	Leritine	2116	Salfayne
2009	Lorfan	2117	Butazolidin
2010	Alphaprodine	2118	Tandesril
2011	Prinadol	2122	Cogentin
2012	Balline	2123	Norflex
2013	Sedans	2124	Artane
		2127	Propiomazine

Revised September 1975

Drugs in Pregnancy (cont.)

2128	Paraldehyde	3048	Phenergan
2129	Amobarbital	3049	Temaril
2130	Papaverine HCl	3050	Lontabs
2131	Paraflex	3051	Methapyrilene
2132	Tuinal	3052	Chlorcyclizine
2133	Flaxedil	3053	Ambodryl
2134	D-Tubocurarine	3054	Stelazine
2135	Curare	3055	Prolixin
2136	Aturate	3056	Groval
2137	Sedulon	3057	Cholestyramine
2138	Lotusate	3058	Benzomorphan
2139	Beta Chlor	3059	Taractan
2140	Depropanex	3060	Striatran
2217	Sodium Salicylate	3061	Hydroxyphenamate
2218	Cyclopal w/Aspirin	3062	Softtran
2229	Delvinal	3063	Probutylin
2310	Benamid	3099	Antinauseant, n.o.s.
2329	Butabarbital	3129	Valium
2380	Ethyl Alcohol	3130	Vomex A
2522	Succinylcholine	3131	Trepidone
2523	Gecamethonium	3134	Dartal
2524	Isoxsuprine	3135	Deprol
2525	Protoveratrine	3136	Phenoglycodal
2526	Unitensin	3137	Trifluopromazine HCl
2527	Amylnitrite	3138	Methoxypromazine HCl
2528	Peritrate	3140	Daricon
2529	Provell Maleate	3141	Cyclizine
2530	Nitranital	3142	Verazine
2536	Salutensin	3143	Tigacol
2925	Sodium Bromide	3144	Allerest
2933	Valerian Essence	3145	Polaramine
3022	Tranquillizer, n.o.s.	3146	Forkistal
3023	Permital	3147	Tacaryl
3024	Proketazone	3148	Pinax
3025	Compoz	3149	Dormadrin
3026	Timovan	3150	Kistadyl
3031	Hydroxyzine Pamoate	3151	Kriptin
3032	Chlormezazone	3152	Bristamine
3033	Mellaril	3153	Asthma Tabs
3034	Prochlorperazine	3154	Thephoran
3035	Naprobamate	3155	Tagathen
3036	Chlordiazepoxide	3156	Anahist
3037	Promazine	3157	Pyralamine
3038	Chlorpromazine	3158	Histacin
3039	Perphenazine	3159	Actidel
3040	Orammine	3160	Hispriil SKF
3041	Meclizine	3161	Periactin
3042	Pipamizine	3162	Diamidine
3043	Tigan	3163	Tridecamine
3044	Torecan	3165	Clistin
3045	Brompheniramine	3166	Twiston Tablets
3046	Chlor Pheniramine	3167	Anthellan
3047	Benedryl	3238	Pyrahist

Drugs in Pregnancy (cont.)

3239	Ursinus	4080	Dianabol
3240	Emetrol	4081	Prolactin
3246	Theruhistin	4082	Kilevar
3247	Pyronil	4083	Ovulen
3248	Anergex	4084	Chorionic Gonadotrophin
4032	Asthmatic Mix	4085	Celestone
4033	Neo-Cobefrin	4087	Insulin
4034	Otrivin	4088	Thyroid
4035	Metropine	4089	Norlutate
4036	Aromatic Spirits of Ammonia (orally)	4090	Duphaston
4037	Caytine	4091	Pranone
4038	Aramine	4092	CBT
4039	Levophed	4093	Aldosterone
4040	Elavil	4094	Dysalor
4041	Niamid	4095	Glucagon
4042	Naphazoline	4096	Delestrogen
4043	Isonxterenal	4097	Hormone, n.o.s.
4044	Cholestyl	4098	Progynon
4045	Ritalin	4099	Estrogen, n.o.s.
4046	Orthoxamine	4100	Bronkophrine
4047	Nephentermine	4139	Coramine
4048	Sudafed	4140	Entivan
4049	Caffeine	4145	Cyclogyl
4050	Aminophylline	4146	Valpin
4051	Amphetamine	4147	Isadrin
4052	Ephedrine	4148	Pamine Broxide
4053	Adrenalin	4149	Theocalcin
4054	Phenylephrine	4150	Murel
4055	Phenmetrazine	4151	Orthoxine
4056	Atropine	4152	Tyzine
4057	Banthine	4153	Tofranil
4058	Belladonna	4154	Benzol
4059	Probanthine	4155	Diethylpropion
4060	Chlorpropamide	4156	Hyoscine
4061	Cortisone	4157	Dicyclamine
4062	Delalutin	4158	Nacton
4063	Enovid	4159	Mesoplin
4064	Progesterone	4160	Derbid
4065	Propylthiouracil	4161	Hydrocortisone
4066	Diethyl Stilboestrol	4162	Edinacil
4067	Orinase	4163	Nardil
4068	Aquadiol	4164	Prochlorisone
4069	Prevacin	4165	Tapazole
4070	Relin	4166	Carbate
4071	Testosterone	4167	Marplan
4072	Tace	4168	Hexistrol
4073	ACTH	4169	Halcyne
4074	Lutrenin	4171	Malostat
4075	Cytomel	4287	Benzedrine Inhal
4076	Depo-Provera	4249	Gaspar
4077	Equinox	4250	Phedrylline
4078	Medrol	4251	Ondra
4079	Pitressin	4252	Phenylphne
		4254	Restorin-Hydrocortisone HCL

Drugs in Pregnancy (cont.)

4256	Hyocyanus	5088	Hydrodaine
4257	Dactil	5089	Nannitol
4260	Pro-Decadron	5090	Aldactazide A
4261	Decadron	5091	Harwoods Diuretic
4262	Depo-Medrol	5092	Dyrenium
4263	Medrol-Solu	5093	Dyazide
4264	Prednisolone	5100	Bellvue Cocktail
4265	Medaprin	5150	Ismelin
4351	Phenylpropanolamine	5174	Adamol
4357	Octine	5176	Thiomerin
4358	Benzyl Benzoate	5276	Neohydrin
4361	Triamcinolone	6001	Milibis (vag.)
4362	Climophine	6002	Flagyl (vag.)
4555	Neostigmine	6003	Gentersal
4557	Mestinon	6004	Massengill Powder
4558	Urecholine	6005	Tricofuron (vag.)
4559	Hytalase	6006	AVC
4558	Ilopan-Choline	6007	Hyva
4900	Thiomecil	6008	Nylmerate
4971	Male Hormone, n.o.s.	6009	Act-Jel
5050	Ansolyan	6010	Podophyllin (vag.)
5051	Aldomet	6011	Neosporin
5054	Priscoline	6012	Douche Powder (Lanteen)
5055	Ser-ap-es	6013	Gentian Violet (vag.)
5056	Veriloid	6014	Propion (vag.)
5057	Rauiloid	6015	Stericil
5058	Roudixin	6016	Lysol (vag.)
5059	Singaserg	6017	Betadine
5060	Neothion Chloride	6018	Douche Tabs (Jan)
5064	Serpasil-Apresoline 1	6019	Trichotine (vag.)
5066	Serpasil-Apresoline 2	6020	Alum Capsule (vag.)
5066	Asapetine	6021	Metacine
5067	Deserpidine	6022	Quinine and Sulva Cap. (vag.)
5068	Aprasoline	6023	Exeptive Cream (vag.)
5069	Reserpine	6024	Zentabs (vag.)
5070	Acetazolamide	6025	Zonite (vag.)
5071	Anchier	6026	Potassium Permanganate (vag.)
5072	Benzylhydroflumethiazide	6027	San Powder (vag.)
5073	Chlorthalidone	6028	Hy-G Douche Powder
5074	Chlorthiazide	6029	Terramycin (vag.)
5075	Hydrochlorothiazide	6030	Triva (vag.)
5076	Mercurhydrin	6031	Gentrisin (vag.)
5077	Trichloromethiazide	6032	Ismelin (vag.)
5070	Enduron	6033	Vagisec (vag.)
5079	Benzthiazide	6036	Vioform
5080	Polythiazide	6036	PNC (vag.)
5081	Aldactone	6037	Trib (vag.)
5082	Metampin	6038	Quinsantikons (vag.)
5083	Hydromin	6039	Pimaricin (vag.)
5084	Hydroflumethiazide	6040	Gynamin
5086	Cream of Tartar	6041	Ramess (vag.)
5086	Dicurin	6042	Cardul (vag.)
5087	Cyclothiazide	6043	Penicillin Cream (vag.)

Drugs in Pregnancy (cont.)

6044	Sulfa Cream (vag.)	6099	Oral Contraceptives, n.o.s.
6045	Lysotte (vag.)	6101	Duraform (vag.)
6046	Lycinate (vag.)	6102	Vaseline and vag.
6047	Baculin (vag.)	6103	Kotnex Cream & vag.
6048	RC-C-122-R (vag.)	6104	Delta Contraceptive Jelly
6049	Cooper creme (vag.)	6105	Aquacort Vag. supp.
6050	Contra squares (vag.)	6106	Ortho-Cream
6051	Mu-col (vag.)	6107	Stomaseptin
6052	Furestral Vag. Supp.	6108	Triform
6053	Zestabs Contraceptive	6109	Pulsatilla Nigra
6054	Rocky Mountain Spotted Fever Vaccine	6110	Ora-Jel & Contraceptive
6055	BIP	6111	Blue Seal Vag. Gel
6056	Paratyphoid Shot	6112	Conatopins
6057	Vacagen	6158	Devegan
6058	Rabies Vaccine	6666	Unknown if Phenergan- Hosp. 50 Only
6059	Bacillus Calmette Guerin	7024	General Anesthesia, n.o.s.
6060	Poison Ivy Vaccine	7101	Biomydrin
6061	Allergy Shots	7102	Hibitane
6062	Hyposen	7103	Cycloserine
6063	Pollen Vaccine	7104	Durycin A.S.
6064	Dust Extract	7105	Dicrystacin
6065	Triple Typhoid	7106	Achrocidin
6066	Catarrhalis Vaccine	7107	V-Kor
6067	Mumps Vaccine	7113	Signemycin
6068	Staphylococcus Vaccine	7114	Glucosamine
6069	Pertussis Vaccine	7115	Polymagma
6070	Black Widow Antitoxin	7116	Triquin
6071	Yellow Fever Vaccine	7117	Azo-Gantrisin
6072	Cholera Immunization	7118	Azo Gantanol
6073	Typhus Shots	7119	Suladyne
6074	Measles n.o.s.	7121	Hydrozet
6075	Polio, n.o.s.	7122	Semets
6076	Diphtheria Toxoid	7123	Cepacol
6077	Typhoid Immunization	7124	Thantis
6078	Influenza Shots	7125	Tracinets
6079	Measles, Killed	7126	Mysteclin
6080	Measles, Live-oral	7127	Candettes
6081	Polio, Killed	7128	Candicillin
6082	Polio, Live-oral	7129	Pomalín
6083	Smallpox	7130	Pyridium Tri-Sulfa
6084	Tetanus Toxoid	7133	Bradosol
6085	Floraquin	7134	Larylgan
6086	Furacin	7136	Urobiotic
6087	Mycostatin, vag.	7143	Pen-Tabs
6088	Sporostacin	7144	Pen-Alba
6089	Sultrin Cream	7145	Pentids
6090	Delfen	7146	Biosulfa
6091	Emko	7147	Gantricillin
6092	Orthogynol	7148	Aldiazol
6093	Preceptin	7149	Trisulfaminic
6094	Lorophyn	7150	Spectrocin T
6095	Zonitore	7151	Cosa-Tetrastatin
6096	Certane	7152	Achrostatin
6097	Koromex	7153	Terracydin
6098	Tetanus Antitoxin		

Drugs in Pregnancy (cont.)

7154	Sul-Pondets Troches	7241	Tranquil
7155	Bio-Kets	7242	Nadricidin
7156	Ilosone Sulfa	7243	Passiphen
7157	Orabiotic	7244	Copavin
7158	Neo-Delta-Cortef	7245	Trancoprin
7159	Cremomycin	7246	Pentagesic
7161	Synthaloids	7247	Librax
7162	Mesulfin	7248	Triaminicin
7163	Supronal	7249	Bladder Sedative Mix
7164	Quintess-N	7250	Hephergan
7165	Auralgan	7251	Donnozyme
7170	Drillitol	7252	Aludrox
7171	Tetracillin	7253	Paadon
7172	Pentazets	7254	Dovacet Capsules
7174	Syndecon	7255	Rebutal
7175	Pondets	7256	Mygraine
7176	Rhinitis Mix	7257	Anadol
7177	Colymycin	7258	Belbarb
7203	Opium	7259	Hasacode
7204	Pantopon	7260	Sedaphen
7205	Opium-Belladonna	7261	Hasamal
7206	Pabizol	7262	Symbrin
7207	Colbenamid	7263	Barbidonna
7208	Parepectolin	7264	Acogesic
7209	Coloni	7265	Valoctin
7210	Fhelantin Kapseals	7266	Bellergal
7211	Coprine with Codeine	7267	Phenocin DA
7212	Asafen	7268	Acetylphen
7213	Alysine	7269	Nambudeira
7214	Pabalate	7270	Empiral
7215	Phenaphen	7271	Antispasmodic Elixir
7216	Edrisal	7272	Midrin
7217	Anacin	7274	Sigmagen
7218	Percodan	7275	Rotass-Xittu
7219	Darvon Compound	7276	Pamine with Phenobarbital
7220	Daprisal	7278	Defencin
7221	Excedrin	7279	Robaxisal-ph
7222	Florinal	7280	Algoson
7223	Axotol	7281	Trigesic
7224	Trigistic	7282	Mebaroin
7225	Parafon	7283	Aspirin Compound
7226	Arrestin	7284	Zarumin
7227	Ethecodene	7285	Cofedrine
7228	Phen #3	7286	4S/8S
7229	Nebralin	7287	Kammodic
7230	Optalidone	7289	Penscope
7231	Emgrin	7290	Ethobral
7232	Hycodan	7291	Phenobell
7233	Lumaspirin with Hyocyanus	7292	Ropad
7234	#844	7293	Butigotic
7235	Plexonal	7294	Nambu-Gonna
7236	Quital	7295	Eskaphen B
7237	Arcade	7296	Kanulase
7238	Chloranodynne	7326	Citrophen
7239	Robaxisal	7327	Hycomine
7240	Serenitas	7328	Sinutabs

Drugs in Pregnancy (cont.)

7333	Equagesic	7415	Allertonic
7334	Prozine	7420	Lomotil
7335	Vitonex	7425	Normin
7336	Darvo-Tran	7428	Mudrane
7337	Maredox	7429	Butibel
7338	Nausex	7430	Belladenol
7339	Banausea	7431	Maglyn Magma CPD
7340	Bendectin	7433	Quibron
7341	Prenausen	7434	Combidi
7342	Bucladin	7435	Ballafofine
7343	Naldecon	7436	Metreton
7344	Tuss-Ornade	7437	Kolantyl
7345	Trolar/Elixir	7438	Donnalate
7346	Novahistine	7439	APE
7347	Ornade	7440	Syntil
7348	Triaminic	7441	Monase
7349	Pyrroxate	7442	Bronkotabs
7350	Actifed	7443	Hatorexic
7351	Co-Pyronil	7444	Prelu Vite
7352	Rhinalgan	7445	Bontril
7353	NTZ	7446	Bamadex
7354	Luasmin	7447	Appetrol
7355	Franoi	7448	Eskatrol
7356	Antosen	7449	Quadrinal
7357	Nethaprime	7450	AEA
7358	Dimetapp	7451	Dexamyl
7359	Bihistrin	7452	Ambar
7360	Disophrin	7453	Tedral
7361	Neo Bronchoid 55	7454	Amodrine
7362	Rynatan	7455	Amphedase
7363	Fedrazil	7456	Belap
7364	Decotussin	7457	Marax Syrup
7365	Kolephrin	7458	Donnatal
7367	Para-Hist	7459	Donnagel
7369	Hesper C	7460	Cantril
7370	Synephricol	7461	Ataraxoid
7371	Syntussin	7462	Dr-Inteval
7372	Clistanal	7463	Trisocart
7373	Phenergan Expectorant	7464	Pro-Estrone
7374	Quadacin	7465	Gestest
7375	Novahistine DH	7466	Pro-Duasterone
7376	Tranquil Aid	7467	Tristerone
7377	Thephorin AC	7468	Cardase
7378	Hespergesic	7469	Neo-Cortef
7379	Pharmhistine	7470	Hugestoral
7380	Milpath	7471	Duohorm
7382	Trilamine	7472	Deladumone
7383	Cafaryl	7473	Gevrestin
7384	Serpatilin	7474	Cordex
7385	Rinohist Syrup	7475	Cytran
7386	Milprem	7476	Neo-Hydeltrasol
7388	Kryl	7477	Desplex
7389	Covanamine	7479	Dainite
7401	Cafergot	7480	Calatrop
7402	Migral	7481	Nulabort

, Drugs in Pregnancy (cont.)

7482	Ortho-Novum	8225	Isodine
7483	Biphetamine T20	8226	Diamine
7484	Estrosed	8227	Phenamid
7485	Bifran	3228	Nap
7486	Dexabarb	8229	Pheno-Bromide
7487	Amvicel	8230	Calmers
7488	A M Plus	8232	Brochine-Menthol
7489	Thin-Down	8233	Bistrimate
7490	Reladine	8234	Trimicin Trokes
7491	Calradine #2	8250	Her Tabs
7525	Veralba	8251	Femicin
7550	Benedrin	8252	Co-A Dec
7555	Rauwidrine	8270	Doz-O-No!
7556	Diupres	8274	Drenelon
7568	Kiopressin	8275	Canadian 222
7569	Butiserpine	8276	Coldrex
7570	Serbutal	8277	Amidophen
7571	Butizide	8331	Proquil Capsules
7572	Matrite #2	8332	Sinocap
7575	Hydropres	8333	Ni-Span
7576	Enduronyl	8334	Cotussin
7577	Brondecon	8335	Coryban-D
7578	Rautrax	8336	Nelamine
7910	Medigum	8337	Dri-Con
7930	Vio-Cox	8338	Contac
7990	Anusol	8339	Histotussin
7991	Myanoid	8340	Coldene
7992	Desitin HC Supp.	8341	Azmar
7993	Cardol	8342	Primatene
7994	Medicone	8343	Allergi Caps
7995	Syppository, Anesthetic n.o.s.	8344	Haysma
7996	Nupercainal Suppository	8345	Oristan
7997	Anesthesia Suppositories	8346	Coricidin
7998	PNS Suppositories	8347	Coricidin D
8107	Hycinettes Troches	8348	Inhist
8108	Sulfa Lozenge	8349	Sominex
8109	Squibbs Lozenges	8350	Sleep-Eze
8110	Biotroches	8351	Somni Caps
8111	666 Cough Syrup	8352	Emprazil
8209	Alum Powder-Orally	8353	No Doz
8210	Dewitts Kidney Pills	8354	Nite-R
8211	666 Tablets	8355	Dohistan
8212	Alka Seltzer	8356	Sleep Tablet
8213	Bromo Seltzer	8357	Minagest
8214	Bromoquinine	8360	Pectrol
8215	B.C. Powders	8690	Norforms
8216	Stanback	8691	Bropheno-Form
8217	Four Way Cold Tablets	8902	Midragen
8218	Miles Nervine	9001	Digitalis
8219	Mido1	9002	Digitoxin
8220	Rem	9003	Quinidine
8221	Santa Caps	9004	Cedilanid
8222	Rexatuss	9005	Sodium Tetradecyl Sulfate
8223	Tetrazets	9006	Digoxin
8224	Rid-A-Pain	9007	Phenol

Drugs in Pregnancy (cont.)

9008	Safflor Caps	9115	Chaney's Cough Syrup
9013	Pronestyl	9116	Tussagesic
9015	Bantron	9117	Cosadein
9050	Heparin	9118	Isodettes
9051	Dicumarol	9119	Romilar
9052	Coumadin	9120	Sedatole
9055	Axon Throat Spray	9121	Charcoal / Rexall Cherry Cough Syrup
9056	Dobell's Solution	9122	Triaminical
9057	Micrin Lozenges	9123	Romex Cough Syrup
9058	Gargle Tablets	9124	Tyrosets
9059	Dr. Tichenor's Anti-Septic Gargle	9125	Remcoff
9060	Anisole	9126	Hydoden
9061	Hydrogen Peroxide	9127	Tangro Cough Syrup
9062	Tonsiline	9128	White Pine Syrup
9063	Sucrets	9129	Bell's Cough Syrup
9064	Orathricin	9130	Pec-Kat
9065	Argyrol Nose Qtts.	9131	Cobenzil
9066	Zephiran Chloride	9132	Quelidrine
9067	Chloroseptic	9133	Thorexin
9068	Rhinall Nose Drops	9134	Cosanyl
9069	Penetrol Nose Drops	9135	Creoterpin
9070	Efedron Nose Drops	9136	St. Joseph's Cough Syrup
9071	Naso Nasal Spray	9137	Antipecc Cough Syrup
9072	Glucoc-Fedrin	9138	Ambenyl
9073	Spray R	9139	Cherry Flax Cough Syrup
9074	Bena Fedrin	9140	Vidor Cough Syrup
9075	Nefrine	9141	Coplexan
9076	Spectrocin	9142	Calcidrine
9078	Neohist	9143	Tussionex
9079	Rhinazine Nose Qtts.	9144	Breocul
9080	Nasalaire Inhaler	9145	Cocillara
9081	Congestaid Nasal Spray	9146	GI Gin Clear Liquid
9082	Alcon-Efrin	9147	Hydrillin
9083	Medicated Throat Discs	9148	Remicol Cough Syrup
9084	Paradrine Nose Drops	9149	410 Expectorant
9085	Cocaine Nose Spray	9150	Santaminic
9086	Phedric Nose Drops	9151	Secremo!
9090	Lysol	9152	Actin
9094	Eugenol	9153	Anacol
9095	Pharycidin Garg	9154	Codessin
9100	Brown Cold Tab	9155	Mercadol
9101	Elixir Terpin Hydrate	9156	Cotussis
9102	Benadryl Expectorant	9157	Dicotuss
9103	Cheracol	9158	Dondril
9104	Robitussin	9159	Martussin
9105	Colban Cough Medicine	9160	Meditussin
9106	Pertussin	9161	Tessalon
9107	Pyraldine	9162	Ipecac
9108	Tussaminic	9163	Pinacol
9109	Endotussin	9164	Pentro Cough Syrup
9110	Vicks Cough Syrup 44	9165	Crealy Cough Syrup
9111	Prunicodeine	9166	Knock Out Cough Drops
9112	Creomulsion	9167	Sawyers Cough Syrup
9113	Levopropoxyphene	9168	Ipsatol
9114	Orthoxicol		

Drugs in Pregnancy (cont.)

9169	Tricodaine	9409	Uteramine
9170	Sedative Cough Syrup	9425	Nasalene
9171	Rileys Cough Syrup	9430	Chlortrimeton- Ephedrin Syrup
9172	Soltice Cough Syrup	9431	66 Expectorant
9173	Vitalix	9432	Histadine Cough Syrup
9174	Watkin Cough Syrup	9433	Tussar Cough Syrup
9175	Ward Cough Syrup	9434	Axon Cough Medicine
9176	Bristal Cough Syrup	9435	Ulominic Syrup
9177	Epsidr	9436	Bona Tuss Cough Syrup
9178	Expectorant Cough Syrup	9437	Sedative Cough Mixture
9179	Anestin Cough Syrup	9438	Dulsana Cough Medicine
9180	Longserver Cough Syrup	9439	Gualacol Carbonate
9181	Pine-O Tar Syrup	9440	Codeine Cough Syrup
9182	Angells Syrup	9441	Dimetane Expectorant
9183	Krey Cough Syrup	9442	Scot-Tussin
9184	A H Cough Syrup	9443	Bucal Cough Syrup
9185	Expectina	9444	Tussin
9186	Toclase	9445	Troutman Cough Syrup
9187	Dictorate	9446	Jarabe
9188	Histol Mist	9447	Epsatol
9189	Bayers Inhalant	9449	Cosadain Cough Mixture
9190	Hinagast with Codeine	9450	F & F Cough Syrup
9191	Certurpin	9451	Gradex Lozenges
9192	Super-Anapac	9452	Gulaphan Cough Syrup
9193	Smith Brothers Cough Medicine	9453	Organidin
9194	Hathieus Cough Syrup	9454	Honey-Hist
9195	Foleys Honey/Tar Cough Syrup	9455	Hasanone
9196	Dadamos Cough Syrup	9456	Meggezones
9197	Hays Cough Syrup	9457	Dover Pills
9198	Juniper Tar	9458	Pyribenzamine Expectorant
9200	Cerose	9459	Quajani
9201	Visine	9460	Sweet Spirit of Niter
9004	Robitussin AC	9461	Theratuss Tabs
9210	Go-Kof Cough Syrup	9462	Cofalin
9211	Hista Cough Syrup	9463	Quinine Cold Tabs
9212	Seth Cough Compound	9464	Slippery Elm Loz.
9213	Havens Cough Syrup	9465	Senodin Cough Syrup
9215	Dilaudid Cough Syrup	9466	Cees Cough Medicine
9217	Cothera Cough Syrup	9467	Coldmaster Cough Syrup
9218	Buckleys Cough Syrup	9468	Supra C
9220	Tussacaine	9469	Diabetic Cough Syrup
9304	Dramamine Placebo	9470	Mothers Friend
9305	Isoxsuprene (Exper. Study)	9471	Linden Cough Balsam
9338	Levomopromazine (Mepromazine)	9472	St. Johns Cold Tabs
9345	Anti-Histamine, n.o.s.	9473	Chestnex Cough Syrup
9346	Poisonock	9474	Medics Throat Lozenges
9401	Syntocinon	9475	Asafoetida
9402	Oxytocin	9476	Lemon/Turpentine Mixture
9403	Sparteine Sulphate	9477	Emo-Caps
9404	Ergonovine	9478	Vegavine Compound
9405	Methergine	9479	Teek Cough Syrup
9406	Ergoapiol	9480	Cough Syrup 1999
9407	Gynergen	9481	Neohistin
9408	Sansert	9482	Super Plenamin Cough Syrup

Drugs in Pregnancy (cont.)

9483	Hacks Cough Drops	9801	Jiffy Powder
9484	Halks Cough Drops	9802	Syrup of Black Draught
9485	Baby Bee Cough Medicine	9803	Scotts Emulsion
9486	Dr. Lyon Cough Medicine	9804	Browns Mixture
9487	Norcon	9805	Honey Pine Tar
9488	PID Mixture	9806	Humphreys II
9489	VM Cough Mixture	9807	Citrahist
9490	ULO	9808	Lydia Pinkham
9491	360 Cough Syrup	9809	Goody Powder
9492	Remilor CF Cough Syrup	9811	Nemisis
9493	Clemson Cough Syrup	9812	Doanes Pills
9494	Big Three Cough Syrup	9813	Night Caps
9495	Aristal Cough Syrup	9814	Regimen
9496	Super Anahist Cough Syrup	9834	Histo-Plos
9497	Hydraturbin Cough Mixture	9860	Amitone
9498	Downeys Cough Syrup	9871	Horehound Cough Drops
9499	Ronmanoff Cough Mixture	9888	Drug, Unknown Type
9500	Alevaire	9901	Vitamin K
9501	Tergemist	9902	Protamine
9553	Ananase	9903	Gestatabs
9554	Papase	9904	Compound of Rhubarb
9555	Protamide	9905	Carters Liver Pills
9557	Chymolase	9906	Distovagai
9558	Alidase	9907	Admadion
9559	Diuretics, n.o.s.	9908	Sodium Thiosulfate
9560	Decholin	9909	Sodium Fluoride
9561	Depancoi	9910	Adrenosem Salicylate
9600	Benzine	9918	1987 2A
9608	H Solution	9919	1991 2A
9610	KCL IV	9920	Pathilon
9611	NAHCO ₃ IV	9921	Iodides, n.o.s.
9612	Potassium Triplex	9922	Radio Active Iodine
9701	Brytylium Tosylate	9923	IVP, n.o.s.
9702	Lederkyn	9924	Diodrast
9703	Stop-Kof	9925	Renograffin
9705	Imperial T.L.	9926	Telapaque
9706	Eze Pain	9927	Hypaque
9707	WY 1359	9928	Carachol
9708	Derm-B	9929	Iodo-Neacin
9709	Sandzan Sleeping Pill	9930	Iodine
9710	P25 25	9931	Orenzyme
9711	Sedative 222	9932	Chymar
9712	Group A Pills	9933	Buccal Varidase
9713	Group B Pills	9934	Ananase
9714	Prexonate	9938	Dilabil
9715	5029 B	9939	G.B. Tablet
9716	Ayds	9940	Histalog
9717	Free Day	9941	Decholine
9718	Licaran AF	9942	BSP
9719	Largan D	9943	PSP
9720	Licaron, n.o.s.	9944	Regitine
9721	WY 1359 G	9945	Vitamin B12, labeled
9725	Tr-Nux Vomica	9946	Pantopaque
9731	Leen Caps	9947	Renovist, Inj.
9735	Rutorbin	9948	Evans Blue


Drugs in Pregnancy (cont.)

9949	Risa
9950	Hippuran
9951	Inferon
9952	Iron, IM/IV
9953	Co-Liv-One/I.M.
9954	Conray
9955	SKF #1340
9956	960 Pills
9957	BA 17922
9958	Control 24
9959	Methylene Blue
9960	SKF #5
9961	SKF
9962	Win
9963	Psilocybin
9964	Base Oxide
9965	Sau
9966	SH 735
9967	A S I
9968	Bal 7922
9969	Diazoxide
9970	Kucin DM-2
9971	Aminopterin
9972	Chlorambucil
9973	Vasopressor A
9974	Vasopressor C
9975	Vasopressor B
9976	Roche #10
9977	Vasopressor E
9978	AX 59034
9979	AN 2095
9980	Cold Caps, n.o.s.
9981	Father Johns Medicine
9982	Coldettes
9983	Anis
9984	Dalex Cold Capsules
9985	Centrine Cold Tablets
9987	Copoletin
9988	Pabisa
9989	Other specified Drugs, not elsewhere classified
9990	SCH 3940
9991	SCH 39400
9992	Methotrexate
9994	#30 Solution
9995	Parstellin
9996	WY
9997	Dopan
9998	Drug Unknown Name
9999	Unknown if any drug

Revised September 1975

[illegible]

6 If no drug taken, card ends in column 25
 66 A card exists for each drug reported for a given XINDS number



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS
STANDARD REFERENCE MATERIAL 1010A
ANSI and ISO TEST CHART No. 2

CONTINUED ON NEXT FICHE