

A27	4	-	-	-	-	-	-	-	-	-	-	-	
A28	31	-	25	1	1	-	-	-	-	-	-	4	
A30	1	-	-	-	-	-	-	-	-	-	-	-	
A31	274	-	214	-	-	-	-	-	-	-	-	8	
A32	31	-	-	20	-	-	-	-	-	-	9	1	
A35	1	1	-	-	-	-	-	-	-	-	-	-	
A37	31	-	2	-	-	-	-	-	-	-	-	-	
A38	1	1	-	-	-	-	-	-	-	-	-	-	
A39	123	-	27	17	2	-	73	-	-	-	-	1	
A40	496	-	28	28	132	166	-	-	-	-	-	17	1
A41	33,640	-	801	34	575	6	115	819	-	-	-	85	31,2
A42	8	-	4	2	-	-	-	-	-	-	-	-	-
A43	55	-	35	-	-	-	-	-	-	-	-	3	-
A46	2	2	-	-	-	-	-	-	-	-	-	-	-
A48	153	-	13	78	-	55	-	-	-	-	-	7	-

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.
RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
A49	1,091	-	412	90	4	4	-	-	-	-	116	4
A50	2	-	-	-	-	-	-	1	-	-	-	-
A52	43	-	4	9	-	23	-	-	-	1	-	-
A53	2	-	-	-	-	-	-	-	-	-	-	-
A54	3	-	-	-	-	-	-	-	-	-	3	-
A63	1	-	1	-	-	-	-	-	-	-	-	-
A64	3	3	-	-	-	-	-	-	-	-	-	-
A69	8	-	-	1	7	-	-	-	-	-	-	-
A77	9	-	6	-	-	-	-	-	-	-	3	-
A78	2	2	-	-	-	-	-	-	-	-	-	-
A81	283	-	248	2	31	-	-	-	-	-	-	-
A82	1	-	-	-	-	-	-	-	-	-	-	-
A83	6	-	1	-	2	1	-	1	-	-	-	-

A85	5	-	2	-	-	-	-	-	-	-	3	
A86	104	104	-	-	-	-	-	-	-	-	-	
A87	45	-	1	-	4	-	-	-	-	-	-	
A89	9	9	-	-	-	-	-	-	-	-	-	
A90	2	2	-	-	-	-	-	-	-	-	-	
A92	96	-	-	-	-	96	-	-	-	-	-	
B00	175	-	-	-	1	2	115	-	-	11	12	
B01	13	-	-	5	4	-	-	-	-	-	-	
B02	162	-	16	1	19	4	-	-	-	22	-	1
B05	1	-	1	-	-	-	-	-	-	-	-	
B15	43	-	3	-	-	-	-	-	-	-	-	
B16	553	-	-	-	32	-	-	-	-	-	-	5
B17	70	-	-	69	-	-	-	-	-	-	1	
B18	4,799	-	-	89	4,698	-	-	-	-	-	-	
B19	64	-	1	-	-	-	-	-	-	-	-	

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
B20	4,808	-	112	1,049	26	727	11	235	433	1,140	1,055	
B21	946	-	92	50	389	49	-	-	-	28	282	
B22	1,252	-	188	-	187	-	-	-	-	877	-	
B23	2,071	-	-	1	227	-	-	-	-	-	1,843	
B24	3,466	3,466	-	-	-	-	-	-	-	-	-	
B25	99	-	36	1	-	-	-	-	-	-	24	
B27	20	-	18	-	-	-	-	-	-	-	-	
B33	70	-	-	-	54	6	-	-	-	-	10	
B34	354	-	16	9	-	1	-	-	-	-	50	2
B36	2	-	2	-	-	-	-	-	-	-	-	
B37	263	-	5	15	2	-	12	1	9	166	32	
B38	76	-	4	-	27	-	6	-	-	18	-	
B39	31	-	-	-	6	1	-	-	-	-	-	
B40	32	-	-	-	8	1	-	-	-	2	-	

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
C20	6,190	6,190	-	-	-	-	-	-	-	-	-	-
C21	583	-	485	48	8	-	-	-	-	-	-	42
C22	16,076	-	6,528	3,531	32	23	4	-	-	1	-	5,9
C23	1,989	1,989	-	-	-	-	-	-	-	-	-	-
C24	1,464	-	679	159	-	-	-	-	-	-	2	6
C25	32,760	-	113	8	16	18	104	-	-	1	1	32,4
C26	1,026	-	338	17	-	-	-	-	-	-	1	6
C30	44	-	37	7	-	-	-	-	-	-	-	-
C31	440	-	170	26	2	10	-	-	-	-	-	2
C32	3,797	-	90	193	9	4	-	-	-	-	-	3,5
C33	72	72	-	-	-	-	-	-	-	-	-	-
C34	159,220	-	33	553	35	227	-	-	-	-	3	158,3
C37	193	193	-	-	-	-	-	-	-	-	-	-
C38	243	-	74	2	-	99	67	-	-	-	1	-

C39	13	-	2	-	-	-	-	-	-	-	-	-
C40	83	-	21	-	59	2	-	-	-	-	-	-
C41	1,308	-	59	105	115	7	63	-	-	-	1	9
C43	8,345	-	2	4	17	69	116	178	101	126	2	7,7
C44	2,453	-	5	8	110	214	1,035	41	40	44	-	9
C45	2,553	-	174	98	1	-	-	-	-	306	-	1,9
C46	47	-	-	-	-	-	-	-	-	3	-	-
C47	99	-	2	1	3	-	1	3	-	-	-	-
C48	886	-	238	25	623	-	-	-	-	-	-	-
C49	3,676	-	84	51	243	83	279	104	13	-	-	2,8
C50	41,491	-	5	-	-	-	-	-	-	-	1	41,4
C51	809	-	11	-	-	-	-	-	-	-	-	7
C52	382	382	-	-	-	-	-	-	-	-	-	-
C53	3,924	-	33	-	-	-	-	-	-	-	-	3,8
C54	3,259	-	1	3,192	-	-	-	-	-	-	-	-

C69	252	-	1	1	20	11	1	13	54	-	-	1
C70	109	-	17	1	-	-	-	-	-	-	-	-
C71	12,939	-	222	94	73	44	17	14	164	224	15	12,0
C72	104	-	51	2	-	4	1	5	-	-	-	-
C73	1,462	1,462	-	-	-	-	-	-	-	-	-	-
C74	560	-	74	34	-	-	-	-	-	-	-	4
C75	140	-	20	32	2	19	2	19	-	-	1	-
C76	1,766	-	561	83	745	222	10	33	-	111	1	-
C77	33	-	6	2	2	-	-	-	-	-	-	-
C78	3,198	-	323	17	145	3	-	45	400	2,219	46	-
C79	4,382	-	9	10	14	783	9	429	7	-	3,121	-
C80	26,371	26,371	-	-	-	-	-	-	-	-	-	-
C81	1,272	-	1	19	4	1	-	-	-	1	-	1,2
C82	234	-	8	4	13	-	-	-	-	3	-	2
C83	2,218	-	250	572	21	961	7	76	2	256	40	-

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
C84	901	-	85	10	1	1	49	755	-	-	-	
C85	17,520	-	33	1,544	-	-	-	-	-	9	-	15,9
C88	349	-	349	-	-	-	-	-	-	-	-	
C90	10,851	-	10,657	93	101	-	-	-	-	-	-	
C91	6,290	-	1,460	4,391	-	73	116	63	-	-	-	1
C92	9,951	-	7,922	1,067	1	16	126	192	-	389	-	2
C93	131	-	104	7	-	-	-	-	-	-	-	
C94	60	-	19	-	8	2	-	3	-	28	-	
C95	5,191	-	2,225	184	-	-	-	-	-	6	-	2,7
C96	60	-	-	10	6	-	-	-	-	1	-	
C97	4,358	4,358	-	-	-	-	-	-	-	-	-	
D00	2	-	-	1	1	-	-	-	-	-	-	
D01	2	-	-	-	-	-	-	2	-	-	-	
D02	5	-	1	-	4	-	-	-	-	-	-	

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.
RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
D20	1	-	-	1	-	-	-	-	-	-	-	-
D21	19	-	-	-	-	-	-	-	-	-	-	-
D23	16	-	-	-	-	-	-	1	-	4	-	-
D24	2	2	-	-	-	-	-	-	-	-	-	-
D25	28	-	-	-	-	-	-	-	-	-	-	-
D26	3	-	-	-	-	-	-	-	-	-	-	-
D27	10	10	-	-	-	-	-	-	-	-	-	-
D30	3	-	3	-	-	-	-	-	-	-	-	-
D31	3	-	-	-	-	1	1	-	1	-	-	-
D32	735	-	186	2	-	-	-	-	-	-	-	5
D33	112	-	12	5	65	25	4	-	-	-	-	-
D34	1	1	-	-	-	-	-	-	-	-	-	-
D35	119	-	39	6	73	-	1	-	-	-	-	-

D36	38	-	-	19	-	-	-	-	-	1	-	
D37	757	-	66	81	22	3	102	27	193	210	-	
D38	681	-	21	599	2	46	1	10	2	-	-	
D39	88	-	31	46	2	-	-	-	-	6	-	
D40	24	-	19	4	-	-	-	-	-	-	-	
D41	165	-	68	-	2	2	92	-	-	-	-	
D42	14	-	2	-	-	-	-	-	-	-	-	
D43	2,955	-	147	96	2,639	1	37	-	-	1	-	
D44	184	-	7	9	-	84	57	7	3	8	1	
D45	290	290	-	-	-	-	-	-	-	-	-	
D46	4,813	-	-	3	16	-	107	-	-	7	-	4,6
D47	1,553	-	-	1,354	77	14	-	-	-	7	-	1
D48	789	-	38	185	8	15	3	7	57	241	-	2
D50	177	-	109	-	-	-	-	-	-	-	8	
D51	57	-	55	-	-	-	-	-	-	-	-	

D68	1,175	-	12	-	52	-	10	-	-	-	108	9
D69	897	-	4	3	3	304	42	55	454	-	1	
D70	323	323	-	-	-	-	-	-	-	-	-	
D71	13	13	-	-	-	-	-	-	-	-	-	
D72	92	-	1	14	-	-	-	-	-	-	76	
D73	131	-	2	30	1	7	-	45	-	-	5	
D75	173	-	1	4	31	-	-	-	-	-	82	
D76	73	-	25	18	6	24	-	-	-	-	-	
D80	36	-	4	19	2	3	1	-	-	-	1	
D81	19	-	-	-	-	1	-	-	-	-	-	
D82	23	-	8	10	-	5	-	-	-	-	-	
D83	11	-	-	-	-	-	-	-	-	-	-	
D84	411	-	-	15	-	-	-	-	-	-	2	3
D86	918	-	138	-	-	-	-	-	-	-	77	7
D89	52	-	5	28	5	-	-	-	-	-	1	

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----											
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
E43	327	327	-	-	-	-	-	-	-	-	-	-	
E44	3	-	3	-	-	-	-	-	-	-	-	-	
E45	206	206	-	-	-	-	-	-	-	-	-	-	
E46	2,347	2,347	-	-	-	-	-	-	-	-	-	-	
E51	11	-	-	1	9	-	-	-	-	-	-	-	
E53	28	-	-	-	-	-	-	-	-	-	-	27	
E55	4	-	1	-	-	-	-	-	-	-	-	-	
E61	9	-	-	8	-	-	-	-	1	-	-	-	
E63	126	-	1	-	-	-	-	-	-	-	-	1	
E64	2	-	1	-	-	-	-	-	-	-	-	1	
E65	1	1	-	-	-	-	-	-	-	-	-	-	
E66	4,649	-	35	-	119	-	-	-	-	-	-	2,891	1,6
E70	7	-	-	3	2	2	-	-	-	-	-	-	
E71	55	-	-	13	-	42	-	-	-	-	-	-	

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
F01	4,225	-	4	1,948	-	6	-	-	-	-	5	2,2
F03	51,926	51,926	-	-	-	-	-	-	-	-	-	-
F05	288	-	-	96	-	-	-	-	-	-	2	1
F06	1,393	-	-	-	-	1	-	-	-	-	1	1,3
F07	9	-	3	1	5	-	-	-	-	-	-	-
F09	9	9	-	-	-	-	-	-	-	-	-	-
F10	7,389	-	677	1,910	4,045	84	107	-	22	172	3	3
F11	330	-	-	119	85	1	-	-	-	-	-	1
F12	1	-	-	-	-	-	-	-	-	-	-	-
F13	5	-	-	-	-	1	-	-	-	-	-	-
F14	628	-	15	333	68	1	-	-	-	-	-	2
F15	112	-	3	57	19	-	1	-	-	-	-	-
F16	4	-	1	1	-	1	-	-	-	-	-	-

F17	1,268	-	2	137	31	-	-	-	-	2	-	1,0	
F18	2	-	-	2	-	-	-	-	-	-	-	-	
F19	1,532	-	-	1,173	203	5	-	1	-	-	-	1	
F20	420	-	53	-	11	1	1	47	-	-	-	3	
F22	13	-	13	-	-	-	-	-	-	-	-	-	
F23	6	-	-	-	1	-	-	-	-	-	-	-	
F25	33	-	-	-	-	-	-	-	-	-	-	1	
F29	41	41	-	-	-	-	-	-	-	-	-	-	
F30	5	-	-	-	-	-	-	-	-	-	-	4	
F31	115	-	-	2	1	-	-	-	-	-	-	1	
F32	663	-	1	-	76	5	-	-	-	-	-	1	5
F33	7	-	-	-	3	-	-	-	-	-	-	-	
F34	1	-	-	1	-	-	-	-	-	-	-	-	
F39	3	3	-	-	-	-	-	-	-	-	-	-	
F41	47	-	2	5	10	-	-	-	-	-	-	-	

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.
RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----											
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
G10	822	822	-	-	-	-	-	-	-	-	-	-	-
G11	168	-	-	81	1	8	6	-	-	-	-	2	
G12	6,020	-	21	7	5,872	-	-	-	-	-	-	-	1
G20	19,427	19,427	-	-	-	-	-	-	-	-	-	-	
G21	117	-	30	2	-	-	-	-	-	-	-	43	
G23	242	-	8	4	9	-	-	-	-	-	-	90	1
G24	47	-	-	5	-	1	20	-	-	-	-	1	
G25	62	-	3	-	-	2	-	18	-	-	-	11	
G30	71,599	-	12	2,123	-	-	-	-	-	-	-	27	69,4
G31	1,823	-	235	21	96	-	-	-	-	-	-	224	1,2
G35	3,487	3,487	-	-	-	-	-	-	-	-	-	-	
G36	5	-	4	1	-	-	-	-	-	-	-	-	
G37	154	-	-	2	25	68	-	-	-	-	-	12	

G40	949	-	2	-	1	29	13	5	181	-	-	7
G41	521	-	1	-	-	-	-	-	-	-	-	5
G43	2	-	-	-	-	-	-	-	-	-	1	
G45	194	-	15	-	-	-	-	-	-	-	-	1
G47	684	-	3	-	-	673	6	-	-	-	-	
G50	8	-	8	-	-	-	-	-	-	-	-	
G51	4	-	4	-	-	-	-	-	-	-	-	
G52	8	-	-	1	1	1	-	-	-	-	1	
G54	2	-	-	-	1	-	-	1	-	-	-	
G57	1	-	-	-	-	-	-	-	-	-	-	
G58	30	-	-	-	-	-	-	-	-	1	4	
G60	92	-	63	1	2	5	-	-	-	-	2	
G61	218	-	211	-	-	-	-	-	-	-	4	
G62	347	-	1	4	-	-	-	-	-	-	88	2
G70	766	-	533	-	2	-	-	-	-	-	4	2

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
G71	1,167	-	802	211	111	21	-	-	-	-	18	
G72	121	-	3	4	1	3	6	-	-	-	28	
G80	1,412	-	14	2	1	4	-	-	-	-	52	1,3
G81	107	-	-	1	-	-	-	-	-	-	-	1
G82	755	-	-	11	273	1	47	423	-	-	-	
G83	206	-	-	3	-	-	7	-	-	-	153	
G90	266	-	3	19	-	179	-	-	-	-	55	
G91	773	-	11	41	331	-	-	-	-	-	13	3
G92	64	64	-	-	-	-	-	-	-	-	-	
G93	6,320	-	42	4,484	49	2	880	178	197	5	189	2
G95	259	-	35	45	55	-	-	-	-	-	18	1
G96	50	-	6	9	-	-	-	-	-	-	11	
G98	81	81	-	-	-	-	-	-	-	-	-	
H05	12	-	9	-	1	-	-	-	-	-	-	

H10	1	-	-	-	-	1	-	-	-	-	-
H11	2	-	1	-	-	-	-	-	-	-	1
H16	1	-	-	-	-	1	-	-	-	-	-
H26	1	-	-	-	-	-	-	-	-	-	-
H33	1	-	-	-	1	-	-	-	-	-	-
H34	1	-	-	-	1	-	-	-	-	-	-
H35	6	-	-	-	-	5	-	1	-	-	-
H40	2	-	-	-	-	-	-	-	-	-	-
H44	7	-	6	-	-	-	-	-	-	-	-
H49	5	-	-	-	1	-	-	-	-	-	1
H52	1	-	-	1	-	-	-	-	-	-	-
H54	5	-	5	-	-	-	-	-	-	-	-
H60	2	-	-	1	1	-	-	-	-	-	-
H66	40	-	-	-	-	-	1	-	-	-	-
H70	13	-	1	1	-	-	-	-	-	-	-

I13	3,172	-	49	1,187	1,875	-	-	-	-	-	-	-
I20	229	-	41	17	-	-	-	-	-	-	-	1
I21	150,939	-	13	13	7	19	220	-	-	-	-	150,6
I22	65	-	2	2	-	-	-	-	-	-	-	-
I24	3,565	-	-	1	-	-	-	-	-	-	1,825	1,7
I25	290,889	-	62,799	200,721	241	78	12	12,678	-	-	1,588	12,7
I26	8,283	-	19	-	-	-	-	-	-	-	-	8,2
I27	5,156	-	302	55	3,594	-	-	-	-	-	1	1,2
I28	65	-	1	8	-	-	-	-	-	-	18	-
I30	53	-	1	29	-	-	-	-	-	-	6	-
I31	523	-	5	55	40	190	-	-	-	-	-	2
I33	1,209	-	1,169	-	-	-	-	-	-	-	-	-
I34	2,605	-	2,138	276	21	-	-	-	-	-	91	-
I35	13,137	-	10,945	499	73	-	-	-	-	-	221	1,3
I36	20	-	-	15	-	-	-	-	-	-	3	-

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
I37	20	-	7	2	-	-	-	-	-	-	-	2
I38	5,109	5,109	-	-	-	-	-	-	-	-	-	-
I40	288	-	208	13	-	-	-	-	-	-	-	-
I42	25,505	-	5,600	185	1,087	7	64	165	414	13	39	17,9
I44	355	-	2	9	315	21	-	-	-	8	-	-
I45	515	-	-	1	1	3	6	11	33	-	334	1
I46	15,531	-	-	2,543	-	-	-	-	-	-	-	12,9
I47	586	-	1	118	464	-	-	-	-	-	-	-
I48	11,555	11,555	-	-	-	-	-	-	-	-	-	-
I49	9,961	-	1,076	3	-	6	-	413	-	-	89	8,3
I50	58,933	-	54,881	127	-	-	-	-	-	-	-	3,9
I51	11,176	-	15	9	10	14	525	171	4,396	1,611	832	3,5
I60	6,095	-	89	1	3	-	-	2	55	476	202	5,2
I61	18,383	-	202	205	34	709	582	744	-	-	72	15,8

I62	9,402	-	2,020	17	-	-	-	-	-	-	-	7,3
I63	7,563	-	150	22	676	1,209	546	244	-	-	152	4,5
I64	74,416	74,416	-	-	-	-	-	-	-	-	-	
I67	8,506	-	17	377	1,134	20	62	19	1	62	978	5,8
I69	19,214	-	73	182	156	739	10,056	-	-	-	8,008	
I70	11,841	-	49	65	352	-	-	-	-	-	6	11,3
I71	13,843	-	3,502	877	744	4,209	2,049	122	177	-	1,356	8
I72	704	-	20	-	41	148	46	-	-	-	92	3
I73	7,348	-	10	15	-	-	-	-	-	-	26	7,2
I74	683	-	31	148	7	116	16	20	-	-	34	3
I77	985	-	48	102	143	3	3	-	416	-	24	2
I78	54	-	33	12	-	-	-	-	-	-	8	
I80	3,108	-	-	19	2,779	220	-	-	-	-	10	
I81	92	92	-	-	-	-	-	-	-	-	-	
I82	235	-	30	2	26	6	-	-	-	-	89	

J04	25	-	5	14	6	-	-	-	-	-	-	-
J05	23	-	2	21	-	-	-	-	-	-	-	-
J06	132	-	1	-	-	-	-	-	-	-	-	1
J10	398	-	170	222	-	-	-	-	-	-	6	-
J11	1,414	-	719	668	-	-	-	-	-	-	27	-
J12	273	-	10	19	2	-	-	-	-	-	3	2
J13	410	410	-	-	-	-	-	-	-	-	-	-
J14	42	42	-	-	-	-	-	-	-	-	-	-
J15	4,319	-	161	344	1,371	5	307	21	39	9	24	2,0
J16	5	-	2	-	-	-	-	-	-	-	3	-
J18	56,140	-	1,389	1,689	46	-	-	-	-	-	21	52,9
J20	218	-	-	1	2	-	-	-	-	-	20	1
J21	65	-	18	-	-	-	-	-	-	-	3	-
J22	121	121	-	-	-	-	-	-	-	-	-	-
J30	6	-	-	-	1	-	5	-	-	-	-	-

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----											
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
J31	1	-	1	-	-	-	-	-	-	-	-	-	
J32	82	-	7	-	2	2	6	-	-	-	-	-	
J33	1	-	-	-	-	-	-	-	-	-	-	-	
J34	5	-	-	-	-	-	-	-	-	-	-	5	
J35	8	-	-	3	-	-	-	-	-	-	-	2	
J36	3	3	-	-	-	-	-	-	-	-	-	-	
J37	3	-	3	-	-	-	-	-	-	-	-	-	
J38	136	-	54	4	1	5	16	6	22	28	-	-	
J39	219	-	11	4	59	1	-	-	-	-	-	139	
J40	478	478	-	-	-	-	-	-	-	-	-	-	
J41	13	-	-	13	-	-	-	-	-	-	-	-	
J42	375	375	-	-	-	-	-	-	-	-	-	-	
J43	14,002	-	-	8	12	-	-	-	-	-	-	5	13,9
J44	111,209	-	318	87	-	-	-	-	-	-	-	3,528	107,2

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED.
RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----											
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
J81	541	541	-	-	-	-	-	-	-	-	-	-	-
J82	160	160	-	-	-	-	-	-	-	-	-	-	-
J84	14,376	-	146	11,789	-	-	-	-	-	-	-	29	2,4
J85	280	-	110	54	111	5	-	-	-	-	-	-	-
J86	415	-	74	-	-	-	-	-	-	-	-	-	3
J90	1,016	1,016	-	-	-	-	-	-	-	-	-	-	-
J92	6	-	3	-	-	-	-	-	-	-	-	-	-
J93	317	-	36	33	-	-	-	-	-	-	-	6	2
J94	135	-	4	16	88	-	-	-	-	-	-	20	-
J96	3,583	-	289	436	-	-	-	-	-	-	-	-	2,8
J98	3,907	-	83	164	27	-	2,830	134	35	-	430	2	-
K02	5	-	-	-	-	-	-	-	-	-	-	-	-
K04	42	-	-	-	-	-	-	-	-	42	-	-	-

K05	7	-	-	4	2	-	-	-	1	-	-	
K06	2	-	-	-	-	-	-	-	-	-	-	1
K07	2	-	1	-	-	-	-	-	1	-	-	
K08	67	-	-	-	-	-	-	-	-	-	-	65
K10	3	-	-	-	3	-	-	-	-	-	-	
K11	82	-	-	-	76	3	-	-	-	3	-	
K12	19	-	1	8	10	-	-	-	-	-	-	
K13	12	-	1	-	-	-	-	-	-	11	-	
K20	158	158	-	-	-	-	-	-	-	-	-	
K21	592	-	37	-	-	-	-	-	-	-	-	5
K22	1,224	-	119	97	269	198	200	73	60	-	144	
K25	1,041	-	11	-	1	2	481	376	29	2	-	1
K26	1,246	-	5	4	-	1	521	585	45	2	-	
K27	1,164	-	8	-	-	1	693	235	22	7	-	1
K28	27	-	-	-	-	-	19	1	1	-	-	

K51	305	-	1	1	1	-	-	2	-	-	2	2
K52	2,228	-	19	12	-	-	-	-	-	-	4	2,1
K55	8,769	-	2,510	148	51	-	-	-	-	-	3	6,0
K56	5,673	-	44	18	589	19	118	354	4,161	370	-	
K57	3,152	-	11	17	294	164	1	-	-	-	1,178	1,4
K58	20	-	-	-	-	-	-	-	-	-	-	
K59	502	-	155	1	4	307	-	-	-	-	21	
K60	18	-	-	-	-	-	18	-	-	-	-	
K61	68	-	6	62	-	-	-	-	-	-	-	
K62	264	-	-	1	-	30	7	135	11	3	18	
K63	2,553	-	32	1,729	223	30	1	36	-	-	72	4
K65	1,504	-	580	-	-	-	-	-	-	-	39	8
K66	325	-	82	165	-	-	-	-	-	-	45	
K70	12,928	-	184	754	8	8,730	1,369	-	-	-	-	1,8
K71	20	-	-	7	-	-	-	-	7	-	2	

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
L40	51	-	-	1	-	2	-	11	-	-	3	
L50	1	-	-	-	-	-	-	-	-	-	-	
L51	103	-	-	45	56	-	-	-	-	-	-	
L53	15	-	-	-	-	-	-	-	-	-	1	
L55	1	-	-	-	-	-	-	-	-	-	-	
L57	1	-	1	-	-	-	-	-	-	-	-	
L60	1	-	-	-	-	-	-	1	-	-	-	
L73	5	-	-	-	4	-	-	-	-	-	-	
L80	1	1	-	-	-	-	-	-	-	-	-	
L81	1	-	-	-	-	-	-	-	-	-	-	
L87	1	-	1	-	-	-	-	-	-	-	-	
L88	7	7	-	-	-	-	-	-	-	-	-	
L89	1,672	1,672	-	-	-	-	-	-	-	-	-	
L90	1	-	-	-	-	-	-	1	-	-	-	

L91	1	-	1	-	-	-	-	-	-	-	-	-
L92	8	-	-	-	-	-	-	-	-	-	-	-
L93	165	-	165	-	-	-	-	-	-	-	-	-
L94	1	-	1	-	-	-	-	-	-	-	-	-
L97	161	161	-	-	-	-	-	-	-	-	-	-
L98	190	-	-	-	1	-	152	3	-	-	12	-
M00	281	-	4	-	-	-	-	-	-	-	-	2
M02	2	-	-	-	-	2	-	-	-	-	-	-
M05	271	-	24	162	32	52	-	-	-	-	-	-
M06	2,249	-	1	1	-	-	9	-	-	-	-	2,2
M08	18	-	15	-	3	-	-	-	-	-	-	-
M10	90	-	18	-	-	1	-	-	-	-	-	-
M11	1	-	-	-	1	-	-	-	-	-	-	-
M12	3	-	-	1	2	-	-	-	-	-	-	-
M13	303	-	6	1	-	-	-	-	-	-	-	2

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
M15	14	-	-	-	-	-	-	-	-	-	-	-
M16	23	-	-	-	-	-	-	-	-	-	-	-
M17	30	-	-	-	-	-	-	-	-	-	-	-
M19	866	-	-	-	6	-	-	-	-	-	-	8
M24	6	-	-	-	-	1	-	4	1	-	-	-
M25	48	-	-	-	-	-	-	3	-	-	1	-
M30	85	-	43	35	-	7	-	-	-	-	-	-
M31	832	-	48	287	-	358	11	-	101	-	10	-
M32	1,392	-	-	1,203	-	-	-	-	-	-	1	1
M33	306	-	1	100	205	-	-	-	-	-	-	-
M34	1,401	-	35	105	-	-	-	-	-	-	901	3
M35	498	-	90	12	8	93	-	2	3	1	25	2
M40	86	-	-	-	86	-	-	-	-	-	-	-

M41	272	-	-	-	1	3	1	-	-	-	1	2
M43	22	-	2	5	11	-	-	-	-	-	-	-
M45	35	35	-	-	-	-	-	-	-	-	-	-
M46	211	-	-	-	132	4	63	-	-	-	-	-
M47	68	-	-	5	-	-	-	-	-	-	-	30
M48	247	-	184	-	-	-	-	5	-	-	-	3
M50	17	-	2	-	1	9	-	-	-	-	-	-
M51	68	-	1	2	11	39	-	-	-	-	-	-
M53	3	-	-	-	-	-	-	-	-	-	-	3
M54	86	-	-	10	1	1	-	14	-	-	-	2
M60	104	-	31	-	-	-	-	-	-	-	-	8
M61	7	-	-	6	-	-	-	1	-	-	-	-
M62	639	-	-	-	28	41	-	17	2	-	-	541
M65	2	-	-	-	-	-	-	-	-	-	-	1
M66	1	-	-	-	-	-	1	-	-	-	-	-

M89	51	-	9	-	-	-	-	2	-	-	22	
M91	2	-	-	-	-	-	-	-	-	-	-	
M92	2	-	1	1	-	-	-	-	-	-	-	
M94	9	-	1	2	-	1	-	-	-	-	5	
M95	4	-	-	-	-	-	4	-	-	-	-	
N00	11	-	-	-	-	-	-	-	-	-	-	
N01	6	-	-	-	-	-	-	-	-	-	-	
N02	25	-	-	-	-	-	-	-	-	-	25	
N03	621	-	-	-	-	-	-	-	-	-	1	6
N04	120	-	-	-	-	-	-	-	-	-	-	1
N05	167	-	-	8	30	1	-	9	-	7	15	
N10	136	136	-	-	-	-	-	-	-	-	-	
N11	57	-	1	9	-	-	-	-	-	-	-	
N12	539	539	-	-	-	-	-	-	-	-	-	
N13	443	-	2	1	13	90	1	68	5	9	6	2

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
N14	11	-	1	4	3	1	2	-	-	-	-	
N15	54	-	-	30	-	-	-	-	-	-	-	
N17	7,486	-	209	2	1	-	-	-	-	-	1	7,2
N18	18,066	-	10,238	-	-	-	-	-	-	-	238	7,5
N19	17,316	17,316	-	-	-	-	-	-	-	-	-	
N20	309	-	262	31	-	-	-	-	-	-	-	
N21	15	-	11	4	-	-	-	-	-	-	-	
N25	27	-	1	5	-	-	-	-	-	-	21	
N26	54	54	-	-	-	-	-	-	-	-	-	
N27	2	-	-	1	-	-	-	-	-	-	-	
N28	670	-	36	2	-	-	-	-	-	-	119	5
N30	143	-	9	6	11	-	3	-	-	-	15	
N31	135	-	-	-	13	-	-	-	-	-	-	1

N92	3	-	1	1	-	-	-	-	1	-	-
N93	24	-	-	-	-	-	-	-	-	-	1
N94	16	-	-	-	-	-	-	-	-	-	14
N95	5	-	3	1	1	-	-	-	-	-	-
000	18	-	-	4	-	-	-	-	-	-	-
002	1	-	-	-	-	-	-	-	-	-	-
003	4	-	-	-	-	-	-	-	2	-	1
004	4	-	-	-	-	-	-	1	-	-	3
005	1	-	-	-	-	-	-	-	-	-	-
006	2	-	-	-	-	-	-	1	-	-	1
007	3	-	-	-	-	-	1	1	-	-	1
010	17	-	4	12	-	-	1	-	-	-	-
013	1	1	-	-	-	-	-	-	-	-	-
014	25	-	-	6	-	-	-	-	-	-	-
015	16	-	1	-	1	-	-	-	-	-	-

P21	432	-	23	-	-	-	-	-	-	-	-	-	4
P22	861	-	779	-	-	-	-	-	-	-	-	-	
P23	104	-	6	-	3	1	2	6	3	-	-	2	
P24	47	-	28	7	1	-	-	-	-	-	-	1	
P25	122	-	48	69	2	2	-	-	-	-	-	1	
P26	181	-	-	8	-	-	-	-	-	-	-	1	1
P27	295	-	1	247	-	-	-	-	-	-	-	-	
P28	440	-	375	2	-	-	17	21	-	-	-	11	
P29	971	-	349	519	6	81	-	-	-	-	-	15	
P35	79	-	8	30	34	-	-	-	-	-	-	2	
P36	835	-	24	7	27	12	47	-	-	-	-	62	6
P37	72	-	-	7	-	-	-	39	-	-	-	26	
P38	6	6	-	-	-	-	-	-	-	-	-	-	
P39	74	-	-	-	2	5	-	-	-	-	-	14	
P50	5	-	-	3	-	-	1	-	-	-	-	-	

P78	79	-	67	6	-	5	-	-	-	-	1	
P80	10	-	2	-	-	-	-	-	-	-	1	
P81	1	-	-	-	-	-	-	-	-	-	-	
P83	166	-	-	-	165	-	-	-	-	-	-	
P90	16	16	-	-	-	-	-	-	-	-	-	
P91	22	-	10	-	9	-	2	-	-	-	1	
P92	6	-	2	-	-	-	-	-	-	-	-	
P94	7	-	-	-	7	-	-	-	-	-	-	
P96	161	-	41	-	-	-	45	-	-	-	45	
Q00	316	-	316	-	-	-	-	-	-	-	-	
Q01	43	-	-	-	1	-	-	-	-	-	1	
Q02	83	83	-	-	-	-	-	-	-	-	-	
Q03	208	-	7	36	-	-	-	-	-	-	1	1
Q04	425	-	19	-	123	129	5	3	27	-	19	1
Q05	162	-	-	1	-	-	33	1	-	-	-	1

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----											
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
Q06	7	-	-	2	1	-	-	-	-	-	-	1	
Q07	82	-	46	-	-	-	-	-	-	-	-	1	
Q10	1	-	-	-	-	1	-	-	-	-	-	-	
Q18	4	-	1	-	1	-	-	-	-	-	-	-	
Q20	231	-	52	26	3	109	15	-	-	-	-	26	
Q21	641	-	133	196	58	175	2	-	-	-	-	71	
Q22	88	-	-	1	-	1	23	47	11	-	-	4	
Q23	522	-	49	72	9	2	366	-	-	-	-	-	
Q24	1,467	-	4	1	1	-	22	172	19	-	-	112	1,1
Q25	268	-	82	49	-	24	25	40	30	15	-	2	
Q26	57	-	-	-	3	5	29	1	-	-	-	8	
Q27	264	-	-	-	-	219	-	-	-	-	-	2	
Q28	99	-	2	1	51	39	-	-	-	-	-	3	
Q31	25	-	1	4	-	2	-	11	-	-	-	6	

Q71	2	-	-	-	-	-	-	-	-	-	-	1	
Q73	1	-	1	-	-	-	-	-	-	-	-	-	
Q74	10	-	2	-	1	1	-	-	-	-	-	2	
Q75	23	-	5	4	-	1	5	-	-	-	-	3	
Q76	12	-	1	3	-	-	8	-	-	-	-	-	
Q77	70	-	2	41	10	7	6	-	2	1	-	1	
Q78	110	-	61	2	8	2	2	-	-	-	-	2	
Q79	400	-	264	6	24	47	9	10	16	-	-	13	
Q80	5	-	-	-	-	-	3	-	-	-	-	-	
Q81	27	-	-	2	3	-	-	-	-	-	-	1	
Q82	32	-	3	1	15	2	1	-	-	-	-	10	
Q85	142	-	91	30	-	-	-	-	-	-	-	20	
Q86	10	-	5	-	-	-	-	-	-	-	-	5	
Q87	241	-	28	58	24	7	81	-	-	-	-	43	
Q89	657	-	17	4	6	18	14	-	-	281	-	72	2

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----											
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
Q90	981	-	-	-	-	-	-	-	-	-	-	-	9
Q91	744	-	-	1	-	419	-	1	-	323	-	-	-
Q92	72	-	-	-	-	-	-	1	-	23	24	-	-
Q93	53	-	-	-	1	12	4	21	-	-	11	-	-
Q95	1	-	-	-	-	-	-	1	-	-	-	-	-
Q96	10	-	-	-	-	-	-	-	-	-	-	2	-
Q97	4	-	1	1	-	-	-	-	-	-	-	2	-
Q98	4	-	-	-	-	-	3	-	-	-	-	1	-
Q99	123	-	-	-	7	-	-	-	-	-	-	34	-
R00	68	-	8	60	-	-	-	-	-	-	-	-	-
R02	98	98	-	-	-	-	-	-	-	-	-	-	-
R04	100	-	7	-	27	-	-	-	-	-	-	65	-
R06	234	-	101	-	-	-	-	12	-	-	-	121	-
R07	7	-	-	-	-	-	-	7	-	-	-	-	-

R09	2,330	-	233	4	2,073	-	-	-	-	-	20
R10	62	-	22	-	-	-	40	-	-	-	-
R11	5	5	-	-	-	-	-	-	-	-	-
R13	97	97	-	-	-	-	-	-	-	-	-
R14	1	1	-	-	-	-	-	-	-	-	-
R16	2	-	-	1	1	-	-	-	-	-	-
R17	3	3	-	-	-	-	-	-	-	-	-
R18	9	9	-	-	-	-	-	-	-	-	-
R19	155	-	38	-	-	-	-	-	-	-	117
R22	12	-	-	5	7	-	-	-	-	-	-
R27	8	-	3	-	-	-	-	-	-	-	5
R29	36	-	-	-	-	-	-	-	-	-	36
R31	6	6	-	-	-	-	-	-	-	-	-
R33	1	1	-	-	-	-	-	-	-	-	-
R39	1	-	-	1	-	-	-	-	-	-	-

R58	240	240	-	-	-	-	-	-	-	-	-
R59	3	-	-	2	-	-	-	-	-	-	-
R60	11	-	4	5	-	-	-	-	-	-	-
R62	3,141	-	-	-	-	-	-	-	-	-	3,137
R63	106	-	71	-	-	1	13	-	-	-	21
R64	301	301	-	-	-	-	-	-	-	-	-
R68	72	-	3	-	-	-	-	-	-	-	69
R73	14	-	-	-	-	-	-	-	-	-	-
R74	1	-	-	-	-	-	-	-	-	-	1
R75	6	6	-	-	-	-	-	-	-	-	-
R78	3	-	3	-	-	-	-	-	-	-	-
R79	7	-	-	-	-	-	-	-	-	-	7
R90	4	-	4	-	-	-	-	-	-	-	-
R91	159	159	-	-	-	-	-	-	-	-	-
R94	4	-	-	-	-	3	-	1	-	-	-

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
R95	2,230	2,230	-	-	-	-	-	-	-	-	-	-
R96	245	-	245	-	-	-	-	-	-	-	-	-
R98	20	20	-	-	-	-	-	-	-	-	-	-
R99	14,532	14,532	-	-	-	-	-	-	-	-	-	-
V01	7	-	2	5	-	-	-	-	-	-	-	-
V02	49	-	6	39	-	-	-	-	-	-	-	-
V03	2,986	-	241	2,728	-	-	-	-	-	-	-	-
V04	342	-	48	280	-	-	-	-	-	-	-	-
V05	406	-	120	73	-	-	-	-	-	-	-	2
V06	9	-	4	2	-	-	-	-	-	-	-	-
V09	2,275	-	149	192	1,835	54	-	-	-	-	-	-
V10	2	-	-	-	2	-	-	-	-	-	-	-
V11	7	-	-	-	1	-	3	-	-	-	-	-
V12	6	-	-	-	-	-	3	-	-	-	-	-

V13	449	-	1	7	1	-	215	6	-	-	-	2
V14	56	-	-	-	-	-	25	1	-	-	-	
V15	13	-	1	-	-	-	4	-	-	-	-	
V16	2	-	-	-	-	-	-	-	-	-	-	
V17	19	-	3	-	2	-	8	-	-	-	-	
V18	85	-	4	-	12	-	18	-	-	-	-	
V19	288	-	1	2	2	5	105	6	87	-	2	
V20	68	-	1	1	1	-	45	6	-	-	-	
V22	51	-	3	1	2	-	30	4	-	-	-	
V23	1,246	-	2	-	1	-	1,028	95	-	-	-	1
V24	114	-	-	-	-	-	93	6	-	-	-	
V25	5	-	-	2	-	-	3	-	-	-	-	
V26	8	-	-	-	-	-	7	-	-	-	-	
V27	833	-	11	-	7	1	658	47	-	-	-	1
V28	634	-	26	1	5	-	458	63	-	-	-	

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
V29	1,428	-	10	1	1	15	465	41	62	-	10	8
V38	3	-	-	-	-	-	-	1	-	-	-	-
V39	2	-	-	-	-	-	1	-	-	-	1	-
V40	34	-	-	-	-	-	-	21	10	1	-	-
V41	2	-	-	-	-	-	-	-	-	-	-	-
V42	28	-	-	-	-	-	-	15	4	1	-	-
V43	4,596	-	1	2	1	2	3	2,839	1,398	1	-	3
V44	1,088	-	-	1	-	-	2	742	261	-	-	-
V45	98	-	2	3	-	-	-	63	19	-	-	-
V46	9	-	-	-	-	1	-	6	1	1	-	-
V47	3,268	-	20	9	2	7	2	2,147	822	1	-	2
V48	2,690	-	19	6	-	8	16	1,541	789	7	-	3
V49	2,771	-	3	3	3	13	568	433	163	-	20	1,5

V50	2	-	-	-	-	-	-	2	-	-	-	
V52	2	-	-	-	-	-	-	-	1	-	-	
V53	894	-	-	-	-	-	2	609	241	-	-	
V54	439	-	1	-	-	-	-	295	116	-	-	
V55	50	-	6	1	-	2	-	21	16	-	-	
V56	2	-	-	-	-	-	-	1	-	-	-	
V57	925	-	8	7	-	-	-	681	181	-	-	
V58	1,133	-	8	16	4	10	1	659	299	3	-	1
V59	350	-	1	-	-	5	101	76	21	-	13	1
V60	5	-	-	1	-	-	1	1	1	-	-	
V62	1	-	-	-	-	-	-	1	-	-	-	
V63	38	-	-	-	-	-	1	30	5	-	-	
V64	84	-	-	-	-	-	1	60	11	1	-	
V65	23	-	1	-	-	1	-	17	3	-	-	
V67	75	-	1	-	-	-	-	64	4	-	-	

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
V68	157	-	3	-	1	1	2	115	12	-	-	
V69	67	-	-	-	1	3	20	5	4	-	5	
V73	7	-	-	-	-	-	-	3	3	-	-	
V74	9	-	-	-	-	-	-	2	7	-	-	
V77	3	-	1	-	-	-	-	2	-	-	-	
V78	11	-	-	-	1	1	2	-	7	-	-	
V79	29	-	-	-	-	-	-	1	-	-	25	
V80	120	-	90	1	-	-	4	3	-	-	1	
V81	33	-	1	5	-	-	2	3	4	-	2	
V83	19	-	3	2	-	-	1	5	1	-	-	
V84	154	-	26	-	-	12	-	19	1	8	-	
V85	33	-	12	1	-	1	-	6	-	4	-	
V86	1,040	-	229	35	3	97	-	311	38	6	-	3
V87	4,331	-	85	45	100	2	59	4	14	3,952	67	

Y33	155	155	-	-	-	-	-	-	-	-	-
Y34	458	458	-	-	-	-	-	-	-	-	-
Y35	409	-	330	-	-	1	-	54	22	2	-
Y36	12	-	-	-	10	-	1	-	-	-	-
Y40	13	-	3	1	-	-	-	-	-	-	4
Y41	3	-	-	-	1	-	1	-	-	-	-
Y42	20	-	2	-	-	6	-	-	-	11	1
Y43	33	-	-	-	-	15	16	-	1	-	-
Y44	37	-	-	-	29	4	-	3	1	-	-
Y45	28	-	19	2	1	4	-	-	-	-	2
Y46	5	-	-	-	5	-	-	-	-	-	-
Y47	2	-	1	1	-	-	-	-	-	-	-
Y48	13	-	-	-	1	5	7	-	-	-	-
Y49	10	-	1	-	1	-	2	4	-	-	1
Y51	1	-	-	-	-	1	-	-	-	-	-

MORTALITY DOCUMENTATION TABLE 1. DEATHS FROM EACH ICD-10 CAUSE: UNITED STATES, 2005

[NOT ALL ICD-10 CODES ARE SHOWN; WHEN NO DEATH HAS OCCURRED FOR A 3-DIGIT CODE THE LINE IS NOT PRINTED. RESIDENT DEATHS ONLY, EXCLUDES FOREIGN RESIDENTS]

3-DIGIT ICD-10 CODE	TOTAL	-----ICD-10 FOURTH DIGIT-----										
		NONE (BLANK)	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9
Y52	9	-	1	-	4	-	2	-	2	-	-	-
Y54	3	-	-	-	-	-	-	1	-	-	-	2
Y55	1	-	-	1	-	-	-	-	-	-	-	-
Y56	3	-	2	-	-	-	1	-	-	-	-	-
Y57	154	-	-	-	-	-	-	13	-	-	-	1
Y59	2	-	2	-	-	-	-	-	-	-	-	-
Y60	103	-	28	1	3	1	16	6	11	1	23	-
Y61	3	-	-	-	1	-	1	-	1	-	-	-
Y62	1	-	-	-	-	-	-	-	-	-	-	1
Y63	2	-	-	-	-	-	-	-	-	-	-	-
Y64	1	-	1	-	-	-	-	-	-	-	-	-
Y65	30	-	-	1	-	-	1	-	-	-	-	28
Y69	5	5	-	-	-	-	-	-	-	-	-	-
Y71	1	-	-	-	1	-	-	-	-	-	-	-

Y80	1	-	-	1	-	-	-	-	-	-	-	-
Y81	1	-	-	-	-	-	-	-	-	-	-	1
Y82	3	-	1	-	-	1	-	-	-	-	-	1
Y83	1,592	-	53	303	164	97	102	120	116	-	91	5
Y84	462	-	14	42	14	-	9	-	66	1	307	
Y85	724	-	707	-	-	-	-	-	-	-	-	
Y86	967	967	-	-	-	-	-	-	-	-	-	
Y87	345	-	78	237	30	-	-	-	-	-	-	
Y88	111	-	7	2	-	102	-	-	-	-	-	
Y89	23	-	5	15	-	-	-	-	-	-	-	

-QUANTITY ZERO.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.