User Guide to the 2018 Period/2017 Cohort Linked Birth/Infant Death Public Use File



DEPARTMENT OF HEALTH AND HUMAN SERVICES Centers for Disease Control and Prevention National Center for Health Statistics Division of Vital Statistics

2018 Period/2017 Cohort Linked Birth/Infant Death Data Set

Contents

Introduction

File and data characteristics

Record layout and definition of items and codes

Titles and codes for the 130 cause-of death list

Period documentation tables

Cohort documentation tables

External Links

User's Guide for the 2018 Natality File

User's Guide for the 2017 Natality File

Mortality Data internet page

Introduction

The linked birth/infant death data set (linked file) is now being released in one format that can be used for both period data and birth cohort data. This documentation is for both the 2018 period linked file and the 2017 cohort linked file.

<u>Period file</u> - The 2018 period linked birth/infant death data set includes two data files. The first file is the "numerator" file, which consists of all infant deaths occurring in 2018 linked to their corresponding birth certificates, whether the birth occurred in 2017 or 2018. The second file is the "denominator" file, which consists of all births occurring in 2018. It is used to provide denominators for rate computations. These same two data files are also available for Puerto Rico and Guam.

<u>User Created Cohort file -</u> The 2017 birth cohort linked birth/infant death data set includes three data files. The numerator for the 2017 birth cohort linked file consists of deaths to infants born in 2017 linked to their corresponding birth certificates, whether the death occurred in 2017 or 2018 (each is a separate file the user can merge or append together). The denominator for this data set is all births occurring in 2017.

Starting with the 2017 period/ 2016 cohort data files release, users can create their own cohort files using the year 1 denominator file and years 1 and 2 numerator files (e.g., 2016 denominator and 2016 and 2017 numerator files).

For most purposes, differences between the birth cohort and period linked files are negligible. However, birth cohort files are preferred for multivariate and some other types of detailed analysis because they follow a given cohort of births for an entire year to ascertain their mortality experience. This is generally considered to be a more robust methodology than the period file, which is essentially cross-sectional in nature.

User Created Cohort File

To create a cohort file I combine the 2017 denominator file with the 2017 and 2018 numerator files using the Cohort Sequence Number (co_seqnum) and Year of Death (dod_yy) variables. Below are examples of code that can be used to combine files using SAS and Stata. The SAS uses a two-step merge approach whereas the Stata example appends the two numerator files and then merges the combined 2017-2018 numerator with the 2017 denominator file.

SAS code example for creating a cohort file

FILENAME B17 ' '; /* put working directory path here */
FILENAME D17 ' '; /* put working directory path here */

```
FILENAME D18 ' ';
                      /* put working directory path here */
                      /* pull in 2017 denominator file */
DATA BORN17;
INFILE B17;
INPUT
RESTATUS 104
                                              DOD_YY 372-375;
                 SEQNUM_CO
                                  365-371
IF RESTATUS < 4:
PROC SORT; BY SEQNUM CO DOD YY; RUN;
                      /* includes infants born 2016 and 2017 */
DATA DIED17;
INFILE D17;
INPUT
DOB YY
           9-12 RESTATUS 104 SEQNUM CO
                                                    365-371
DOD_YY 372-375;
IF RESTATUS < 4 AND DOB YY = 2017; /* limit to infants born in 2017 */
PROC SORT; BY SEQNUM CO DOD YY; RUN;
                            /* includes infants born 2017 and 2018 */
DATA DIED18;
INFILE D18;
INPUT
DOB YY 9-12 RESTATUS 104
                                  SEQNUM CO
                                                    365-371
DOD YY 372-375;
IF RESTATUS < 4 AND DOB YY = 2017; /* limit to infants born in 2017 */
PROC SORT; BY SEQNUM CO DOD YY; RUN;
/* merge 2017 births to those infants that were born and died in 2017 */
DATA B17D17;
MERGE BORN17 DIED17; BY SEQNUM CO DOD YY;
/* merge 2017 births/linked deaths to 2017 births that died in 2018 */
DATA B17D1718:
MERGE B17D17 DIED18; BY SEQNUM_CO DOD_YY;
RUN;
Stata code example for creating a cohort file
set more off
cd /* put working directory path here*/
log using "cohortfromperiod2017.log", replace
                 *NUMERATOR FILES*
```

*2017

```
local dat_name "VS17LINK.DETAILUS "
** The following line should contain the name of the output '.dta' file;
local dta name1 "alldat2017num"
** The following line should contain the name of the data dictionary file;
local dct name "numer dct 2017.dct"
infile using "`dct_name'", using("`dat_name'") clear
compress
tempfile 'dta name1'
save "`dta_name1'", replace
*2018
local dat_name "VS17LINK.DETAILUS"
** The following line should contain the name of the output '.dta' file;
local dta_name2 "alldat2018num"
** The following line should contain the name of the data dictionary file;
local dct name "numer dct 2017.dct"
infile using "`dct_name'", using("`dat_name'") clear
compress
tempfile 'dta name2'
save "`dta_name2", replace
******APPEND TWO NUMERATOR FILES*******
append using "`dta_name1"
egen linkid=concat(SEQNUM_CO_DOD_YY)
tempfile `dta_name2'
save "`dta name2", replace
                          *DENOMINATOR FILE*
*2017
local dat name "VS16LINK.DENOMUS"
** The following line should contain the name of the output '.dta' file:
local dta name1d "alldat2017den"
** The following line should contain the name of the data dictionary file;
local dct name "denom dct 2017.dct"
infile using "`dct name'", using("`dat name'") clear
compress
tempfile 'dta name1d'
save "`dta_name1d'", replace
* merge denominator data with appended numerator file
egen linkid=concat(SEQNUM_CO DOD_YY)
/* Stata will not merge when there are missing values on the merge variable,
so create a new ID number that is all negative when the SEQNUM CO variable
is missing */
gen newidmis=_n*(-1) if SEQNUM CO==""
tostring newidmis, replace
```

```
/* check to make sure all the new ID numbers are negative (so will not link to
records from the numerator file */
codebook newidmis
/* replace linking ID with this newly generated value for records that have missing
SEQNUM_CO (that do not link to the numerator file(s) */
replace linkid=newidmis if SEQNUM_CO==""
/* merge the denominator file with the appended numerator records for 2 years */
merge 1:1 linkid using "`dta name2", gen( mgnumden)
/* check the year of birth variable by merge status */
tab DOB_YY if _mgnumden==1 /* denominator only: 2017 */
tab DOB YY if mgnumden==2 /* numerator only: 2016 and 2018 */
tab DOB_YY if _mgnumden==3 /* matched 2017 records */
/* check the year of death variable for merged records */
tab DOD_YY if _mgnumden==3 /* matched 2017 records: Year of death 2017-
2018 */
/* drop records that did not match, deaths where the year of
birth was either 2016 or 2018 */
drop if _mgnumden==2
save "mergedcohort 2017.dta", replace
log close
```

Incomplete National Reporting in the Period file - Using Reporting Flags

Reporting flags were developed to help the user more readily identify reporting areas for items with less than national reporting; five items in the 2018 period file have limited reporting areas. Reporting flags are included in the file to assist in accurately excluding records from areas that do not report items when tabulating data by mother's place of residence.

Reporting areas for the 2018 linked file may be different from those for the 2018 birth file, as items had to be reported by a state in both 2017 and 2018 to be able to provide complete data. Thus, data for non-comparable items from states that revised in 2018 are excluded from all tabulations. Positions for reporting flags are noted along with each data item in the file layout. Reporting flags should be used to generate accurate numbers by residence for items which are not reported by all states. Where applicable, reporting flags are shown in the column "Reporting Flag Position" in the file layout. Reporting flag codes are 0 (item not reported) and 1 (item reported). When using these data, select reporting flag=1 to get valid and complete data for an item (see SAS code examples below).

Translating "blanks" - In the 2018 period/2017 cohort linked files, for data items which are not common or comparable across certificate revisions, events to residents of a revised state occurring in an unrevised state, and events to

residents in an unrevised state occurring in a revised state, are often represented by "blanks." Blanks should be treated as "unknowns" for tabulations.

The correct use of reporting flags and translation of blanks will result in an accurate tally of births and infant deaths for items with incomplete national reporting.

Example of SAS code using reporting flags (and translating blanks)

An example of SAS code that may be used to incorporate the correct use of reporting flags and the translation of blanks is shown below. This example is for the principle source of payment item.

Sample SAS program

```
DATA work;
INFILE 'C:VS18LINK.USNUMPUB' LRECL=1743;
INPUT
RESTATUS 104
PAY
           435
                       PAY_R
                                   436
                                              F_PAY
                                                          437
RECWT
           1377-1384;
IF restatus NE 4; /* exclude foreign residents */
                 /* select reporting area */
IF F pay = 1;
IF pay=. then pay=9; /*convert blanks into unknown category*/
RUN:
```

PROC FREQ; TABLES PAY; WEIGHT RECWT; /* when using the period file, numerator data should be weighted */

RUN;

In this example, "restatus" is used to exclude births to foreign residents (this is standard practice for all NCHS tabulations).

Single, Multiple, and Bridged Race

In 1997, the Office of Management and Budget (OMB) issued revised standards requiring Federal collection programs to allow respondents to select *one or more race categories*. Starting in 2016 data, all states and DC reported multiple race data, representing 100% of all U.S. births (see <u>User's Guide for the 2017 Natality File</u>).

Prior to the 2017 linked file, in order to provide uniformity and comparability of the data before all or most of the data are available in the new multiple-race format, it was necessary to "bridge" the responses of those for whom more than one race

was reported (multiple race) to one, single race. The race and Hispanic-origin groups shown in the user guide follow the 1997 standards and differ from the bridged-race categories shown in previous user guides that are based on data from 2016 and earlier. The new categories are: non-Hispanic single-race white, non-Hispanic single-race black or African American, non-Hispanic single-race AIAN, non-Hispanic single-race Asian, non-Hispanic single-race NHOPI, and Hispanic.

Weighting

For period file use: A weight is added when using the period linked numerator file to correct in part for biases in percent of records linked by major characteristics. The number of infant deaths in the linked file are weighted to equal the sum of the linked plus unlinked infant deaths by age at death and state. The formula for computing the weights is:

<u>number of linked infant deaths + number of unlinked infant deaths</u> number of linked infant deaths

A separate weight is computed for each state of residence of birth and each age at death category (<7 days, 7-27 days, 28 days-1 year). Thus, weights are 1.0 for states which link all of their infant deaths. The denominator file is not weighted. Weights are not computed for the Puerto Rico and Guam file.

For cohort file use: When creating your own cohort file, do not apply the weight included in the file. Applying the weight in a cohort file upweights the number of births and infant deaths, and accordingly, the birth count would not match the actual number of births in the US for the given year.

Marital status

National estimates of births to unmarried women are based on two methods of determining marital status. In 2018, marital status was based on a direct question in 48 states, the District of Columbia, and New York City. New York (excluding New York City) used inferential procedures to compile birth statistics by marital status; a birth is categorized as nonmarital if either of these factors, listed in priority-of-use order, is present: a paternity acknowledgement was received or the father's name is missing. Beginning with 2017 data, NCHS cannot release record-level data on the marital status of the mother for births occurring in California to residents or non-residents due to state statutory restrictions. Accordingly, California data on marital status are not included in this file.

Birthweight

An imputation for not-stated birthweight is added to the data set to reduce potential bias in the computation of birthweight-specific infant mortality rates. If

birthweight is not stated and the period of gestation is known, birthweight is assigned the value from the previous record with the same period of gestation, race, sex, and plurality. The total number of records with birthweight imputed is 892 in the numerator file and 860 in the denominator file. The addition of this imputation has reduced the percent of not-stated responses for birthweight from 4.17 to 0.71% in the numerator file, and from 0.07 to 0.06% in the denominator file, thus reducing the potential for underestimation when computing birthweight-specific infant mortality rates.

To only include records with birthweight that was provided on the birth certificate, users can use one of the two following examples in SAS code:

```
IF bwtimp^=1;
OR
IF bwtimp NE 1;
```

Period of gestation

Information on period of gestation is available for the entire United States. Beginning with the 2014 data year, NCHS transitioned to a new standard for estimating the gestational age of the newborn. The new measure – the obstetric estimate of gestation at delivery (OE) replaces the measure based on the data of the last normal menses (LMP). Accordingly, gestational age data in standard tables are based on the OE. However, LMP-based data continue to be available in data files. See Measuring Gestational Age in Vital Statistics Data: Transitioning to the Obstetric Estimate for more detailed information about the transition from the LMP to the OE.

Comparisons of infant mortality data from the linked file with infant mortality data from the vital statistics mortality file

Although the time periods are the same, numbers of infant deaths and infant mortality rates by characteristics are not always identical between the period linked file and the vital statistics mortality file. Differences in numbers of infant deaths between the two data sources are primarily due to geographic coverage differences. For the vital statistics mortality file, all deaths occurring in the 50 states and the District of Columbia are included regardless of the place of birth of the infant. In contrast, to be included in the linked file, both the birth and death must occur in the 50 states and the District of Columbia. Also, although every effort has been made to design weights that will accurately reflect the distribution of deaths by characteristics, weighting may contribute to small differences in numbers and rates by specific variables between these two data sets. In most cases, differences between numbers of infant deaths and infant mortality rates

between the linked file and those computed from the vital statistics mortality file are negligible.

Computation of rates

Infant mortality rates are the most commonly used index for measuring the risk of dying during the first year of life. For the linked birth/infant death dataset they are calculated by dividing the number of infant deaths in a calendar year by the number of live births registered for the same period and are presented as rates per 1,000 or per 100,000 live births. Both the mortality file and the linked birth/infant death file use this computation method but due to unique numbers of infant deaths, as explained in the section above on the comparison of these two files, the rates can differ for specific variables (e.g. age at death).

Rates per 1,000 live births are shown at the second decimal place to provide a more precise and sensitive measurement. For rates per 100,000 live births (by cause of death) the infant mortality rate is shown for one decimal place.

As stated previously, infant death records for the 50 States and the District of Columbia in the US linked file are weighted so that the infant mortality rates are not underestimated for those areas that did not successfully link all records.

Random variation in infant mortality rates

The number of infant deaths and live births reported for an area represent complete counts of such events. As such, they are not subject to sampling error, although they are subject to nonsampling error in the registration process. However, when the figures are used for analytic purposes, such as the comparison of rates over time, for different areas, or among different subgroups, the number of events that actually occurred may be considered as one of a large series of possible results that could have arisen under the same circumstances (61). As a result, numbers of births, deaths, and infant mortality rates are subject to random variation. The probable range of values may be estimated from the actual figures according to certain statistical assumptions.

In general, distributions of vital events may be assumed to follow the normal distribution. When the number of events is large, the relative standard error is usually small. When the number of events is small (i.e., less than 100) and the probability of such an event is small, considerable caution must be observed in interpreting the data. Such infrequent events may be assumed to follow a Poisson probability distribution (3,4). Estimates of relative standard errors (RSE's) and 95-percent confidence intervals are shown below.

The formula for the RSE of infant deaths and live births is:

RSE(D)=
$$100^* \sqrt{\frac{1}{D}}$$
 where *D* is the number of deaths and RSE(B)= $100^* \sqrt{\frac{1}{B}}$ where *B* is the number of births.

For example, if for group A the number of infant deaths was 497 while the number of live births was 81,555 yielding an infant mortality rate of 6.09 infant deaths per 1,000 live births.

The RSE of the deaths = $100^* \sqrt{\frac{1}{497}}$ = 4.49, while the RSE of the births =

$$100^* \sqrt{\frac{1}{81,555}} = 0.35.$$

The formula for the RSE of the IMR is:

$$RSE(IMR)=100^* \sqrt{\frac{1}{D} + \frac{1}{B}}$$

The RSE of the IMR for the example above

$$= 100^* \sqrt{\frac{1}{497} + \frac{1}{81,555}} = 4.50.$$

Normal distribution—When the number of events is greater than 100, the normal distribution is used to estimate the 95-percent confidence intervals as follows:

Lower: R_1 - 1.96 * R_1 * 100RSE(R_1)

Upper: R_1 + 1.96 * R_1 * 100

Thus, for Group A:

Lower: $6.09 - (1.96 * 6.09 * \frac{4.50}{100}) = 5.55$

Upper: 6.09 + (1.96 * 6.09 * $\frac{4.50}{100}$) = 6.63

Thus the chances are 95 out of 100 that the true IMR for Group A lies somewhere in the 5.55-6.63 interval.

Poisson distribution—When the number of events in the numerator is less than 100 the confidence interval for the rate can be estimated based on the Poisson distribution using the values in Table II.

Lower: IMR*L(.95, Dadi)

Upper: IMR*U(.95, Dadj)

where D_{adj} is the adjusted number of infant deaths (rounded to the nearest integer) used to take into account the RSE of the number of infant deaths and live births, and is computed as follows:

$$\mathsf{D}_{\mathsf{adj}} \; = \; \frac{D * B}{D + B}$$

L(.95, Dadi) and U(.95, Dadi) refer to the values in Table II corresponding to the value of Dadj.

For example, let us say that for Group B the number of infant deaths was 53, the number of live births was 9,241, and the infant mortality rate was 5.74.

$$\mathsf{D}_{\mathsf{adj}} = \frac{53 * 9,241}{53 + 9,241} = 53$$

Therefore the 95-percent confidence interval (using the formula in Table II for 1–99 infant deaths) =

Lower: 5.74*0.74907 = 4.30Upper: 5.74*1.30802 = 7.51

Comparison of two infant mortality rates—If either of the two rates to be compared is based on less than 100 deaths, compute the confidence intervals for both rates and check to see if they overlap. If so, the difference is not statistically significant at the 95-percent level. If they do not overlap, the difference is statistically significant. If both of the two rates (R_1 and R_2) to be compared are based on 100 or more deaths, the following z-test may be used to define a significance test statistic:

$$z = \frac{R_1 - R_2}{\sqrt{R_1^2 \left(\frac{RSE(R_1)}{100}\right)^2 + R_2^2 \left(\frac{RSE(R_2)}{100}\right)^2}}$$

If $|z| \ge 1.96$, then the difference is statistically significant at the 0.05 level and if |z| < 1.96, the difference is not significant.

Methodology

States routinely link infant death certificates to their corresponding birth certificates for legal and statistical purposes. When the birth and death of an infant occurs in different states, copies of the records are exchanged by the state of death and state of birth to establish a link. If a third state is identified as the state of residence at the time of birth or death that state is also sent a copy of the appropriate certificate by the state where the birth or death occurred.

The annual NCHS natality and mortality files include statistical data from birth and death certificates that are provided to NCHS by states under the Vital Statistics Cooperative Program (VSCP); these files are the basis for official U.S. birth and death statistics. These data have been coded according to uniform coding specifications, have passed quality control standards and have been edited and reviewed. NCHS obtains matching birth certificate numbers from states for all infant deaths that occurred in their jurisdiction. NCHS then uses this information to extract final, edited mortality and natality data from the NCHS natality and mortality statistical files. Individual birth and death records are selected from the respective files and linked into a single statistical record to create a national linked birth-death record file.

Percent of Records Linked

The 2018 period linked file for the 50 States and D.C. includes 21,390, linked infant death records and 141 unlinked infant death records (99.3% linked and 0.7% unlinked). The period linked file is weighted to the sum of linked plus unlinked records resulting in a total number of 21,498 weighted infant deaths by place of occurrence.

For 2018, twenty-nine jurisdictions (28 states and D.C.) linked 100% of their infant deaths; 23 jurisdictions had less than a 100% linkage rate. Five states have a linkage of under 99%; Texas (96.7%), Arizona (97.8%), Indiana (98.5%), California (98.6%), and Kentucky (98.9%). When a high percentage of deaths are unlinked, unweighted infant mortality rates computed for these states are underestimated. Accordingly, weights are added to the file to correct for biases in the data due to lower data linkage for particular states.

The 2017 cohort linked file for the 50 States and D.C. includes 22,197 linked infant death records and 95 unlinked infant death records (99.6% linked, 0.4% unlinked). The cohort linked file should not be weighted using the weight variable (recwt) in the file, as this upweights the number of births in a particular state, potentially leading to greater bias than leaving the infant death unweighted.

Confidentiality

To minimize the risk of disclosure of individual or institutional information, NCHS public-use data files do not contain the day of the birth of the newborn or the dates of birth of the mother or father. Also, for public-use files from 2005 forward, no U.S. geographic detail is identified.

Documents

The documents listed below describe in detail the procedures employed for demographic classification on both the birth and death records and medical classification on death records. These documents, while not absolutely essential to the proper interpretation of the data for a number of general applications, should nevertheless be studied carefully prior to any detailed analysis of demographic or medical data variables. In particular, there are a number of details about multiple cause-of-death coding which, if not understood and analyzed properly, may result in faulty analysis of the data. Volumes 1, 2 and 3 of the ICD-10 may be purchased from the World Health Organization (WHO) Publication Center USA, see http://www.cdc.gov/nchs/icd/icd10.htm. Many of the instruction manuals listed below are available electronically on the NCHS website.

- A. National Center for Health Statistics. Vital statistics, Instructions for Classifying the Underlying Cause-of-Death, ICD-10, 2017. NCHS Instruction Manual, Part 2a. Hyattsville, Maryland: Public Health Service.
- B. National Center for Health Statistics. Vital statistics, Instructions for Classifying Multiple Cause-of-Death, ICD-10, 2017. NCHS Instruction Manual, Part 2b. Hyattsville, Maryland: Public Health Service.
- C. National Center for Health Statistics. Vital statistics, ICD-10 ACME Decision Tables for Classifying Underlying Causes-of-Death, 2016. NCHS Instruction Manual, Part 2c. Hyattsville, Maryland: Public Health Service.
- National Center for Health Statistics. Replacement Specifications for U.S. Standard Certificate of Birth – 2003 Revision. NCHS Instruction manual, Part 3A. Hyattsville, Maryland: Public Health Service.
- E. National Center for Health Statistics. Replacement Specifications for U.S. Standard Certificate of Death 2003 Revision. NCHS Instruction manual, Part 4. Hyattsville, Maryland: Public Health Service.
- F. National Center for Health Statistics. Vital statistics, ICD-10 Computer Edits for Mortality Data, Effective 2014. NCHS Instruction Manual Part 11. Hyattsville, Maryland: Public Health Service.

Instructions manuals are available at: http://www.cdc.gov/nchs/nvss/instruction_manuals.htm

Also see: http://www.cdc.gov/nchs/nvss/vital_certificate_revisions.htm for the most recent information about revised certificates.

For more detailed information on filling out birth certificate information, see the <u>Facility worksheet for the live birth certificate</u> and the <u>Applying Best Practices for Reporting Medical and Health Information on Birth Certificates</u> training.

Cause of Death Classification

The mortality statistics presented in this report were compiled in accordance with the World Health Organization (WHO) regulations, which specify that member nations classify and code causes of death in accordance with the current revision of the International Statistical Classification of Diseases. The ICD provides the basic guidance used in virtually all countries to code and classify causes of death. The ICD not only details disease classification but also provides definitions, tabulation lists, the format of the death certificate, and the rules for coding cause of death. Cause-of-death data presented in this report were coded by procedures outlined in annual issues of the NCHS Instruction Manual.

About every 10-20 years, the International Classification of Diseases is revised to take into account advances in medical knowledge. Effective with deaths occurring in 1999, the United States began using the Tenth Revision of the International Statistical Classification of Diseases and Related Health Problems (ICD-10) (5); during the period 1979-98, causes were coded and classified according to the Ninth Revision (ICD-9).

Changes in classification of causes of death due to these revisions may result in discontinuities in cause-of-death trends. Measures of this discontinuity are essential to the interpretation of mortality trends, and are discussed in detail in other NCHS publications (see Mortality Data internet page).

Underlying Cause of Death Data

Mortality statistics by cause of death are compiled from entries on the medical certification portion of the death certificate. Causes of death include "all those diseases, morbid conditions or injuries which either resulted in or contributed to death and the circumstances of the accident or violence which produced these injuries". The medical certification of death is divided into two sections. In Part I, the physician is asked to provide the causal chain of morbid conditions that led to death, beginning with the condition most proximate to death on line (a) and working backwards to the initiating condition. Part I of the medical certification is designed to facilitate the selection of the underlying cause of death when two or more causes are recorded on the certificate. The underlying cause of death is defined by the WHO in the ICD-10 as "(a) the disease or injury which initiated the chain of morbid events leading directly to death, or (b) the circumstances of the accident or violence that produced the fatal injury" and is generally considered the most useful cause from a public health standpoint. Part II of the cause-ofdeath section of the death certificate solicits other conditions that the certifier believed contributed to death, but were not in the causal chain. While some details of the death certificate vary by state, all states use the same general format for medical certification outlined in the U.S. Standard Certificate. The U.S. Standard Certificate, in turn, closely follows the format recommended by the WHO.

For a given death, the underlying cause is selected from the condition or conditions recorded by the certifier in the cause-of-death section of the death certificate. NCHS is bound by international agreement to make the selection of the underlying cause through the use of the ICD-10 classification structure, and the selection and modification rules contained in this revision of the ICD. Additional information on the underlying cause of death can be found at http://www.cdc.gov/nchs/data/dvs/mort99doc.pdf.

Multiple Cause of Death Data

The limitations of the underlying cause concept and the need for more comprehensive data suggested the need for coding and tabulating all conditions listed on the death certificate. Coding all listed conditions on the death certificate was designed with two objectives in mind. First, to facilitate studies of the relationships among conditions reported on the death certificate, which require presenting each condition and its location on the death certificate in the exact manner given by the certifier. Secondly, the coding needed to be carried out in a manner by which the underlying cause-of-death could be assigned using the WHO coding rules. Thus, the approach in developing multiple cause data was to provide two fields: 1) entity axis and 2) record axis. For entity axis, NCHS suspends the provisions of the ICD that create linkages between conditions for the purpose of coding each individual condition, or entity, with minimum regard to other conditions present on the death certificate.

Record axis is designed for the generation of person-based multiple cause statistics. Person-based analysis requires that each condition be coded within the context of every other condition on the same death certificate and modified or linked to such conditions as provided by ICD-10. By definition, the entity data cannot meet this requirement since the linkage provisions modify the character and placement of the information originally recorded by the certifier. Essentially, the axis of the classification has been converted from an entity basis to a record (or person) basis. The record axis codes are assigned in terms of the set of codes that best describe the overall medical certification portion of the death certificate. Additional information on multiple cause data processing can be found at http://www.cdc.gov/nchs/data/dvs/mort99doc.pdf.

Entity Axis Codes

The original conditions coded for selection of the underlying cause-of-death are reformatted and edited prior to creating the public-use data file. The following paragraphs describe the format and application of entity axis data.

- 1. Format. Each entity-axis code is displayed as an overall seven byte code with subcomponents as follows:
- 1. Line indicator: The first byte represents the line of the death certificate on which the code appears. Six lines (1-6) are allowable with the fourth and fifth denoting one or two written in "due to"s beyond the three lines provided in Part I of the U.S. standard death certificate. Line "6" represents Part II of the death certificate.
- 2. Position indicator: The next byte indicates the position of the code on the line, i.e., it is the first (1), second (2), third (3) eighth (8) code on the line.
- Cause category: The next four bytes represent the ICD-10 cause code.

4. The last byte is blank.

A maximum of 20 of these seven byte codes are captured on a record for multiple cause purposes. This may consist of a maximum of 8 codes on any given line with up to 20 codes distributed across three or more lines depending on where the subject conditions are located on the certificate. Codes may be omitted from one or more lines, e.g., line 1 with one or more codes, line 2 with no codes, line 3 with one or more codes.

In writing out these codes, they are ordered as follows: line 1 first code, line 1 second code, etc. ----- line 2 first code, line 2 second code, etc. ----- line 3 ---- line 4 ----- line 5 ----- line 6. Any space remaining in the field is left blank. The specifics of locations are contained in the record layout given later in this document.

- <u>2. Edit</u>. The original conditions are edited to remove invalid codes, reverify the coding of certain rare causes of death, and assure age/cause and sex/cause compatibility. Detailed information relating to the edit criteria and the sets of cause codes which are valid to underlying cause coding and multiple cause coding are provided in NCHS Instruction Manual Part 11.
- 3. Entity Axis Applications. The entity axis multiple cause data file is appropriate for analyses that require that each condition be coded as a stand alone entity without linkage to other conditions and/or require information on the placement of such conditions in the death certificate. Within this framework, the entity data are appropriate to examine relationships among conditions and the validity of traditional assumptions in underlying cause selection. Additionally, the entity data provide in certain categories a more detailed code assignment that could be excluded in creating record axis data. Where such detail is needed for a study, the user should use entity data. Finally, the researcher may not wish to be bound by the assumptions used in the axis translation process.

The main limitation of entity axis data is that it does not necessarily reflect the best code for a condition when considered within the context of the medical certification as a whole. As a result, certain entity codes can be misleading or even contradict other codes in the record. For example, category K80.2 is titled "Calculus of gallbladder without cholecystitis." Within the framework of entity codes this is interpreted to mean that the codable entity itself contained no mention of cholecystitis rather than that cholecystitis was not mentioned anywhere on the record. Tabulation of records with a "K80.2" as a count of persons having Calculus of gallbladder without cholecystitis would therefore be erroneous. This illustrates the fact that under entity coding the ICD-10 titles cannot be taken literally. The user should study the rules for entity coding as they relate to his/her research prior to use of entity data. The user is further cautioned that the inclusion notes in ICD-10 that relate to modifying and combining

categories are seldom applicable to entity coding (except where provided in NCHS Instruction Manual Part 2b).

In tabulating the entity axis data, one may count codes with an individual code representing the number of times the condition(s) appears in the file. In this kind of tabulation of morbid conditions, the counts among categories may be added together to produce counts for groups of codes. Alternatively, subject to the limitations given above, one may count persons having mention of the disease represented by a code or codes. In this instance it is not correct to add counts for individual codes to create person counts for groups of codes. Since more than one code in the researcher's interest may appear together on the certificate, totaling must account for higher order interactions among codes. Up to 20 codes may be assigned on a record; therefore, a 20-way interaction is theoretically possible. All totaling must be based on mention of one or more of the categories under investigation.

Record Axis Codes

The following paragraphs describe the format and application of record-axis data. Part 2f of the Instruction Manual Series (ICD-10 TRANSAX Disease Reference Tables for classifying Multiple Causes-of-Death) describes the TRANSAX process for creating record axis data from entity axis data.

- <u>1. Format</u>. Each record (or person) axis code is displayed in five bytes. Location information is not relevant. The Code consists of the following components:
- 1. Cause category: The first four bytes represent the ICD-10 cause code.
- 2. The last byte is blank.

A maximum of 20 codes are captured on a record for multiple cause purposes. The codes are written in a 100-byte field with the underlying cause of death listed first, followed by ascending code order (5 bytes), with any unused bytes left blank.

- <u>2. Edit</u>. The record axis codes are edited for rare causes and age/cause and sex/cause compatibility. Likewise, individual code validity is checked. The valid code set for record axis coding is the same as that for entity coding.
- <u>3. Record Axis Applications</u>. The record axis multiple cause data are the basis for NCHS core multiple cause tabulations. Location of codes is not relevant to this data, and conditions have been linked into the most meaningful categories for the certification. The most immediate consequence for the user is that the codes on the record already represent mention of a disease assignable to that particular ICD-10 category. This is in contrast to the entity code which is assigned each time such a disease is reported on different lines of the

certification. Secondly, the linkage implies that within the constraints of ICD-10 the most meaningful code has been assigned. The translation process creates for the user a data file that is edited for contradictions, duplicate codes, and imprecisions. In contrast to entity axis data, record axis data are classified in a manner comparable to underlying cause of death classification thereby facilitating joint analysis of these variables. A potential disadvantage of record axis data is that some detail is sacrificed in a number of the linkages.

The user can take the record axis codes as literally representing the information conveyed in ICD-10 category titles. While knowledge of the rules for combining and linking and coding conditions is useful, it is not a prerequisite to meaningful analysis of the data as long as one is willing to accept the assumptions of the axis translation process. The user is cautioned, however, that due to special rules in mortality coding, not all linkage notes in ICD-10 are used. (NCHS Instruction Manual Part 2f).

The user should proceed with caution in using record axis data to count conditions as opposed to people with conditions, since linkages have been invoked and duplicate codes have been eliminated. As with entity data, personbased tabulations that combine individual cause categories must take into account the possible interaction of up to 20 codes on a single certificate.

Additional Information

In using the NCHS multiple cause data files, the user is urged to review the information in this document and its references. The instructional material does change from year to year and ICD revision to ICD revision. The user is cautioned that coding of specific ICD-10 categories should be checked in the appropriate instruction manual. What may appear on the surface to be the correct code by ICD-10 may in fact not be correct as given in the instruction manuals.

If on the surface it is not obvious whether entity axis or record axis data should be employed in a given application, detailed examination of NCHS Instruction Manual Part 2f and its attachments will probably provide the necessary information to make a decision. It allows the user to determine the extent of the trade-offs between the two sets of data in terms of specific categories and the assumption of axis translation. In certain situations, a combination of entity and record axis data may be the more appropriate alternative.

2018 Period Linked Birth/Infant Death Data Set

2018 Period Numerator Files:

United	States
--------	---------------

Α.	Record count (occurrence, unweighted):	21,390
В.	Record length:	1,743

Territories

A. Record count (occurrence):	179
B. Record length:	1.743

2018 Period Denominator Files:

United States

A. Record count (occurrence):	3,801,534
B. Record length:	1,346

Territories

Α.	Record count (occurrence):	24,657
В.	Record length:	1,346

2017 Cohort Numerator Files:

United States

Α.	Record count (occurrence, unweighted):	22,197
B.	Record length:	1,743

2017 Cohort Denominator Files:

United States	
A. Record count (occurrence):	3,864,754
B. Record length:	1,346

2018 Period/ 2017 Cohort Linked Public Use File Layout

Position	Len	File*	Field	Description	Flag Position	Values	Definition
1-7	1		FILLER01	Filler		Blank	
1-7			TILLEROT			Diank	
8	1		LATEREC	Late Record Flag		0, blank 1	Not late record Late record
9-12	4	P,G	DOB_YY	Birth Year		2017	2018
13-14	2	P,G	DOB_MM	Birth Month		01 02 03 04 05 06 07 08 09 10 11	January February March April May June July August September October November December
15-18	4		FILLER02	Filler		Blank	
19-22	4	P,G	DOB_TT	Time of Birth	126	0000-23 9999	59 Time of Birth Not Stated
23	1	P,G	DOB_WK	Birth Day of Week		1 2 3 4 5 6 7	Sunday Monday Tuesday Wednesday Thursday Friday Saturday
24-31	8		FILLER03	Filler		Blank	
32	1	P,G	BFACIL	Birth Place (Revised) Revised data only. See field 1330 for national	33 data.	1 2 3 4	Hospital Freestanding Birth Center Home (intended) Home (not intended)

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						5 6 7 9	Home (unknown if intended) Clinic / Doctor's Office Other Unknown
33	1	P,G	F_BFACIL	Reporting Flag for Birth	Place	See foot	note
34-49	16		FILLER04	Filler		Blank	
50	1	P,G	BFACIL3	Facility Recode		1 2 3	In Hospital Not in Hospital Unknown or Not Stated
51-72	22		FILLER05	Filler		Blank	
73	1	P,G	MAGEIMP	Mother's Age Imputed Due to missing data, age im	nputed.	Blank 1	Age not imputed Age imputed
74	1	P,G	MAGEREP	Reported Age of Mother I Due to missing date of birth		Blank 1	Reported age not used Reported age used
75-76	2	P,G	MAGER	Mother's Age Recode 41		17 17 ye 22 22 ye 27 27 ye 32 32 ye 37 37 ye 42 42 ye	12 years, 13 13 years, 14 14 years, 15 15 years, 16 16 years, 20 20 years, 21 21 years, 23 23 years, 24 24 years, 25 25 years, 26 26 years, 28 28 years, 29 29 years, 30 30 years, 31 31 years, 28 28 years, 34 34 years, 35 35 years, 36 36 years, 28 28 years, 39 39 years, 40 40 years, 41 41 years, 24 34 years, 44 44 years, 45 45 years, 46 46 years, 26 27 48 48 years, 49 49 years, 50 50 years and over
77-78	2	P,G	MAGER14	Mother's Age Recode 14		01 03 04 05 06 07 08 09 10 11 12 13	Under 15 Years 15 years 16 years 17 years 18 years 19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years 50-54 years
79	1	P,G	MAGER9	Mother's Age Recode 9		1 2	Under 15 years 15-19 years

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						3 4 5 6 7 8 9	20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years 50-54 years
80-83	2		FILLER06	Filler		Blank	
84	1	P,G	MBSTATE_REC	Mother's Nativity		1 2 3	Born in the U.S. (50 US States) Born outside the U.S. (includes possessions) Unknown or Not Stated
85-103	19		FILLER07	Filler		Blank	
104	1	P,G	RESTATUS	Residence Status United States U.S. Territories		1 2 3 4 1 2 2 3	RESIDENT: State and county of occurrence and residence are the same. INTRASTATE NONRESIDENT: State of occurrence and residence are the same but county is different. INTERSTATE NONRESIDENT: State of occurrence and residence are different but both are one of the 50 US states or District of Columbia. FOREIGN RESIDENT: The state of residence is not one of the 50 US states or District of Columbia. RESIDENT: State and county of occurrence and residence residence are the same. (Unique to Guam, all US residents are considered residents of Guam and thus are assigned 1.) INTRATERRITORY NONRESIDENT: Territory of occurrence and residence are the same but county is different. INTERTERRITORY RESIDENT: Territory of occurrence and residence are different but both are US Territories. FOREIGN RESIDENT: The residence is not a US Territory.
105-106	2	P,G	MRACE31	Mother's Race Recode 31 <u>United States and of the United States Rico</u>	all Outlying Areas es except Puerto	01 02 03 04 05 06 07 08	White (only) [only one race reported] Black (only) AIAN (American Indian or Alaskan Native) (only) Asian (only) NHOPI (Native Hawaiian or Other Pacific Islander) (only) Black and White Black and AIAN Black and Asian

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30	Black and NHOPI AIAN and White AIAN and Asian AIAN and NHOPI Asian and White Asian and White Asian and NHOPI NHOPI and White Black, AIAN, and White Black, AIAN, and Asian Black, AIAN, and NHOPI Black, Asian, and White Black, Asian, and White AIAN, Asian, and White Black, AIAN, NHOPI, and White Black, AIAN, NHOPI, and White Black, Asian, NHOPI, and White Black, Asian, NHOPI, and White AIAN, Asian, NHOPI, and White
						31	Black, AIAN, Asian, NHOPI, and White
107	1	P,G	MRACE6	Mother's Race Recode 6 <u>United States and of the United State</u> <u>Rico</u>	all Outlying Areas es except Puerto	1 2 3 4 5 6	White (only) Black (only) AIAN (only) Asian (only) NHOPI (only) More than one race
108-109	2	P,G	MRACE15	Mother's Race Recode 15 <u>United States and of the United States</u> <u>Rico</u>	all Outlying Areas es except Puerto	01 02 03 04 05 06 07 08 09 10 11 12	White (only) Black (only) AIAN (only) Asian Indian (only) Chinese (only) Filipino (only) Japanese (only) Korean (only) Vietnamese (only) Other Asian (only) Hawaiian (only) Guamanian (only) Samoan (only)

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						14 15	Other Pacific Islander (only) More than one race
110	1	P,G	MBRACE	Bridged Race Mother Includes individuals reportified individuals reporting more to a single race. <u>United States and of the United States Rico</u>	than one race bridged all Outlying Areas	1 2 3 4	White Black American Indian or Alaskan Native Asian or Pacific Islander
				Puerto Rico		1 2 0	White Black Other (not classified as White or Black)
111	1	P,G	MRACEIMP	Mother's Race Imputed		Blank 1 2	Mother's race not imputed Unknown race imputed All other races, formerly coded 09, imputed.
112-114	3		FILLER08	Filler		Blank	
115	1	P,G	MHISP_R	Mother's Hispanic Origin	Recode 116	0 1 2 3 4 5	Non-Hispanic Mexican Puerto Rican Cuban Central and South American Other and Unknown Hispanic origin Hispanic origin not stated
116	1	P,G	F_MHISP	Reporting Flag for Mothe	er's Origin		See footnote
117	1	P,G	MRACEHISP	Mother's Race/Hispanic (Based on single/multiple-ra 107, and 108-109); for codi race categories (field 110) s bridge-race and Hispanic or in the Detailed Technical N	ace (fields 105-106, ang to create bridged- see "Coding for rigin categories"	1 2 3 4 5 6 7 8	Non-Hispanic White (only) Non-Hispanic Black (only) Non-Hispanic AIAN (only) Non-Hispanic Asian (only) Non-Hispanic NHOPI (only) Non-Hispanic more than one race Hispanic Origin unknown or not stated
118	1		FILLER09	Filler		Blank	
119	1	P,G	MAR_P	Paternity Acknowledged	123	Y	Yes

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						N U X	No Unknown Not Applicable
120	1	P,G	DMAR	Marital Status United States and Of the United State Rico	all Outlying Areas tes except Puerto	1 2 9	Married Unmarried Unknown, NS
				<u>Puerto Rico</u>		1 2 3 9	Yes Unmarried parents living together Unmarried parents not living together Unknown or not stated
121	1	P,G	MAR_IMP	Mother's Marital Status I	mputed	Blank 1	Marital Status not imputed Marital Status imputed
122	1		FILLER10	Filler		Blank	
123	1	P,G	F_MAR_P	Reporting Flag for Patern	ity Acknowledged		See footnote
124	1	P,G	MEDUC	Mother's Education		1 2 3 4 5 6 7 8	8 th grade or less 9 th through 12 th grade with no diploma High school graduate or GED completed Some college credit, but not a degree. Associate degree (AA,AS) Bachelor's degree (BA, AB, BS) Master's degree (MA, MS, MEng, MEd, MSW, MBA) Doctorate (PhD, EdD) or Professional Degree (MD, DDS, DVM, LLB, JD) Unknown
125	1		FILLER11	Filler		Blank	
126	1	P,G	F_MEDUC	Reporting Flag for Educat	tion of Mother		See footnote
127-141	15		FILLER11	Filler		Blank	
142	1	P,G	FAGERPT_FLG	Father's Reported Age Us	ed	Blank 1	Father's reported age not used Father's reported age used
143-146	4		FILLER12	Filler		Blank	
147-148	2	P,G	FAGECOMB	Father's Combined Age (I	Revised)	09-98 99	Father's combined age in years Unknown or not stated

Position	Len	File*	Field	Description	Flag Position	Values	Definition
149-150	2	P,G	FAGE11	Father's Age Recode 11		01	Under 15 years
						02	15-19 years
						03	20-24 years
						04	25-29 years
						05	30-34 years
						06	35-39 years
						07	40-44 years
						08	45-49 years
						09	50-54 years
						10	55-98 years
						11	Not stated
151-152	2	P,G	FRACE31	Father's Race Recode 31		01	White (only) [only one race reported]
		,				02	Black (only)
						03	AIAN (American Indian or Alaskan Native) (only)
						04	Asian (only)
						05	NHOPI (Native Hawaiian or Other Pacific Islander) (only)
						06	Black and White
						07	Black and AIAN
						08	Black and Asian
						09	Black and NHOPI
						10	AIAN and White
						11	AIAN and Asian
						12	AIAN and NHOPI
						13	Asian and White
						14	Asian and NHOPI
						15	NHOPI and White
						16	Black, AIAN, and White
						17	Black, AIAN, and Asian
						18	Black, AIAN, and NHOPI
						19	Black, Asian, and White
						20	Black, Asian, and NHOPI
						21	Black, NHOPI, and White
						22	AIAN, Asian, and White
						23	AIAN, NHOPI, and White
						24	AIAN, Asian, and NHOPI
						25	Asian, NHOPI, and White
						26	Black, AIAN, Asian, and White
						27	Black, AIAN, Asian, and NHOPI
						28	Black, AIAN, NHOPI, and White
						29	Black, Asian, NHOPI, and White
						30	AIAN, Asian, NHOPI, and White

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						31 99	Black, AIAN, Asian, NHOPI, and White Unknown or Not Stated
153	1	P,G	FRACE6	Father's Race Recode 6		1 2 3 4 5 6 9	White (only) Black (only) AIAN (only) Asian (only) NHOPI (only) More than one race Unknown or Not Stated
154-155	2	P,G	FRACE15	Father's Race Recode 15		01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 99	White (only) Black (only) AIAN (only) Asian Indian (only) Chinese (only) Filipino (only) Japanese (only) Korean (only) Vietnamese (only) Other Asian (only) Hawaiian (only) Guamanian (only) Samoan (only) Other Pacific Islander (only) More than one race Unknown or Not Stated
156	1	P,G	FBRACE	Bridged Race Father Includes individuals reporting more to a single race. United States and of the United States Rico Puerto Rico	than one race bridged I all Outlying Areas		White Black American Indian or Alaskan Native Asian or Pacific Islander White Black Other (not classified as White or Black)
157-159	3		FILLER13	Filler		Blank	

Position	Len	File*	Field	Description	Flag Position	Values	Definition
160	1	P,G	FHISP_R	Father's Hispanic Origin	Recode 161	0 1 2 3 4 5	Non-Hispanic Mexican Puerto Rican Cuban Central and South American Other and Unknown Hispanic origin Hispanic origin not stated
161	1	P,G	F_FHISP	Reporting Flag for Father	r's Origin		See footnote
162	1	P,G	FRACEHISP	Father's Race/Hispanic O Based on single/multiple-ra 153, and 154-155); for codi race categories (field 156) s bridge-race and Hispanic of the Detailed Technical Note	ace (fields 151-152, ing to create bridged- see "Coding for rigin categories" in.	1 2 3 4 5 6 7 8 9	Non-Hispanic White (only) Non-Hispanic Black (only) Non-Hispanic AIAN (only) Non-Hispanic Asian (only) Non-Hispanic NHOPI (only) Non-Hispanic more than one race Hispanic Origin unknown or not stated Race unknown or not stated (Non-Hispanic)
163	1	P,G	FEDUC	Father's Education	165	1 2 3 4 5 6 7 8	8 th grade or less 9 th through 12 th grade with no diploma High school graduate or GED completed Some college credit, but not a degree. Associate degree (AA,AS) Bachelor's degree (BA, AB, BS) Master's degree (MA, MS, MEng, MEd, MSW, MBA) Doctorate (PhD, EdD) or Professional Degree (MD, DDS, DVM, LLB, JD) Unknown
164	1		FILLER14	Filler		Blank	
165	1	P,G	F_FEDUC	Reporting Flag for Educa	tion of Father		See footnote
166-170	5		FILLER15	Filler		Blank	
171-172	2	P,G	PRIORLIVE	Prior Births Now Living		00-30 99	Number of children still living from previous live births Unknown or not stated
173-174	2	P,G	PRIORDEAD	Prior Births Now Dead		00-30 99	Number of children dead from previous live births Unknown or not stated
175-176	2	P,G	PRIORTERM	Prior Terminations/Fetal	Death	0-30 99	Number of terminations/fetal deaths Unknown or not stated

Position	Len	File*	Field	Description	Flag Position	Values	Definition
177-178	2		FILLER16	Filler		Blank	
179	1	P,G	LBO_REC	Live Birth Order Recode		1-7 8 9	Live birth order 8 or more live births Unknown or not stated
180-181	2		FILLER17	Filler		Blank	
182	1	P,G	TPO_REC	Total Pregnancy Order Re	ecode	1-7 8 9	Total pregnancy order 8 or more total pregnanices Unknown or not stated
183-197	15		FILLER18	Filler		Blank	
198-200	3	P,G	ILLB_R	Interval of Last Live Birth	Recode 126		Plural delivery Months since last live birth Not applicable / 1 st live birth Unknown or not stated
201-202	2	P,G	ILLB_R11	Interval Since Last Live B	irth Recode 11 126	00 01 02 03 04 05 06 07 08 88 99	Zero to 3 months (plural delivery) 4 to 11 months 12 to 17 months 18 to 23 months 24 to 35 months 36 to 47 months 48 to 59 months 60 to 71 months 72 months and over Not applicable (1st live birth) Unknown or not stated
203-205	3		FILLER19	Filler		Blank	
206-208	3	P,G	ILOO_R	Interval Since Last Other	Outcome Recode 126		Plural delivery Months since last other pregnancy outcome Not applicable / 1 st natality event Unknown or not stated

Position	Len	File*	Field	Description	Flag Position	Values	Definition
209-210	2	P,G	ILOO_R11	Interval Since Last Other	Outcome Recode 12 126	1 00 01	Zero to 3 months (plural delivery) 4 to 11 months
						02	12 to 17 months
						03	18 to 23 months
						04	24 to 35 months
						05	36 to 47 months
						06 07	48 to 59 months 60 to 71 months
						08	72 months and over
						88	Not applicable (1 st natality event)
						99	Unknown or not stated
211-213	3		FILLER20	Filler		Blank	
214-216	3	P,G	ILP_R	Interval Since Last Pregna	ancy Recode	000-003	Plural delivery
				_	126		Months since last live birth
						888	Not applicable / no previous pregnancy
						999	Unknown or not stated
217-218	2	P,G	ILP_R11	Interval Since Last Pregna	ancy Recode 11	00	Zero to 3 months (plural delivery)
					126	01	4 to 11 months
						02	12 to 17 months
						03	18 to 23 months
						04 05	24 to 35 months 36 to 47 months
						06	48 to 59 months
						07	60 to 71 months
						08	72 months and over
						88	Not applicable (no previous pregnancy)
						99	Unknown or not stated
219-223	5		FILLER21	Filler		Blank	
224-225	2	P,G	PRECARE	Month Prenatal Care	226	00	No prenatal care
						01-10	Month prenatal care began
						99	Unknown or not stated
226	1	P,G	F_MPCB	Reporting Flag for Month	Prenatal Care Beg	an	See footnote
227	1	P,G	PRECARE5	Month Prenatal Care Beg	an Recode	1	1st to 3rd month
22 I	1	1,0	IKLCIKEJ	Month i Tenatai Care Deg	226	2	4 th to 6 th month
					= *	3	7 th to final month
						4	No prenatal care

Position	Len	File*	Field	Description	Flag Position	Values	Definition
228-237	10		FILLER22	Filler		5 Blank	Unknown or not stated
238-239	2	P,G	PREVIS	Number of Prenatal Visits See field 242-243 for nation		00-98 99	Number of prenatal visits Unknown or not stated
240-241	2		FILLER23	Filler		Blank	
242-243	2	P,G	PREVIS_REC	Number of Prenatal Visits	s Recode 244	01 02 03 04 05 06 07 08 09 10 11	No visits 1 to 2 visits 3 to 4 visits 5 to 6 visits 7 to 8 visits 9 to 10 visits 11 to 12 visits 13 to 14 visits 15 to 16 visits 17 to 18 visits 19 or more visits Unknown or not stated
244	1	P,G	F_TPCV	Reporting Flag for Total	Prenatal Care Visit	s	See footnote
245-250	6		FILLER24	Filler		Blank	
251	1	P,G	WIC	WIC	252	Y N U	Yes No Unknown or not stated
252	1	P,G	F_WIC	Reporting Flag for WIC		0 1	Non-Reporting Reporting
253-254	2	P,G	CIG_0	Cigarettes Before Pregnan	ncy 265	00-97 98 99	Number of cigarettes daily 98 or more cigarettes daily Unknown or not stated
255-256	2	P,G	CIG_1	Cigarettes 1 st Trimester	266	00-97 98 99	Number of cigarettes daily 98 or more cigarettes daily Unknown or not stated
257-258	2	P,G	CIG_2	Cigarettes 2 nd Trimester	267	00-97 98 99	Number of cigarettes daily 98 or more cigarettes daily Unknown or not stated
259-260	2	P,G	CIG_3	Cigarettes 3 rd Trimester	268	00-97 98	Number of cigarettes daily 98 or more cigarettes daily

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						99	Unknown or not stated
261	1	P,G	CIG0_R	Cigarettes Before Pregnan	cv Recode	0	Nonsmoker
201	•	1,0	0100_10	ergur evec 2 erore 1 regnus	265	1	1-5
					200	2	6-10
						3	11-20
						4	21-40
						5	41 or more
						6	Unknown or not stated
						U	Christian of not stated
262	1	P,G	CIG1_R	Cigarettes 1st Trimester R	ecode	0	Nonsmoker
		, -	-	- g	266	1	1-5
						2	6-10
						3	11-20
						4	21-40
						5	41 or more
						6	Unknown or not stated
						O	Childwii of not stated
263	1	P,G	CIG2_R	Cigarettes 2 nd Trimester R	Recode	0	Nonsmoker
		, -	-	- g	267	1	1-5
						2	6-10
						3	11-20
						4	21-40
						5	41 or more
						6	Unknown or not stated
							Chang will of not stated
264	1	P,G	CIG3_R	Cigarettes 3 rd Trimester R	lecode	0	Nonsmoker
					268	1	1-5
						2	6-10
						3	11-20
						4	21-40
						5	41 or more
						6	Not stated / Not on certificate
265	1	P,G	F_CIGS_0	Reporting Flag for Cigare	ttes before Pregnan	ncy	See footnote
266		D.C.	E GIGG 1	D 4 D 6 C	44 det m		G . C
266	1	P,G	F_CIGS_1	Reporting Flag for Cigare	ttes 1st 1 rimester		See footnote
267	1	P,G	F_CIGS_2	Reporting Flag for Cigare	ttes 2 nd Trimester		See footnote
268	1	P,G	F_CIGS_3	Reporting Flag for Cigare	ttes 3 rd Trimester		See footnote
269	1	P,G	CIG_REC	Cigarette Recode (Revised) 270	Y	Yes
20)	1	1,0	CIO_KEC	Cigarette Recour (Reviseu	., 210	N	No
						U	Unknown or not stated
						U	Officiowii of flot stateu

Position	Len	File*	Field	Description	Flag Position	Values	Definition
270	1	P,G	F_TOBACO	Reporting Flag for Tobacc	o use		See footnote
271-279	9		FILLER25	Filler		Blank	
280-281	2	P,G	MHTR	Mother's Height in Inches (Recode)	282	30-78 99	Height in inches Unknown or not stated
282	1	P,G	F_M_HT	Reporting Flag for Mother	's Height		See footnote
283-286	4	P,G	BMI	ВМІ	282	13.0-69.9 99.9	Body Mass Index Unknown or not stated
287	1	P,G	BMI_R	Body Mass Index Recode	282	1 2 3 4 5 6	Underweight <18.5 Normal 18.5-24.9 Overweight 25.0-29.9 Obesity I 35.0-39.9 Obesity II 35.0-39.9 Extreme Obesity III ≥ 40.0 Unknown or not stated
288-291	4		FILLER26	Filler		Blank	
292-294	3	P,G	PWgt_R	Pre-pregnancy Weight Rec	code 295	075-375 999	Weight in pounds Unknown or not stated
295	1	P,G	F_PWGT	Reporting Flag for Pre-pre	egnancy Weight		See footnote
296-298	3		FILLER27	Filler		Blank	
299-301	3	P,G	DWGT_R	Delivery Weight	Recode 303	999	100-400 Weight in pounds Unknown or not stated
302	1		FILLER28	Filler		Blank	
303	1	P,G	F_DWGT	Reporting Flag for Deliver	y Weight		See footnote
304-305	2	P,G	WTGAIN	Weight Gain	307	00-97 98 99	Weight gain in pounds 98 pounds and over Unknown or not stated
306	1	P,G	WTGAIN_REC	Weight Gain Recode	307	1 2 3 4 5	Less than 11 pounds 11 to 20 pounds 21 to 30 pounds 31 to 40 pounds 41 to 98 pounds

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						9	Unknown or not stated
307	1	P,G	F_WTGAIN	Reporting Flag for Weight	t Gain		See footnote
308-312	5		FILLER29	Filler		Blank	

The following checkbox fields 313-432 include data for revised states only. For national data for items that are comparable across revisions see fields 1330-1345.

313-338		30	Risk Fac	<u>ctors</u>				
	313	1	P,G	RF_PDIAB	Pre-pregnancy Diabetes	319	Y	Yes
	314	1	P,G	RF_GDIAB	Gestational Diabetes	320	N	No
	315	1	P,G	RF_PHYPE	Pre-pregnancy Hypertensio		U	Unknown or not stated
	316	1	P,G	RF_GHYPE	Gestational Hypertension	322		
	317	1	P,G	RF_EHYPE	Hypertension Eclampsia	323		
	318	1	P,G	RF_PPB	Previous Preterm Birth	324		
	319	1	P,G	F_RF_PDIAB	Reporting Flag for Pre-pres			See footnote
	320	1	P,G	F_RF_GDIAB	Reporting Flag for Gestatio			
	321	1	P,G	F_RF_PHYPE	Reporting Flag for Pre-pres		on	
	322	1	P,G	F_RF_GHYPE	Reporting Flag for Gestatio			
	323	1	P,G	F_RF_EHYPE	Reporting Flag for Hyperte	nsion Eclampsia		
	324	1	P,G	F_RF_PPB	Reporting Flag for Previous	s Preterm Birth		
	325	1	P,G	RF_INFT	Infertility Treatment	328	Y	Yes
					Use reporting flag in field 319	9	N	No
							U	Unknown or not stated
	326	1	P,G	RF_DRG	Fertility Enhancing Drugs	329	Y	Yes
							N	No
							X	Not applicable
							U	Unknown or not stated
	327	1	P,G	RF_ART	Asst. Reproductive Technol	logy	Y	Yes
						330	N	No
							X	Not applicable
							U	Unknown or not stated
	328	1		FILLER30	Filler		Blank	
	329	1	P,G	F_RF_DRG	Reporting Flag for Fertility	Enhance Drugs		See footnote
	220	1	D.C.	E DE ADT	D	4* The shore 2		G C
	330	1	P,G	F_RF_ART	Reporting Flag for Reprodu	ictive Technology		See footnote
	331	1	P,G	RF_CESAR	Previous Cesareans	335	Y	Yes
							N	No

Position	1	Len	File*	Field	Description	Flag Position	Values	Definition
							U	Unknown or not stated
	332-333	2	P,G	RF_CESARN	Number of Previous Cesar	eans 336	00 01-30 99	None Number of previous cesareans Unknown or not stated
	334	1		FILLER30	Filler		Blank	
	335	1	P,G	F_RF_CESAR	Reporting Flag for Previou	is Cesarean		See footnote
	336	1	P,G	F_RF_NCESAR	Reporting Flag for Numbe	r of Previous Cesai	reans	See footnote
	337	1	P,G	NO_RISKS	No Risk Factors Checked	126	1 0 9	True False Not Reported
	338-342	4		FILLER31	Filler		Blank	
343-358		15	<u>Infectio</u>	ns Present				
	343 344 345 346 347 348 349 350 351 352 353	1 1 1 1 1 1 1 1 1	P,G P,G P,G P,G P,G P,G P,G P,G	IP_GON IP_SYPH IP_CHLAM IP_HEPB IP_HEPC F_IP_GON F_IP_SYPH F_IP_CHLAM F_IP_HEPB F_IP_HEPC NO_INFEC	Gonorrhea Syphilis Chlamydia Hepatitis B Hepatitis C Reporting Flag for Gonorr Reporting Flag for Syphilis Reporting Flag for Chlamy Reporting Flag for Hepatit Reporting Flag for Hepatit Reporting Flag for Hepatit	s ydia tis B	Y N U	Yes No Unknown or not stated See footnote True False Not Reported
	354-359	6		FILLER32	Filler		Blank	
360-364		12	Obstetr	ic Procedures				
	360	1	P,G	OB_SUCC	Successful External Cepha	lic Version 363	Y N U	Yes No Unknown or not stated
	361	1	P,G	OB_FAIL	Failed External Cephalic V	V ersion 364	Y N	Yes No

Position	1	Len	File*	Field	Description Flag Position		Values	Definition
							U	Unknown or not stated
	362	1		FILLER33	Filler		Blank	
	363	1	P,G	F_OB_SUCC	Reporting Flag for Success	ful External Cepha	alic Versio	See footnote
	364	1	P,G	F_OB_FAIL	Reporting Flag for Failed I	External Cephalic	Version	See footnote
365-371		7	P,G	CO_SEQNUM	Cohort Sequence Number		xxx,xxx	- xxx,xxx
372-375		4	P,G	CO_DODYY	Cohort Year of Death		20XX	
376-382		7	P,G	FILLER34	Filler		Blank	
383-400	18	<u>Charac</u>	teristics o	f Labor and Delive	<u>ry</u>			
	383 384 385 386 387 388 389 390 391 392 393 394	1 1 1 1 1 1 1 1 1 1 1 1	P,G P,G P,G P,G P,G P,G P,G P,G P,G P,G	LD_INDL LD_AUGM LD_STER LD_ANTB LD_CHOR LD_ANES F_LD_INDL F_LD_AUGM F_LD_STER F_LD_ANTB F_LD_CHOR F_LD_CHOR F_LD_ANES	Induction of Labor Augmentation of Labor Steroids Antibiotics Chorioamnionitis Anesthesia Reporting Flag for Inducti Reporting Flag for Augmenter Reporting Flag for Artibio Reporting Flag for Chorioa Reporting Flag for Anesthe	ntation of Labor s tics amnionitis	Y N U	Yes No Unknown or not stated See footnote
	395	1	P,G	NO_LBRDLV	No Characteristics of Labo	or Checked 126	1 0 9	True False Not Reported
	396-400	5		FILLER35	Filler		Blank	
401-409		9	Method	of Delivery				
	401	1	P,G	ME_PRES	Fetal Presentation	404	1 2 3 9	Cephalic Breech Other Unknown or not stated

Position	1	Len	File*	Field	Description	Flag Position	Values	Definition
	402	1	P,G	ME_ROUT	Final Route & Method of I	Delivery 405	1 2 3	Spontaneous Forceps Vacuum
	403	1	P,G	ME_TRIAL	Trial of Labor Attempted	406	4 9 Y	Cesarean Unknown or not stated Yes
							N X U	No Not applicable Unknown or not stated
	404	1	P,G	F_ME_PRES	Reporting Flag for Fetal P	resentation		See footnote
	405	1	P,G	F_ME_ROUT	Reporting Flag for Final R	oute and Method o	7 See footnote	
	406	1	P,G	F_ME_TRIAL	Reporting Flag for Trial of	Labor Attempted		See footnote
	407	1	P,G	RDMETH_REC	Delivery Method Recode	409	1 2 3 4 5 6 9	Vaginal (excludes vaginal after previous C-section) Vaginal after previous c-section Primary C-section Repeat C-section Vaginal (unknown if previous c-section) C-section (unknown if previous c-section) Not stated
	408	1	P,G	DMETH_REC	Delivery Method Recode C	Combined	1 2 9	Vaginal C-Section Unknown
	409	1	P,G	F_DMETH_REC	Reporting Flag for Method	l of Delivery Recod	e	See footnote
	410-414	5		FILLER36	Filler		Blank	
415-427		18	Matern	al Morbidity				
	415 416 417 418 419	1 1 1 1	P,G P,G P,G P,G	MM_MTR MM_PLAC MM_RUPT MM_UHYST MM_AICU	Maternal Transfusion Perineal Laceration Ruptured Uterus Unplanned Hysterectomy Admit to Intensive Care	421 422 423 424 425	Y N U	Yes No Unknown or not stated
	420	1		FILLER37	Filler			Blank
	421	1	P,G	F_MM_MTR	Reporting Flag for Matern	al Transfusion		See footnote

Position	n	Len	File*	Field	Description	Flag Position	Values	Definition
	422 423 424 425	1 1 1	P,G P,G P,G P,G	F_MM_ PLAC F_MM_RUPT F_MM_UHYST F_MM_AICU	Reporting Flag for Perine Reporting Flag for Ruptu Reporting Flag for Unpla Reporting Flag for Admis	red Uterus nned Hysterectomy	re	
	426 427	1 1	P,G	FILLER38 NO_MMORB	Filler No Maternal Morbidity C	Checked 126	1 0 9	Blank True False Not Reported
428-432	2 5			FILLER39	Filler		Blank	
433		1	P,G	ATTEND	Attendant		1 2 3 4 5	Doctor of Medicine (MD) Doctor of Osteopathy (DO) Certified Nurse Midwife (CNM) Other Midwife Other Unknown or not stated
434		1	P,G	MTRAN	Mother Transferred	126	Y N U	Yes No Unknown
435		1	P,G	PAY	Payment Source	437	1 2 3 4 5 6 8 9	Medicaid Private Insurance Self-Pay Indian Health Service CHAMPUS/TRICARE Other Government (Federal, State, Local) Other Unknown
436		1	P,G	PAY_REC	Payment Recode	438	1 2 3 4 9	Medicaid Private Insurance Self Pay Other Unknown
437		1	P,G	F_PAY	Reporting Flag for Source	e of Payment		See footnote
438		1	P,G	F_PAY_REC	Reporting Flag for Payme	ent Recode		See footnote
439-443		5		FILLER40	Filler		Blank	
444-445		2	P,G	APGAR5	Five Minute APGAR Scor	re 447	00-10 99	A score of 0-10 Unknown or not stated

Position	Len	File*	Field	Description	Flag Position	Values	Definition
446	1	P,G	APGAR5R	Five Minute APGAR Rec	ode 447	1 2 3 4 5	A score of 0-3 A score of 4-6 A score of 7-8 A score of 9-10 Unknown or not stated
447	1	P,G	F_APGAR5	Reporting Flag for Five m	ninute APGAR		See footnote
448-449	2	P,G	APGAR10	Ten Minute APGAR Scor Use reporting flag in field l		00-10 88 99	A score of 0-10 Not applicable Unknown or not stated
450	1	P,G	APGAR10R	Ten Minute APGAR Reco		1 2 3 4 5	A score of 0-3 A score of 4-6 A score of 7-8 A score of 9-10 Not stated/not applicable
451-453	1		FILLER41	Filler		Blank	
454	1	P,G	DPLURAL	Plurality Recode		1 2 3 4 5	Single Twin Triplet Quadruplet Quintuplet or higher
455	1		FILLER42	Filler		Blank	
456	1	P,G	IMP_PLUR	Plurality Imputed		Blank 1	Plurality is imputed Plurality is not imputed
457-458	2		FILLER43	Filler		Blank	
459	1	P,G	SETORDER_R	Set Order Recode	126	1 1 st , 2 2	2 nd , 3 3 rd , 4 4 th , 5 5 th to 16 th Unknown or not stated
460-474	15		FILLER44	Filler		Blank	
475	1	P,G	SEX	Sex of Infant		M F	Male Female
476	1	P,G	IMP_SEX	Imputed Sex		Blank 1	Infant Sex not Imputed Infant Sex is Imputed
477-478	2	P,G	DLMP_MM	Last Normal Menses Mon	nth	01	January

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						02 03 04 05 06 07 08 09 10 11 12 99	February March April May June July August September October November December Unknown or not stated
479-480	2		FILLER45	Filler		Blank	
481-484	4	P,G	DLMP_YY	Last Normal Menses Year		nnnn 9999	Year of last normal menses Unknown or not stated
485-487	3		FILLER46	Filler		Blank	
487	1		COMPGST_IMP	Computed Gestation Impu	tation Flag	Blank 1	Computed Gestation is not imputed Computed Gestation is imputed
488	1	P,G	COMBGST_IMP	Combined Gestation Impu	ted	Blank 1	Combined Gestation is not imputed Combined Gestation is imputed
489	1	P,G	OBGEST_FLG	Obstetric Estimate of Gest	ation Used Flag	Blank 1	Clinical Estimate is not used Clinical Estimate is used
490-491	2	P,G	COMBGEST	Combined Gestation – Det	ail in Weeks	17-47 99	17 th through 47 th week of Gestation Unknown
492-493	2	P,G	GESTREC10	Combined Gestation Reco	de 10	01 02 03 04 05 06 07 08 09 10	Under 20 weeks 20-27 weeks 28-31 weeks 32-33 weeks 34-36 weeks 37-38 weeks 39 weeks 40 weeks 41 weeks 42 weeks and over Unknown
494	1	P,G	GESTREC3	Combined Gestation Reco	de 3	1 2	Under 37 weeks 37 weeks and over

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						3	Not stated
495-497	3		FILLER47	Filler		Blank	
498	1	P,G	LMPUSED	Computed (LMP) Gestation	on Used Flag	Blank 1	LMP not used for gestation LMP used for gestation
499-500	2	P,G	OEGest_Comb	Obstetric Estimate Edited (NCHS Standard item)		17-47 99	Weeks of gestation Not stated
501-502	2	P,G	OEGest_R10	Obstetric Estimate Recode (NCHS Standard item)	e10	01 02 03 04 05 06 07 08 09 10	Under 20 weeks 20-27 weeks 28-31 weeks 32-33 weeks 34-36 weeks 37-38 weeks 39 weeks 40 weeks 41 weeks 42 weeks and over Unknown
503	1	P,G	OEGest_R3	Obstetric Estimate Recode (NCHS Standard Item)	e 3	1 2 3	Under 37 weeks 37 weeks and over Not stated
504-508	5		FILLER48	FILLER		Blank	
509-510	2	P,G	BWTR14	Birth Weight Recode 14		01 02 03 04 05 06 07 08 09 10 11 12 13	227 - 499 grams 500 - 749 grams 750 - 999 grams 1000 - 1249 grams 1250 - 1499 grams 1500 - 1999 grams 2000 - 2499 grams 2500 - 2999 grams 3000 - 3499 grams 3500 - 3999 grams 4000 - 4499 grams 4500 - 4999 grams 5000 - 8165 grams Not Stated

Position	Len	File*	Field	Description	Flag Position	Values	Definition
511	1	P,G	BWTR4	Birth Weight Recode 4		1 2 3 4	227 - 1499 grams 1500 – 2499 grams 2500 - 8165 grams Unknown or not stated
512-515	4	P,G	BRTHWGT	Imputed Birth Weight			65 Number of grams
516	1	P,G	BWTIMP	Birth Weight Imputed Fla	g	9999 Blank 1	Not stated birth weight Birth Weight is not imputed Birth Weight is imputed

The following checkbox fields 517-566 include data for revised states only. For national data for items that are comparable across revisions see fields 1340-1345.

517-536 20 <u>Abnormal Conditions of the Newborn</u>								
	517 518 519 520 521 522	1 1 1 1 1	P,G P,G P,G P,G P,G	AB_AVEN1 AB_AVEN6 AB_NICU AB_SURF AB_ANTI AB_SEIZ	Assisted Ventilation Assisted Ventilation > 6 hrs Admission to NICU Surfactant Antibiotics Seizures	524 525 526 527 528 529	Y N U	Yes No Unknown or not stated
	523	1		FILLER50	Filler		Blank	
	524 525 526 527 528 529 530	1 1 1 1 1 1 1	P,G P,G P,G P,G P,G P,G	F_AB_AVEN1 F_AB_AVEN6 F_AB_NICU F_AB_SURF F_AB_ANTI F_AB_SEIZ FILLER51 NO_ABNORM	Reporting Flag for Assisted Ventilation Reporting Flag for Assisted Ventilation >6 hrs Reporting Flag for Admission to NICU Reporting Flag for Surfactant Reporting Flag for Antibiotics Reporting Flag for Seizures Filler No Abnormal Conditions Checked		Blank 1	See footnote True
	532-536	5		FILLER52	Filler	126	0 9 Blank	False Not Reported
537-566		30	Congen	ital Anomalies of th	ne Newborn			
	537 538 539	1 1 1	P,G P,G P,G	CA_ANEN CA_MNSB CA_CCHD	Anencephaly Meningomyelocele / Spina l Cyanotic Congenital Heart		Y N U	Yes No Unknown or not stated

^{1/} Flag Definitions: 0 Not reported either year, or not reported in either the previous or the current year, 1 Reported both years

Position		Len	File*	Field	Description	Flag Position	Values	Definition
	540 541 542	1 1 1	P,G P,G P,G	CA_CDH CA_OMPH CA_GAST	Congenital Diaphragmatic Omphalocele Gastroschisis	Hernia 546 547 548		
	543 544 545 546 547 548	1 1 1 1 1	P,G P,G P,G P,G P,G	F_CA_ANEN F_CA_MNSB F_CA_CCHD F_CA_CDH F_CA_OMPH F_CA_GAST	Reporting Flag for Anence Flag for Meningomyelocele Reporting Flag for Cyanot Reporting Flag for Congen Reporting Flag for Ompha Reporting Flag for Gastros	e/Spina Bifida ic Congenital Hear ital Diaphragmatic locele		See footnote
	549	1	P,G	CA_LIMB	Limb Reduction Defect	555	Y	Yes
	550	1	P,G	CA_CLEFT	Cleft Lip w/ or w/o Cleft Pa	alate 556	N	No
	551	1	P,G	CA_CLPAL	Cleft Palate alone	557	U	Unknown or not stated
	552	1	P,G	CA_DOWN	Down Syndrome	558	C P N U	Confirmed Pending No Unknown
	553	1	P,G	CA_DISOR	Suspected Chromosomal D	sisorder 559	C P N U	Confirmed Pending No Unknown
	554	1	P,G	СА_НҮРО	Hypospadias	560	Y N U	Yes, anomaly reported No, anomaly not reported Unknown
	555	1	P,G	F_CA_LIMB	Reporting Flag for Limb R	eduction Defect		See footnote
	556	1	P,G	F_CA_CLEFT	Flag for Cleft Lip with or v	vithout Cleft Palate	<u>.</u>	
	557	1	P,G	F_CA_CLPAL	Reporting Flag for Cleft Pl			
	558	1	P,G	F_CA_DOWN	Reporting Flag for Down S			
	559	1	P,G	F_CA_DISOR	Reporting Flag for Suspect		Disorder	
	560	1	P,G	F_CA_HYPO	Reporting Flag for Hyposp		2502 402	
	561	1	P,G	NO_CONGEN	No Congenital Anomalies (Checked 126	1 0 9	True False Not Reported
562-566		5		FILLER53	Filler		Blank	
567		1	P,G	ITRAN	Infant Transferred	126	Y N U	Yes No Unknown or not stated

Position	Len	File*	Field	Description	Flag Position	Values	Definition
568	1	P,G	ILIVE	Infant Living at Time of R	Report 126	Y N U	Yes No Unknown or not stated
569	1	P,G	BFED	Infant Being Breastfed	570	Y N U	Yes No Unknown or not stated
570	1	P,G	F_BFED	Reporting Flag for Breast	fed at Discharge		See footnote
571-1345	759	P,G	FILLER54	Filler		Blank	
1346	1	P,G	FLGND	Match Status		1 Blank	Record in both files Record not in both files

Here ends the Denominator file. Documentation of the Mortality Section of the Numerator (Linked) file begins on the next page.

Position	Len	File*	Field	Description	Flag Position	Values	Definiti	on
1347-1355	9	P,G	FILLER55	Filler			Blank	
1356-1358	3	P,G	AGED	Age at Death in Days			000-365	Number of days
1359	1	P,G	AGER5	Infant age recode 5			1 2 3 4 5	Under 1 hour 1 – 23 hours 1 – 6 days 7 – 27 days (late neonatal) 28 days and over (postneonatal)
1360-1361	2	P,G	AGER22	Infant age recode 22			Blank 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22	Age 1 year and over or not stated Under 1 hour (includes not stated hours and minutes) 1 – 23 hours 1 day (includes not stated days) 2 days 3 days 4 days 5 days 6 days 7 days (includes not stated weeks) 14 – 20 days 21 – 27 days 1 month (includes not stated months) 2 months 3 months 4 months 5 months 6 months 7 months 8 months 9 months 10 months 11 months
1362	1	P,G	MANNER	Manner of Death			1 2 3 4 5 6 7 Blank	Accident Suicide Homicide Pending investigation Could not determine Self-inflicted Natural Not specified
1363	1	P,G	DISPO	Method of Disposition			В	Burial

Position	Len	File*	Field	Description	Flag Position	Values	Definiti	ion
							C O U	Cremation Other Unknown
1364	1	P,G	AUTOPSY	Autopsy			Y N U	Yes No Unknown
1365	1	P,G	FILLER56	Filler			Blank	
1366	1	P,G	PLACE	Place of injury for causes W and Y07	/00-Y34, except Y06	5	0 1 2 3 4 5 6 7 8 9 Blank	Home Residential institution School, other institution and public administrative area Sports and athletics area Street and highway Trade and service area Industrial and construction area Farm Other Specified Places Unspecified place Cause other than W00-Y34, except Y06 and Y07
1367	1	P,G	FILLER57	Filler			Blank	
		UNDE	RLYING CAUSE (OF DEATH				
1368-1371	4	P,G	UC0D	ICD Code (10 th Revision) See the <u>International Classis</u> Revision, Volume 1.	fication of Diseases,	1992		
1372	1	P,G	FILLER57	Filler			Blank	
1373-1375	3	P,G	UCODR130	130 Infant Cause Recode				
1376	1	P,G	FILLER58	Filler			Blank	
1377-1384	8	P,G	RECWT	Record Weight for period fi	lle		1.0-1.XX	XXXXX
1385-1386	2	P,G	FILLER59	Filler			Blank	
		MULT	IPLE CONDITION	<u>NS</u>				
1387-1388	2	P,G	EANUM	Number of Entity-Axis Con	ditions		00-20	Code range

Position	Len	File*	Field	Description	Flag Position	Values	Definiti	on
1389-1528	140	P,G	ENTITY	Entity-Axis Conditions Space has been provided for a position will be blank. Record				dition takes 7 positions in the record. The 7 th ank in the unused area.
				1 2 3 4 5 6 Position 2: Sequence 1-7	Part I, line 1 (a) Part I, line 2 (b) Part I, line 3 (c) Part I, line 4 (d) Part I, line 5 (e) Part II,			
1389-1395 1396-1402 1403-1409 1410-1416 1417-1423 1424-1430 1431-1437 1438-1444 1445-1451 1452-1458 1459-1465 1466-1472 1473-1479 1480-1486 1487-1493 1494-1500 1501-1507 1508-1514 1515-1521 1522-1528	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	P,G P,G P,G P,G P,G P,G P,G P,G P,G P,G		Position 3 – 6: Condition code 1st Condition 2nd Condition 3rd Condition 4th Condition 6th Condition 8th Condition 9th Condition 10th Condition 11th Condition 12th Condition 12th Condition 13th Condition 14th Condition 15th Condition 14th Condition 15th Condition 15th Condition 16th Condition 16th Condition 16th Condition 17th Condition 17th Condition 17th Condition 17th Condition 18th Condition 19th Condition 19th Condition	e			
1529-1530	2	P,G	FILLER60	Filler			Blank	
1531-1532	2	P,G	RANUM	Number of Record-Axis Cond	ditions		00-20	Code range

Position	Len	File*	Field	Description	Flag Position	Values	Definiti	on
1533-1632	100	P,G	RECORD Positions					dition takes 5 positions in the onditions are blank in the unused area.
1533-1537	5	P,G	1 Ositions	1 st Condition				
1538-1542	5	P,G		2 nd Condition				
1543-1547	5	P,G		3 rd Condition				
1548-1552	5	P,G		4 th Condition				
1553-1557	5	P,G		5 th Condition				
1558-1562	5	P,G		6 th Condition				
1563-1567	5	P,G		7 th Condition				
1568-1572	5	P,G		8 th Condition				
1573-1577	5	P,G		9 th Condition				
1578-1582	5	P,G		10 th Condition				
1576-1582	<i>5</i>	P,G P,G		11 th Condition				
1588-1592	5 5	P,G P,G		12 th Condition				
	<i>5</i>	P,G P,G		13 th Condition				
1593-1597	<i>5</i>	P,G P,G						
1598-1602 1603-1607	<i>5</i>	P,G P,G		14 th Condition 15 th Condition				
	<i>5</i>	P,G P,G		16 th Condition				
1608-1612 1613-1617	5 5	P,G P,G		17 th Condition				
	<i>5</i>	P,G P,G						
1618-1622				18 th Condition 19 th Condition				
1623-1627 1628-1632	5	P,G P,G						
1028-1032	5	P,G		20 th Condition				
1633-1669	37	P,G	FILLER61	Filler			Blank	
1670	1	P,G	HOSPD	Place of Death and Decender	nt's Status		1	Hospital, clinic or Medical Center – Inpatient
	_	-,-					2	Hospital, clinic or Medical Center – Outpatient or
								admitted to Emergency Room
							3	Hospital, clinic or Medical Center – Dead on
								Arrival
							4	Decedent's home
							5	Hospice facility
							6	Nursing home/long term care
							7	Other
							9	Place of death unknown
1671	1	P,G	DWEEKDAY	Day of Week of Death			1	Sunday
							2	Monday
							3	Tuesday
							4	Wednesday
							5	Thursday
							6	Friday
							7	Saturday
							9	Unknown

Position	Len	File*	Field	Description	Flag Position	Values	Definit	ion
1672-1675 1676-1741	4 66	P,G P,G	DOD_YY FILLER62	<u>Data Year</u> Filler			2018	2018
1742-1743	2	P,G	DOD_MM	Month of Death			01 02 03 04 05 06 07 08 09 10 11	January February March April May June July August September October November December

Position	Len	File*	Field	Description	Flag Position	Values	Definition
ADDENDUM Detailed geograp	hic inform	nation for t	he territories.				
24-25	2	T,G	OSTATE	Occurrence Postal State <u>U.S. Territories</u>		GU Guai	m, PR Puerto Rico
28-30	3	T,G	OCNTYFIPS	Occurrence FIPS County		000-nnn	County of Occurrence
31	1	T,G	OCNTYPOP	Occurrence County Popul	lation	0 1 2 3 4 5 6	County of 1,000,000 or more County of 500,000 to 1,000,000 County of 250,000 to 500,000 County of 100,000 to 250,000 County of 50,000 to 100,000 County of 25,000 to 50,000 County of 10,000 to 25,000 County of 10,000 to 25,000 County less than 10,000
80-81	2	T,G	MBCNTRY	Mother's Birth Country		AA-ZZ	See Geographic Documentation
85-86	2	G	MRCNTRY	Mother's Residence Coun	itry	AA-ZZ	See Geographic Documentation
89-90	2	T,G	MRSTATEPSTL	Mother's Residence Posta U.S. Territories	l State	GU Guar	m, PR Puerto Rico
				<u>Foreign</u>			da, CU Cuba, MX Mexico, XX Not Applicable, Classifiable
91-93	3	T,G	MRCNTYFIPS	Mother's FIPS County		000-998 999	See Geographic Tables Foreign
99	1	T,G	RCNTY_POP	Population of Residence (County	0 1 2 3 4 5 6 9 Z	County of 1,000,000 or more County of 500,000 to 1,000,000 County of 250,000 to 500,000 County of 100,000 to 250,000 County of 50,000 to 100,000 County of 25,000 to 50,000 County of 10,000 to 25,000 County of 10,000 to 25,000 County less than 10,000 Foreign resident
100	1	G	RCITY_POP	Population of Residence (City	0 1 2 3 4 5	City of 1,000,000 or more City of 500,000 to 1,000,000 City of 250,000 to 500,000 City of 100,000 to 250,000 City of 50,000 to 100,000 City of 25,000 to 50,000

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						6 9 Z	City of 10,000 to 25,000 All other areas in the US Foreign resident
103	1	T,G	RECTYPE	Record Type		1	RESIDENT: State and county of occurrence and residence
						2 res	are the same. NONRESIDENT: State and county of occurrence and idence are different.
1635	1	D_RES	STATUS	Death Resident Status			
				Puerto Rico Occurrence		1	RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
						2	INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but
						3	County-equivalent is different. INTERTERRITORY NONRESIDENTS Territory of occurrence and residence are different, but both
						4	are a Territory. FOREIGN RESIDENTS
							Occurred in Puerto Rico to a resident of any other place.
				Guam Occurrence		1	RESIDENTS Occurred in Guam to a resident of Guam or to a resident of the U.S.
						3	INTERTERRITORY NONRESIDENTS Territory of occurrence and residence are different, but
						4	both are a Territory. FOREIGN RESIDENTS
							Occurred in Guam to a resident of any place other than Guam or the U.S.
1636-1637	2 DO	STATE		State of Occurrence (FIPS	S) of Death		
						PR GU	Puerto Rico Guam
1638-1640	3	DOCNTY		State and identify each cou-	alents (independent a nty. (Note: To unique	iely identif	nsive cities) are numbered alphabetically within each fy a county, both the state and county codes must be used.) A couline further back in this document.
						001-nnn	Code range
1641-1643	3 F	FILLER04	8	FILLER		Blank	
1644-1645	2 I	ORSTATE	E	State of Residence (FIPS)		PR	Puerto Rico

Position	Len	File* Field	Description	Flag Position	Values	Definition
					GU	Guam
			Puerto Rico Occurrence			Puerto Rico Y, VI,AS,GU, MP,ZZ residents: refer to U.S. for specific code structure.
			Guam Occurrence		PR,AS,	Guam U.S. resident. Also considered a resident of Guam. VI,MP, ZZ residents: refer to U.S. for specific code structure.
1646-1647	2	FILLER049	FILLER			Blank
1648-1649	2	DRSTCNTRY	State/Country of Reside	nce of Death Recode		
			Territorial resident Foreign residents Puerto Rico Occurrence Guam Occurrence		GU AL-WY PR,VI,A	Puerto Rico Guam Canada Mexico Cuba Remainder of the world Puerto Rico Foreign residents: refer to U.S. for specific code structure. Guam U.S. resident. Also considered a resident of Guam AS, MP,ZZ residents: refer to U.S. for specific code structure.
1650-1652	3	DRCNTY	County of Residence (FI (To uniquely identify a co		000	codes must be used.) Foreign residents Code range
1653-1665	13	FILLER69	FILLER		Blank	
1666	1	DRCNTYPOP	Population Size of Coun Based on the results of the		eath 0 1 2 3	County of 1,000,000 or more County of 500,000 to 1,000,000 County of 250,000 to 500,000 County of 100,000 to 250,000

Position	Len	File*	Field	Description	Flag Position	Values	Definition
						4	County of 50,000 to 100,000
						5	County of 25,000 to 50,000
						6	County of 10,000 to 25,000
						9	County of less than 10,000
						Z	Foreign residents

```
ST: 1 = Subtotal
                     Limited: Sex: 1 = Males; 2 = Females
                              Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
                                    4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
                                    7 = 10 years and over
                       ***** Cause Subtotals are not identified in this file *****
130
        S Limited
       T Sex Age Cause Title and ICD-10 Codes Included
Recode
001
                  Certain infectious and parasitic diseases (A00-B99)
002
                    Certain intestinal infectious diseases (A00-A08)
003
                    Diarrhea and gastroenteritis of infectious origin (A09)
004
                    Tuberculosis (A16-A19)
 005
                    Tetanus (A33, A35)
006
                    Diphtheria (A36)
007
                    Whooping cough (A37)
008
                    Meningococcal infection (A39)
                    Septicemia (A40-A41)
009
010
                    Congenital syphilis (A50)
                    Gonococcal infection (A54)
011
012
                    Viral diseases (A80-B34)
 013
                      Acute poliomyelitis (A80)
                      Varicella (chickenpox) (B01)
014
 015
                      Measles (B05)
016
                      Human immunodeficiency virus (HIV) disease (B20-B24)
017
                      Mumps (B26)
                      Other and unspecified viral diseases (A81-B00,B02-B04,B06-B19,B25,B27-B34)
018
019
                    Candidiasis (B37)
 020
                    Malaria (B50-B54)
 021
                    Pneumocystosis (B59)
                    All other and unspecified infectious and parasitic diseases
022
                       (A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99)
 023
                  Neoplasms (C00-D48)
024
                    Malignant neoplasms (C00-C97)
                      Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85)
 025
026
                      Leukemia (C91-C95)
 027
                      Other and unspecified malignant neoplasms (C00-C80,C88,C90,C96-C97)
028
                    In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown
                      behavior (D00-D48)
029
        1
                  Diseases of the blood and blood-forming organs and certain disorders involving
                    the immune mechanism (D50-D89)
 030
                    Anemias (D50-D64)
                    Hemorrhagic conditions and other diseases of blood and blood-forming organs
031
                      (D65-D76)
 032
                    Certain disorders involving the immune mechanism (D80-D89)
                  Endocrine, nutritional and metabolic diseases (E00-E88)
 033
034
                    Short stature, not elsewhere classified (E34.3)
035
                    Nutritional deficiencies (E40-E64)
036
                    Cystic fibrosis (E84)
037
                    Volume depletion, disorders of fluid, electrolyte and acid-base balance
                       (E86-E87)
038
                    All other endocrine, nutritional and metabolic diseases
                       (E00-E32,E34.0-E34.2,E34.4-E34.9,E65-E83,E85,E88)
 039
                  Diseases of the nervous system (G00-G98)
                    Meningitis (G00,G03)
040
 041
                    Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) (G12.0)
042
                    Infantile cerebral palsy (G80)
                    Anoxic brain damage, not elsewhere classified (G93.1)
 043
044
                    Other diseases of nervous system
                      (G04,G06-G11,G12.1-G12.9,G20-G72,G81-G92,G93.0,G93.2-G93.9,G95-G98)
 045
                  Diseases of the ear and mastoid process (H60-H93)
 046
                  Diseases of the circulatory system (I00-I99)
 047
                    Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)
 048
                    Pericarditis, endocarditis and myocarditis (I30,I33,I40)
 049
                    Cardiomyopathy (I42)
050
                    Cardiac arrest (I46)
                    Cerebrovascular diseases (I60-I69)
051
052
                    All other diseases of circulatory system (I00-I25, I31, I34-I38, I44-I45, I47-I51,
                      I70-I99)
 053
                  Diseases of the respiratory system (J00-J98)
        1
                    Acute upper respiratory infections (J00-J06)
054
```

Influenza and pneumonia (J10-J18)

055

1

```
ST: 1 = Subtotal
                     Limited: Sex: 1 = Males; 2 = Females
                              Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
                                    4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
                                    7 = 10 years and over
                      ***** Cause Subtotals are not identified in this file *****
130
        S Limited
       T Sex Age Cause Title and ICD-10 Codes Included
Recode
056
                      Influenza (J10-J11)
057
                      Pneumonia (J12-J18)
058
                    Acute bronchitis and acute bronchiolitis (J20-J21)
059
                    Bronchitis, chronic and unspecified (J40-J42)
060
                    Asthma (J45-J46)
061
                    Pneumonitis due to solids and liquids (J69)
062
                    Other and unspecified diseases of respiratory system
                      (J22,J30-J39,J43-J44,J47-J68,J70-J98)
063
                  Diseases of the digestive system (K00-K92)
                    Gastritis, duodenitis, and noninfective enteritis and colitis (K29,K50-K55)
064
065
                    Hernia of abdominal cavity and intestinal obstruction without hernia
                       (K40-K46,K56)
 066
                    All other and unspecified diseases of digestive system (K00-K28,K30-K38,K57-K92)
                  Diseases of the genitourinary system (N00-N95)
067
 068
                    Renal failure and other disorders of kidney (N17-N19, N25, N27)
069
                    Other and unspecified diseases of genitourinary system
                       (N00-N15, N20-N23, N26, N28-N95)
070
                  Certain conditions originating in the perinatal period (P00-P96)
        1
071
                    Newborn affected by maternal factors and by complications of pregnancy, labor and
                      delivery (P00-P04)
                      Newborn affected by maternal hypertensive disorders (P00.0)
 072
                      Newborn affected by other maternal conditions which may be unrelated to present
073
                        pregnancy (P00.1-P00.9)
 074
                      Newborn affected by maternal complications of pregnancy (P01)
                        Newborn affected by incompetent cervix (P01.0)
075
076
                        Newborn affected by premature rupture of membranes (P01.1)
077
                        Newborn affected by multiple pregnancy (P01.5)
078
                        Newborn affected by other maternal complications of pregnancy
                          (P01.2-P01.4, P01.6-P01.9)
079
                      Newborn affected by complications of placenta, cord and membranes (PO2)
        1
080
                        Newborn affected by complications involving placenta (P02.0-P02.3)
081
                        Newborn affected by complications involving cord (P02.4-P02.6)
082
                        Newborn affected by chorioamnionitis (P02.7)
083
                        Newborn affected by other and unspecified abnormalities of membranes
                          (P02.8-P02.9)
 084
                      Newborn affected by other complications of labor and delivery (PO3)
                      Newborn affected by noxious influences transmitted via placenta or breast milk
085
086
        1
                    Disorders related to length of gestation and fetal malnutrition (P05-P08)
087
                      Slow fetal growth and fetal malnutrition (P05)
                      Disorders related to short gestation and low birthweight, not elsewhere
088
                        classified (P07)
089
                        Extremely low birthweight or extreme immaturity (P07.0,P07.2)
090
                        Other low birthweight or preterm (P07.1,P07.3)
 091
                      Disorders related to long gestation and high birthweight (PO8)
092
                    Birth trauma (P10-P15)
                    Intrauterine hypoxia and birth asphyxia (P20-P21)
 093
        1
094
                      Intrauterine hypoxia (P20)
095
                      Birth asphyxia (P21)
096
                    Respiratory distress of newborn (P22)
097
        1
                    Other respiratory conditions originating in the perinatal period (P23-P28)
 098
                      Congenital pneumonia (P23)
 099
                      Neonatal aspiration syndromes (P24)
                      Interstitial emphysema and related conditions originating in the perinatal period
100
                        (P25)
101
                      Pulmonary hemorrhage originating in the perinatal period (P26)
102
                      Chronic respiratory disease originating in the perinatal period (P27)
103
                      Atelectasis (P28.0-P28.1)
104
                      All other respiratory conditions originating in the perinatal period
                        (P28.2-P28.9)
105
                    Infections specific to the perinatal period (P35-P39)
106
                      Bacterial sepsis of newborn (P36)
```

Omphalitis of newborn with or without mild hemorrhage (P38)

107

```
ST: 1 = Subtotal
                     Limited: Sex: 1 = Males; 2 = Females
                              Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
                                    4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
                                    7 = 10 years and over
                       ***** Cause Subtotals are not identified in this file *****
130
        S Limited
       T Sex Age Cause Title and ICD-10 Codes Included
Recode
108
                      All other infections specific to the perinatal period (P35,P37,P39)
109
                    Hemorrhagic and hematological disorders of newborn (P50-P61)
        1
110
                      Neonatal hemorrhage (P50-P52, P54)
111
                      Hemorrhagic disease of newborn (P53)
112
                      Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice
                        (P55-P59)
113
                      Hematological disorders (P60-P61)
114
                    Syndrome of infant of a diabetic mother and neonatal diabetes mellitus
                      (P70.0-P70.2)
115
                    Necrotizing enterocolitis of newborn (P77)
                    Hydrops fetalis not due to hemolytic disease (P83.2)
116
117
                    Other perinatal conditions (P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1,
                      P83.3-P83.9, P90-P96)
                  Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)
118
119
                    Anencephaly and similar malformations (Q00)
120
                    Congenital hydrocephalus (Q03)
121
                    Spina bifida (Q05)
                    Other congenital malformations of nervous system (Q01-Q02,Q04,Q06-Q07)
122
123
                    Congenital malformations of heart (Q20-Q24)
124
                    Other congenital malformations of circulatory system (Q25-Q28)
125
                    Congenital malformations of respiratory system (Q30-Q34)
                    Congenital malformations of digestive system (Q35-Q45)
126
127
                    Congenital malformations of genitourinary system (Q50-Q64)
128
                    Congenital malformations and deformations of musculoskeletal system, limbs and
                      integument (Q65-Q85)
129
                    Down's syndrome (Q90)
                    Edward's syndrome (Q91.0-Q91.3)
130
131
                    Patau's syndrome (Q91.4-Q91.7)
132
                    Other congenital malformations and deformations (Q10-Q18,Q86-Q89)
                    Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)
133
134
        1
                  Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere
                    classified (R00-R99)
135
                    Sudden infant death syndrome (R95)
                    Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere
136
                      classified (R00-R53, R55-R94, R96-R99)
137
                  All other diseases (Residual) (F01-F99,H00-H57,L00-M99)
                  External causes of mortality (*U01, V01-Y84)
138
        1
139
                    Accidents (unintentional injuries) (V01-X59)
        1
140
        1
                      Transport accidents (V01-V99)
                        Motor vehicle accidents(V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2,
141
                          V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86,
                           V87.0-V87.8, V88.0-V88.8, V89.0, V89.2)
142
                        Other and unspecified transport accidents
                           (V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3,
                           V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9,
                          V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99)
                      Falls (W00-W19)
143
144
                      Accidental discharge of firearms (W32-W34)
145
                      Accidental drowning and submersion (W65-W74)
146
                      Accidental suffocation and strangulation in bed (W75)
                      Other accidental suffocation and strangulation (W76-W77,W81-W84)
147
148
                      Accidental inhalation and ingestion of food or other objects causing obstruction
                        of respiratory tract (W78-W80)
149
                      Accidents caused by exposure to smoke, fire and flames (X00-X09)
150
                      Accidental poisoning and exposure to noxious substances (X40-X49)
151
                      Other and unspecified accidents (W20-W31, W35-W64, W85-W99, X10-X39, X50-X59)
152
                    Assault (homicide) (*U01, X85-Y09)
                      Assault (homicide) by hanging, strangulation and suffocation (X91)
153
                      Assault (homicide) by discharge of firearms (*U01.4,X93-X95)
154
                      Neglect, abandonment and other maltreatment syndromes (Y06-Y07)
155
156
                      Assault (homicide) by other and unspecified means
                        (*U01.0-*U01.3,*U01.5-*U01.9,X85-X90,X92,X96-X99,Y00-Y05,Y08-Y09)
```

Complications of medical and surgical care (Y40-Y84)

157

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females

Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over

7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

130 S Limited

Recode T Sex Age Cause Title and ICD-10 Codes Included

158 Other external causes (X60-X84,Y10-Y36) Documentation Table 1. Live births and infant death by state of occurrence of birth and by state of residence at birth United States, Puerto Rico, Virgin Islands, and Guam, 2018 Period Data.

(Residence of birth is of the Mother)

(Nesidence of birtin									
	Live B		Unwei	ghted	ted Weighted 1/				
							Infant Mortality		
State	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Rate		
United States /2	3,801,534	3,791,662	21,390	21,357	21,531	21,324	5.62		
Alabama	56,504	57,761	385	401	385	401	6.94		
Alaska	9,961	10,086	60	63	60	63	6.25		
Arizona	81,816	80,723	458	451	468	461	5.71		
Arkansas	35,849	37,018	256	277	257	278	7.51		
California	456,083	454,920	1,890	1,891	1,916	1,917	4.21		
Colorado	63,468	62,885	313	299	313	299	4.75		
Connecticut	36,154	34,725	154	146	154	146	4.20		
Delaware	10,961	10,621	67	63	67	63	5.93		
Dist of Columbia	13,463	9,212	102	68	102	68	7.38		
Florida	221,772	221,542	1,353	1,339	1,353	1,339	6.04		
Georgia	127,051	126,172	892	888	893	889	7.05		
Hawaii	17,018	16,972	118	114	119	115	6.78		
Idaho	21,128	21,403	92	108	92	108	5.05		
Illinois	141,062	144,815	880	949	880	949	6.55		
Indiana	82,146	81,646	535	540	544	549	6.72		
Iowa	37,641	37,785	168	188	168	188	4.98		
Kansas	37,770	36,261	217	231	217	231	6.37		
Kentucky	51,603	53,922	280	323	283	326	6.05		
Louisiana	59,815	59,615	448	456	448	456	7.65		
Maine	11,998	12,311	65	68	65	68	5.52		
Maryland	68,160	71,080	410	427	411	428	6.02		
Massachusetts	69,808	69,109	290	288	291	289	4.18		
Michigan	109,091	110,032	671	683	672	684	6.22		
Minnesota	66,412	67,344	346	341	346	341	5.06		
Mississippi	36,137	37,000	300	311	300	311	8.41		
Missouri	74,099	73,269	535	463	537	465	6.35		
Montana	11,505	11,513	51	55	51	55	4.78		
Nebraska	25,886	25,488	154	146	155	147	5.77		
Nevada	35,369	35,682	212	219	212	219	6.14		
New Hampshire	11,977	11,995	44	42	44	42	3.50		
New Jersey	98,792	101,223	356	384	357	385	3.80		
New Mexico	21,711	23,039	125	130	126	131	5.69		
New York	112,604	117,298	556	591	557	592	5.05		
New York City	114,295	108,940	417	386	418	387	3.55		
North Carolina	120,802	118,954	825	803	825	803	6.75		
North Dakota	12,216	10,636	68	60	68	60	5.64		
Ohio	135,728	135,134	983	934	987	938	6.94		
Oklahoma	48,342	49,800	341	350	344	353	7.09		
Oregon	42,705	42,188	188	178	188	178	4.22		
Pennsylvania	135,010	135,673	824	804	826	806	5.94		
Rhode Island	11,063	10,506	60	52	60	52	4.95		
South Carolina	53,054	56,669	368	403	368	403	7.11		
South Dakota	12,574	11,893	81	70	81	70	5.89		
Tennessee	86,484	80,751	630	555	631	556	6.89		

Documentation Table 1. Live births and infant death by state of occurrence of birth and by state of residence at birth United States, Puerto Rico, Virgin Islands, and Guam, 2018 Period Data, continued.

(Residence of birth is of the Mother)

	Live Bi	rths					
			Unweig	hted	Weight	ed 1/	
							Infant
							Mortality
State	Occurrence	Residence	Occurrence	Residence	Occurrence	Residence	Rate
Texas	387,003	378,624	2,038	2,009	2,106	2,075	5.48
Utah	48,209	47,209	271	257	273	259	5.49
Vermont	5,327	5,432	31	35	31	35	6.44
Virginia	99,106	99,843	539	560	539	560	5.61
Washington	85,843	86,085	405	404	405	404	4.69
West Virginia	19,038	18,248	123	127	123	127	6.96
Wisconsin	63,932	64,098	392	392	392	392	6.12
Wyoming	5,989	6,562	23	35	23	35	5.33
Puerto Rico	21,482	21,424	142	140	142	140	6.53
Guam	3,175	3,165	37	37	37	37	11.69

^{1/} Figures are based on weighted data rounded to the nearest infant, so categories may not add to totals

^{2/} Excludes data for Puerto Rico, Virgin Islands, and Guam.

Documentation Table 2. Live births, infant deaths and infant mortality rates by race of mother, sex and birthweight of child: United States, 2018 Period Data.

Both sexes	Race of mother and sex	Total	<500 grams	500-749 grams	750-999 grams	1000- 1249 grams	1250- 1499 grams	1500- 1999 grams	2000- 2499 grams	2500 grams or more	Not Stated
	All races										
Infant deaths	Both sexes										
Infant Mortality Rate	Live births	3,791,712	5,966	9,041	10,029	12,232	15,699	61,522	200,079	3,475,072	2,072
Live births		•	-	-	-			=		-	
Live births	infant Mortality Rate	. 5.67	859.20	361.02	114.57	61.97	42.68	24.92	9.68	1.99	/3.36
Infant deaths	Male										
Infant Mortality Rate 6.25 885.52 419.05 138.09 70.79 48.72 27.42 11.15 2.22 92.09 Female Live births	Live births	1,938,179	3,136	4,515	5,098	6,230	7,800	29,686	91,401	1,789,238	1,075
Female Live births		•	-	-					-	-	
Live births	Infant Mortality Rate	. 6.25	885.52	419.05	138.09	70.79	48.72	27.42	11.15	2.22	92.09
Infant deaths	Female										
Non-Hispanic White Both sexes Live births	Live births	1853533	2,830	4,526	4,931	6,002	7,899	31,836	108,678	1,685,834	997
Non-Hispanic White Both sexes Live births	Infant deaths	. 9,393	2,350	1,372	445	317	290	719	917	2,929	53
Both sexes Live births	Infant Mortality Rate	. 5.07	830.39	303.14	90.25	52.82	36.71	22.58	8.44	1.74	53.16
Live births	Non-Hispanic White										
Infant deaths	Both sexes										
Infant Mortality Rate	Live births	1,956,413	1,949	3,039	3,709	4,863	6,582	26,972	88,353	1,819,997	949
Male Live births	Infant deaths	. 9,059	1,707	1,202	477	350	282	658	914	3,420	50
Live births	Infant Mortality Rate	. 4.63	875.83	395.52	128.61	71.97	42.84	24.40	10.34	1.88	52.69
Infant deaths	Male										
Female Live births	Live births	1,003,045	1,018	1,509	1,900	2,500	3,284	12,868	40,027	939,461	478
Female Live births	Infant deaths	. 5104	911	699	310	199	159	341	465	1988	31
Live births	Infant Mortality Rate	. 5.09	894.89	463.22	163.16	79.60	48.42	26.50	11.62	2.12	64.85
Infant deaths	Female										
Infant deaths	Live births	953,368	931	1,530	1,809	2,363	3,298	14,104	48,326	880,536	471
Tillant Wortainty Nate 4.13 654.55 526.76 51.70 65.50 57.50 22.46 5.25 1.65	Infant deaths	3,955	796	503	166	151	123	317	449	1,432	19
Non-Hispanic Black	Infant Mortality Rate	. 4.15	854.99	328.76	91.76	63.90	37.30	22.48	9.29	1.63	*
	Non-Hispanic Black										
Both sexes	Both sexes										
Live births	Live births	552,029	2,159	3,208	3,235	3,559	4,232	15,412	46,048	473,877	299
Infant deaths 5,933 1,832 1,020 302 186 175 387 475 1,514 42	Infant deaths	-	-	-		-		=	-	-	42
Infant Mortality Rate 10.75 848.54 317.96 93.35 52.26 41.35 25.11 10.32 3.19 140.47	Infant Mortality Rate	. 10.75	848.54	317.96	93.35	52.26	41.35	25.11	10.32	3.19	140.47
Male	Male										
Live births	Live births	279,914	1,140	1,575	1,589	1,755	2,014	7,240	20,651	243,784	166
Infant deaths		-									
Infant Mortality Rate 12.02 873.68 375.87 110.13 58.12 50.65 28.45 12.69 3.69 192.77	Infant Mortality Rate	. 12.02	873.68	375.87	110.13	58.12	50.65	28.45	12.69	3.69	192.77

Documentation Table 2. Live births, infant deaths and infant mortality rates by race of mother, sex and birthweight of child: United States, 2018 Period Data -Con.

Race of mother and sex	Total	<500 grams	500-749 grams	750-999 grams	1000- 1249 grams	1250- 1499 grams	1500- 1999 grams	2000- 2499 grams	2500 grams or more	Not Stated
Live birthsInfant deathsInfant Mortality Rate	272,115 2,568 9.44	1,019 836 820.41	1,633 428 262.09	1,646 127 77.16	1,804 83 46.01	2,218 73 32.91	8,172 182 22.27	25,397 214 8.43	230,093 615 2.67	133 10 *
Non-Hispanic American India	an or Alaska	n Native /	1							
Both sexes										
Live birthsInfant deathsInfant Mortality Rate	29,092 237 8.15	40 31 775.00	53 21 396.23	81 9 *	92 8 *	136 9 *	461 17 *	1,473 24 16.29	26,741 116 4.34	15 2 *
Male										
Live birthsInfant deathsInfant Mortality Rate	14,806 132 8.92	20 18 *	33 14 *	41 7 *	48 3 *	75 6 *	221 10 *	691 12 *	13,672 60 4.39	5 1 *
Female										
Live birthsInfant deathsInfant Mortality Rate	14,286 106 7.42	20 13 *	20 7 *	40 2 *	44 5 *	61 3 *	240 7 *	782 12 *	13,069 55 4.21	10 1 *
Non-Hispanic Asian										
Both sexes										
Live births Infant deaths Infant Mortality Rate Male	240,798 874 3.63	271 231 852.40	414 149 359.90	490 49 100.00	640 29 45.31	883 33 37.37	3,697 61 16.50	14,295 82 5.74	220,045 234 1.06	63 4 *
Live births	124,082	154	216	273	321	450	1,846	6,580	114,208	34
Infant deathsInfant Mortality Rate	484 3.90	127 824.68	81 375.00	28 102.56	20 62.31	16 *	34 18.42	44 6.69	130 1.14	3
Female										
Live births Infant deaths Infant Mortality Rate	116,716 390 3.34	117 103 880.34	198 69 348.48	217 21 96.77	319 9 *	433 17 *	1,851 27 14.59	7,715 38 4.93	105,837 105 0.99	29 1 *
Non-Hispanic Native Hawaiia	an or Other	Pacific Isla	nder							
Both sexes										
Live birthsInfant deathsInfant Mortality Rate	9,476 89 9.39	15 13 *	29 17 *	26 3 *	26 2 *	47 2 *	164 4 *	545 7 *	8,618 39 4.53	6 1 *

Documentation Table 2. Live births, infant deaths and infant mortality rates by race of mother, sex and birthweight of child: United States, 2018 Period Data -Con.

Race of mother and sex Male	Total	<500 grams	500-749 grams	750-999 grams	1000- 1249 grams	1250- 1499 grams	1500- 1999 grams	2000- 2499 grams	2500 grams or more	Not Stated
Live births Infant deaths	4,790 51	10 9	15 8	11 1	14 1	22 1	78 1	256 5	4,381 25	3
Infant Mortality Rate	10.65	*	*	*	*	*	*	*	5.71	*
Female										
Live births	4,686	5	14	15	12	25	86	289	4,237	3
Infant deaths	37	4	9	2	1	1	3	2	14	1
Infant Mortality Rate	7.90	*	*	*	*	*	*	*	*	*
Hispanic										
Both sexes										
Live births	886,210	1,222	1,926	2,133	2,632	3,254	12,709	42,599	819,525	210
Infant deaths	4,303	1,040	686	253	157	138	340	361	1,307	22
Infant Mortality Rate	4.86	851.06	356.18	118.61	59.65	42.41	26.75	8.47	1.59	104.76
Male										
Live births	450,950	640	971	1,121	1,368	1,658	6,418	20,092	418,571	111
Infant deaths	2,405	573	391	155	98	77	185	193	717	16
Infant Mortality Rate	5.33	895.31	402.68	138.27	71.64	46.44	28.83	9.61	1.71	*
Female										
Live births	435,260	582	955	1,012	1,264	1,596	6,291	22,507	400,954	99
Infant deaths	1,898	466	294	98	59	61	155	168	590	6
Infant Mortality Rate	4.36	800.69	307.85	96.84	46.68	38.22	24.64	7.46	1.47	*

^{*} Figure does not meet standard of reliability or precision: based on fewer than 20 deaths in the numerator

⁻ Quantity zero

^{1/} Includes Aleut and Eskimos

Birthweight All Races	Total	<28 Weeks	28-31 Weeks	32-33	34-36	37-39			42 Weeks	Not
All Races	Total	AACGV2			\/\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	Weeks	40 Waaks	41 Weeks	or more	Stated
			VVCCR3	Weeks	Weeks	Weeks	-U WEEKS	-T ANGERS	or more	Stateu
-										
Total										
Live births	3,791,712	24,945	34,386	44,700		2,425,627	748,794	223,689	11,318	2,507
Infant deaths	21,498	9,534	1,489	981	2,263	5,610	1,075	293	61	190
Infant Mortality Rate	5.67	382.20	43.30	21.95	8.21	2.31	1.44	1.31	5.39	75.79
Less than 2,500 grams										
Live births	314,568	24,685	33,449	41,108	119,273	91,361	3,665	658	89	280
Infant deaths	14,437	9,531	1,433	877	1,387	1,076	76	13	11	32
Infant Mortality Rate	45.89	386.10	42.84	21.33	11.63	11.78	20.74	*	*	114.29
Less than 500 grams										
Live births	5,966	5,859	67	3	7	8	-	-	-	22
Infant deaths	5,126	5,078	32	1	-	-	-	-	-	15
Infant Mortality Rate	859.20	866.70	477.61	*	*	*	*	*	*	*
500-749 grams										
Live births	9,041	8,286	693	31	12	7	-	-	-	12
Infant deaths	3,264	3,135	107	5	6	2	-	-	-	9
Infant Mortality Rate	361.02	378.35	154.40	*	*	*	*	*	*	*
750-999 grams										
Live births	10,029	6,833	2,914	177	43	38	10	2	_	12
Infant deaths	1,149	908	192	30	14	2	-	-	-	2
Infant Mortality Rate	114.57	132.88	65.89	169.49	*	*	*	*	*	*
1,000-1,249 grams										
Live births	12,232	3,040	7,476	1,139	346	189	26	8	1	7
Infant deaths	758	298	329	79	40	9	_	-	_	2
Infant Mortality Rate	61.97	98.03	44.01	69.36	115.61	*	*	*	*	*
1,250-1,499 grams										
Live births	15,699	463	9,621	3,625	1,596	314	42	16	2	20
Infant deaths	670	70	343	125	99	30	1	1	1	1
Infant Mortality Rate	42.68	151.19	35.65	34.48	62.03	95.54	*	*	*	*
1,500-1,999 grams										
Live births	61,522	138	11,313	20,668	23,996	5,107	190	46	8	56
Infant deaths	1,533	36	351	382	450	289	18	4	1	1
Infant Mortality Rate	24.92	260.87	31.03	18.48	18.75	56.59	*	*	*	*
2,000-2,499 grams										
Live births	200,079	66	1,365	15,465	93,273	85,698	3,397	586	78	151
Infant deaths	1,936	6	79	253	777	744	57	8	9	2
Infant Mortality Rate	9.68	*	57.88	16.36	8.33	8.68	16.78	*	*	*

					Gesta	tion				
Birthweight		<28	28-31	32-33	34-36	37-39			42 Weeks	Not
	Total	Weeks	Weeks	Weeks	Weeks	Weeks	40 Weeks	41 Weeks	or more	Stated
2,500 grams or more										
Live births	3,475,072	95	877	3,537	156,347	2,333,736	744,880	222,951	11,209	1,440
Infant deaths	6,908	1	53	104	876	4,533	998	280	50	13
Infant Mortality Rate	1.99	*	60.43	29.40	5.60	1.94	1.34	1.26	4.46	*
Not Stated										
Live births	2,072	165	60	55	126	530	249	80	20	787
Infant deaths	152	2	2	1	-	1		-	-	145
Infant Mortality Rate	73.36	*	*	*	*	*	*	*	*	184.24
Non-Hispanic White										
Total										
Live births	1,956,413	8,665	14,764	20,858	122 555	1,232,483	406,842	131,041	7,281	924
Infant deaths	9,059	3,394	641	458	1,077	2,729	508	151,041	34	60
Infant Mortality Rate	4.63	391.69	43.42	21.96	8.06	2,723	1.25	1.21	4.67	64.94
mant wortainty nate	4.03	331.03	43.42	21.50	8.00	2.21	1.23	1.21	4.07	04.54
Less than 2,500 grams										
Live births	135,467	8,580	14,325	18,991	53,790	37,766	1,546	319	41	109
Infant deaths	5,589	3,391	616	400	650	490	25	6	2	9
Infant Mortality Rate	41.26	395.22	43.00	21.06	12.08	12.97	16.17	*	*	*
Less than 500 grams										
Live births	1,949	1,908	29	_	2	4	-	_	-	6
Infant deaths	1,707	1,687	15	-	-	-	-	-	-	5
Infant Mortality Rate	875.83	884.17	*	*	*	*	*	*	*	*
500-749 grams										
Live births	3,039	2,734	278	14	5	5	_	_	_	3
Infant deaths	1,202	1,156	41	1	2	1		_	_	1
Infant Mortality Rate	395.52	422.82	147.48	*	*	*	*	*	*	*
750-999 grams										
730-333 grains										
Live births	3,709	2,435	1,156	76	21	12	5	1	-	3
Infant deaths	477	366	90	13	7	1		-	-	-
Infant Mortality Rate	128.61	150.31	77.85	*	*	*	*	*	*	*
1,000-1,249 grams										
Live births	4,863	1,220	2,914	482	140	84	12	7	1	3
Infant deaths	350	133	148	44	23	2		-	-	-
Infant Mortality Rate	71.97	109.02	50.79	91.29	164.29	*	*	*	*	*
1,250-1,499 grams										
Live births	6,582	199	4,087	1,480	651	133	16	10	-	6
Infant deaths	282	27	135	54	49	14		-	-	1
Infant Mortality Rate	42.84	135.68	33.03	36.49	75.27	*	*	*	*	*

					Gesta	tion				
Birthweight		<28	28-31	32-33	34-36	37-39			42 Weeks	Not
	Total	Weeks	Weeks	Weeks	Weeks	Weeks	40 Weeks	41 Weeks	or more	Stated
1,500-1,999 grams										
Live births	26,972	56	5,189	9,201	10,189	2,193	88	28	5	23
Infant deaths	658	22	142	154	206	125	8		-	0
Infant Mortality Rate	24.40	392.86	27.37	16.74	20.22	57.00	*	*	*	*
2,000-2,499 grams										
Live hinths	00 252	28	672	7 720	42 702	25 225	1 425	273	35	65
Live births Infant deaths	88,353 914	1	45	7,738 134	42,782 363	35,335 346	1,425		2	
		*					16 *	*	*	2
Infant Mortality Rate	10.34		66.96	17.32	8.48	9.79				
2,500 grams or more										
Live births	1,819,997	37	405	1,835	79,687	1,194,347	405,119	130,659	7,228	680
Infant deaths	3,420	1	25	57	427	2,238	481	152	32	6
Infant Mortality Rate	1.88	*	61.73	31.06	5.36	1.87	1.19	1.16	4.43	*
Not Stated										
Live births										
Infant deaths	949	48	34	32	78	370	177		12	135
Infant Mortality Rate	50	2	*	1	- *	1	1	- *	*	45
Non-Hispanic Black	52.69	*	Ŧ	*	Ŧ	*	*	Ŧ	*	333.33
Total										
Live births	552,029	8,348	8,804	9,856	50,931	353,077	93,655	25,584	1,390	384
Infant deaths	5933	3139	379	233	50,551	1327	236		1,330	54
Infant Mortality Rate	10.75	376.02	43.05	23.64	9.94	3.76	2.52		*	140.63
mant Wortanty Nate	10.75	370.02	45.05	25.04	3.54	3.70	2.32	1.52		140.03
Less than 2,500 grams										
Live births	77,853	8,264	8,632	9,341	27,290	23,215	903	116	22	70
Infant deaths	4,377	3,139	376	222	317	284	21	3	6	10
Infant Mortality Rate	56.22	379.84	43.56	23.77	11.62	12.23	23.26	*	*	*
Less than 500 grams										
12 or feetable	2.450	2.420	20	4		2				
Live births	2,159	2,128	20	1	-	2	-	-	-	8
Infant deathsInfant Mortality Rate	1,832 848.54	1,816 853.38	10 *	1	*	*	*	*	*	5 *
500-749 grams										
500-745 grains										
Live births	3,208	2,958	237	6	2		-	-	-	4
Infant deaths	1,020	977	36	1	1		-	-	-	4
Infant Mortality Rate	317.96	330.29	151.90	*	*	*	*	*	*	*
750-999 grams										
Live births	3,235	2,231	930	52	8	10	1	-	_	3
Infant deaths	302	253	38	8	2			_	_	-
Infant Mortality Rate	93.35	113.40	40.86	*	*	*	*	*	*	*
a.ic mortancy nate	55.55	113.40	.0.00							

_					Gestat					
Birthweight		<28	28-31	32-33	34-36	37-39			42 Weeks	Not
1,000-1,249 grams	Total	Weeks	Weeks	Weeks	Weeks	Weeks	40 Weeks	41 Weeks	or more	Stated
1,000-1,249 grains										
Live births	3,559	790	2,291	322	92	55	7	-	-	2
Infant deaths	186	66	91	20	5	3	-	-	-	-
Infant Mortality Rate	52.26	83.54	39.72	62.11	*	*	*	*	*	*
1,250-1,499 grams										
										_
Live births	4,232	112	2,532	1,064	419	87			-	5
Infant Mortality Pate	175	20 179 57	101	25 22 E0	19	10	- *	- *	*	- *
Infant Mortality Rate	41.35	178.57	39.89	23.50						•
1,500-1,999 grams										
Live births	15,412	31	2,392	5,141	6,377	1,397	46	7	1	20
Infant deaths	387	4	91	110	101	76	2	1	-	1
Infant Mortality Rate	25.11	*	38.04	21.40	15.84	54.40	*	*	*	*
2,000-2,499 grams										
Live births	46,048	14	230	2,755	20,392	21,663	837	108	21	28
Infant deaths	475	2	8	56	188	193	19	2	6	-
Infant Mortality Rate	10.32	*	*	20.33	9.22	8.91	*	*	*	*
2,500 grams or more										
Live births	473,877	23	163	502	23,617	329,792	92,728	25,463	1,366	223
Infant deaths	1,514		3	11	189	1,044	215	-	1,300	223
Infant Mortality Rate	3.19	*	*	*	8.00	3.17	2.32		*	*
mane wortancy nacc	3.13				0.00	3.17	2.32	1.01		
Not Stated										
Live births	299	61	9	13	24	70	24	5	2	91
Infant deaths	42	-	-	-	-	-	-	-	-	42
Infant Mortality Rate	140.47	*	*	*	*	*	*	*	*	461.54
Non-Hispanic American India	n or Alaskan	Native /1								
Total										
Live births	29,092	180	306	433	2,424	18,950			83	66
Infant deaths Infant Mortality Rate	237 8.15	62 344.44	23 75.16	8	28 11.55	84 4.43			*	5 *
illiant Wortanty Nate	6.13	344.44	75.10		11.55	4.43	4.20			
Less than 2,500 grams										
Live births	2,336	177	293	380	809	640	23	3	1	10
Infant deaths	120	62	22	7	10	15		-	-	1
Infant Mortality Rate	51.37	350.28	75.09	*	*	*	*	*	*	*
Less than 500 grams										
Live births	40	39	_	_	_	_	_	_	_	1
Infant deaths	31	30		_	_	-	_	_	_	1
Infant Mortality Rate	775.00	769.23	*	*	*	*	*	*	*	*
and wortainty nate	, , 5.00	, 55.25								

			20.51	22.22	Gestat				40.147	
Birthweight	Total	<28 Weeks	28-31 Weeks	32-33 Weeks	34-36 Weeks	37-39 Weeks	40 Wooks	41 Weeks	42 Weeks or more	Not Stated
500-749 grams	Total	WEEKS	WEEKS	WEEKS	WEEKS	WEEKS	40 WEEKS	41 WEEKS	or more	Stateu
	50		•							
Live births	53	51	2	-	-	-	-	-	-	-
Infant Mortality Rate	21	19 *	2	*	*	*	*	*	*	*
Infant Mortality Rate	396.23									
750-999 grams										
Live births	81	57	22	2	-	-	-	-	-	-
Infant deaths	9	8	1	-	-	-	-	-	-	-
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*
1,000-1,249 grams										
Live births	92	24	57	8	2	1	-	-	-	-
Infant deaths	8	3	5	-	-	-	-	-	-	-
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*
1,250-1,499 grams										
Live births	136	5	87	29	11	3	_	_	_	1
Infant deaths	9	1	6	2	-	-				-
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*
1,500-1,999 grams										
Live births	461	1	109	164	143	41				3
Infant deaths	17	1	7	104	7	1		-	-	3
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*
mane wortancy nacc										
2,000-2,499 grams										
Live births	1,473	-	16	177	653	595	23	3	1	5
Infant deaths	24	-	1	4	3	14			-	-
Infant Mortality Rate	16.29	*	*	*	*	*	*	*	*	*
2,500 grams or more										
Live births	26,741	1	12	52	1,614	18,307	5,212	1,410	82	51
Infant deaths	116	-	1	1	18	69	20	4	-	2
Infant Mortality Rate	4.34	*	*	*	*	3.77	3.84	*	*	*
Not Stated										
Live births	15	2	1	1	1	3	2	_	_	5
Infant deaths	2	-	-	-	-	-	-		_	2
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*
Non-Hispanic Asian										
Total										
Live births	240,798	1,124	1,739	2,226	15,540	161,362	47,129	11,302	319	57
Infant deaths	874	423	66	37	95	196	35		3	7

Infant deaths	•					Gestat	ion				
Less than 2,500 grams Live births	- Rirthwoight		<28	28-31	32-33	34-36	37-39			42 Weeks	Not
Live births		Total	Weeks	Weeks	Weeks	Weeks	Weeks	40 Weeks	41 Weeks	or more	Stated
Infant deaths	Less than 2,500 grams										
Infant deaths	Live births	20.690	1.108	1.690	2.097	7.759	7.723	259	37	6	11
Infant Mortality Rate	Infant deaths	•		-		15	•				3
Live births	Infant Mortality Rate	30.74		37.28	17.17		5.18	*	*	*	*
Infant deaths	Less than 500 grams										
Infant deaths	Live hirths	271	262	_		1					2
Infant Mortality Rate					_	_	_	_	_	_	
Live births	Infant Mortality Rate				*	*	*	*	*	*	*
Live births											
Infant deaths	500-749 grams										
Infant Mortality Rate	Live births	414	372	40	1	-	-	-	-	-	1
750-999 grams Live births	Infant deaths	149	143	4	1	-	-	-	-	-	1
Live births	Infant Mortality Rate	359.90	384.41	*	*	*	*	*	*	*	*
Infant deaths	750-999 grams										
Infant deaths	Live hirths	490	314	163	7	3	3	_	_	_	_
Infant Mortality Rate							-	-	_	_	_
Live births	Infant Mortality Rate				*		*	*	*	*	*
Infant deaths	1,000-1,249 grams										
Infant deaths	Live hirths	640	139	379	88	25	8	1	_	_	_
Infant Mortality Rate									_	_	_
Live births	Infant Mortality Rate						*	*	*	*	*
Infant deaths	1,250-1,499 grams										
Infant deaths	Livo hirths	002	1.4	512	211	120	12	2		1	
Infant Mortality Rate 37.37 *									_	_	_
Live births	Infant Mortality Rate								*	*	*
Live births	1,500-1,999 grams										
Infant deaths	- -										
Infant Mortality Rate			_					_	-	-	1
2,000-2,499 grams Live births									*	*	*
Live births	•	10.30									
Infant deaths	2,000-2,499 grams										
Infant Mortality Rate 5.74 * * * 6.25 4.08 *	Live births									5	6
2,500 grams or more Live births										-	-
Live births	Infant Mortality Rate	5.74	*	*	*	6.25	4.08	*	*	*	*
Infant deaths	2,500 grams or more										
	Live births	220,045	5	48	127	7,778	153,622	46,857	11,264	313	31
Infant Mortality Rate 1.06 * * * 3.99 1.02 0.62 * * *	Infant deaths	234	-	3	1					3	-
	Infant Mortality Rate	1.06	*	*	*	3.99	1.02	0.62	*	*	*

_					Gestat					Net	
Birthweight	Total	<28 Weeks	28-31 Weeks	32-33 Weeks	34-36	37-39	40 Wash-	41 Wooks	42 Weeks	Not Stated	
Not Stated	Total	weeks	Weeks	Weeks	Weeks	Weeks	40 Weeks	41 Weeks	or more	Stated	
Not Stated											
Live births	63	11	1	2	3	17	13	1	-	15	
Infant deaths	4	-	-	-	-	-	-	-	-	4	
Infant Mortality Rate	63.49	*	*	*	*	*	*	*	*	*	
Non-Hispanic Native Hawaiia	n or Other Pa	acific Island	er								
Total											
Live births	9,476	72	119	149	776	5,970	1,810	533	34	13	
Infant deaths	89	34	3	4	6	29	8		1	2	
Infant Mortality Rate	9.39	472.22	*	*	*	4.86	*	*	*	*	
Less than 2,500 grams											
Live births	852	72	109	126	286	237	17	3	-	2	
Infant deaths	48	34	2	3	4	5	-	-	-	-	
Infant Mortality Rate	56.34	472.22	*	*	*	*	*	*	*	*	
Less than 500 grams											
Live births	15	14	-	-	-	1	-	-	-	-	
Infant deaths	13	13	-	-	-	-	-	-	-	-	
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*	
500-749 grams											
Live births	29	29	-	-	-	-	-	-	-	-	
Infant deaths	17	17	-	-	-	-	-	-	-	-	
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*	
750-999 grams											
Live births	26	19	6	1	_	-	-	_	-	-	
Infant deaths	3	3	-	-	-	-	-	-	-	-	
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*	
1,000-1,249 grams											
Live births	26	8	17	1	_	-	-	_	-	-	
Infant deaths	2	1	1	-	-	-	-	-	-	-	
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*	
1,250-1,499 grams											
Live births	47	1	28	15	1	1	-	1	-	-	
Infant deaths	2	-	-	-	1	1		-	-	-	
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*	
1,500-1,999 grams											
Live births	164	1	47	62	43	10	-	-	-	1	
Infant deaths	4	-	1	1	1	1	-	-	-	-	
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*	

[Gestat	ion				
 Birthweight		<28	28-31	32-33	34-36	37-39			42 Weeks	Not
	Total	Weeks	Weeks	Weeks	Weeks	Weeks	40 Weeks	41 Weeks	or more	Stated
2,000-2,499 grams										
Live births	545	-	11	47	242	225	17	2	-	1
Infant deaths	7	-	-	2	2	3	-	-	-	-
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*
2,500 grams or more										
Live births	8,618	-	10	23	489	5,732	1,792	529	34	9
Infant deaths	39	-	1	1	2	24	8	1	1	1
Infant Mortality Rate	4.53	*	*	*	*	*	*	*	*	*
Not Stated										
Live births	6	_	_	_	1	1	1	1	_	2
Infant deaths	1	_	_	-	_	-	-	_	_	1
Infant Mortality Rate	*	*	*	*	*	*	*	*	*	*
Hispanic										
Live births	886,210	5,490	7,467	9,680	63,549	581,425	170,467	46,013	1,737	382
Infant deaths	4,303	1,978	310	208	444	1,058	209	59	8	29
Infant Mortality Rate	4.86	360.29	41.52	21.49	6.99	1.82	1.23	1.28	*	75.92
Less than 2,500 grams										
Live births	66,475	5,429	7,245	8,781	25,261	18,746	800	147	13	53
Infant deaths	2,974	1,978	291	182	278	216	17	4	1	7
Infant Mortality Rate	44.74	364.34	40.17	20.73	11.01	11.52	*	*	*	*
Less than 500 grams										
Live births	1,222	1,200	12	2	3	1	-	-	-	4
Infant deaths	1,040	1,033	4	-	-	-	-	-	-	2
Infant Mortality Rate	851.06	860.83	*	*	*	*	*	*	*	*
500-749 grams										
Live births	1,926	1,798	110	9	5	1	-	_	-	3
Infant deaths	686	658	19	2	3	1	-	-	-	2
Infant Mortality Rate	356.18	365.96	*	*	*	*	*	*	*	*
750-999 grams										
Live births	2,133	1,520	552	35	9	11	3	-	-	3
Infant deaths	253	193	49	7	3	-	-	-	-	1
Infant Mortality Rate	118.61	126.97	88.77	*	*	*	*	*	*	*
1,000-1,249 grams										
Live births	2,632	738	1,574	204	74	33	6	1	-	2
Infant deaths	157	67	64	11	10	2	-	-	-	2
Infant Mortality Rate	59.65	90.79	40.66	*	*	*	*	*	*	*

	Gestation									
Distance in let		<28	28-31	32-33	34-36	37-39			42 Weeks	Not
Birthweight	Total	Weeks	Weeks	Weeks	Weeks	Weeks	40 Weeks	41 Weeks	or more	Stated
1,250-1,499 grams										
Live births	3,254	117	2,023	717	309	70	9	3	-	6
Infant deaths	138	16	63	35	20	3	-	1	-	-
Infant Mortality Rate	42.41	*	31.14	48.81	64.72	*	*	*	*	*
1,500-1,999 grams										
Live births	12,709	36	2,633	4,270	4,754	956	41	10	2	7
Infant deaths	340	6	76	86	93	70	5	2	1	-
Infant Mortality Rate	26.75	*	28.86	20.14	19.56	73.22	*	*	*	*
2,000-2,499 grams										
Live births	42,599	20	341	3,544	20,107	17,674	741	133	11	28
Infant deaths	361	3	15	41	148	140	12	1	-	-
Infant Mortality Rate	8.47	*	*	11.57	7.36	7.92	*	*	*	*
2,500 grams or more										
Live births	819,525	26	213	894	38,274	562,622	169,644	45,859	1,721	272
Infant deaths	1,307	-	17	25	166	842	192	55	7	2
Infant Mortality Rate	1.59	*	*	27.96	4.34	1.50	1.13	1.20	*	*
Not Stated										
Live births	210	35	9	5	14	57	23	7	3	57
Infant deaths	22	-	2	-	-	-	-	-	-	20
Infant Mortality Rate	104.76	*	*	*	*	*	*	*	*	350.88

^{-/} Quality Zero

^{*/} Figure does not meet standard of reliability or precision: based on fewer than 20 deaths in the numerator

^{1/} Includes Aleuts and Eskimos

7,169 1.89 2,685 8.54 119 19.95
1.89 2,685 8.54 119
1.89 2,685 8.54 119
2,685 8.54 119
8.54
8.54
484
53.53
257
25.63
185
15.12
195
12.42
247
10.59
306
8.01
892
4.46
4,471
1.29
13
*

per 1,000 live births]						
Birthweight and race of	Live Births	Infant	Total	Early	Late	Post-
mother	105.467		Neonatal		Neonatal	Neonatal
Less than 2,500 grams	135,467	5,589	4,544	3,841	703	1,045
Rate		41.26	33.54	28.35	5.19	7.71
Less than 500 grams	1,949	1,707	1,667	1,612	55	40
Rate		875.83	855.31	827.09	28.22	20.52
500-749 grams	3,039	1,202	1,028	804	224	173
Rate		395.52	338.27	264.56	73.71	56.93
750-999 grams	3,709	477	373	263	110	103
Rate		128.61	100.57	70.91	29.66	27.77
1,000-1,249 grams	4,863	350	267	212	55	83
Rate		71.97	54.90	43.59	11.31	17.07
1,250-1,499 grams	6,582	282	212	176	36	70
Rate		42.84	32.21	26.74	5.47	10.64
1,500-1,749 grams	10,145	344	257	209	48	87
Rate		33.91	25.33	20.60	4.73	8.58
1,750-1,999 grams	16,827	314	208	168	40	105
Rate		18.66	12.36	9.98	2.38	6.24
2,000-2,499 grams	88,353	914	532	398	134	382
Rate		10.34	6.02	4.50	1.52	4.32
2,500 grams or more	1,819,997	3,420	1,281	789	493	2,138
Rate		1.88	0.70	0.43	0.27	1.17
Not Stated	949	50	47	46	1	3
Rate		52.69	49.53	48.47	*	*
Non-Hispanic Black						
Total (all birthweights)	552,029	5,933	3,897	3,152	745	2,037
Rate		10.75	7.06	5.71	1.35	3.69
Less than 2,500 grams	77,853	4,377	3,459	2,910	549	919
Rate		56.22	44.43	37.38	7.05	11.80
Less than 500 grams	2,159	1,832	1,783	1,711	72	49
Rate	•	848.54	825.85	792.50	33.35	22.70

Birthweight and race of	Live Births	Infant	Total	Early	Late	Post-
mother			Neonatal	Neonatal	Neonatal	Neonatal
500-749 grams	3,208	1,020	838	607	231	181
Rate		317.96	261.22	189.21	72.01	56.42
750-999 grams	3,235	302	217	143	74	85
Rate		93.35	67.08	44.20	22.87	26.28
1,000-1,249 grams	3,559	186	134	96	38	52
Rate		52.26	37.65	26.97	10.68	14.61
1,250-1,499 grams	4,232	175	104	78	26	71
Rate		41.35	24.57	18.43	6.14	16.78
1,500-1,749 grams	5,933	181	100	74	26	81
Rate		30.51	16.85	12.47	4.38	13.65
1,750-1,999 grams	9,479	207	96	69	27	110
Rate		21.84	10.13	7.28	2.85	11.60
2,000-2,499 grams	46,048	475	187	133	54	289
Rate		10.32	4.06	2.89	1.17	6.28
2,500 grams or more	473,877	1,514	397	201	196	1,117
Rate		3.19	0.84	0.42	0.41	2.36
Not Stated	299	42	41	41	-	1
Rate		140.47	137.12	137.12	*	*
Non-Hispanic American I			/1			
Total (all birthweights)	29,092	237	120	92	28	117
Rate		8.15	4.12	3.16	0.96	4.02
Less than 2,500 grams	2,336	120	91	75	16	29
Rate		51.37	38.96	32.11	*	12.41
Less than 500 grams	40	31	31	29	2	-
Rate		775.00	775.00	725.00	*	*
500-749 grams	53	21	20	15	5	1
Rate		396.23	377.36	*	*	*

Birthweight and race of	Live Births	Infant	Total	Early	Late	Post-
mother			Neonatal	Neonatal	Neonatal	Neonatal
750-999 grams Rate	81	9	*	4	4 *	1
1,000-1,249 grams Rate	92	8	6 *	5 *	1	2
1,250-1,499 grams Rate	136	9	5 *	4 *	1 *	4 *
1,500-1,749 grams Rate	173	6 *	6 *	6 *	-*	- *
1,750-1,999 grams Rate	288	11 *	4 *	4 *	-*	7 *
2,000-2,499 grams Rate	1,473	24 16.29	10 *	7 *	3	14 *
2,500 grams or more Rate	26,741	116 4.34	27 1.01	16 *	11 *	88 3.29
Not Stated Rate	15	2	2	1	1	- *
Non-Hispanic Asian Total (all birthweights) Rate	240,798	874 3.63	643 2.67	504 2.09	139 0.58	231 0.96
Less than 2,500 grams Rate	20,690	636 30.74	527 25.47	434 20.98	93 4.49	108 5.22
Less than 500 grams Rate	271	231 852.40	228 841.33	218 804.43	10 *	3
500-749 grams Rate	414	149 359.90	127 306.76	98 236.71	29 70.05	22 53.14
750-999 grams Rate	490	49 100.00	41 83.67	32 65.31	9	8
1,000-1,249 grams Rate	640	29 45.31	27 42.19	17 *	10 *	2

Rate 12.73 * * * * * * * * * * * * * * * * * * *	Birthweight and race of	Live Births	Infant	Total	Early	Late	Post-
Rate 37.37 23.78 * * * * * * 1,500-1,749 grams 1,340 31 19 12 7 12 7 12 Rate 23.13 * * * * * * * * * * * * * * * * * * *	mother			Neonatal	Neonatal	Neonatal	Neonatal
Rate 37.37 23.78 * * * * * * 1,500-1,749 grams 1,340 31 19 12 7 12 7 12 Rate 23.13 * * * * * * * * * * * * * * * * * * *	1 250 1 400 grams	000	22	21	12	۵	12
1,500-1,749 grams	=	003					
Rate 23.13 * * * * * * * 1,750-1,999 grams 2,357 30 19 17 2 11 Rate 12.73 * * * * * * * * * * * * * * * * * * *	Nate		37.37	25.76			
Rate 23.13 * * * * * * * 1,750-1,999 grams 2,357 30 19 17 2 11 Rate 12.73 * * * * * * * * * * * * * * * * * * *	1,500-1,749 grams	1,340	31	19	12	7	12
Rate 12.73 * * * * * * * * * * * * * * * * * * *			23.13	*	*	*	*
Rate 12.73 * * * * * * * * * * * * * * * * * * *							
2,000-2,499 grams	1,750-1,999 grams	2,357					
Rate 5.74 3.08 1.89 * 2.66 2,500 grams or more 220,045 234 112 66 46 122 Rate 1.06 0.51 0.30 0.21 0.55 Not Stated 63 4 4 4 4 Rate * * * * * * * * * * * * * * * * * * *	Rate		12.73	*	*	*	*
Rate 5.74 3.08 1.89 * 2.66 2,500 grams or more 220,045 234 112 66 46 122 Rate 1.06 0.51 0.30 0.21 0.55 Not Stated 63 4 4 4 4 Rate * * * * * * * * * * * * * * * * * * *	2 000 2 400 grams	14 205	ດາ	4.4	27	17	20
2,500 grams or more Rate 1.06 0.51 0.30 0.21 0.55 Not Stated 63 4 4 4 4 Rate * * * * * * * * * * * * * * * * * * *	-	14,295					
Rate 1.06 0.51 0.30 0.21 0.55 Not Stated Rate 63 4 4 4 - - Non-Hispanic Native Hawaiian or Other Pacific Islander Total (all birthweights) 9,476 89 51 46 5 38 Rate 9.39 5.38 4.85 * 4.01 Less than 2,500 grams Rate 852 48 38 35 3 10 Rate 56.34 44.60 41.08 * * Less than 500 grams Rate 15 13 13 13 - - Soo-749 grams Rate 29 17 16 14 2 1 1 Rate * * * * * * * 1,000-1,249 grams Rate 26 2 2 1 1 - 2 1,250-1,499 grams Rate 47 2 2 2 - - - - - - - - - - - - - - - - <td>Nate</td> <td></td> <td>3.74</td> <td>3.06</td> <td>1.09</td> <td></td> <td>2.00</td>	Nate		3.74	3.06	1.09		2.00
Rate 1.06 0.51 0.30 0.21 0.55 Not Stated Rate 63 4 4 4 - - Non-Hispanic Native Hawaiian or Other Pacific Islander Total (all birthweights) 9,476 89 51 46 5 38 Rate 9.39 5.38 4.85 * 4.01 Less than 2,500 grams Rate 852 48 38 35 3 10 Rate 56.34 44.60 41.08 * * Less than 500 grams Rate 15 13 13 13 - - Soo-749 grams Rate 29 17 16 14 2 1 1 Rate * * * * * * * 1,000-1,249 grams Rate 26 2 2 1 1 - 2 1,250-1,499 grams Rate 47 2 2 2 - - - - - - - - - - - - - - - - <td>2,500 grams or more</td> <td>220,045</td> <td>234</td> <td>112</td> <td>66</td> <td>46</td> <td>122</td>	2,500 grams or more	220,045	234	112	66	46	122
Not Stated Rate	=	-,					
Rate *							
Non-Hispanic Native Hawaiian or Other Pacific Islander Total (all birthweights) 9,476 89 51 46 5 38 Rate 9.39 5.38 4.85 * 4.01 Less than 2,500 grams 852 48 38 35 3 10 Rate 56.34 44.60 41.08 * * Less than 500 grams 15 13 13 13 - Rate * * * * * * * 500-749 grams 29 17 16 14 2 1 Rate * * * * * * * * 750-999 grams 26 3 1 1 - 2 Rate * * * * * * * * * 1,000-1,249 grams 26 2 2 1 1 - Rate * * * * * * * * * * * * * * * * * * *	Not Stated	63	4			-	-
Total (all birthweights) 9,476 89 51 46 5 38 Rate 9.39 5.38 4.85 * 4.01 Less than 2,500 grams 852 48 38 35 3 10 Rate 56.34 44.60 41.08 * * Less than 500 grams 15 13 13 13 Rate * * * * * * * 500-749 grams 29 17 16 14 2 1 Rate * * * * * * * * * * 750-999 grams 26 3 1 1 2 Rate * * * * * * * * * * * * * * * * * * *	Rate		*	*	*	*	*
Total (all birthweights) 9,476 89 51 46 5 38 Rate 9.39 5.38 4.85 * 4.01 Less than 2,500 grams 852 48 38 35 3 10 Rate 56.34 44.60 41.08 * * Less than 500 grams 15 13 13 13 Rate * * * * * * * 500-749 grams 29 17 16 14 2 1 Rate * * * * * * * * * * 750-999 grams 26 3 1 1 2 Rate * * * * * * * * * * * * * * * * * * *	Nicola Processor Nicolanda		. D				
Rate 9.39 5.38 4.85 * 4.01 Less than 2,500 grams 852 48 38 35 3 10 Rate 56.34 44.60 41.08 * * Less than 500 grams 15 13 13 13 Rate * * * * * * 500-749 grams 29 17 16 14 2 1 Rate * * * * * * 750-999 grams 26 3 1 1 - 2 Rate * * * * * 1,000-1,249 grams 26 2 2 1 1 1 - Rate * * * * * 1,250-1,499 grams 47 2 2 2 2 Rate * * * * * 1,500-1,749 grams 82 2 2					46	F	20
Less than 2,500 grams	- ·	9,476					
Rate 56.34 44.60 41.08 * * Less than 500 grams Rate	Nate		5.55	5.56	4.03		4.01
Rate 56.34 44.60 41.08 * * Less than 500 grams 15 13 13 13 Rate * * * * * * * 500-749 grams 29 17 16 14 2 1 Rate * * * * * * * * 750-999 grams 26 3 1 1 1 - 2 Rate * * * * * * * * 1,000-1,249 grams 26 2 2 1 1 1 - Rate * * * * * * * * * * * * * * * * * * *	Less than 2,500 grams	852	48	38	35	3	10
Rate			56.34	44.60	41.08	*	*
Rate							
500-749 grams	Less than 500 grams	15				-	-
Rate	Rate		*	*	*	*	*
Rate	F00 740 average	20	17	1.0	1.4	2	1
750-999 grams 26 3 1 1 1 - 2 Rate * * * * * * * * * * * * * * * * * * *	-	29					
Rate	Nate						
Rate	750-999 grams	26	3	1	1	-	2
Rate * * * * * * * * * * * * * * * * * * *	•					*	
Rate * * * * * * * * * * * * * * * * * * *							
1,250-1,499 grams 47 2 2 2 2 Rate * * * * * 2 1,500-1,749 grams 82 2 2	1,000-1,249 grams	26	2	2	1	1	-
Rate * * * * * * 1,500-1,749 grams 82 2 2	Rate		*	*	*	*	*
Rate * * * * * * 1,500-1,749 grams 82 2 2							
1,500-1,749 grams 82 2 2		47				-	-
_	Kate		*	*	*	*	*
_	1 500-1 749 grams	ຊາ	າ	_	_	_	2
	Rate	02		*	*	*	

Birthweight and race of	Live Births	Infant	Total	Early	Late	Post-
mother			Neonatal	Neonatal	Neonatal	Neonatal
1,750-1,999 grams	82	2	1	1	-	1
Rate		*	*	*	*	*
2,000-2,499 grams	545	7	3	3	-	4
Rate		*	*	*	*	*
2,500 grams or more	8,618	39	11	9	2	28
Rate		4.53	*	*	*	3.25
Not Stated	6	1	1	1	-	-
Rate		*	*	*	*	*
Hispanic						
Total (all birthweights)	886,210	4,303	3,036	2,500	536	1,267
Rate		4.86	3.43	2.82	0.60	1.43
Less than 2,500 grams	66,475	2,974	2,510	2,144	366	464
Rate		44.74	37.76	32.25	5.51	6.98
Less than 500 grams	1,222	1,040	1,017	988	29	22
Rate		851.06	832.24	808.51	23.73	18.00
500-749 grams	1,926	686	601	480	121	85
Rate		356.18	312.05	249.22	62.82	44.13
750-999 grams	2,133	253	205	145	59	48
Rate		118.61	96.11	67.98	27.66	22.50
1,000-1,249 grams	2,632	157	122	95	27	35
Rate		59.65	46.35	36.09	10.26	13.30
1,250-1,499 grams	3,254	138	108	85	23	30
Rate		42.41	33.19	26.12	7.07	9.22
1,500-1,749 grams	4,856	166	115	90	24	51
Rate		34.18	23.68	18.53	4.94	10.50
1,750-1,999 grams	7,853	174	113	91	22	61
Rate		22.16	14.39	11.59	2.80	7.77
2,000-2,499 grams	42,599	361	230	170	60	131
Rate		8.47	5.40	3.99	1.41	3.08

1 - 7						
Birthweight and race of	Live Births	Infant	Total	Early	Late	Post-
mother			Neonatal	Neonatal	Neonatal	Neonatal
2,500 grams or more	819,525	1307	506	335	171	801
Rate		1.59	0.62	0.41	0.21	0.98
Not Stated	210	22	20	20	-	2
Rate		104.76	95.24	95.24	*	*

^{*/} Figure does not meet standard of reliability or precision: based on fewer than 20 deaths in the numerator

^{-/} Quantity zero

Documentation Table 5. Infant deaths and infant mortality rates by age of death and birthweight for 10 major causes of infant death: United States, 2018 period data

	Total				
Course of death and highwaiths	Infant	Total	Early	Late	Post-
Cause of death and birthweight	Deaths	Neonatal	Neonatal	Neonatal	Neonatal
All birthweights					
All Causes	21,498	14,329	11,578	2,751	7,169
	567.0	377.9	305.4	72.6	189.1
Congenital malformations (Q00-Q99)	4,501	3,284	2,599	684	1,218
	118.7	86.6	68.5	18.0	32.1
Short gestation and low birthweight nec (P07)	3,683	3,597	3,490	107	85
	97.1	94.9	92.0	2.8	2.2
Maternal complications of pregnancy (P01)	1,371	1,366	1,350	16	5
	36.2	36.0	35.6	*	*
Sudden infant death syndrome (R95)	1,331	136	21	115	1,195
	35.1	3.6	0.6	3.0	31.5
Accidents (unintentional injures) (V01-X59)	1,169	104	21	83	1,065
	30.8	2.7	0.6	2.2	28.1
Complications of placenta, cord, membranes (P02)	723	714	682	32	9
	19.1	18.8	18.0	0.8	*
Bacterial sepsis of newborn (P36)	582	561	239	323	20
	15.4	14.8	6.3	8.5	0.5
Respiratory distress of newborn (P22)	391	382	306	76	9
	10.3	10.1	8.1	2.0	*
Diseases of the circulatory system (I00-I99)	427	84	42	42	343
	11.3	2.2	1.1	1.1	9.1
Neonatal hemorrhage (P50-P52, P54)	377	367	263	104	10
	9.9	9.7	6.9	2.7	*
All other causes	6,942	3,731	2,563	1,168	3,211
	183.1	98.4	67.6	30.8	84.7
Less than 2,500 grams					
All Causes	14,437	11,752	9,960	1,792	2,685
	4589.5	3735.9	3166.3	569.7	853.6
Congenital malformations (Q00-Q99)	2,845	2,256	1,905	352	589
•	904.4	717.2	605.6	111.9	187.2
Short gestation and low birthweight nec (P07)	3,604	3,521	3,415	106	83
	1145.7	1119.3	1085.6	33.7	26.4
Maternal complications of pregnancy (P01)	1,317	1,313	1,299	14	4
	418.7	417.4	413.0	*	*
Sudden infant death syndrome (R95)	279	22	2	20	257
	88.7	7.0	*	6.4	81.7
Accidents (unintentional injures) (V01-X59)	203	22	8	14	180
,	64.5	7.0	*	*	57.2
Complications of placenta, cord, membranes (P02)	635	626	604	22	9
	201.9	199.0	192.0	7.0	*
Bacterial sepsis of newborn (P36)	520	502	210	292	18
. , ,	165.3	159.6	66.8	92.8	*

Documentation Table 5. Infant deaths and infant mortality rates by age of death and birthweight for 10 major causes of infant death: United States, 2018 period data -Con.

·	Total				
	Infant	Total	Early	Late	Post-
Cause of death and birthweight	Deaths	Neonatal	Neonatal	Neonatal	Neonatal
Respiratory distress of newborn (P22)	378	369	298	71	9
	120.2	117.3	94.7	22.6	*
Diseases of the circulatory system (I00-I99)	210	47	24	23	162
	66.8	14.9	7.6	7.3	51.5
Neonatal hemorrhage (P50-P52, P54)	334	326	235	90	8
	106.2	103.6	74.7	28.6	*
All other causes	4,113	2,748	1,959	789	1,365
	1307.5	873.6	622.8	250.8	433.9
2,500 grams or more					
All Causes	6,908	2,347	1,482	956	4,471
	198.8	67.5	42.7	27.5	128.7
Congenital malformations (Q00-Q99)	1,650	1,023	691	333	627
	47.5	29.4	19.9	9.6	18.0
Short gestation and low birthweight nec (P07)	13	11	10	1	2
	*	*	*	*	*
Maternal complications of pregnancy (P01)	20	19	17	2	1
	0.6	*	*	*	*
Sudden infant death syndrome (R95)	1,050	113	18	95	937
	30.2	3.3	*	2.7	27.0
Accidents (unintentional injures) (V01-X59)	962	81	12	69	881
	27.7	2.3	*	2.0	25.4
Complications of placenta, cord, membranes (P02)	81	81	71	10	-
	2.3	2.3	2.0	*	*
Bacterial sepsis of newborn (P36)	61	59	28	31	2
	1.8	1.7	0.8	0.9	*
Respiratory distress of newborn (P22)	13	13	8	5	-
	*	*	*	*	*
Diseases of the circulatory system (I00-I99)	216	37	18	19	178
	6.2	1.1	*	*	5.1
Neonatal hemorrhage (P50-P52, P54)	42	40	26	14	2
	1.2	1.2	0.8	*	*
All other causes	2,799	959	582	377	1,841
	80.6	27.6	16.8	10.9	53.0

^{*/}Figure does not meet standard of reliability or precision; based on fewer than 20 deaths in the numerator.

^{-/} Quantity zero

Documentation Table 6. Live births, infant deaths, and infant mortality rates by gestational age and age at death: United States, 2018 period data [Rates are per 1,000 live births]

					Gesta	ation				
			28-31	32-33	34-36	37-39			42 Weeks	
Age at Death	Total	<28 Weeks	Weeks	Weeks	Weeks	Weeks	40 Weeks	41 Weeks	or more	Not Stated
Total										
Live births	3,791,712	24,945	34,386	44,700	275,746	2,425,627	748,794	223,689	11,318	2,507
Infant deaths	21,498	9,534	1,489	981	2,263	5,610	1,075	293	61	190
Infant Mortality Rate	5.67	382.20	43.30	21.95	8.21	2.31	1.44	1.31	5.39	75.79
Early Neonatal										
Live births	3,791,712	24,945	34,386	44,700	275,746	2,425,627	748,794	223,689	11,318	2,507
Infant deaths	11,578	7,646	812	492	910	1,207	227	84	28	170
Infant Mortality Rate	3.05	306.51	23.61	11.01	3.30	0.50	0.30	0.38	2.47	67.81
Late Neonatal										
Live births	3,791,712	24,945	34,386	44,700	275,746	2,425,627	748,794	223,689	11,318	2,507
Infant deaths	2,751	1,082	235	166	306	781	129	40	7	5
Infant Mortality Rate	0.73	43.38	6.83	3.71	1.11	0.32	0.17	0.18	*	*
Postneonatal										
Live births	3,791,712	24,945	34,386	44,700	275,746	2,425,627	748,794	223,689	11,318	2,507
Infant deaths	7,169	806	442	323	1,047	3,622	719	169	26	15
Infant Mortality Rate	1.89	32.31	12.85	7.23	3.80	1.49	0.96	0.76	2.30	*

^{*/} Figure does not meet standard of reliability or precision: based on fewer than 20 deaths in the numerator

Documentation Table 1. Live births and infant death by state of occurrence of birth and by state of residence at birth: United States, 2017 Cohort Data.

(Residence at birth is of the mother)

(Nesiderice at bil til is t	Live Bi	rths	Infant De		
					Infant
					Mortality
State	Occurrence	Residence	Occurrence	Residence	Rate
United States	3,864,754	3,855,500	22,197	22,167	5.75
Alabama	57,469	58,941	421	431	7.31
Alaska	10,353	10,445	53	60	5.74
Arizona	82,829	81,872	455	459	5.61
Arkansas	36,179	37,520	285	300	8.00
California	472,820	471,658	1,952	1,935	4.10
Colorado	64,964	64,382	299	283	4.40
Connecticut	36,712	35,221	151	147	4.17
Delaware	11,265	10,855	69	70	6.45
Dist of Columbia	14,602	9,560	129	81	8.47
Florida	223,601	223,630	1,386	1,382	6.18
Georgia	130,183	129,243	927	904	6.99
Hawaii	17,519	17,517	94	96	5.48
Idaho	21,825	22,181	94	101	4.55
Illinois	145,700	149,390	862	933	6.25
Indiana	83,122	82,170	542	559	6.80
Iowa	38,284	38,430	188	218	5.67
Kansas	38,013	36,519	208	227	6.22
Kentucky	52,410	54,752	324	355	6.48
Louisiana	61,203	61,018	408	406	6.65
Maine	12,072	12,298	75	75	6.10
Maryland	68,154	71,641	428	459	6.41
Massachusetts	71,426	70,702	275	262	3.71
Michigan	110,449	111,426	735	746	6.70
Minnesota	67,545	68,595	332	315	4.59
Mississippi	36,563	37,357	295	337	9.02
Missouri	73,869	73,034	550	468	6.41
Montana	11,752	11,799	50	52	4.41
Nebraska	26,237	25,821	161	146	5.65
Nevada	35,466	35,756	220	223	6.24
New Hampshire	12,064	12,116	41	46	3.80
New Jersey	98,952	101,250	421	452	4.46
New Mexico	22,343	23,767	120	132	5.55
New York	113,345	118,006	549	574	4.86
New York City	117,013	111,731	497	476	4.26
North Carolina	122,103	120,125	865	857	7.13
North Dakota	12,391	10,737	62	51	4.75
Ohio	137,460	136,832	1,031	982	7.18
Oklahoma	48,833	50,214	380	399	7.95
Oregon	44,161	43,631	248	236	5.41
Pennsylvania	136,916	137,745	854	831	6.03
Rhode Island	11,198	10,638	73	67	6.30
South Carolina	53,579	57,029	335	368	6.45
South Dakota	12,809	12,134	112	104	8.57
Tennessee	86,721	81,016	687	582	7.18
Texas	390,053	382,050	2,204	2,176	5.70
Utah	49,651	48,585	295	288	5.93
Vermont	5,518	5,655	27	30	5.31

Documentation Table 1. Live births and infant death by state of occurrence of birth and by state of residence at birth: United States, 2017 Cohort Data.

(Residence at birth is of the mother)

,	Live Bi	rths	Infant De		
	Live bi	itiis	illiant Di	Eatils	Infant Mortality
State	Occurrence	Residence	Occurrence	Residence	Rate
Virginia	99,475	100,391	544	569	5.67
Washington	87,331	87,562	326	328	3.75
West Virginia	19,252	18,675	118	124	6.64
Wisconsin	64,728	64,975	417	431	6.63
Wyoming	6,272	6,903	23	34	4.93

Documentation Table 2. Live births, infant deaths and infant mortality rates by race of mother, sex and birthweight of child: United States, 2017 cohort data.

Race of mother and sex	Total	<500	500-749	750-999	1000-1249	1250-1499	1500-1999	2000-2499	2500 grams or	Not
All races		grams	grams	grams	grams	grams	grams	grams	more	Stated
All races										
Both sexes										
Live births	3,855,500	6,189	9,471	10,625	12,709	15,995	62,617	202,142	3,533,652	2,100
Infant deaths	22,167	5,282	3,393	1,306	782	647	1,551	1,914	7,115	177
Infant Mortality Rate	5.75	853.45	358.25	122.92	61.53	40.45	24.77	9.47	2.01	84.29
Male										
Live births	1,972,885	3,226	4,789	5,458	6,392	8,050	30,413	92,322	1,821,119	1,116
Infant deaths	12,351	2,832	1,964	804	462	360	809	978	4,025	117
Infant Mortality Rate	6.26	877.87	410.11	147.31	72.28	44.72	26.60	10.59	2.21	104.84
Female										
Live births	1.882.615	2,963	4,682	5,167	6,317	7,945	32,204	109,820	1,712,533	984
Infant deaths	9,816	2,450	1,429	502	320	287	742	936	3,090	60
Infant Mortality Rate	5.21	826.86	305.21	97.16	50.66	36.12	23.04	8.52	1.80	60.98
Non-Hispanic White										
Both sexes										
Live births	1 992 461	1,985	3,235	4,038	5,239	6,765	27,973	90,416	1,851,905	905
Infant deaths	22,167	5,282	3,393	1,306	782	647	1,551	1,914	7,115	177
Infant Mortality Rate	11.13	2660.96	1048.84	323.43	149.27	95.64	55.45	21.17	3.84	195.58
Male										
Live births	1 022 216	1,027	1,643	2,066	2,625	3,366	13,523	41,186	956,397	483
Infant deaths	12,351	2,832	1,043	804	462	360	809	978	4,025	117
Infant Mortality Rate	12.08	2757.55	1195.37	389.16	176.00	106.95	59.82	23.75	4.21	242.24
Female										
Live hirthe	070 145	OEO	1 502	1 072	2.614	2 200	14.450	40.220	905 509	422
Live births Infant deaths	970,145 9,816	958 2,450	1,592 1,429	1,972 502	2,614 320	3,399 287	14,450 742	49,230 936	895,508 3,090	60
Infant Mortality Rate	10.12	2557.41	897.61	254.56	122.42	84.44	51.35	19.01	3.45	142.18
Non-Hispanic Black										
Both sexes										
15 or blooks	560 745	2 22-	2 202	2.255	2.652	4 202	45.222	46.045	402.265	22.5
Live births	560,715	2,285	3,280	3,355	3,650	4,280	15,232	46,044	482,265	324
Infant deathsInfant Mortality Rate	6,085 10.85	1,913 837.20	1,024 312.20	350 104.32	181 49.59	157 36.68	369 24.23	449 9.75	1,585 3.29	57 175.93
Male			3			- 2.23	3	3 3	53	3.23
Live births	285,040	1,206	1,650	1,703	1,777	2,112	7,051	20,437	248,927	177
Infant deathsInfant Mortality Rate	3,376 11.84	1,043 864.84	610 369.70	213 125.07	109 61.34	86 40.72	189 26.80	231 11.30	857 3.44	38 214.69
mant wortailly Rate	11.84	004.64	309.70	125.07	01.54	40.72	20.60	11.50	5.44	214.09

Documentation Table 2. Live births, infant deaths and infant mortality rates by race of mother, sex and birthweight of child: United States, 2017 cohort data.

Race of mother and sex	Total	<500	500-749	750-999	1000-1249	1250-1499	1500-1999	2000-2499	2500 grams or	Not
Female		grams	grams	grams	grams	grams	grams	grams	more	Stated
remaie										
Live births	275,675	1,079	1,630	1,652	1,873	2,168	8,181	25,607	233,338	147
Infant deaths	2,709	870	414	137	72	71	180	218	728	19
Infant Mortality Rate	9.83	806.30	253.99	82.93	38.44	32.75	22.00	8.51	3.12	*
Non-Hispanic American India	n or Alaska	n Native /1	-							
Both sexes										
Live births	29,957	50	74	77	100	129	516	1,533	27,463	15
Infant deaths	275	42	25	18	7	13	24	19	125	2
Infant Mortality Rate	9.18	840.00	337.84	*	*	*	46.51	*	4.55	*
Male										
Live births	15,310	32	39	38	53	78	269	716	14,077	8
Infant deaths	152	28	15	7	5	8	14	11	62	2
Infant Mortality Rate	9.93	875.00	*	*	*	*	*	*	4.40	*
Female										
Live births	14,647	18	35	39	47	51	247	817	13,386	7
Infant deaths	123	14	10	11	2	5	10	8	63	-
Infant Mortality Rate	8.40	*	*	*	*	*	*	*	4.71	*
Non-Hispanic Asian										
Both sexes										
Live births	249,250	275	476	516	679	906	3,920	14,487	227,910	81
Infant deaths	913	239	184	60	26	29	58	79	235	3
Infant Mortality Rate	3.66	869.09	386.55	116.28	38.29	32.01	14.80	5.45	1.03	*
Male										
Live births	128,520	151	233	275	355	463	2,055	6,770	118,176	42
Infant deaths	520	135	110	33	14	16	35	41	133	3
Infant Mortality Rate	4.05	894.04	472.10	120.00	*	*	17.03	6.06	1.13	*
Female										
Live births	120,730	124	243	241	324	443	1,865	7,717	109,734	39
Infant deaths	393	104	74	27		13	23	38	103,734	-
Infant Mortality Rate	3.26	838.71	304.53	112.03		*	12.33	4.92	0.93	*
Non-Hispanic Native Hawaiia	n or Other	Pacific Islar	nder							
Both sexes										
Live births	9,426	14	24	15	28	29	162	459	8,691	4
Infant deaths	62	12	8	1		2	6	5	23	2
Infant Mortality Rate	6.58	*	*	*	*	*	*	*	2.65	*

Documentation Table 2. Live births, infant deaths and infant mortality rates by race of mother, sex and birthweight of child: United States, 2017 cohort data.

Race of mother and sex Male	Total	<500 grams	500-749 grams	750-999 grams	1000-1249 grams	1250-1499 grams	1500-1999 grams	2000-2499 grams	2500 grams or more	Not Stated
Live births	4,954	6	12	7	16	16	91	219	4,584	3
Infant deaths	32	4	4	1	2	1	3	2	13	2
Infant Mortality Rate	6.46	*	*	*	*	*	*	*	*	*
Female										
Live births	4,472	8	12	8	12	13	71	240	4,107	1
Infant deaths	30	8	4	-	1	1	3	3	10	-
Infant Mortality Rate	6.71	*	*	*	*	*	*	*	*	*
Hispanic										
Both sexes										
Live births	898,764	1,279	2,044	2,210	2,557	3,353	12,774	42,720	831,573	254
Infant deaths	4,519	1,092	779	270	179	127	343	393	1,323	13
Infant Mortality Rate	5.03	853.79	381.12	122.17	70.00	37.88	26.85	9.20	1.59	*
Male										
Live births	457,788	651	1,046	1,154	1,321	1,732	6,440	19,923	425,391	130
Infant deaths	2,428	567	439	163	105	72	162	190	723	7
Infant Mortality Rate	5.30	870.97	419.69	141.25	79.49	41.57	25.16	9.54	1.70	*
Female										
Live births	440,976	628	998	1,056	1,236	1,621	6,334	22,797	406,182	124
Infant deaths	2,091	525	340	107	74	55	181	203	600	6
Infant Mortality Rate	4.74	835.99	340.68	101.33	59.87	33.93	28.58	8.90	1.48	*

^{*} Figure does not meet standard of reliability or precision: based on fewer than 20 deaths in the numerator

⁻ Quantity zero

^{1/} Includes Aleut and Eskimos

Documentation Table 3. Live births, infant deaths, and infant mortality rates by birthweight, race of mother, and gestational age: United States, 2017 cohort data

					Gesta	ition				
Pirthwoight		<28	28-31	32-33	34-36	37-39			42 Weeks	Not
Birthweight	Total	Weeks	Weeks	Weeks	Weeks	Weeks	40 Weeks	41 Weeks	or more	Stated
All Races										
Live births	3,855,500	25,913	35,476	45,028	276,309	2,434,939	781,645	24,871	12,560	2,759
Infant deaths	22,167	9,908	1,511	929	2,348	5,759	1,089	335	53	235
Infant Mortality Rate	5.75	382.36	42.59	20.63	8.50	2.37	1.39	13.47	4.22	85.18
Non-Hispanic White										
Live births	1,992,461	9,200	15,429	21,132	134,561	1,237,324	424,118	141,621	8,025	1,051
Infant deaths	9,294	3,493	664	413	1,123	2,782	537	179	25	78
Infant Mortality Rate	4.66	379.67	43.04	19.54	8.35	2.25	1.27	1.26	3.12	74.22
Non-Hispanic Black										
Live births	560,715	8,548	9,070	9,656	50,750	355,389	97,486	27,786	1,585	445
Infant deaths	6,085	3,234	385	226	514	1,339	226	62	19	80
Infant Mortality Rate	10.85	378.33	42.45	23.41	10.13	3.77	2.32	2.23	*	179.78
Non-Hispanic American Indi	an or Alaskar	n Native /1								
Live births	29,957	213	304	406	2,622	19,154	5,534	1,585	80	59
Infant deaths	275	86	16	16	33	86	26	7	-	5
Infant Mortality Rate	9.18	403.76	*	*	12.59	4.49	4.70	*	*	*
Non-Hispanic Asian										
Live births	249,250	1,246	1,751	2,456	15,797	165,095	50,033	12,439	366	67
Infant deaths	913	476	50	37	98	200	33	12	1	6
Infant Mortality Rate	3.66	382.02	28.56	15.07	6.20	1.21	0.66	*	*	*
Non-Hispanic Native Hawaii	an or Other F	Pacific Islan	der							
Live births	9,426	51	79	122	740	5,916	1,831	629	42	16
Infant deaths	62	22	3	3	6	19	5	-	1	3
Infant Mortality Rate	6.58	431.37	*	*	*	*	*	*	*	*
Hispanic										
Live births	898,764	5,605	7,635	9,785	63,368	582,315	178,815	48,752	2,034	455
Infant deaths	4,519	2,122	334	197	471	1,101	213	55	4	22
Infant Mortality Rate 1/ Includes Aleut and Eskimo	5.03 os	378.59	43.75	20.13	7.43	1.89	1.19	1.13	*	48.35

Documentation Table 4. Infant deaths and infant mortality rates by age of death and birthweight for 10 major causes of infant death: United States, 2017 cohort data

	Total Infant	Total	Early	Late	Post-
Cause of death and birthweight	Deaths	Neonatal	Neonatal	Neonatal	Neonatal
All birthweights					
All Causes	22,167	14,789	11,899	2,890	7,378
	574.9	383.6	308.6	75.0	191.4
Congenital malformations (Q00-Q99)	4,578	3,327	2,664	663	1,251
	118.7	86.3	69.1	17.2	32.4
Short gestation and low birthweight nec (P07)	3,745	3,642	3,520	122	103
	97.1	94.5	91.3	3.2	2.7
Maternal complications of pregnancy (P01)	1,426	1,415	1,401	14	11
	37.0	36.7	36.3	*	*
Sudden infant death syndrome (R95)	1,318	124	26	98	1,194
	34.2	3.2	0.7	2.5	31.0
Accidents (unintentional injures) (V01-X59)	1,272	112	21	91	1,160
0 11 11 (700)	33.0	2.9	0.5	2.4	30.1
Complications of placenta, cord, membranes (P02)	837	828	792	36	9
D	21.7	21.5	20.5	0.9	
Bacterial sepsis of newborn (P36)	593	576	256	320	17 *
Description distance of a surface (D22)	15.4	14.9	6.6	8.3	
Respiratory distress of newborn (P22)	440	421	337	84	19 *
Di f thi 100 100	11.4	10.9	8.7	2.2	
Diseases of the circulatory system (I00-I99)	446	88	47	41	358
New stallands with a set (DEO DEO DEO)	11.6	2.3	1.2	1.1	9.3
Neonatal hemorrhage (P50-P52, P54)	384 10.0	373 9.7	257 6.7	116	11
All other causes				3.0	
All other causes	7,128 184.9	3,883 100.7	2,578 66.9	1,305 33.8	3,245 84.2
Less than 2,500 grams	104.9	100.7	00.9	33.6	64.2
All Causes	14,875	12,134	10,240	1,894	2,741
All Cadded	4652.1	3794.9	3202.5	592.3	857.2
Congenital malformations (Q00-Q99)	2,871	2,270	1,944	326	601
congenital manormations (400 433)	897.9	709.9	608.0	102.0	188.0
Short gestation and low birthweight nec (P07)	3,659	3,557	3,435	122	102
	1144.3	1112.4	1074.3	38.2	31.9
Maternal complications of pregnancy (P01)	1,367	1,357	1,345	12	10
, , ,	427.5	424.4	420.6	*	*
Sudden infant death syndrome (R95)	281	26	6	20	255
	87.9	8.1	*	6.3	79.8
Accidents (unintentional injures) (V01-X59)	218	20	5	15	198
	68.2	6.3	*	*	61.9
Complications of placenta, cord, membranes (P02)	730	722	696	26	8
	228.3	225.8	217.7	8.1	*
Bacterial sepsis of newborn (P36)	537	521	220	301	16
	167.9	162.9	68.8	94.1	*
Respiratory distress of newborn (P22)	434	415	333	82	19
	135.7	129.8	104.1	25.6	*
Diseases of the circulatory system (I00-I99)	213	42	19	23	171
	66.6	13.1	*	7.2	53.5
Neonatal hemorrhage (P50-P52, P54)	352	343	241	102	9
	110.1	107.3	75.4	31.9	*
All other causes	4,213	2,861	1,996	865	1,352
	1317.6	894.8	624.2	270.5	422.8

Documentation Table 4. Infant deaths and infant mortality rates by age of death and birthweight for 10 major causes of infant death: United States, 2017 cohort data

	Total				
	Infant	Total	Early	Late	Post-
Cause of death and birthweight	Deaths	Neonatal	Neonatal	Neonatal	Neonatal
2,500 grams or more					
			4 500	200	
All Causes	7,115	2,489	1,500	989	4,626
(000,000)	201.3	70.4	42.4	28.0	130.9
Congenital malformations (Q00-Q99)	1,699	1,051	716	335	648
	48.1	29.7	20.3	9.5	18.3
Short gestation and low birthweight nec (P07)	12	11	11	-	1
	*	*	*	*	*
Maternal complications of pregnancy (P01)	21	20	19	1	1
	0.6	0.6	*	*	*
Sudden infant death syndrome (R95)	1,035	98	20	78	937
	29.3	2.8	0.6	2.2	26.5
Accidents (unintentional injures) (V01-X59)	1,053	92	16	76	961
	29.8	2.6	*	2.2	27.2
Complications of placenta, cord, membranes (P02)	89	88	78	10	1
	2.5	2.5	2.2	*	*
Bacterial sepsis of newborn (P36)	56	55	36	19	1
	1.6	1.6	1.0	*	*
Respiratory distress of newborn (P22)	6	6	4	2	-
	*	*	*	*	*
Diseases of the circulatory system (I00-I99)	229	44	27	17	185
	6.5	1.2	0.8	*	5.2
Neonatal hemorrhage (P50-P52, P54)	32	30	16	14	2
	0.9	0.8	*	*	*
All other causes	2,883	994	557	437	1,889
	81.6	28.1	15.8	12.4	53.5

^{*/}Figure does not meet standard of reliability or precision; based on fewer than 20 deaths in the numerator.

^{-/} Quantity zero