DOCUMENTATION OF THE DETAIL NATALITY TAPE FILE FOR 1995 DATA

DETAIL NATALITY FOR PUERTO RICO, VIRGIN ISLANDS, AND GUAM ARE INCLUDED AS A SEPARATE DATA SET IN THE PUBLIC-USE FILE

Public Use Data Tape Documentation - Natality Detail 1995 Data

This tape documentation was prepared in the Division of Vital Statistics. Manju Sharma of the Systems, Programming, and Statistical Resources Branch was responsible for developing the natality documentation and for providing all of the computer programming services necessary to keep it up-to-date. Thomas Dunn assisted Ms. Sharma in updating this documentation.

Sally Curtin of the Reproductive Statistics Branch prepared the Technical Appendix. The Registration Methods Section and the Data Acquisition and Evaluation Branch provided consultation to State Vital Statistics offices regarding collection of birth certificate data.

Questions on the documentation or general questions concerning the natality file should be directed to the of the Systems, Programming, and Statistical Resources Branch, Division of Vital Statistics, NCHS, 6525 Belcrest Road, Room 840, Hyattsville, MD 20782 (301-436-8900).

Questions concerning the Technical Appendix or substantive questions concerning the natality data should be directed to the Reproductive Statistics Branch, Division of Vital Statistics, NCHS, 6525 Belcrest Road, Room 840, Hyattsville, MD 20782 (301-436-8954).

Documentation of the Detail Natality Data File for 1995 Data

Since 1985 natality statistics for all States and the District of Columbia have been based on information from the total file of records. The information is received on computer data tapes coded by the States and provided to the National Center for Health Statistics (NCHS) through the Vital Statistics Cooperative Program. NCHS receives the data for this file from the registration offices of all States, the District of Columbia, and New York City. Natality data for Puerto Rico, Virgin Islands, and Guam are included as separate data-sets in the public-use file.

Natality data for the United States are limited to births occurring within the United States to U.S. residents and nonresidents. Births to nonresidents of the United States are excluded from all tabulations by place of residence. Births occurring to U.S. citizens outside the United States are not included in this file. Natality data for Puerto Rico, Virgin Islands, and Guam are limited to births occurring with in the respective territories.

Effective January 1, 1989, a revised U.S. Standard Certificate of Live Birth replaced the 1978 revision. The 1989 revision provides a wide variety of new information on maternal and infant health characteristics, representing a significant departure from previous versions in both content and format. For a more detailed discussion of the revised and new items refer to the technical appendix part of this document.

The Office of Management and Budget revised its designation of metropolitan statistical areas based on figures from the 1990 Census. Effective with the 1990 data file, NCHS has been using these new definitions and codes as indicated in the listing of 320 Metropolitan Statistical Areas (MSA's), Primary Metropolitan Statistical Areas (PMSA's), and New England County Metropolitan Areas (NECMA'S) included in this documentation. There are also 20 Consolidated Metropolitan Statistical Areas (CMSA's), which are made up of PMSA's. Because other geographic changes based on 1990 Census became effective with 1994 data file, the metropolitan statistical area destination were updated as well. Effective with the 1994 data-file there are 311 MSA's, PMSA's, and NECMA'S and 18 CMSA's as indicated in the listing included in this documentation.

NCHS has adopted a new policy on release of vital statistics unit record data files. This new policy was implemented for the 1989 vital event files to prevent the inadvertent disclosure of individuals and institutions. As a result, the files for 1989 and later years do not contain the actual day of the birth or the dates of birth of the mother or father. The geographic detail is also restricted; only counties and cities of 100,000 or more population based on the 1990 Census, as well as metropolitan areas of 100,000 or more population based on the 1990 Census, are identified.

List of Data Elements and Tape Locations

Data Items

<u>Locations</u>

Included in this document are:

- List of data elements and tape locations.
- Machine/File/Data Characteristics.
- Detail Record Layout.

SYMBOLS USED IN TABLES

Symbol	Explanation
	Data not available
• • •	Category not applicable
-	Quantity zero
0.0	Quantity more than 0 but less than 0.05
*	Figure does not meet standards of reliability or precision

1.	General				
	a.	Data year	1-4		
	ъ.	Record type	5		
	c.	Resident status	6		
2.	Occurrence				
	a.	NCHS State	16-17		
	b.	Expanded NCHS State	14-15		
	c.	NCHS County	18-20		
	đ.	Population size - county	26		
		Division	12		
	€.	DIAISION			

List of Data Elements and Tape Locations

	<u>Data</u>	<u>Items</u>	<u>Locations</u>		
	£.	Region	11		
	g.	FIPS State	21-22		
	h.	FIPS County	23-25		
3.	Resid	Residence			
	a.	NCHS State	32-33		
	b.	Expanded NCHS State	30-31		
	c.	NCHS County	34-36		
	đ.	NCHS City	37-39		
	€.	Population size - city	40		
	f.	Population size - county	58		
	g.	NCHS PSMA/MSA	347-349		
	h.	Met/Nonmet county	41		
	i.	Division	28		
	j.	Region	27		
	k.	FIPS State	42-43		
	1.	FIPS County	44-46		
	m.	FIPS Place	47-51		
	n.	CMSA	52-53		
	٥.	FIPS PSMA/MSA	54-57		
4.	4. Prenatal Care				
	a.	Month began	106-109		
	b.	Number of visits	110-113		
	c.	Adequacy of care recode	93		
5.	Child	L			
	a.	Sex	188-189		
	b.	Number at delivery	201		
	c.	Birthweight	193-199		
	đ.	Apgar score	205-207		
	е.	Gestation	181-187,208-209		
	f.	Month/year of birth	172-173,176-179		
	g.	Day of week of birth	180		
	_	_			

List of Data Elements and Tape Locations

	Data :	<u>Items</u>	<u>Locations</u>	
6.	Mother			
0.	MOTHE.	r Age	68-76,91-92	
	a. b.	Race	79-82	
	c.	Marital status	86-87	
		Education	83-85	
		Place of birth	88-90	
	f.	Hispanic origin	77-78	
	L •	HISPERIC OLIGI-		
7.	Pregn	ancy History		
	a.	Born alive, now living	94-95	
	b.	Born alive, now dead	96-97	
	c.	Other terminations	98-99	
	đ.	Total birth order	103-105	
	e.	Live birth order	100-102	
_				
8.	Fathe	_	154-157,166-167	
	a.	Age	160-162	
	b.	Race	158-159	
	c.	Hispanic origin	200 200	
9.	Other	: Items		
	a.	Residence reporting flags	307-326	
	b.	Attendant at birth	10	
	c.	Place of delivery	8-9	
	d.	Interval since last live birth	128-132	
10.	Medic	al and Health Data		
10.	a.	Method of delivery	217-222,224	
	b.	Medical risk factors	225-241	
	c.	Other risk factors		
	٠.	Tobacco	242-245	
		Alcohol	246-249	
		Weight gain during pregnancy	25 0-252	
	đ.	Obstetric procedures	253-259	
	e.	Complications of labor and/or		
	~	delivery	260-275	
	f.	Abnormal conditions of the		
		newborn	276-284	
	g.	Congenital anomalies	285-306	

Machine/File/Data Characteristics:

ALL DATA SETS:

1. 2. 3. 4. 5. 6. 7. 8.	Machine used: Language used: File organization: Record format: Record mode: Code scheme: Last block: Record length: Blocksize:	IBM/3081/K PL/I One file, multiple reels Blocked, fixed format IBM/EBCDIC 8-bit code Numeric/Alphabetic/Blanks May be a short block 350 32550
--	--	---

8. Record length:	350	
9. Blocksize:	32550	
U.S. DATA SET:		
1. Record count:		
2. Data counts: ALL B	FIRTHS:	2 002 010
	a. By occurrence:	3,903,012
	b. By residence:	3,899,589 3,423
	c. To foreign residents:	3,423
PUERTO RICO, VIRGIN ISL	ANDS, AND GUAM DATA SET:	
1. Record count:		69,868
PUERTO RICO:		
2. Data counts:	ALL BIRTHS:	
	a. By occurrence:	63,518
	b. By residence:	63,425
VIRGIN ISLANDS:		
1. Record count:		
2. Data counts:	ALL BIRTHS:	
	a. By occurrence:	2,164
	b. By residence:	2,063
GUAM:		
1. Record count:		
2. Data counts:	ALL BIRTHS:	
_,	a. By occurrence:	4,186
	b. By residence:	4,179

Tape <u>Location</u>	Field <u>Size</u>	Item and Code Outline
1-4	4	<u>DATAYEAR</u> Year Birth of Child (Data Year)
		1995 1995
5	1	RECTYPE Record Type
		1 Resident: State and county of occurrence and residence are the same.
		Nonresident: State and/or county of occurrence and residence are different.
6	1	RESTATUS Resident Status
		United States occurrence
		1 RESIDENTS: State and county of occurrence and residence are the
		same. 2 INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different.
		3 INTERSTATE NONRESIDENTS: State of occurrence and residence are different, but both are in the U.S.
		4 FOREIGN RESIDENTS: State of occurrence is one of the 50 States or the District of Columbia, but place of residence of mother is outside of the U.S.
		Puerto Rico occurrence
		1 RESIDENTS: State and county of
		occurrence and residence are the same.
		2 INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different.
		4 FOREIGN RESIDENTS: Occurred in Puerto Rico to a resident of any other place.

Tape <u>Location</u>	Field <u>Size</u>	Item and Code Outline
6	1	RESTATUS Resident Status (Cont'd)
		Virgin Islands occurrence
		1 RESIDENTS: State and county of occurrence and residence are the
		same. 2 INTRASTATE NONRESIDENTS: State of occurrence and residence are the same, but county is different.
		4 FOREIGN RESIDENTS: Occurred in the Virgin Islands to a resident of any other place.
		Guam occurrence
		1 RESIDENTS: Occurred in Guam to a resident of Guam or to a resident of the U.S.
		4 FOREIGN RESIDENTS: Occurred in Guam to a resident of any place other than Guam or of the U.S.
7	1	RECWT Record Weight
		1 Constant - as of the 1985 data year, this file contains data on a 100-percent basis from all reporting areas.
8	1	PLDEL Place or Facility of Birth
		1 Hospital 2 Freestanding Birthing Center 3 Clinic or Doctor's Office 4 A Residence 5 Other 9 Unknown or Not Stated
9	1	PLDEL3 Place or Facility of Birth Recode
		1 In Hospital 2 Not in a Hospital 3 Unknown or Not Stated

Tape <u>Location</u>	Field <u>Size</u>	Item and Code Outline
10	1	BIRATTND Attendant at Birth
		Doctor of Medicine (M.D.) Doctor of Osteopathy (D.O.) Certified Nurse Midwife (C.N.M.) Other Midwife Unknown or Not Stated
11-26	16	NOCCUR Place of Occurrence
11-13	3	RDSSCOCC Region, Division, and State Subcode of Occurrence
11	1	REGNOCC Region of Occurrence
12	1	DIVOCC Division of Occurrence
13	1	STSUBOCC State Subcode of Occurrence
		States are coded within division and the code structure is designed to sequence the States as they appear in NCHS publications.
		000 Not applicable: P.R., V.I., or Guam occurrence
		1 New England 1 New England 1 Maine 2 New Hampshire 3 Vermont 4 Massachusetts 5 Rhode Island 6 Connecticut 2 Middle Atlantic 1 New York 2 New Jersey 3 Pennsylvania

1995 Detail Natality Record

Tape	Field	The and dade Outline
<u>Location</u>	<u>Size</u>	Item and Code Outline
	4	STSUBOCC
13	1	State Subcode of Occurrence (Cont'd)
		2 MIDWEST
		3 <u>East North Central</u>
		1 Ohio
		2 Indiana
		3 Illinois
		4 Michigan
		5 Wisconsin
		4 West North Central
		1 Minnesota
		2 Iowa
		3 Missouri
		4 North Dakota
		5 South Dakota
		6 Nebraska
		7 Kansas
		3 <u>SOUTH</u>
		5 <u>South Atlantic</u>
		1 Delaware
		2 Maryland
		3 District of Columbia
		4 Virginia
		5 West Virginia
		6 North Carolina
		7 South Carolina
		8 Georgia
		9 Florida
		6 <u>East South Central</u>
		1 Kentucky
		2 Tennessee
		3 Alabama
		4 Mississippi
		7 West South Central
		1 Arkansas 2 Louisiana
		Morrag
		± • • • • • • • • • • • • • • • • • • •
		
		Montana
		Tdaho
		3 Wyoming
		4 Colorado
		5 New Mexico
		6 Arizona
		7 Utah
		8 Nevada
		<u> </u>

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
13	1	STSUBOCC State Subcode of Occurrence (Cont'd)
		9 <u>Pacific</u> 1 Washington 2 Oregon 3 California 4 Alaska 5 Hawaii
14-15	2	STNATEXP Expanded State of Occurrence

This item is designed to separately identify New York city records from other New York State records.

United	States	
01		Alabama
02		Alaska
03		Arizona
04		Arkansas
05		California
06		Colorado
07		Connecticut
08		Delaware
09		District of Columbia
10		Florida
11		Georgia
12		Hawaii
13		Idaho
14		Illinois
15		Indiana
16		Iowa
17		Kansas
18		Kentucky
19		Louisiana
20		Maine
21		Maryland
22		Massachusetts
23		Michigan
24	. , .	Minnesota
25		Mississippi
26		Missouri
27		Montana
28		Nebraska

Tape Location	Field <u>Size</u>	Item and	Code Out]	line
14-15	2	STNATEXP Expanded	State of	Occurrence (Cont'd)
		United St 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52		Nevada New Hampshire New Jersey New Mexico New York New York city North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania Rhode Island South Carolina South Dakota Tennessee Texas Utah Vermont Virginia Washington West Virginia Wisconsin Wyoming
		Puerto R		Puerto Rico
		<u>Virgin</u> 54	slands	Virgin Islands
		Guam 55		Guam
16-17	2	STATENAT	Occurre	<u>ace</u>
		<u>United 8</u> 01 02 03 04 05	States 	Alabama Alaska Arizona Arkansas California

Tape Location	Field <u>Size</u>	Item and Code Outline
16-17	2	STATENAT State of Occurrence (Cont'd)
		Wnited States 06 Colorado 07 Connecticut 08 Delaware 09 District of Columbia 10 Florida 11 Georgia 12 Hawaii 13 Idaho 14 Illinois 15 Indiana 16 Iowa 17 Kansas 18 Kentucky 19 Louisiana 20 Maine 21 Maryland 22 Massachusetts 23 Michigan 24 Minnesota 25 Mississisppi 26 Missouri 27 Montana 28 Nebraska 29 New da 30 New Hampshire 31 New Jersey 32 New Mexico 33 New York 34 North Dakota 35 North Dakota
		42 South Dakota 43 Tennessee 44 Texas 45 Utah 46 Vermont 47 Virginia

Tape <u>Location</u>	Field <u>Size</u>	Item and Code Outline
16-17	2	STATENAT State of Occurrence (Cont'd)
		United States 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming
		Puerto Rico Puerto Rico
		<u>Virgin Islands</u> 53 Virgin Islands
		Guam 54 Guam
18-20	3	COUNTY OF OCCURRENCE
		O01-nnn Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 1990. (Note: To uniquely identify a county, both and State and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document. 999 County of less than 100,000 population
21-25	5	FIPSOCC Federal Information Processing Standards (FIPS) Geographic Codes (Occurrence)

Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications.

Some Geographic codes have changed to reflect the results of the 1990 Census.

Tem and Code Outline	Tem and Code Outline		Field	
	State of Occurrence (FIPS) United States			Item and Code Outline
Alabama Alabama Alabama Alabama Alabama Arizona Arkansas Office California Os	Alabama Alabama Alabama Alabama Alabama Alabama Arizona Arkansas Arkansas Arkansas Arkansas Arkansas California Os Connecticut Os Connecticut Os Delaware Os Delaware Os Delaware Os Delaware Os Os Os Os Os Os Os O	21-22	2	STOCCFIP State of Occurrence (FIPS)
47 Tennessee				O1

Tape <u>Location</u>	Field <u>Size</u>	Item and Code Outline
21-22	2	STOCCFIP State of Occurrence (FIPS) (Cont'd)
		United States Texas 49 Utah 50 Vermont 51 Virginia 53 Washington 54 West Virginia 55 Wisconsin 56 Wyoming
		Puerto Rico 72 Puerto Rico
		<u>Virgin Islands</u> 78 Virgin Islands
		Guam 66 Guam
23-25	3	CNTOCFIP County of Occurrence (FIPS)
		O01-nnn Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document. 999 County of less than 100,000
		population
26	1	CNTOCPOP Population Size of County of Occurrence
		Based on the results of the 1990 Census O County of 1,000,000 or more O County of 500,000 to 1,000,000 County of 250,000 to 500,000 County of 100,000 to 250,000 County of less than 100,000

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
27-58	32	NRESID Place of Residence
		Refer to the Geographic Code Outline further back in this document for a detailed list of areas and codes. Some Geographic codes have changed to reflect the results of the 1990 Census.
27-29	3	RDSCRES Region, Division, and State Subcode of Residence
27	1	REGNRES Region of Residence
28	1	<u>DIVRES</u> <u>Division of Residence</u>
29	1	STSUBRES State Subcode of Residence

States are coded within Division and the code structure is designed to sequence the States as they appear in NCHS publications.

APPLICABLE TO U.S. ONLY

00	0 1	1 2 3 4 5 6 1	 Foreign Residents NORTHEAST New England Maine New Hampshire Vermont Massachusetts Rhode Island Connecticut Middle Atlantic New York New Jersey
		2	 Pennsylvania
2		_	 MIDWEST
	3		 East North Central
		1	 Ohio
		2	 Indiana
		3	 Illinois
		4	 Michigan
		5	 Wisconsin

Tape <u>Location</u>	Field <u>Size</u>	Item and Code	Outline
29	1	STSUBRES State Subcode	of Residence (Cont'd)
		APPLICABLE	TO U.S. ONLY
		4 6 7 8 9 6 1 2 3 4 7 1 2 3 4 4 8 1 4 8 1 5 6 7	Iowa Missouri North Dakota South Dakota Nebraska Kansas SOUTH South Atlantic Delaware Maryland District of Columbia Virginia West Virginia North Carolina South Carolina Georgia Florida East South Central Kentucky Tennessee Alabama Mississippi

STSUBRES State Subcode of Residence (Cont'd) 1 29

APPLICABLE TO U.S. ONLY

9	 <u>Pacific</u>
1	 Washington
2	 Oregon
3	 California

1995 Detail Natality Record

Tape <u>Location</u>	Field <u>Size</u>	Item and Code Outline
		4 Alaska 5 Hawaii
30-31	2	STRESEXP Expanded State of Residence

This item is designed to separately identify New York City records from other New York State records.

United	States occi	urrence
01		Alabama
02		Alaska
03		Arizona
04		Arkansas
05		California
06		Colorado
07		Connecticut
80		Delaware
09		District of Columbia
10		Florida
11		Georgia
12		Hawaii
1.3		Idaho
14		Illinois
15		Indiana
16		Iowa
17		Kansas
18		Kentucky
19		Louisiana
20		Maine
21		Maryland
22		Massachusetts
23		Michigan
24		Minnesota
25		Mississippi
26		Missouri
27		Montana

Tape Location	Field Size	Item and Code Outline	
30-31	2	STRESEXP Expanded State of Residence (Cont'd)	
		United States occurrence	
		28 Nebraska	
		29 Nevada	
		30 New Hampshire	
		31 New Jersey	
		32 New Mexico	
		33 New York	
		New York City	
		35 North Carolina	
		36 North Dakota	
		37 Ohio	
		38 Oklahoma	
		39 Oregon	
		40 Pennsylvania	
		41 Rhode Island	
		42 South Carolina	
		43 South Dakota	
		44 Tennessee	
		45 Texas	
		46 Utah	
		47 Vermont	
		48 Virginia	
		49 Washington	
		50 West Virginia	
		51 Wisconsin	
		52 Wyoming	
		53-58.60 Foreign Residents	
		53 Puerto Rico	
		54 Virgin Islands	
		55 Guam	
		56 Canada	
		57 Cuba	
		Eo Mexico	
		60 Remainder of the world	
		Puerto Rico occurrence	
		53 Puerto Rico Foreign residents: Refer to	n
		01-52,54-58,60 Foreign residents: Refer to U.S. for specific code structure.	J

Tape	Field		
<u>Location</u>	<u>Size</u>	Item and Code Outline	
30-31	2	STRESEXP Expanded State of Residence (Cont'd)	
		Virgin Islands occurrence	
		54 Virgin Islands	
		01-53,55-58,60 Foreign residents: Refer t U.S. for specific code structure.	0
		Guam occurrence	
		55 Guam	
		01-52 U.S. resident is also considered a resident of Gu	am.
		53-58,60 Foreign residents: Refer t	.0
		U.S. for specific code structure.	
32-33	2	STATERES State of Residence	
		T-ital Chates oggurrende	
		United States occurrence 01 Alabama	
		02 Alaska	
		03 Arizona	
		04 Arkansas	
		05 California	
		06 Colorado	
		07 Connecticut	
		08 Delaware	
		09 District of Columbia	
		20	
		11 Georgia 12 Hawaii	
		13 Idaho	
		14 Illinois	
		15 Indiana	
		16 Iowa	
		17 Kansas	
		18 Kentucky	
		19 Louisiana	
		20 Maine	
		21 Maryland 22 Massachusetts	
		23 Michigan 24 Minnesota	
		25 Mississippi	

Item and Code Outline

Field

<u>Size</u>

Tape <u>Location</u>

32-33	2	STATERES State of Res	sidenc	e (Cont'd)
		United State	s occ	urrence
		26		Missouri
		27		Montana
		28		Nebraska
		29		Nevada
		30		New Hampshire
		31		New Jersey
		32		New Mexico
		33		New York
		34		North Carolina
		35		North Dakota
		36		Ohio
		37		Oklahoma
		38		Oregon
		39		Pennsylvania
		40		Rhode Island
		41		South Carolina
		42		South Dakota
		43		Tennessee
		44		Texas
		45		Utah
		46		Vermont
		47		Virginia
		48		Washington
		49		West Virginia
		50		Wisconsin
		51		Wyoming
		52-57,59		Foreign Residents
		52		Puerto Rico
		53		Virgin Islands
		54		Guam
		55		Canada
		56		Cuba
		57		Mexico
		59		Remainder of the world

Puerto Rico occurrence

delto kico occurren	<u> </u>
52 01-51,53-57,59	Desidents. Defor to

Tape Location	Field <u>Size</u>	Item and Code Outline	
32-33	2	STATERES State of Residence (Cor	t'd)
		Virgin Islands occurrer 53 01-52,54-57,59	virgin Islands Virgin Islands Foreign Residents: Refer to U.S. for specific code structure.
		Guam occurrence 54 01-51 52-57,59	Guam U.S. resident is also considered a resident of Guam. Foreign Residents: Refer to U.S. for specific code structure.
34-36	3	<u>CNTYRES</u> County of Residence	
		A complete list of confidence of Confidence Code Outle	ounties is shown in the ine further back in this
		001-nnn	equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county with a population of 100,000 or more in 1990. (Note: To uniquely identify a county, both the State and county codes must be used.)
		999	County of less than 100,000 population
		222	Foreign Residents

Tape Location	Field <u>Size</u>	Item and Code Outline
37-39	3	CITYRES City of Residence
		A complete list of cities is shown in the Geographic Code Outline further back in this document.
		001-nnn Cities are numbered alphabetically within each State and identify each city with a population of 100,000 or more in 1990. (Note: To uniquely identify a city, both the State and city codes must be used. State, county and city codes may also be used.)
		999 Balance of county
		ZZZ Foreign residents
40	1	CITRSPOP Population Size of City of Residence Based on the results of the 1990 census
		0 Place of 1,000,000 or more 1 Place of 500,000 to 1,000,000 2 Place of 250,000 to 500,000 3 Place of 100,000 to 250,000 9 All other areas in the U.S.
		Z Foreign residents
41	1	METRORES Metropolitan - Nonmetropolitan County of Residence
		MOTE: GUAM AND THE VIRGIN ISLANDS DO NOT HAVE ANY METROPOLITAN AREAS 1 Metropolitan county 2 Nonmetropolitan county Z Foreign residents

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline	
42-57	16	FIPSRES Federal Information Processing Standards (FIPS) Geographic Codes (Residence)	
		Refer to the Geographic Code Outline further back is this document for a detailed list of areas and codes. For an explanation of FIPS codes, reference should be made to various National Institute of Standards and Technology (NIST) publications. Some Geographic Codes have changed to reflect the result of the 1990 Census.	<u>.</u>
42-43	2	STRESFIP State of Residence (FIPS)	
		United States occurrence	
		00 Foreign residents	
		01 Alabama	
		02 Alaska	
		04 Arizona	
		05 Arkansas	
		06 California	
		08 Colorado	
		09 Connecticut	
		10 Delaware 11 District of Columbia	
		±3	
		15	
		10	
		20	
		22 Louisiana	

23

24

30

31

32

Maine Maryland

Michigan Minnesota Mississippi

Missouri

Nebraska

Montana

Nevada

Massachusetts

. . .

. . .

. . .

. . .

. . .

. . .

. . .

. . .

Tape Location	Field <u>Size</u>	Item and Code Outline
42-43	2	STRESFIP State of Residence (FIPS) (Cont'd)
		United States occurrence 33 New Hampshire 34 New Jersey 35 New Mexico 36 New York 37 North Carolina 38 North Dakota 39 Ohio 40 Oklahoma 41 Oregon 42 Pennsylvania 44 Rhode Island 45 South Carolina 46 South Dakota 47 Tennessee 48 Texas 49 Utah 50 Vermont
		51 Virginia 53 Washington 54 West Virginia 55 Wisconsin 56 Wyoming
		Puerto Rico occurrence 00-56,66,78 Foreign Residents: Refer to U.S. for specific code structure 72 Puerto Rico
		Virgin Islands occurrence 00-56,66,72 Foreign Residents: Refer to U.S. for specific code structure 78 Virgin Islands
		Guam occurrence 00,72,78 Foreign Residents: Refer to U.S. for specific code structure 01-56 U.S. Resident is also considered a resident of Guam. Refer to U.S. for specific code structure
		66 Guam

Tape Location	Field <u>Size</u>	Item and Code Outline
44-46	3	COUNTYRFIP County of Residence (FIPS)
		001-nnn Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State. (Note: To uniquely identify a county, both the State and county codes must be used.) 999 County of less than 100,000 population Foreign residents
47-51	5	PLACEFIP Place (City) of Residence
		A complete list of cities is shown in the Geographic code outline further back in this document. Effective with the 1994 data year, the FIPS place code has been added to the Mortality record. It identifies each city of 100,000 population or more in 1990.
		00000 Foreign residents
		nnnnn Code range 99999 Balance of county; or city of less than 100,000 population
52-53	2	CMSA of Residence (FIPS)
		Consolidated Metropolitan Statistical Areas are groupings of certain Primary Metropolitan Statistical Areas and are defined by the U.S. Office of Management and Budget (OMB) as of June 30, 1990.
		All AREAS 00 Not a CMSA
52-53	2	United States occurrence O7

Tape Location	Field <u>Size</u>	Item and Code Outline
		City, PA-NJ-DE-MD, CMSA
		79 Portland-Salem, OR-WA, CMSA 82 Sacramento-Yolo, CA, CMSA 84 San Francisco-Oakland-San Jose, CA, CMSA 91 Seattle-Tacoma-Bremerton, WA, CMSA 97 Washington-Baltimore, DC-MD-VA-WV, CMSA
		Puerto Rico occurrence
		87 San Juan-Caguas-Arecibo, PR, CMSA
54-57	4	SMSARFIP PMSA/MSA of Residence (FIPS)
		Primary Metropolitan Statistical Areas and Metropolitan Statistical Areas are those defined by the U.S. Office of Management and Budget as of 1990. For New England, the New England County Metropolitan Areas (NECMA's) are used.
		Further back in this document is a list of PMSA's, MSA's, NECMA's, and their component counties.
		0000 Nonmetropolitan counties or foreign residents
		0040-9360 Code range 9999 Area of less than 100,000 population
58	1	CNTRSPOP Population Size of County of Residence Based on the results of the 1990 Census.
		0 County of 1,000,000 or more 1 County of 500,000 to 1,000,000 2 County of 250,000 to 500,000 3 County of 100,000 to 250,000 9 County of less than 100,000 Z Foreign resident
59-67	9	R1A Reserved Positions

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
68	1	MAGERFLG Reported Age of Mother Used Flag
		This position is flagged whenever the mother's reported age is used. The reported age is used, if valid, when age could not be computed or when the computed age is outside the 10-49 code range.
		Blank Reported age is not used 1 Reported age is used
69	1	MAGEIMP Age of Mother Imputation Flag
		Blank Age is not imputed 1 Age is imputed
70-71	2	DMAGE Age of Mother
		This item is: a) computed using dates of birth of mother and of delivery; b) reported; or c) imputed. This is the age item used in NCHS publications.
		10-49 Age in single years
72-73	2	MAGE36 Age of Mother Recode 36
		01

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
72-73	2	MAGE36 Age of Mother Recode 36 (Cont'd)
		18 31 years 19 32 years
		20 33 years
		21 34 years
		22 35 years
		23 36 years
		24 37 years
		25 38 years
		26 39 years
		27 40 years
		28 41 years
		29 42 years
		30 43 years
		31 44 years
		20
		32 45 years 33 46 years
		2.4
		25
		35 48 years 36 49 years
74-75	2	MAGE12 Age of Mother Recode 12 01 Under 15 years 03 15 years 04 16 years 05 17 years 06 18 years 07 19 years 08 20 - 24 years
		08 20 - 24 years 09 25 - 29 years 10 30 - 34 years 11 35 - 39 years 12 40 - 44 years 13 45 - 49 years
76	1	MAGE8 Age of Mother Recode 8
		1 Under 15 years 2 15 - 19 years 3 20 - 24 years 4 25 - 29 years

Tape Location	Field <u>Size</u>	Item and Code Outline
76	1	<pre>MAGE8 Age of Mother Recode 8 (Cont'd)</pre>
		5 30 - 34 years 6 35 - 39 years 7 40 - 44 years 8 45 - 49 years
77	1.	ORMOTH Hispanic Origin of Mother
		Hispanic origin is reported by all areas except Puerto Rico.
		0 Non-Hispanic 1 Mexican 2 Puerto Rican 3 Cuban 4 Central or South American 5 Other and unknown Hispanic 9 Origin unknown or not stated
78	1	ORRACEM Hispanic Origin and Race of Mother Recode
		Hispanic origin is reported by all areas except Puerto Rico.
		1 Mexican 2 Puerto Rican 3 Cuban 4 Central or South American 5 Other and unknown Hispanic 6 Non-Hispanic White 7 Non-Hispanic Black 8 Non-Hispanic other races 9 Origin unknown or not stated
79	1	MRACEIMP Race of Mother Imputation Flag
		Blank Race is not imputed 1 Unknown race is imputed 2 All other races, formerly code 09, is imputed

MRACE Race of Mother

80-81

2

United States occurrence

Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18-68 replace old code 08 for these areas. Code 78 replaces old code 08 for all other areas. For consistency with Census race code 09

1995 Detail Natality Record

		•							
Tape <u>Location</u>	Field <u>Size</u>	Item and	Item and Code Outline						
		(all other races) used prior to 1992 has been imputed.							
		01	White						
		02	Black						
		03	American Indian (includes Aleuts ar Eskimos)	ıd					
		04	Chinese						
		05	Japanese						
		06	Hawaiian (includes part-Hawaiian)						
		07	Filipino						
		18	Asian Indian						
		28	Korean						
		38	Samoan						
		48	Vietnamese						
		58	Guamanian						
		68	Other Asian or Pacific Islander in areas reporting codes 18-58						
		78	Combined other Asian or Pacific						
			Islander, includes codes 18-68 for						
			areas that do not report them						
			separately						
		Puerto Ri	ico occurrence						
		01	White						
		02	Black	_					
		03	03 American Indian (includes Aleuts						
			Eskimos)						
		04	Chinese						
		05	Japanese						
		06	Hawaiian (includes part-Hawaiian)						
		07	Filipino						
		08	Other Asian or Pacific Islander						

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline				
80-81	2	MRACE Race of Mother (Cont'd)				
		Virgin Islands occurrence				
		01 White				
		02 Black				
		03 American Indian (includes Aleuts and Eskimos)				
		04 Chinese				
		05 Japanese				
		06 Hawaiian (includes part-Hawaiian)				
		07 Filipino				
		08 Other Asian or Pacific Islander				
		Guam occurrence				
		01 White				
		02 Black				
		03 American Indian (includes Aleuts and Eskimos)				
		04 Chinese				
		05 Japanese				
		06 Hawaiian (includes part-Hawaiian)				
		07 Filipino				
		08 Other Asian or Pacific Islander				
		10 Guamanian				
82	1	MRACE3 Race of Mother Recode				
		For All Areas				
		1 White				
		2 Races other than White or Black				
		3 Black				
83-84	2	DMEDUC Education of Mother				
		Effective with 1992 data, all areas report education.				
		00 No formal education 01-08 Years of elementary school 09 1 year of high school 10 2 years of high school 11 3 years of high school 12 4 years of high school				

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline					
83-84	2	<pre>DMEDUC Education of Mother (Cont'd)</pre>					
		13 1 year of college 14 2 years of college 15 3 years of college 16 4 years of college 17 5 or more years of college 99 Not stated					
85	1	MEDUC6 Education of Mother Recode					
		1 0 - 8 years 2 9 - 11 years 3 12 years 4 13 - 15 years 5 16 years and over 6 Not stated					
86	1	DMARIMP Marital Status of Mother Imputation Flag					
		Blank Marital Status is not imputed 1 Marital Status is imputed					
87	1	DMAR Marital Status of Mother					
		Marital status is not reported by all areas. See reporting flags.					
		United States/Virgin Island/Guam 1 Married 2 Unmarried 9 Unknown or not stated					
		Puerto Rico 1 Married 2 Unmarried parents living together 3 Unmarried parents not living together					
		9 Unknown or not stated					

1995 Detail Natality Record

Tape <u>Location</u>	Field <u>Size</u>	Item and	Code Outl	Line
88-89	2	MPLBIR Place of	Birth of	Mother
		01 02 03 04 05 06 07 08 9 10 11 12 13 14 15 16 17 18 19 20 12 22 23 24 22 26 27 28 29 31 33 33 34 35 36 36 37 38 38 38 38 38 38 38 38 38 38 38 38 38	### OT	Alabama Alaska Arizona Arkansas California Colorado Connecticut Delaware District of Columbia Florida Georgia Hawaii Idaho Illinois Indiana Iowa Kansas Kentucky Louisiana Maine Maryland Massachusetts Michigan Minnesota Mississippi Missouri Montana Nebraska Nevada New Hampshire New Jersey New Mexico New York North Carolina North Dakota Ohio Oklahoma Oregon Pennsylvania Rhode Island South Dakota
		42 43		Tennessee

Tape Location	Field <u>Size</u>	Item and Code Outline
88-89	2	MPLBIR Place of Birth of Mother (Cont'd)
		44 Texas 45 Utah 46 Vermont 47 Virginia 48 Washington 49 West Virginia 50 Wisconsin 51 Wyoming 52 Puerto Rico 53 Virgin Islands 54 Guam 55 Canada 56 Cuba 57 Mexico 59 Remainder of the World
90	1	99 Not classifiable MPLBIRR Place of Birth of Mother Recode
		1 Native born 2 Foreign born 3 Unknown or not stated
91-92	2	DMAGERPT Reported Age of Mother
		10-49 Age in single years 99 Unknown or not stated
93	1	ADEQUACY Adequacy Of Care Recode (Kessner Index) This recode is based on a modified Kessner criterion. Month Prenatal Care Began, Number of Prenatal Visits, and Gestation are the items used to generate this recode. 1 Adequate 2 Intermediate 3 Inadequate 4 Unknown

Tape Location	Field <u>Size</u>	Item and Code Outline
94-95	. 2	NLBNL Number of Live Births, Now Living
		Does not include this birth or adoptions.
		00-30 Stated number of births 99 Unknown or not stated
96-97	2	NLBND Number of Live Births, Now Dead
		Does not include this birth or adoptions.
		00-30 Stated number of births 99 Unknown or not stated
98-99	2	NOTERM Number of Other Terminations
		Includes spontaneous and induced at any time after conception.
		00-30 Stated number of other terminations 99 Unknown or not stated
100-101	2	<u>DLIVORD</u> Detail <u>Live Birth Order</u>
		Sum of live births now living and now dead plus one. If either item is unknown, this item is made unknown.
		00-31 Number of children born alive to mother
		99 Unknown
102	1	LIVORD9 Live Birth Order Recode
		1 First Child 2 Second Child 3 Third Child 4 Fourth Child 5 Fifth Child 6 Sixth Child

Tape <u>Location</u>	Field <u>Size</u>	Item and Code Outline
102	1	LIVORD9 Live Birth Order Recode (Cont'd)
		7 Seventh Child 8 Eighth Child and over 9 Unknown or not stated
103-104	2	<u>DTOTORD</u> <u>Detail Total Birth Order</u>
		Sum of live birth order and other terminations. If either item is unknown, this item is made unknown.
		01-40 Total number of live births and other terminations
		99 Unknown
105	1	TOTORD9 Total Birth Order Recode
		1 First Child 2 Second Child 3 Third Child
		4 Fourth Child 5 Fifth Child
		6 Sixth Child 7 Seventh Child
		g Eighth Child and over
		9 Unknown or not stated
106-107	2	MONPRE Detail Month of Pregnancy Prenatal Care Began
		00 No prenatal care
		01 1st month
		02 2nd month 03 3rd month
		03 3rd month 04 4th month
		05 5th month
		06 6th month
		07 7th month
		08 8th month 09 9th month
		09 9th month 99 Unknown or not stated
		••• ••• •• ••• •••

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
108	1	MPRE6 Month Prenatal Care Began Recode 6
		1 1st - 2nd month 2 3rd month 3 4th - 6th month 4 7th - 9th month 5 No prenatal care 6 Unknown or not stated
109	1	MPRE5 Month Prenatal Care Began Recode 5
		1 1st Trimester (1st-3rd month) 2 2nd Trimester (4th-6th month) 3 3rd Trimester (7th-9th month) 4 No Prenatal Care 5 Unknown or not stated
110-111	2	NPREVIST Total Number of Prenatal Visits
		00 No prenatal visits 01-48 Stated number of visits 49 49 or more visits 99 Unknown or not stated
112-113	2	Number of Prenatal Visits Recode
		01 No visits 02 1 - 2 visits 03 3 - 4 visits 04 5 - 6 visits 05 7 - 8 visits 06 9 - 10 visits 07 11 - 12 visits 08 13 - 14 visits 09 15 - 16 visits 10 17 - 18 visits 11 19 visits or more 12 Unknown or not stated number of visits

1995 Detail Natality Record

Tape Location	Field Size	Item and Code Outline
114-121	8	LMPDATE Date Last Normal Menses Began
114-115	2	LMPMON Month Last Normal Menses Began
		01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November
		12 December 99 Unknown or not stated month of LMP
116-117	2	Day Last Normal Menses Began 01-31 As applicable to month of LMP 99 Unknown or not stated day of LMP
118-121	4	LMPYR Year Last Normal Menses Began
		1993 1993 1995 1995 9999 Unknown or not stated year of LMP
122-127	6	Reserved positions
128-130	3	DISLLB Interval Since Last Live Birth
		This item is computed from date of birth of this child and date of last live birth.
		777 No previous live birth 000 Zero months (plural birth) 001-468 One to four hundred sixty-eight months 999 Unknown

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
131-132	2	ISLLB10 Interval Since Last Live Birth Recode
		00 Not applicable (no previous live birth) 01 Zero months (plural birth) 02 1 - 11 months 03 12 - 17 months 04 18 - 23 months 05 24 - 35 months 06 36 - 47 months 07 48 - 59 months 08 60 - 71 months 09 72 months and over 10 Unknown
133-137	5	Imputed Birthweight Created beginning with 1995 data
133	1	BWIMP Imputed Birthweight Flag Blank Birthweight is not imputed 1 Birthweight is imputed
134-137	4	Imputed Birthweight
138-152	15	Reserved Positions
153	1	FAGERFLG Reported Age of Father Used Flag
		This position is flagged whenever the father's reported age in years is used. The reported age is used, if valid, when age derived from date of birth is not available or when it is less than 10.
		Blank Reported age is not used 1 Reported age is used

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
154~155	2	<pre>DFAGE Age of Father This item is either computed from date of birth of father and of child or is the reported age. This is the age item used in NCHS publications.</pre>
		10-98 Age in single years 99 Unknown or not stated
156-157	2	FAGE11 Age of Father Recode
		01 Under 15 years 02 15 - 19 years 03 20 - 24 years 04 25 - 29 years 05 30 - 34 years 06 35 - 39 years 07 40 - 44 years 08 45 - 49 years 09 50 - 54 years 10 55 - 98 years 11 Not stated
158	1	ORFATH Hispanic Origin of Father Hispanic origin of father is reported by all areas except Puerto Rico.
		Non - Hispanic Mexican Puerto Rican Cuban Central or South American Other and unknown Hispanic Origin unknown or not stated

Tape <u>Location</u>	Field <u>Size</u>	Item and Code Outline
159	1	ORRACEF Hispanic Origin and Race of Father Recode
		Hispanic origin of father is reported by all areas except Puerto Rico.
		1 Mexican 2 Puerto Rican 3 Cuban 4 Central or South American 5 Other and unknown Hispanic 6 Non - Hispanic White 7 Non - Hispanic Black 8 Non - Hispanic other or unknown race 9 Origin unknown or not stated
160-161	2	FRACE Race of Father United States occurrence Beginning with 1992 data, some areas started reporting additional Asian or Pacific Islander codes for race. Codes 18-68 replace old code 08 for these areas. Code 78 replaces old code 08 for all other areas. For consistency with Census race code 09 (all other races) used prior to 1992 has been imputed.
		01 White 02 Black 03 American Indian (includes Aleuts and Eskimos) 04 Chinese 05 Japanese 06 Hawaiian (includes part-Hawaiian) 07 Filipino 18 Asian Indian 28 Korean 38 Samoan 48 Vietnamese 58 Guamanian 68 Other Asian or Pacific Islander in areas reporting codes 18-58 78 Combined other Asian or Pacific Islander, includes codes 18-68 for areas that do not report them separately
160-161	2	FRACE Race of Father (Cont'd) Puerto Rico occurrence O1 White O2 Black O3 American Indian (includes Aleuts and Eskimos) O4 Chinese O5 Japanese O6 Hawaiian (includes part-Hawaiian)

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Co	de Out	line
		07		Filipino
		08		Other Asian or Pacific Islander
		Virgin Isla	nds oc	currence
		01		White
		02		Black
		03		American Indian (includes Aleuts and Eskimos)
		04		Chinese
		05		Japanese
		06		Hawaiian (includes part-Hawaiian)
		07		Filipino
		08		Other Asian or Pacific Islander
		Guam occurr	ence	
		01		White
		02		Black
		03	• • •	American Indian (includes Aleuts and Eskimos)
		04		Chinese
		05		Japanese
		06		Hawaiian (includes part-Hawaiian)
		07		Filipino
		08		Other Asian or Pacific Islander
		10		Guamanian

1995 Detail Natality Record

Tape <u>Location</u>	Field <u>Size</u>	Item and Code Outline
162	1	FRACE4 Race of Father Recode
		1 White 2 Races other than White, Black, or unknown
		3 Black 4 Unknown or not stated
163-165	3	R2A Reserved positions
		Item was dropped in 1995
166-167	2	DFAGERPT Reported Age of Father
		10-98 Age in single years 99 Unknown or not stated
168	1	FRACEIMP Race of Father Imputation Flag
		(Unknown race of father is not imputed. However, the all other races code is changed to unknown.)
		Blank Race is not changed 3 All other races, formerly code 09, is changed to code 99
169	1	Reserved Position
170	1	CDOBMIMP Month of Birth of Child Imputation Flag
		Blank Month is not imputed 1 Month is imputed
171	1	RB Reserved Position

1995 Detail Natality Record

Tape Location	Size	Item and Code Outline
172-173	2	BIRMON Month of Birth
		01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November 12 December
174-175	2	Reserved Positions
176-179	4	BIRYR Year of Birth 1995 1995
180	1	MEEKDAY Day of Week Child Born 1 Sunday 2 Monday 3 Tuesday 4 Wednesday 5 Thursday 6 Friday 7 Saturday
181	1	GESTESTM Clinical Estimate of Gestation Used Flag

Field

Tape

This position is flagged whenever the clinical estimate of gestation is used. It is used when gestation could not be computed or when the computed gestation is outside the 17-47 code range.

Blank ... Clinical Estimate is not used 1 ... Clinical Estimate is used

Tape Location	Field <u>Size</u>	Item and Code Outline
182	1	GESTIMP Gestation Imputation Flag
		Blank Gestation is not imputed 1 Gestation is imputed
183-184	2	DGESTAT Gestation - Detail in Weeks
		This item is: a) computed using dates of birth of child and last normal menses; b) imputed from LMP date; c) the clinical estimate; or d) unknown when there is insufficient data to impute or no valid clinical estimate. This is the gestation item used in NCHS publications.
		17-47 17th through 47th week of gestation 99 Unknown
185-186	2	GESTAT10 Gestation Recode 10
		01 Under 20 weeks 02 20 - 27 weeks 03 28 - 31 weeks 04 32 - 35 weeks 05 36 weeks 06 37 - 39 weeks 07 40 weeks 08 41 weeks 09 42 weeks and over 10 Not stated
187	1	GESTAT3 Gestation Recode 3
		1 Under 37 weeks 2 37 weeks and over 3 Not stated
188	1	CSEXIMP Sex Imputation Flag
		Blank Sex is not imputed 1 Sex is imputed

Tape Location	Field <u>Size</u>	Item and Code Outline	
189	1	CSEX Sex	
		1 Male 2 Female	
190-192	3	RD Reserved Positions	
193-196	4	<u>DBIRWT</u> Birth Weight - Detail in Grams	
		0227-8165 Number of grams 9999 Not stated birth we	eight
197-198	2	BIRWT12 Birth Weight Recode 12	
		01 499 grams or less 02 500 - 999 grams 03 1000 - 1499 grams 04 1500 - 1999 grams 05 2000 - 2499 grams 06 2500 - 2999 grams 07 3000 - 3499 grams 08 3500 - 3999 grams 09 4000 - 4499 grams 10 4500 - 4999 grams 11 5000 - 8165 grams 12 Not stated	
199	1	BIRWT4 Birth Weight Recode 4	
		1 1499 grams or less 2 1500 - 2499 grams 3 2500 - grams or mo: 4 Unknown or not star	re
200	1	PLURIMP Plurality Imputation Flag	
		Blank Plurality is not in 1 Plurality is impute	

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
201	1	DPLURAL Plurality
		1 Single 2 Twin 3 Triplet 4 Quadruplet 5 Quintuplet or higher
202-204	3	Reserved positions
		Item was dropped in 1995
205-206	2	FMAPS Five Minute Apgar Score
		Apgar Score is not reported by all areas. See reporting flags.
		00-10 A score of 0-10 99 Unknown or not stated
207	1	FMAPSR Five Minute Apgar Score Recode
		Apgar Score is not reported by all areas. See reporting flags.
		1 A score of 0-3 2 A score of 4-6 3 A score of 7-8 4 A score of 9-10 5 Not stated
208-209	2	CLINGEST Clinical Estimate of Gestation
		Clinical estimate is not reported by all areas. See reporting flags.
		17-47 Estimated gestation in weeks 99 Unknown or not stated

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
210-216	7	Reserved Positions
217-306	90	MEDINFO Medical and Health Data
		Some States do not report an entire item while other States do not report all of the categories within an item.
		If an item is not reported, it is indicated by code zero in the appropriate reporting flag.
		If a category within an item is not reported it is indicated by code 8 in the position for that category.
217-222	6	DELMETH Method of Delivery
		Each method is assigned a separate position, and the code structure for each method (position) is:
		1 The method was used 2 The method was not used 8 Method not on certificate 9 Method unknown or not stated
217	1	VAGINAL Vaginal
218	1	VBAC Vaginal birth after previous C-section
219	1	PRIMAC Primary C -section
220	1	REPEAC Repeat C -section
221	1	FORCEP Forceps
222	1	VACUUM Vacuum

1995 Detail Natality Record

Tape <u>Location</u>	Field <u>Size</u>	Item and Code Outline
223	1	R5 Reserved Position
224	1	DELMETH5 Method of Delivery Recode
		 Vaginal (excludes vaginal after previous C-section) Vaginal birth after previous
		C-section 3 Primary C -section 4 Repeat C -section 5 Not stated
225-241	17	MEDRISK Medical Risk Factors
		Each risk factor is assigned a separate position, and the code structure for each risk factor (position) is:
		1 Factor reported 2 Factor not reported 8 Factor not on certificate 9 Factor not classifiable
225	1	ANEMIA Anemia (Hct.<30/Hgb.<10)
226	1	CARDIAC Cardiac disease
227	1	LUNG Acute or chronic lung disease
228	1	<u>DIABETES</u> <u>Diabetes</u>
229	1	HERPES Genital herpes
230	1	HYDRA Hydramnios/Oligohydramnios

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
231	1	HEMO Hemoglobinopathy
232	1	CHYPER Hypertension, chronic
233	1	PHYPER Hypertension, pregnancy-associated
234	1	ECLAMP Eclampsia
235	1	INCERVIX Incompetent cervix
236	1	Previous infant 4000+ grams
237	1	PRETERM Previous preterm or small-for-gestational-age infant
238	1	RENAL Renal disease
239	1	RH sensitization
240	1	UTERINE Uterine bleeding
241	1	OTHERMR Other Medical Risk Factors
242-252	11	OTHERRSK Other Risk Factors for this Pregnancy
242-245	4	TOBACRSK Tobacco Risks
242	1	TOBACCO Tobacco Use During Pregnancy
		1 Yes 2 No 9 Unknown or not stated

Tape <u>Location</u>	Field <u>Size</u>	Item and Code Outline
243-244	2	CIGAR Average Number of Cigarettes Per Day
		00-97 As stated 98 98 or more cigarettes per day 99 Unknown or not stated
245	1	CIGAR6 Average Number of Cigarettes Per Day Recode
		Nonsmoker 1 1 - 5 cigarettes per day 2 6 - 10 cigarettes per day 3 11 - 20 cigarettes per day 4 21 - 40 cigarettes per day 5 41 or more cigarettes per day 6 Unknown or not stated
246-249	4	ALCOHRSK Alcohol
246	1	Alcohol Use During Pregnancy
		1 Yes 2 No 9 Unknown or not stated
247-249	2	<u>DRINK</u> <u>Average Number of Drinks Per Week</u>
		00-97 As stated 98 98 or more drinks per week 99 Unknown or not stated
249	1	<u>DRINK5</u> Average Number of Drinks Per Week Recode
		Non drinker 1 1 drink per week 2 2 drinks per week 3 3 - 4 drinks per week 4 5 or more drinks per week 5 Unknown or not stated

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
250-252	3	WTGANRSK Weight Gain During Pregnancy
250-251	2	WTGAIN Weight Gain
		00-97 Stated number of pounds 98 98 pounds or more 99 Unknown or not stated
252	1	WTGAIN9 Weight Gain Recode
		1 Less than 16 pounds 2 16 - 20 pounds 3 21 - 25 pounds 4 26 - 30 pounds 5 31 - 35 pounds 6 36 - 40 pounds 7 41 - 45 pounds 8 46 or more pounds 9 Unknown or not stated
253-259	7	Obstetric Procedures Each procedure is assigned a separate position, and the code structure for each procedure (position) is:
		1 Procedure reported 2 Procedure not reported 8 Procedure not on certificate 9 Procedure not classifiable
253	1	AMNIO Amniocentesis
254	1	MONITOR Electronic fetal monitoring
255	1	INDUCT Induction of labor
256	1	STIMULA Stimulation of labor

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
257	1	<u>TOCOL</u> Tocolysis
258	1	ULTRAS Ultrasound
259	1	OTHEROB Other Obstetric Procedures
260-275	16	<u>LABOR</u> Complications of Labor and/or Delivery
		Each complication is assigned a separate position, and the code structure for each complication (position) is:
		Complication reported Complication not reported Complication not on certificate Complication not classifiable
260	1	FEBRILE Febrile (>100 degrees F. or 38 degrees C.)
261	1	MECONIUM Meconium, moderate/heavy
262	1	RUPTURE Premature rupture of membrane (>12 hours)
263	1	ABRUPTIO Abruptio placenta
264	1	PREPLACE Placenta previa
265	1	EXCEBLD Other excessive bleeding
266	1	<u>SEIZURE</u> Seizures during labor
267	1	PRECIP Precipitous labor (<3 hours)

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
268	1	PROLONG Prolonged labor (>20 hours)
269	1	DYSFUNC Dysfunctional labor
270	1	BREECH Breech/Malpresentation
271	1	CEPHALO Cephalopelvic disproportion
272	1	CORD Cord prolapse
273	1	ANESTHE Anesthetic complications
274	1	<u>DISTRESS</u> Fetal distress
275	1	OTHERLE Other Complication of Labor and/or Delivery
276-284	9	NEWBORN Abnormal Conditions of the Newborn
		Each condition is assigned a separate position, and the code structure for each condition (position) is:
		1 Condition reported 2 Condition not reported 8 Condition not on certificate 9 Condition not classifiable
276	1	NANEMIA Anemia (Hct.<39/Hgb.<13)
277	1	INJURY Birth injury
278	1	ALCOSYN Fetal alcohol syndrome
279	1	<u>HYALINE</u> Hyaline membrane disease

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
280	1	MECONSYN Meconium aspiration syndrome
281	1	<u>VENL30</u> Assisted ventilation, less than 30 minutes
282	1	<u>VEN30M</u> <u>Assisted ventilation, 30 minutes or more</u>
283	1	<u>NSEIZ</u> <u>Seizures</u>
284	1	OTHERAB Other Abnormal Conditions of the Newborn
285-306	22	CONGENIT Congenital Anomalies
		Each anomaly is assigned a separate position, and the code structure for each anomaly (position) is:
		1 Anomaly reported 2 Anomaly not reported 8 Anomaly not on certificate 9 Anomaly not classifiable
285	1	ANEN Anencephalus
286	1	SPINA Spina bifida/Meningocele
287	1	HYDRO Hydrocephalus
288	1	MICROCE Microcephalus
289	1	NERVOUS Other central nervous system anomalies
290	1	HEART Heart malformations
291	1	CIRCUL Other circulatory/respiratory anomalies

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
292	1	RECTAL Rectal atresia/stenosis
293	1	TRACHEO Tracheo - esophageal fistula/Esophageal atresia
294	1	OMPHALO Omphalocele/Gastroschisis
295	1	GASTRO Other gastrointestinal anomalies
296	1	GENITAL Malformed genitalia
297	1	RENALAGE Renal agenesis
298	1	UROGEN Other urogenital anomalies
299	1	CLEFTLP Cleft lip/palate
300	1	ADACTYLY Polydactyly/Syndactyly/Adactyly
301	1	Club foot
302	1	<u>HERNIA</u> Diaphragmatic hernia
303	1	MUSCULO Other musculoskeletal/integumental anomalies
304	1	Down's syndrome
305	1	CHROMO Other chromosomal anomalies
306	1	OTHERCON Other Congenital Anomalies

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
307-326	20	FLRES Reporting Flags for Place of Residence
		These positions contain flags to indicate whether or not the specified item is included on the birth certificate of the State of residence or of the MSA of residence. The code structure for each flag (position) is:
		0 The item is not reported 1 The item is reported or partially reported.
307	1	ORIGM Origin of mother
308	1	ORIGE Origin of father
309	1	EDUCM Education of mother
310	1	EDUCE Education of father
311	1	GESTE Clinical estimate of gestation
312	1	R6A Reserved position
313	1	FMAPSRF 5 - minute Apgar score
314	1	DELMETRF Method of delivery
315	1	MEDRSK Medical risk factors
316	1	TOBUSE Tobacco use
317	1	Alcohol use

1995 Detail Natality Record

Tape Location	Field <u>Size</u>	Item and Code Outline
318	1	WTGN Weight gain
319	1	OBSTRC Obstetric procedures
320	1	CLABOR Complications of labor and/or delivery
321	1	ABNML Abnormal conditions of newborn
322	1	CONGAN Congenital anomalies
323	1	Reserved Position
324	1	EDUCSMSA Education of Mother (Based on MSA)
325	1	APIFLAG Race codes 18-68 reported (beginning with 1992 data)
326-346	21	R7 Reserved positions
347-349	3	SMSARES PSMA/MSA of Residence (NCHS)

PSMA/MSA of Residence (NCHS)

Primary Metropolitan Statistical Areas and Metropolitan Statistical Areas are those defined by the U.S. Office of Management and Budget (OMB) as of June 30, 1990. For New England, the New England County Metropolitan Areas (NECMA's) are used.

Further back in this document is a list of PMSA's, MSA's, NECMA's, and their component counties.

350	1	POPSMAS		
		PMSA/MSA	<u>Population</u>	Size

Based on 1990 Census county population counts

1 2 9	Area of 250,000 or more Area of 100,000 to 250,000 Area of less than 100,000 o	٣
,	nonmetropolitan area	-
7.	Foreign resident	