

This PDF is a selection from a published volume from the National Bureau of Economic Research

Volume Title: Social Security Programs and Retirement around the World: The Capacity to Work at Older Ages

Volume Author/Editor: David A. Wise, editor

Volume Publisher: University of Chicago Press

Volume ISBNs: 978-0-226-44287-7, 0-226-44287-X (cloth);
978-0-226-44290-7 (e-ISBN)

Volume URL: <http://www.nber.org/books/wise-22>

Conference Date:

Publication Date: May 2017

Chapter Title: List of contributors, Indexes

Chapter Author(s):

Chapter URL: <http://www.nber.org/chapters/c14204>

Chapter pages in book: (p. 395 – 406)

Contributors

James Banks
Arthur Lewis Building-3.020
School of Social Sciences
The University of Manchester
Manchester M13 9PL
United Kingdom

Paul Bingley
SFI-The Danish National Centre for
Social Research
Herluf Trolles Gade 11
1052 Copenhagen K
Denmark

Didier Blanchet
INSEE
15 Blvd Gabriel Peri BP 100
92244 Malakoff Cedex, France

Axel Börsch-Supan
Munich Center for the Economics of
Aging
Max Planck Institute for Social Law
and Social Policy
Amalienstrasse 33
80799 Munich
Germany

Agar Brugiavini
Dipartimento di Scienze Economiche
Universita' "Ca' Foscari" Venezia
Cannaregio, 873
30121 Venezia
Italy

Eve Caroli
PSL, University Paris Dauphine,
LEDA-LEGOS,
Paris School of Economics and IZA
Place du Maréchal de Lattre de
Tassigny
75775 Paris Cedex 16
France

Courtney Coile
Department of Economics
Wellesley College
106 Central Street
Wellesley, MA 02481

Klaas de Vos
CentERdata
Tilburg University
Warandelaan 2
5037 AB Tilburg
The Netherlands

Carl Emmerson
Institute for Fiscal Studies
7 Ridgmount Street
London WC1E 7AE
United Kingdom

Pilar García-Gómez
Erasmus School of Economics
Erasmus University Rotterdam
P.O. Box 1738
3000 DR Rotterdam
The Netherlands

Nabanita Datta Gupta
Department of Economics and
Business Economics
Aarhus University
Fuglesangs Allé 4
8210 Aarhus V
Denmark

Sergi Jiménez-Martín
Universitat Pompeu Fabra
Ramon Trias Fargas 25–27
08005 Barcelona
Spain

Per Johansson
Department of Statistics
Uppsala University
Box 513
SE-751 20 Uppsala
Sweden

Alain Joustin
University of Liège
Law Faculty, Tax Institute and HEC-
Liège
Place des Orateurs 3
Bât. B31
4000 Liège 1
Belgium

Hendrik Jürges
University of Wuppertal
Schumpeter School of Business and
Economics
Rainer-Grunter-Str. 21 [FN.01]
42119 Wuppertal
Germany

Adriaan Kalwij
Department of Economics
Utrecht University
Kriekenpitplein 21–22
3584 EC Utrecht
The Netherlands

Arie Kapteyn
Center for Economic and Social
Research
University of Southern California
635 Downey Way
Los Angeles, CA 90089–3332

Lisa Laun
Institute for Evaluation of Labour
Market and Education Policy
(IFAU)
Box 513
SE-751 20 Uppsala
Sweden

Mathieu Lefebvre
Bureau d'Economie Théorique et
Appliquée (BETA)
University of Strasbourg
UMR 7522 du CNRS
61, avenue de la Forêt Noire
67085 Strasbourg
France

Kevin Milligan
Vancouver School of Economics
University of British Columbia
6000 Iona Drive
Vancouver, British Columbia
V6T 1L4 Canada

Takashi Oshio
Institute of Economic Research
Hitotsubashi University
2–1 Naka, Kunitachi
Tokyo 186–8603 Japan

Mårten Palme
Department of Economics
Stockholm University
SE-106 91 Stockholm
Sweden

Giacomo Pasini
Dipartimento di Scienze Economiche
Università "Ca' Foscari" Venezia
Cannaregio, 873
30121 Venezia
Italy

Peder J. Pedersen
Department of Economics and
Business Economics
Aarhus University
Fuglesangs Allé 4
8210 Aarhus V
Denmark

Corinne Prost
INSEE- CREST
15 Blvd. Gabriel Péri BP 100
92244 Malakoff Cedex
France

Muriel Roger
CES Université Paris 1 Panthéon-
Sorbonne
106 Blvd de l'Hôpital 75013
Paris, France

Tammy Schirle
Department of Economics
Wilfrid Laurier University
75 University Avenue West
Waterloo, Ontario
N2L 3C5 Canada

Satoshi Shimizutani
Ricoh Institute of Sustainability and
Business
Ricoh Company, Ltd.
Marunouchi Kitaguchi Bldg 20th fl.
1-6-5
Marunouchi, Chiyoda-ku
Tokyo 100-0005 Japan

Gemma Tetlow
Institute for Fiscal Studies
7 Ridgmount Street
WC1E 7AE London
United Kingdom

Lars Thiel
University of Wuppertal
Rainer-Gruenter-Str. 21
(FN) 42119 Wuppertal
Germany

Emiko Usui
Institute of Economic Research
Hitotsubashi University
Kunitachi
Tokyo 186-8603 Japan

Judit Vall Castelló
Centre for Research in Health and
Economics
Universitat Pompeu Fabra
Ramon Trias Fargas 25-27
08005 Barcelona
Spain

Guglielmo Weber
University of Padua
Dipartimento di Scienze Economiche
Via del Santo 33
35123 Padova
Italy

David A. Wise
NBER
1050 Massachusetts Avenue
Cambridge, MA 02138

Author Index

Note: Page numbers followed by “f” refer to figures.

- Alessie, R., 265
Aliaj, A., 52
Alt, B., 150
Aragón, J., 272
Au, D. W. H., 62
Aubert, P., 139
- Bago d’Uva, T., 125
Banks, J., 331, 332, 334, 337, 340
Bassanini, A., 137
Behaghel, L., 131
Beltrán-Sánchez, H., 367
Benítez-Silva, H., 339
Bingley, P., 86
Blanchflower, D. G., 164
Bloemen, H., 265
Blundell, R., 340
Bohacek, R., 201
Boldrin, M., 270, 271, 272
Börsch-Supan, A., 101, 150, 158, 162
Bosworth, B. P., 79, 387
Bound, J., 26, 60, 79, 166, 171, 259, 262, 332, 360, 373n2, 387
Brønnum-Hansen, H., 96
Brown, J. R., 381n5
Brugiavini, A., 181, 182
Bucher-Koenen, T., 150
Burke, K., 79, 387
Burn, I., 31, 360
Button, P., 31, 360
- Cambois, E., 130
Caroli, E., 137, 139
Carriere, Y., 79
Case, A., 132
Cervini-Pla, M., 270
Chandler, D., 340, 353
Chandola, T., 332
Charles, K., 373n2
Christensen, K., 95
Coe, N., 265
Coile, C. C., 32, 69
Congregado, E., 272
Coppola, M., 150
Crimmins, E. M., 367
Crossley, T. F., 62
Cuadrado, P., 272
Cutler, D. M., 6, 42, 55, 60, 69, 87, 101, 113, 117, 130, 134, 138, 161, 182, 191, 201, 236, 244, 270, 281, 290, 296, 299, 302, 314, 326, 331, 334, 336n4, 340, 346, 360, 367, 371
- Datta Gupta, N., 86
De la Fuente, L., 272
Dellis, A., 35
Desmet, R., 35
Desmette, D., 36
De Vos, K., 243
Disney, R., 337, 339

- Emmerson, C., 340
Etilé, F., 125
Euwals, R., 243
Evans, W. N., 373n2
- Flores, M., 259
Frey, C. B., 139
- Galarneau, D., 79
García-Gómez, P., 270, 272
Ghosh, K., 367
Goldman, D. P., 170
Golpe, A. A., 272
Groot, W., 166
Gruber, J., 1, 2, 4, 20, 243, 270, 337, 338
- Hansen, G., 97, 97f
Hellerstein, J. K., 360
Hochguertel, S., 265
- Jiménez-Martin, S., 270, 271, 272, 339
Johansson, P., 314
Johnston, D., 125
Jousten, A., 35, 36, 36n1, 54
Jürges, H., 64, 153, 155, 158, 167, 171, 275
- Kalwij, A., 243, 259, 265
Kapteyn, A., 243, 338
Kemptner, D., 153
Klijs, B., 273
Knoef, M., 265
Kuhn, A., 265
- Lahey, J. N., 31, 360
Landrum, M. B., 367
Lanzieri, G., 269
Larsen, M., 89
Laun, L., 301, 314
Lefebvre, M., 35, 36
Levine, P. B., 32
Liebman, J. B., 381n5
Lindebloom, M., 125
Lleras-Muney, A., 296, 336n4
Lochner, L., 170
- Mackenbach, J. P., 170, 273
Maestas, N., 246
Mathers, C. D., 95
Matthews, K., 332
Meara, E., 6, 42, 55, 60, 69, 87, 101, 113,
117, 130, 134, 161, 182, 191, 201, 244,
270, 281, 290, 299, 302, 314, 326, 331,
334, 340, 346, 360, 371
- Milan, A., 63
Milcent, C., 125
Milligan, K. S., 6, 13, 24, 38, 39, 54, 59n1,
63, 69, 87, 90, 155, 158, 182, 186, 201,
244, 270, 274, 275, 290, 299, 302, 306,
326, 331, 340, 360, 364, 365
Munnell, A. H., 363
- Neumark, D., 31, 360
Nusselder, W., 273
- Oishi, A. S., 220, 222
Olsen, H., 97, 97f
Olshansky, S. J., 387
Osborne, M. A., 139
Oshio, T., 220, 222, 240
Oswald, A. J., 164
- Palme, M., 314
Paxson, C., 132
Pedersen, P. J., 86, 89
Peracchi, F., 181, 182, 270, 271, 272
Perelman, S., 35
Pollet, J., 381n5
Poterba, J., 14, 43, 46, 69, 102, 131, 164, 192,
229, 253, 284, 315, 347, 372
Propper, C., 125
- Rausch, J., 150
Reinhold, S., 153, 171
Richards-Shubik, S., 6, 42, 43, 55, 60, 69, 87,
101, 113, 117, 130, 134, 161, 182, 191,
201, 244, 270, 281, 290, 299, 302, 314,
326, 331, 334, 340, 347, 360, 371
- Robine, J. M., 130
Rocha, F., 272
Roger, M., 139
- Salanauskaite, L., 36n1, 54
Salm, M., 171
Schellhorn, M., 62
Schirle, T., 59n1, 61, 62, 64
Schreurs, B., 36
Shields, M., 125
Shimizu-tani, S., 220, 222, 240
Siegel, M., 171
Sieurin, A., 130
Smith, J. P., 170, 338
Snyder, S. E., 373n2

- Sullivan, D. F., 95, 96
Sundmacher, L., 171
- Tetlow, G., 340, 353
Troske, K. R., 360
Tubeuf, S., 125
- Usui, E., 240
- Vall Castelló, J., 270, 272
Van Doorslaer, E., 125
Van Looy, D., 36
Van Soest, A., 338
Van Stel, A., 272
Vendramin, P., 36
Venti, S., 14, 43, 46, 69, 102, 131, 164, 192,
229, 253, 284, 315, 347, 372
Vézina, M., 63
Vogt, V., 171
- Waidmann, T., 373n2
Waldron, H., 23, 79, 387
Webb, S., 337
Whitehouse, E. R., 86
Wise, D. A., 1, 2, 4, 6, 14, 20, 24, 38, 39, 46,
54, 63, 69, 86, 87, 90, 102, 113, 131, 155,
158, 164, 182, 186, 192, 201, 229, 243,
244, 253, 270, 274, 275, 284, 290, 299,
302, 306, 315, 326, 331, 338, 340, 347,
360, 364, 365, 372
Wolfson, M., 79
Wong, I., 63
Wuellrich, J. P., 265
- Zamarro, G., 265
Zissimopoulos, J., 246
Zweerink, J., 265
Zweimueller, J., 265

Subject Index

Note: Page numbers followed by “f” or “t” refer to figures or tables, respectively.

- Ability to work, 36–38, 54
- ADLs (activities of daily living), 373–77, 373n4
- Age, school-leaving, 332, 333f
- “Arduous jobs” discussion, 36
- Belgium: CMR method for, 42–54; debate over work-capacity issues in, 36; employment regressions for, 46–47, 46t; employment vs. mortality rates for men, 39–40, 39f, 42f; literature on link between health and work capacity, 36; men’s employment rate in, 37f; MW method for, 38–42, 54–55; PVW index for, 46–47; SAH and mortality for men by age group in, 38f; summary statistics using SHARE data, 44t, 45t; women’s employment rate in, 37f
- Canada: changes in self-assessed health by education level over time for, 79–81; employment regressions by health variables for, 73–74, 73t; employment regressions by PVW health index, 73t, 74; estimating health capacity to work using Cutler et al. method, 69–78; estimating health capacity to work using MW method, 63–69; health and longevity in, introduction to, 59–61; labor force participation and health trends in, 61–62; men’s labor force participation (ages fifty-five to sixty-five) in, 61f; summary statistics for, 71–72, 71t, 72t; women’s labor force participation (ages fifty-five to sixty-five) in, 62f
- Canadian Community Health Survey (CCHS), 70, 70n8, 70n9
- Capacity to work: estimated additional, for men, by country, 18–21, 19–20f; estimated additional, for women, by country, 21–22f, 21–23; estimates of additional, 15–23. *See also* Health capacity to work
- CCHS (Canadian Community Health Survey), 70, 70n8, 70n9
- CMR method. *See* Cutler et al. (CMR) method
- Cutler, Meara, and Richards-Shubik method. *See* Cutler et al. (CMR) method
- Cutler et al. (CMR) method, 7; estimating health capacity to work using, for Belgium, 42–54, 55; estimating health capacity to work using, for Canada, 69–78; estimating health capacity to work using, for Denmark, 87; estimating health capacity to work using, for Italy, 191–205; estimating health capacity to work using, for Japan, 220–21, 228–39; estimating health capacity to

- Cutler et al. (CMR) method (*continued*)
 work using, for Spain, 281–96; estimating health capacity to work using, for Sweden, 302, 314–19; estimating health capacity to work using, for the Netherlands, 244, 251–62; estimating health capacity to work using, for United Kingdom, 331–32, 334, 346–54; estimating health capacity to work using, for United States, 371–87; predicting capacity to work using, 15–23, 16t; steps involved in, 14–15. *See also* Health capacity to work; Milligan-Wise (MW) method
- Denmark: labor force participation and health trends in, 88–90, 88f, 89f; life expectancies after pensionable age in, 86; old age pension system in, 86; SAH and employment by age over time for, 96–101; using Cutler et al. method for, 87; using MW method for, 87; work capacity estimates based on historical mortality for, 90–96; work capacity estimates based on self-assessed health for, 101–8
- Education: changes in SAH and, for
 Canada, 79–81; changes in SAH and, for United States, 387–90; changes in SAH by, for men in United Kingdom, 28, 29f; changes in SAH by, over time for Italy, 205–7; changes in SAH by, over time for Spain, 296–98; changes in SAH by, over time for Sweden, 319–25; changes in self-reported morbidity by, over time for Germany, 171–73; distribution of, for men in United States, 26, 26f; evolution of SAH by, for men in France, 27–28, 28f; evolution of SAH by, for men in Germany, 28–29, 30f; health capacity to work and, for United States, 360, 381–87, 382–85t, 386f; SAH by, for France, 125–27
- ELSA (English Longitudinal Study of Ageing), 15, 346–47
- Employment of men ages sixty to sixty-four, 4–6, 5t, 6f
- Employment rates, in ISS countries, 4
- ELSA (English Longitudinal Study of Ageing) (ELSA), 15, 346–47
- Estimates of additional capacity to work, 15–23
- France: Cutler et al. method for, 113–14, 130–36, 130–37; employment rates since 1975 in, 111–13, 112f; employment vs. mortality over time in, 114–15, 115f; evolution of SAH by education for men in, 27–28, 28f; heterogeneity in mortality-based work capacity, managers and professionals vs. blue collars, 118–21, 119f, 120f; issues raised by Cutler et al. approach for, 136–37; labor force attachment of older workers in, 111–13; measuring mortality-based work capacity for, 115–16, 116f; MW method based on SAH for, 127–30; MW method for, 113–22; SAH trends by education in, 125–27; SAH trends over time in, 122–25
- Germany: at beginning of 1972 reform of pension system, 154; changes in self-reported morbidity by education level over time for, 171–73; estimating work capacity using health changes across age groups for, 161–71; estimating work capacity using long-term changes in morbidity for, 160–61; estimating work capacity using long-term changes in mortality for, 155–60; evolution of SAH by education for men in, 28–29, 30f; health capacity to work in, introduction to, 149–51; labor force participation trends in, 151, 152–55; mortality rates in, 152–54, 152f, 153f; PVW index for, 165–68; SHARE summary statistics for, 162–65, 163t, 164t, 165t; trends in mortality, morbidity, and labor force participation at older ages in, 152–55
- Health: estimated relationship between employment and, 15, 16–17t; facets of measuring, 331–32; using mortality as indicator of, 340–46
- Health and Retirement Study (HRS), 14–15. *See also* Self-assessed health (SAH)
- Health capacity to work, 3–4; approaches for evaluating, 6–7; estimating, for Germany, 155–71; estimating, using Cutler et al. method, for Canada, 69–78; estimating, using Cutler et al. method, for Sweden, 314–19; estimating, using MW method, for Canada, 63–69; estimating, using MW method, for Italy, 186–90; estimating, using MW

- method, for Sweden, 306–14; in Germany, 149–51; prediction of, 15–23; in United Kingdom, 333–34; using Cutler et al. method, for Italy, 191–205; using Cutler et al. method, for Japan, 228–29; using MW method, for Italy, 186–90; using MW method, for Japan, 223–28. *See also* Capacity to work; Cutler et al. (CMR) method; Milligan-Wise (MW) method
- Health index. *See* PVW (Poterba, Venti, and Wise) index
- Health indicator data sets, using, for health capacity to work, 346–54
- HRS (Health and Retirement Study), 14–15
- IADLs (instrumental activities of daily living), 373–77, 373n4
- International Social Security (ISS) project, 1; findings of prior phases of, 1–2; researchers participating in, 2–3. *See also* Seventh phase of ISS project
- ISS project. *See* International Social Security (ISS) project
- Italy: changes in SAH by education level over time for, 205–7; employment regression estimates for, 195–201, 196t, 197t; estimating health capacity to work using Cutler et al. method, 191–205; estimating health capacity to work using MW method, 186–90; health capacity of older workers in, 182–83; obstacles to longer working lives in, 182; population aging in, 181–82; summary statistics for, 192–95, 193t, 194t; trends in labor force participation and health in, 183–86; trends in SAH for men age fifty to seventy-five, 185–86, 185f
- Japan: debate on pensionable age in, 219–20; estimating health capacity to work using Cutler et al. method, 228–39; estimating health capacity to work using MW method, 223–28; estimating work capacity of older workers in, 220–21; labor force participation and health trends for, 221–23
- Labor force participation trends: for Canada, 61–62, 61f, 62f; for Denmark, 88–90, 88f, 89f; in Germany, 151; for Italy, 183–86, 184f; for Japan, 221–23; for the Netherlands, 245–48; for Spain, 270–74; for United States, 361–64
- Milligan-Wise (MW) method, 7–14, 13t; assumptions about morality and, 309; based on SAH, 127–30; for employment vs. mortality of men in eleven countries, 9, 10–12f; estimating health capacity to work using, for Belgium, 38–42, 54–55; estimating health capacity to work using, for Canada, 63–69; estimating health capacity to work using, for Denmark, 87; estimating health capacity to work using, for Italy, 186–90; estimating health capacity to work using, for Japan, 220–21, 223–28; estimating health capacity to work using, for United States, 7–9, 8f, 9f, 364–71; estimating health capacity to work using, in Spain, 274–81; estimating health capacity to work using, in Sweden, 302, 306–14; estimating health capacity to work using, in the Netherlands, 244, 248–51; estimating health capacity to work using, in United Kingdom, 333–34, 340–46; limitations of, 116–17; years of additional work capacity for men at ages fifty-five to sixty-nine with, 9. *See also* Cutler et al. (CMR) method; Health capacity to work
- Morbidity: changes in self-reported, by education level over time for Germany, 171–73; estimating work capacity for Germany using long-term changes in, 160–61
- Mortality: assumptions about, and MW method, 309; estimating work capacity for Germany using long-term changes in, 155–60; as indicator of health, in United Kingdom, 340–46; reasons for using, for ability to work, 364–65; work capacity estimates based on historical, for Denmark, 90–96
- MW method. *See* Milligan-Wise (MW) method
- Netherlands, the: combination of methods for examining work capacity in, 262–64; Cutler et al. method for examining work capacity in, 251–62; data used for work capacity at older ages for, 244–45; estimating work capacity using Cutler

- Netherlands, the (*continued*)
 et al. method for, 244; estimating work capacity using MW method for, 244; historical trends in employment and health for, 245–48; MW method for examining work capacity in, 248–51; older male employment rates in, 243; pension policy reforms in, 243–44
- PVV (Poterba, Venti, and Wise) index, 14, 16–17t, 43–47, 46t, 192, 319, 372; for Germany, 165–68
- SAH. *See* Self-assessed health (SAH)
- School-leaving age, 332, 333f
- Self-assessed health (SAH): changes in, by education level and time, in Spain, 296–98; changes in, by education level and time, in Sweden, 319–25; changes in, by education level over time, in Italy, 205–7; changes in, by education level over time, in United States, 387–90; and employment by age over time, for Denmark, 96–101; introduction to, 7, 23–29; and mortality by age for men in United States, 23–24, 23f; trends in, for France, 122–30; trends in, for Japan, 222–23; work capacity estimates based on, for Denmark, 101–8. *See also* Health
- Seventh phase of ISS project: introduction to, 3–7; researchers participating in, 2–3. *See also* International Social Security (ISS) project
- SHARE. *See* Survey of Health and Retirement in Europe (SHARE)
- SLID (Survey of Labour and Income Dynamics), 79, 79n11
- Spain: changes in self-assessed health by education level over time in, 296–98; demographic trends in, 269–70; estimating health capacity to work using Cutler et al. method, 281–96; estimating health capacity to work using MW method for, 274–81; trends in labor force participation and health, 270–74
- Survey of Health and Retirement in Europe (SHARE), 14, 43; Italy, 191; the Netherlands, 251; summary statistics, 44–45t
- Survey of Labour and Income Dynamics (SLID), 79, 79n11
- Sweden: changes in self-assessed health by education level over time in, 319–25; estimating health capacity to work using Cutler et al. method, 302, 314–19; estimating health capacity to work using MW method, 302, 306–14; retirement policy initiatives in, 301–2; trends in labor force participation and health in, 303–6
- Swedish Level of Living Survey (LNU), 304–6
- United Kingdom: additional work capacity in, 333–34; change in SAH vs. change in mortality in, 24, 25f; changes in health and employment rates over time in, 334–40; Cutler et al. method for examining work capacity in, 331–32, 334, 346–54; evolution of SAH by education for men in, 28, 29f; MW method for examining work capacity in, 331–34, 340–46; policy debates on increasing employment rates of older people in, 329–30
- United States: changes in self-assessed health by education level over time in, 387–90; Cutler et al. method for study of health capacity to work, 360–61, 371–87; distribution of education for men in, 26, 26f; estimated additional work capacity for men in, by age, 15–18, 18f; evolution of SAH by education for men in, 26–27, 27f; findings on health capacity to work at older ages for, 360–61, 371; healthy capacity to extend working lives of Americans, introduction to, 359–60; MW method for study of health capacity to work, 360–61, 364–71; SAH and mortality by age for men in, 23–24, 23f; SAH by age for men in, 24–26, 25f; trends in labor force participation and health in, 361–64; trends in mortality and health for, 363–64, 364f; using MW method for, 7–9; work capacity by education group for, 381–87, 382–85t, 386f
- Work: ability to, 36–38, 54; determinants of being able to, 330. *See also* Capacity to work; Health capacity to work
- Work capacity. *See* Capacity to work; Health capacity to work
- Working lives, impediments to longer, 359–60. *See also* Health capacity to work