

---

# Subject Index

---

- Access restrictions, in Japan, 28–29
- Access rules, 4, 44; cost sharing in insurance and, 58–61; in developed world, 65; impact of nonfinancial restrictions, 64–65; in Japan, 22–24; nonfinancial restrictions and, 61–64
- Acute myocardial infarctions (AMIs), 8; data for study of, 171–78; discussion of study results for, 185–87; effects of high-tech treatments on quality of care for, 178–81; effects of low-tech treatments on quality of care for, 181–85; empirical specification and measurements for study of, 169–70; estimated cost of low-quality care for, 200–203; factors affecting adoption of high-quality care for, 203–5; in Japan, 10–11; in Japan and U.S., 165–66; measuring technological diffusion for treatment of, 199–200; previous research on, 166–68; in United States, 10–11; use of beta-blockers for, 196; use of pharmaceuticals and, 196–97. *See also* Coronary artery bypass graft (CABG) surgery; Percutaneous transluminal coronary angioplasty (PTCA) procedures
- Aging, fertility and, 75
- Aging crisis, 5, 69
- AMI. *See* Acute myocardial infarctions (AMIs)
- Angioplasty. *See* Percutaneous transluminal coronary angioplasty (PTCA) procedures
- Average life expectancies, in Japan, 19
- Beta-blockers, 196
- Bill of Rights, Patient's, 64
- Birth rates, 75
- Bundled payment system, in Japan, 29–30
- Bypass surgery, 56
- CABG surgery. *See* Coronary artery bypass graft (CABG) surgery
- Canada, restrictions on utilization in, 65
- Capitation payment systems, 54–55
- Cardiac catheterization, 55–56, 166–67, 169. *See also* Acute myocardial infarctions (AMIs)
- Caregiving. *See* Work, caregiving and
- CCP. *See* Cooperative Cardiovascular Project (CCP)
- Cigarette smoking, 229. *See also* Nicotine replacement therapy (NRT); Smoking cessation
- Citizens' Health Insurance (CHI), 22–24, 35, 36, 38–39
- Commonwealth Fund, 214
- Conjoint analysis (CA), 231
- Contingent valuation methods (CVMs), 231
- Cooperative Cardiovascular Project (CCP), 11, 166, 185–86

- Coronary artery bypass graft (CABG) surgery, 115, 123, 167; emergency, as indicator of quality of health care, 135–37, 136t; hospital volume and, 116. *See also* Percutaneous transluminal coronary angioplasty (PTCA) procedures
- Cost sharing: in Medicare, 59–61; private insurance and, 58–59; tax system and, 59
- Coverage rules, 4, 21, 44
- Custodial care, 211
- Czech Republic, 6; elderly in, 75; medical care spending increases in, 76–77
- Death rates, volume effect and, 115–16
- Demographics, medical spending and, 74–77
- Diagnosis-related groups (DRGs), 22, 55–56, 186
- Elasticity of medical care, 45
- Elderly, in U.S.: care of, 209, 210–12; insurance coverage for, 46–49; long-term care and, 9–10. *See also* Long-term care insurance system, in U.S.; Long-term health care; Medicaid; Medicare
- Emergency coronary artery bypass graft (CABG), 135–37, 136t
- Employer-provided insurance plans, 48; payment of premiums under, 50
- Employment. *See* Work, caregiving and End-of-life care, 20
- Fagerstrom Test for Nicotine Dependence (FTND), 235, 235n5
- Family doctor system, in Japan, 28–29
- Family Medical Leave Act (1993), 210, 210n1
- Fee-for-service payment systems, 54
- Fertility rates, 75
- Fixed costs, of medical care, 53–54
- Forecasts, for medical spending, 70–74
- GDP. *See* Gross domestic product (GDP), medical spending as share of
- Geography, and quality of health care, in U.S., 195–97. *See also* Quality of health care, U.S.
- GMHI. *See* Government-Managed Health Insurance (GMHI)
- Government-Managed Health Insurance (GMHI), 22–24, 35, 36, 38
- Greece, 6; elderly in, 74; medical care spending increases in, 76–77
- Gross domestic product (GDP), medical spending as share of, 45, 46f
- HCFA. *See* Home Care Financing Administration (HCFA)
- Health, measuring, 45
- Health and Retirement Study (HRS), 214–15
- Health care quality. *See* Quality of health care
- Health Care Quality Improvement Program (HCQIP), 185
- Health care services, international comparison of indicators, 25t
- Health care spending. *See* Medical spending
- Health care systems, Japan vs. U.S., 2–8
- Health expenditures. *See* Medical spending
- Health insurance coverage, in U.S., 46–52; access rules for, 58–61; funding for, 49–51; gradations in, 51–52; nonfinancial barriers to, 61–65; private, 51–52; reimbursement systems of, 53–58; sources of, 48, 48t
- Health insurance schemes, in Japan, 21–24; access rules for, 22; coverage rules for, 21; effect of population aging on, 20; reimbursement system for, 21–22
- Health insurance system, in Japan: financing, 86–92; introduced, 83–86; microsimulation model of, 92–94; simulation results of different scenarios for, 94–107
- Health maintenance organizations (HMOs), 51–52, 62–63; enrollment in, 64; mechanisms to limit utilization employed by, 63–64; network model, 62t, 63
- Health System for the Elderly (HSE), 24, 35, 36, 38–39
- Heart attacks. *See* Acute myocardial infarctions (AMIs)
- Heart disease: in Japan, 11; in U.S., 11
- High-tech treatments, 166; effects of, quality of care, 178–81
- HMOs. *See* Health maintenance organizations (HMOs)
- Home Care Financing Administration (HCFA), 166, 166n1
- Home health care: informal, 212; Medicare restrictions of coverage of, 211
- Home help industry, in Japan, 9; about, 147–49; data for study of, 150–52; pre-

- vious research on, 149–50; results for efficiency of, 157–59; results for quality of services in, 155–57; theoretical models for, 152–55
- Hospital beds per capita, Japan vs. U.S., 1
- Hospital referral regions (HRRs), 200
- Hospital stays, in Japan, 31
- Hospital volume, 115–17
- Hospital volume effect, 128–30
- HRRs. *See* Hospital referral regions (HRRs)
- HRS. *See* Health and Retirement Study (HRS)
- HSE. *See* Health System for the Elderly (HSE)
- Inclusive payment system, in Japan, 29–30
- Indemnity insurance, 61, 62t
- Independent practice associations (IPAs), 62t
- Informal home health care, 212. *See also* Home health care
- Inpayment insurance (Part A) of Medicare, 49–50
- Insurance coverage. *See* Health insurance coverage
- Insurance premiums, payment of, 50
- IPAs. *See* Independent practice associations (IPAs)
- Italy, 6; birth rate for, 75; elderly in, 74, 75; medical care spending increases in, 76–77
- Japan: access restrictions in, 28–29; access rules in, 22–24; acute myocardial infarctions in, 165–66; AMI cases in, 10–11; AMI patients in, 8; average life expectancy in, 19; birth rate for, 75; burden on employees and national treasury to finance insurance scheme for elderly in, 88–91; cigarette smoking and mortality in, 229; costs of medical services in, 24–25; coverage rules in, 21; effects of 2003 health reform in, 35–40; elderly in, 74; family doctor system in, 28–29; health care system in, 2–8, 17–18; health expenditures in, 19; health insurance schemes in, 21–24; health reforms of 2003 in, 35–40; health spending in, 24–25; inclusive payment system in, 29–30; limitations on health services in, 31–32; long-term care insurance system in, 9–10, 32–35; medical practice patterns in, 8–13; medical system reforms in 1990s in, 25–32; microsimulation model for medical expenses in, 92–94; national medical expenditures in, 86–88; nursing care payments in, 34–35; pharmacy services in, 32; population aging in, 18–20; price elasticity of demand for medical in, 26–28; problems in current health insurance system of, 91–92; quality of care in, 8–13; quality of medical services in, 24–25; referral system in, 28; reimbursement system in, 21–22; restriction of free access in, 28–29; simulation results under different scenarios for medical expenses, 94–107; smoking cessation in, 14–15; spending on health care in, 1; supply controls in, 30–31; welfare in, 33. *See also* Acute myocardial infarctions (AMIs); Health insurance system, in Japan; Home help industry, in Japan; Percutaneous transluminal coronary angioplasty (PTCA) procedures; Quality of health care, Japan vs. U.S.; Smoking cessation
- Japanese Medical Association, 32
- Japanese Society of Interventional Cardiology (JSIC) data set, 121, 167; sensitivity analysis using, 138–43
- Korea, elderly in, 75
- Life expectancy: as measure of health, 45; medical spending and, 45–46, 47f; in OECD countries, 45, 47f
- Long-term care insurance system, in Japan, 32–35; overview of, 33–34; proposed improvements for, 34–35
- Long-term care insurance system, in U.S., 212. *See also* Elderly, in U.S.
- Long-term health care: cross-sectional examination results for, 216–17; data for study of, 214–16; theoretical framework for analyzing decision to provide, 213–14; transitions between work and caregiving for, 217–21
- Low-tech treatments, 166
- Magnetic resonance imaging (MRI) machines, Japan vs. U.S., 1
- Managed care: changes in enrollment in, 63t, 64; in Medicare, 52

- Managed care plans, 61, 62t; health maintenance organizations, 62–63; independent practice associations, 63; managed indemnity insurance policies, 61; preferred provider organizations, 62
- Managed indemnity insurance policy, 61, 62t
- MAR. *See* Medical arms race (MAR)
- Marginal costs, of medical care, 53–54
- Medicaid, 46–48; home health care and, 211–12; services covered by, 51–52, 51t
- Medical arms race (MAR), 149
- Medical care: fixed costs of, 53–54; marginal costs of, 53–54; price elasticity of demand for, 26–29
- Medical care systems: interactions in, 44; participants in, 43–44; performance of, across countries, 44–46. *See also* Access rules; Coverage rules; Reimbursement systems
- Medical services, in Japan, 24–25
- Medical spending: about, 69–70; demographics and, 74–77; forecasting, 70–74; implications of increasing, 78–79; in Japan, 19–25; Japan vs. U.S., 1–2; life expectancy and, 45–46, 47f; population aging and, 19–24; as share of gross domestic product, 45, 73f; sustainability of, 78–80; technological change and, 77
- Medical technology, 73
- Medicare, 46–49; compensation for surgery and, 198; cost sharing in, 59–60; coverage by Medicare for, 211; custodial care coverage by, 211; funding of, 49–50; gaps in coverage by, 210–11; home health care and, 211; managed care in, 52; nonfinancial restrictions of, 61; prospective payment system of, 55; reimbursement systems of, 55; services covered by, 51–52, 51t
- Medicare crisis, 5, 69
- Medigap insurance, 60
- Microsimulation model, of Japanese health insurance system, 92–94; simulation results of different scenarios for, 94–107
- Misuse of procedures, quality of care and, 195
- Mortality rates, volume effect and, 115–16
- MRI. *See* Magnetic resonance imaging (MRI) machines, Japan vs. U.S.
- National Family Support Program, 210n1
- Network model HMOs, 62t, 63
- Nicorette, 233–34, 233t
- Nicotine gum: attitudes toward, 232–34; estimation of demand for, 234–37
- Nicotine replacement therapy (NRT), 14–16, 230; cost benefit analysis for, 237–41; data for study of, 232–34; demand for, in Japan, 230–31; types of, 230. *See also* Smoking cessation
- Nonfinancial restrictions: impact of, 64; in Medicare, 61; in private insurance, 61–64
- NRT. *See* Nicotine replacement therapy (NRT)
- Nursing care insurance. *See* Long-term care insurance system, in Japan; Long-term care insurance system, in U.S.
- Nursing homes. *See* Skilled nursing facilities (SNFs)
- Obesity rates, Japan vs. U.S., 1–2
- Old age insurance crisis, 5, 69
- Older Americans Act Amendments (2000), 210, 210n1
- Overuse of procedures, quality of care and, 195
- Part A (inpayment insurance) of Medicare, 49–50
- Passive smoking, 229
- Patient's Bill of Rights, 64
- Payment systems: capitation, 54–55; fee-for-service, 54; salary, 54. *See also* Reimbursement systems
- Percutaneous transluminal coronary angioplasty (PTCA) procedures, 56, 167, 198; data and models for, 120–25; data overview for patients undergoing, 125–28; hospital mortality vs. physician mortality for, 128; hospital volume and mortality rates for, 126, 126f; hospital volume effect for, 128–30, 129t; literature review of, 115–18; physician volume and mortality rates for, 126, 127f; physician volume effect for, 130–33, 131t; physician volume effect with hospital volume for, 133–35, 134t; physician volume vs. hospital volume for, 126–27, 127f; recommended number of, in Japan, 113–14; recommended number of, to ensure quality, in U.S.,

- 113–14; research strategy for, 118–20; volume and outcome relationships in Japan for, 8–9. *See also* Coronary artery bypass graft (CABG) surgery; Volume effect
- Pharmacy services, in Japan. *See* Prescription drug coverage
- Physician volume, 116–17
- Physician volume effect, 130–35
- Point of service (POS) options, 63–64
- Population aging, in Japan, 18–20; effect of, on health insurance plans, 20; health expenditures and, 19–24
- Preferred provider organizations (PPOs), 62, 62t
- Prescription drug coverage: in Japan, 32; in U.S., 52
- Price elasticity, of demand for medical care in Japan, 26–28
- Prospective payment system (PPS), 55
- PTCA. *See* Percutaneous transluminal coronary angioplasty (PTCA) procedures
- Public insurance, in U.S., 48–49. *See also* Medicaid; Medicare
- Public Nursing Insurance Act (1997), 9
- Quality of health care, Japan vs. U.S.: data for study of, 171–78; effects of high-tech treatments on, 178–81; effects of low-tech treatments, 181–85; emergency CABG as indicator of, 135–37, 136t; for heart attack patients, 165–66; previous research on, 166–68; research design for, 169–70; results for study of, 178–85; underuse, overuse, and misuse in, 195
- Quality of health care, U.S.: effects of high, for AMI patients, 203–5; effects of low, for AMI patients, 200–203; empirical measures of technology adoption and, 199–200; estimate cost of low, for AMIs, 200–203; factors affecting adopting of high, for AMIs, 203–5; geography and, in U.S., 195–97; models of technology adoption and, 197–99
- Referral systems, in Japan, 28
- Reimbursement systems, 4, 21–22, 44; incentives and, 56–58; of Medicare, 55; in U.S., 53–56. *See also* Payment systems
- Reperfusion therapy, 197–98
- Salary systems, 54
- Skilled nursing facilities (SNFs), Medicare coverage and, 211
- SMHI. *See* Society-Managed Health Insurance (SMHI)
- Smoking. *See* Cigarette smoking; Nicotine replacement therapy (NRT)
- Smoking cessation: attitude toward, 232–33, 232t; cost-benefit analysis of policy for, 237–41; in Japan, 14–16, 229; long-run effects of, 239–41; methods of, 233, 233t. *See also* Nicotine replacement therapy (NRT)
- Smoking rates, Japan vs. U.S., 2
- SNFs. *See* Skilled nursing facilities (SNFs), Medicare coverage and
- Social Security crisis, 5, 69
- Society-Managed Health Insurance (SMHI), 22–24, 35, 36, 38
- Spain, 6; elderly in, 75; medical care spending increases in, 76–77
- Stop-loss, 58–59
- Supply controls, in Japan, 30–31
- Sweden, elderly in, 74
- Switzerland, 6; medical care spending increases in, 76–77; medical spending as share of GDP in, 45
- Technological change, forecasting medical spending and, 77
- Technological diffusion, measuring, for treatment of AMIs, 199–200
- Technology adoption and quality of care: empirical measures of, 199–200; models of, 197–99
- Total fertility ration (TFR), 18–19
- Turkey, medical care spending increases in, 76–77
- Underuse of procedures, quality of care and, 195–96
- United Kingdom: medical care spending increases in, 76–77; medical spending as share of GDP in, 45
- United States: acute myocardial infarctions in, 165–66; AMI cases in, 10–11; AMI patients in, 8; care of elderly in, 210–12; elderly in, 74; funding for health insurance coverage in, 49–51; health care systems in, 2–8; health insurance coverage in, 46–49; heart disease in, 11, 165; insurance coverage in, 46–52;

- United States (continued)  
  medical care system in, 57–58; medical practice patterns in, 8–13; medical spending as share of GDP in, 45; medical technology in, 73; public insurance in, 48–49; quality of care in, 8–13; spending on health care in, 1. *See also* Medicaid; Medicare; Quality of health care; Quality of health care, Japan vs. U.S.
- Utilization reviews, 61–62
- Volume effect: channels for, 119; conceptual framework for understanding, 117–18; data and models for, 120–25; data overview for, 125–28; defined, 113; hospital, 128–30; linear vs. nonlinear, 119; literature review of, 115–18; mortality rates and, 115–16; outcomes and, 117; physician, 130–35; research strategy for study of, 118–20. *See also* Percutaneous transluminal coronary angioplasty (PTCA) procedures
- Welfare, in Japan, 33
- Work, caregiving and, 13–14, 209–10; background, 210–12; cross-sectional examination of, 216–17; data for study of, 214–16; longer time horizon for studying, 221–23; multivariate analyses of, 223–26; theoretical framework for, 213–14; transitions between, 217–21