



VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Last Prior Outcome: **Location:** 394-395 (5253...VAR)
Weeks of Gestation **Approved:** 6/10/69
Revised:

Remarks: _____

Card Sources	Columns	Codes	Recodes*
0302 card if no 0302 card then all 1302-7302 cards present	19-22(23-24) 34-37(38-39) 49-52(53-54) 64-67(68-69)	For all cards present scan each 4 digit date field for latest date. Store the weeks of gestation (field location in brackets next to each date field) associated with the latest date. Codes are: 01-50 As Given 99 Unknown (includes no prior pregnancies)	

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs: Number of **Location:** 396-397 (5254...VAR)
Prior Pregnancies **Approved:** 7/16/70
Revised: _____

Remarks: See Procedure Below in Codes Column

Card Sources Columns

Codes

Recodes*

1505		If cols. 27-28 = code 00, recode as "08 - No prior pregnancy". If cols. 27-28 ≠ code 00, then next cols. 30, 31, 32 = all cols. = code 0 or 00 recode as "00". If all cols. = code 9 or 99 or if comb. of code 0's and 9's, recode as "99". If col. 30 and/or col. 31 = code 2 and/or cols. 32-33 = codes 08-25, recode as "08". If not classified above, add together known codes from col. 30 (codes 1-7), col. 31 (codes 1-7), and cols. 32-33 (codes 1-7). If result = 7, recode the sum. If results = 8, recode as "08".	00 (None) 01-07 (as given) 08 (8 or more) 88 (no prior pregnancy) 99 (unknown)
------	--	--	---

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs - Fetal

Location: 398 (5255...VAR)

Death - PP Under 20 weeks

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources Columns Codes Recodes*

1505	30	Blank (no prior preg) 0-7 6 (6 or more) 9 (Unknown)	8 * 7 (7 or more) *
------	----	---	------------------------------

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs Fetal

Location: 399 (SPEC. VAR)

Death - PP 20 weeks and Over

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources Columns Codes Recodes*

1585	31	Blank (no prior preg.) 6-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *
------	----	---	------------------------------

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs - Liveborn

Location: 400 (5257...VAR)

- PP Male

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources

Columns

Codes

Recodes*

1505

34

Blank (no prior preg.)

8

U-7

*

8 (8 or more)

7 (7 or more)

9 (Unknown)

*

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs - Liveborn

Location: 401 (525B...V24)

- FF Female

Approved: 1/20/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	35	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs-Precedence-PP Location: 402 (5259...VAP)
 _____ Approved: 1/23/70
 _____ Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	35	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 0-7 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs - Living

Location: 403 (6260...122)

- FP Under 5 Years Old

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	37	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs - Living

Location: 404 (5261...VPR)

- PP 5 Years or older

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	36	Blank (no prior preg.) 6-7 8 (8 or more) 9 (Unknown)	P * 7 (7 or more) •

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Libs - Oper - 1P

Location: 405 (5262...V291)

Order of Libs

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	33	Blank (no prior prep.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) .

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Size - Dried - #2

Location: 406 (8103...425)

31 lbs. or older

Approved: 1/13/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1000	41	1. 1000 - 1000 - 1000 2. 1000 - 1000 - 1000 3. 1000 - 1000 - 1000	1. 1000 - 1000 - 1000 2. 1000 - 1000 - 1000 3. 1000 - 1000 - 1000

*An asterisk in recode column means transfer codes verbatim

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Subs - Condition -

Location: 407 05164...0500

EP 24

Approved: 1/15/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
--------------	---------	-------	----------

1505

41

blank (no print) (neg.)
 (-)
 0 (no print)
 1 (print)

2

3

4

5

6

7

8

9

0

1

2

3

4

5

6

7

8

9

0

1

2

3

4

5

6

7

8

9

0

1

2

3

4

5

6

7

8

9

0

0 (no print)
 1 (print)

*An asterisk in recode column means transfer codes verbatim

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Name - Address

Location: 407 (0122...)

67 (original) field name

Approved: 1-21-70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1000	41	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

*An asterisk in recode column means transfer codes verbatim

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs - Condition-

Location: 409 (5266...VAR)

PF Seizures, Convulsions, Epilepsy

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources

Columns

Codes

Recodes*

1509	43	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *
------	----	---	------------------------------

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs - Condition-

Location: 410 (526, ...VAR)

2P Motor Defect

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources

Columns

Codes

Recodes*

1505	44	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *
------	----	---	------------------------------

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs - Condition-

Location: 411 (5268...VAR)

PP Sensory Defect

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
--------------	---------	-------	----------

1505	45	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *
------	----	---	------------------------------

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs - Condition-

Location: 412 (5269...VAR)

PP Retardation

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
--------------	---------	-------	----------

1505	46	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *
------	----	---	------------------------------

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: half Sibs: Number **Location:** 413-414 (5270...VAR)
Prior Pregnancies **Approved:** 7/16/70
Revised: _____

Remarks: See Procedure in Codes Column Below

Card Sources	Columns	Codes	Recodes*
1505		If cols. 27-28 = code 00, recode as "88 - No prior pregnancy". If cols. 27-28 ≠ code 00, then check cols. 47,48,49,50. If all cols. = code 0 recode as "00". If all cols. = code 9 or if comb. of code 0's and 9's, recode as "99". If any col. = code 8, recode as "08". If not classified above, add together the known codes (codes 1-7) from each col. If result ≤ 7, recode the sum. If results ≥ 8, recode as "08".	00 (None) 01-07 (as given) 08 (8 or more) 88 (no prior pregnancy) 99 (Unknown)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Fetal Death-

Location: 415 (5271...VAR)

FP Under 20 Weeks

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources

Columns

Codes

Recodes*

1505	47	blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *
------	----	---	------------------------------

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Fetal Death-

Location: 416 (5272...VAR)

PP 20 Weeks and Over

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	48	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Different

Location: 417 (5273...VAR)

Father-PP

Approved: 4/10/69

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	49	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 0-7 7 (7 or more) 5

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half-Sib-Unknown Location: 418 (5274...VAR)
Paternity-PP Approved: 9/30/68
 Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	50	Blank (No prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 6-7 7 (7 or more) 9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Liveborn-PP

Location: 419 (5275...VAR)

Male

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	51	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Liveborn-PF Location: 420 (5276...VAR)
Female Approved: 1/23/70
 Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	52	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half-Six-Pressure-PP

Location: 421 45277...4634

Approved: S. 170/66

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	53	Blank (No prior preg.) 0-7 8 (8 or more) 9 (Unknown)	2 0-7 7 (7 or more) 9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half-Sib-Living-Off

Location: 52 (5172...145)

Order 8 years old

Approved: 1/25/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	54	Blank. (No prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half-Sib-Living-Fr

Location: 423 (9279...VAV)

5 years and older

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	55	Blank (No prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) .

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Died-PP

Location: 424 (5280...VAR)

Under 28 Days

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources

Columns

Codes

Recodes*

1505	56	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *
------	----	---	------------------------------

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Died-PP

Location: 425 (5281...VAR)

28 Days or Older

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	57	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Condition-PP

Location: 426 (5282...VAR)

RM

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources

Columns

Codes

Recodes*

1505	58	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *
------	----	---	------------------------------

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Condition-PP
Congenital Malformation

Location: 427 (5283...VAK)

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	59	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	6 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Condition-PP

Location: 428 (5284...VAR)

Seizures, Epilepsy, Convulsions

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	60	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Condition-PP **Location:** 429 (5285...VAR)
Motor Defect **Approved:** 1/23/70
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	61	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Condition-PP **Location:** 430 (5286...VAR)
Sensory Defect **Approved:** 1/23/70
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	62	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Half Sibs-Condition-PP **Location:** 431 (5287...VAR)
Retardation **Approved:** 1/23/70
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	63	Blank (no prior preg.) 0-7 8 (8 or more) 9 (Unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Fetal Death

Location: 432 (5288...VAR)

- PP Under 20 weeks

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	64	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Fetal Death

Location: 433 (5289...VAR)

- PP 20 weeks and Over

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	65	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Liveborn
- PP Male

Location: 434 (5290...VAR)

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	68	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Liveborn - PP

Location: 435 (5291...VAP)

Female

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	69	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Location: 436 (5292...VAR)
Prematures Approved: 9/30/68
 Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	70	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 0-7 7 (7 or more) 9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Living - PP **Location:** 437 (5293...VAR)
Under 5 years **Approved:** 1/23/70
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	71	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Living - PP

Location: 438 (5294...VAR)

5 years and older 1/23/70

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
--------------	---------	-------	----------

1565	72	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *
------	----	---	------------------------------

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Died - PP

Location: 439 (5295...VAR)

Under 28 Days

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	73	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sits - Died - PP

Location: 440 (5296...VAR)

28 Days and Older 1/23/70

Approved: _____

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	74	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs-Condition-PP

Location: 441 (5297...VAR)

RH

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	75	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs-Condition-PP

Location: 442 (5298...VAR)

Congenital Malformation

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	76	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs-Condition-PP

Location: 443 (5299...VAR)

Rotor Defect

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	78	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Subs-Condition-PP **Location:** 444 (5300...VAR)
Sensory Defect **Approved:** 1/23/70
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	79	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs-Condition-PP

Location: 445 (5301...VAR)

Retardation

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	80	Blank (no prior preg.) 0-7 8 (8 or more) 9 (unknown)	8 * 7 (7 or more) *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Full Sibs - Total **Location:** 446-447 (5302...VAR)
Number Liveborn **Approved:** 9/3/68
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	32-33	Blank (no prior preg.) 00-25 99 (unknown)	88 00-25 99

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Total

Location: 448-449 (5303...VAR)

Number Liveborn - PP

Approved: 9/30/68

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
1505	66-67	Blank (no prior preg.) 00-25 99 (unknown)	88 00-25 99

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Children

Location: 450 (5304...VAR)

Unable to Attend Regular School - PP

Approved: 1/29/69

Revised:

Remarks:

Card Sources	Columns	Codes	Recodes*
2505	37	0-5 6 (6 or more) 7 (not applicable) 8 (questionable) 9 (unknown)	* * * 9 9
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Location: 451 (5305...VAR)
Incompatibility - PP Fetal Death Approved: 1/23/70
 Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	18	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - **Location:** 452 (5306...VAR)
Incompatibility - PP Liveborn, **Approved:** 1/23/70
No Transfusion **Revised:** _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	19	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Location: 453 (5307...VAR)
Incompatibility - PP Liveborn, Approved: 1/23/70
Exchange Transfusion Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	20	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs -

Location: 454 (5308...VAR)

Congenital Malformation - PP

Approved: 1/23/70

Cleft Lip or Palate

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	21	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs -

Location: 455 (5309...VAR)

Congenital Malformation - PP

Approved: 1/23/70

Club Foot

Revised: _____

Remarks: _____

Card Sources Columns Codes Recodes*

2505	22	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs -

Location: 456 (5310...VAR)

Congenital Malformation - PP

Approved: 1/23/70

Fingers or Toes

Revised: _____

Remarks: _____

Card Sources Columns

Codes

Recodes*

2505	23	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs -

Location: 457 (5311...VAR)

Congenital Malformation - PP

Approved: 1/23/70

Heart

Revised: _____

Remarks: _____

Card Sources

Columns

Codes

Recodes*

2505	24	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs -

Location: 458 (5312...VAR)

Congenital Malformation - PP

Approved: 1/23/70

Head or Spine

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	25	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Location: 459 (5313...VAR)
Congenital Malformation - PP Approved: 1/23/70
Other Physical Defects Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	26	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Motor

Location: 460 (5314...VAR)

Defects - PP Injury

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	28	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Motor

Location: 461 (5315...VAR)

Defects - PP Infection

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	29	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Motor Location: 462 (5316...VAR)
Defects - PP Other Approved: 1/23/70
 Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	30	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Sensory **Location:** 463 (5317...VAR)
Defects-PP Blind **Approved:** 1/23/70
 Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	31	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Sensory Location: 464 (5318...VAR)
Defects-PP Deaf Approved: 1/23/70
 Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	32	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Sensory

Location: 465 (5319...VAR)

Defects-PP Trouble Speaking

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	33	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Retardation
and Disturbance-PP Physical Retardation

Location: 466 (5320...VAR)

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	34	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Retardation Location: 467 (5321...VAR)
and Disturbance-PP Mental Retardation Approved: 1/23/70
 Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	35	0 (no) 1 (yes) 8 (questionable) 9 (unknown)	* * 2 *
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: All Sibs - Retardation
and Disturbance-PP Emotional Disturbance

Location: 468 (5322...VAR)

Approved: 1/23/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
2505	36	0 (no) 1 (yes) 2 (questionable) 9 (unknown)	* * 2 1
1505 card	27-28	Code 00 and no 2505 card present	8 (no prior preg.)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Gravida Malformations

Location: 469 (5323...VAR)

Approved: 7/16/70

Revised: _____

Remarks: _____

Card Sources Columns

Codes

Recodes*

3505	30 31	Check both cols. If both cols. = code 0, recode "0". If both cols. = code 9, recode "9". If col. 30 = code 1-7 and/ or col. 31 = code 1-8, recode as "1". If col. 30 = code 8 and col. 31 = code 0,9 OR col. 30 = code 0 and col. 31 = code 9 OR col. 30 = code 9 and col. 31 = code 0, recode as "8".	0 (No) 1 (Yes) 8 (Questionable) 9 (Unknown)
------	----------	---	---

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Gravida Sensory Defects Location: 470 (5324...VAR)
 _____ Approved: 7/16/70
 _____ Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3505	32	0 (None) 1 (Seeing) 2 (Hearing) 3 (comb. of codes 1 and 2) 4 (Speaking) 5 (comb. of codes 1 and 4) 6 (comb. of codes 2 and 4) 7 (comb. of codes 1,2 and 4) 8 (Questionable) 9 (Unknown)	* * * * * * * * * *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Gravida Sensory Defects

Location: 471 (5325...VAR)

Group/Interval Code

Approved: _____

Revised: _____

Remarks: _____

Recode from
Location 470
(5324...VAR)
Gravida - Sensory Defects

Codes

Recodes*

0	0
1,2,3,4,5,6,7	1
8,9	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Gravida Seizures Location: 472 (5326...VAR)
 _____ Approved: 7/16/70
 _____ Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3505	38	0 (None) 1 (Before age 15) 2 (Age 15 or older) 3 (Comb. of codes 1 and 2) 4 (Age unknown) 5 (Eclampsia only) 8 (Questionable) 9 (Unknown)	* * * * * * 9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Gravida Seizures

Location: 473 (5327...VAR)

Group/Interval Code

Approved: _____

Revised: _____

Remarks: _____

Recode from
Location 47Z
(5326...VAR)
Gravida - Seizures

Codes	Recodes*
0	0
1,2,3,4,5	1
8,9	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Motor Defects (Gravida) **Location:** 474 (5328...VAR)

Approved: 7/16/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3505	41	0 (None) 1 (Injury) 2 (Infection) 3 (Comb. of codes 1 and 2) 4 (Other) 5 (comb. of codes 1 and 4) 6 (comb. of codes 2 and 4) 7 (com. of codes 1,2 and 4) 8 (Questionable) 9 (Unknown)	* * * * * * * * 9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Gravida - Motor Defects **Location:** 475 (5329...VAR)

Group/Interval Code _____ **Approved:** _____

Revised: _____

Remarks: _____

Recode from
Location 474
(5328...VAR)
Gravida - Motor Defects

Codes	Recodes*
0	0
1,2,3,4,5,6,7	1
8,9	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Gravida Mental **Location:** 476 (5330...VAR)
Retardation **Approved:** 7/16/70
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3505	44	0 (None) 1 (Mentally Retarded) 2 (Special class for slow learner, undgraded) 8 (Questionable) 9 (Unknown)	9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Gravida - Mental

Location: 477 (5331...VAR)

Retardation

Approved: _____

Group/Interval Code

Revised: _____

Remarks: _____

Recode from
Location 476
(5330...VAR)
Cavida - Mental
Retardation

Codes	Recodes*
0	0
1,2	1
8,9	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Gravida Mental Illness **Location:** 478 (5332...VAR)

Approved: 7/16/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3505	47	0 (None) 1 (Hospitalized) 2 (Out-patient care) 3 (Alcoholism, drug addiction) 8 (Questionable) 9 (Unknown)	* 9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: Gravida - Mental Illness **Location:** 479 (5333...VAR)

Group/Interval Code **Approved:** _____

_____ **Revised:** _____

Remarks: _____

Recode from
Location 478
(5332...VAR)
Gravida - Mental Illness

Codes	Recodes*
0	0
1,2,3	1
8,9	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: FOB - Malformations Location: 480 (5334...VAR)
 _____ Approved: 7/16/70
 _____ Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3505	53 54	Check both cols. If both cols. = code 0, recode "0". If both cols. = code 9, recode "9". If col. 53 = code 1-7 and/ or col. 54 = code 1-8, recode as "1". If col. 53 = code 8 and col. 54 = code 0,9 OR col. 53 = code 0 and col. 54 = code 9 OR col. 53 = code 9 and col. 54 = code 0, recode as "8".	0 (No) 1 (Yes) 8 (Questionable) 9 (Unknown)

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: FOB - Sensory Defects **Location:** 481 (5335...VAR)
Approved: 7/16/70
Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3505	55	0 (None) 1 (Seeing) 2 (Hearing) 3 (comb. of codes 1 and 2) 4 (Speaking) 5 (comb. of codes 1 and 4) 6 (comb. of codes 2 and 4) 7 (comb. of codes 1,2 and 4) 8 (Questionable) 9 (Unknown)	* * * * * * * * * *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: FOB - Sensory Defects

Location: 482 (5336...VAR)

Group/Interval Code _____

Approved: _____

Revised: _____

Remarks: _____

Recode from
Location 481
(5335...VAR)
FOB - Sensory Defects

Codes	Recodes*
0	0
1,2,3,4,5,6,7	1
8,9	2

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: FOB - Seizures

Location: 483 (5337...VAR)

Approved: 7/16/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3505	61	0 (None) 1 (Before age 15) 2 (Age 15 or older) 3 (Comb. of codes 1 and 2) 4 (Age unknown) 5 (Questionable) 9 (Unknown)	* * * * * 9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: FOB - Seizures

Location: 486 (5338...VAR)

Group/Interval Code _____

Approved: _____

Revised: _____

Remarks: _____

Recode from
Location 463
(5337...VAR)
FOB - Seizures

Codes	Recodes*
0	0
1,2,3,4	1
6,9	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: F08 - Motor Defects

Location: 485 (5339...VAR)

Approved: 7/16/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3505	64	0 (None) 1 (Injury) 2 (Infection) 3 (Comb. of codes 1 and 2) 4 (Other) 5 (comb. of codes 1 and 4) 6 (comb. of codes 2 and 4) 7 (com. of codes 1,2 and 4) 8 (Questionable) 9 (Unknown)	* * * * * * * * * *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: FOB - Motor Defects

Location: 486 (5340...VAR)

Group/Interval Code

Approved: _____

Revised: _____

Remarks: _____

Recode from
Location 485
(5339...VAR)
FOB - Motor Defects

Codes	Recodes*
0	0
1,2,3,4,5,6,7	1
8,9	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: FOB - Mental Location: 487 (5341...VAR)
Retardation Approved: 7/16/70
 Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3505	67	0 (None) 1 (Mentally Retarded) 2 (Special class for slow learner, ungraded) 8 (Questionable) 9 (Unknown)	* * * 9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: FOB - Mental Retardation **Location:** 488 (5342...VAR)

Group/Interval Code

Approved: _____

Revised: _____

Remarks: _____

.....

Recode from
Location 487
(5341...VAR)
FOB - Mental Retardation

Codes	Recodes*
0	0
1,2	1
8,9	9

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: FOB - Mental Illness

Location: 489 (5343...VAR)

Approved: 7/16/70

Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3505	70	0 (None) 1 (Hospitalized) 2 (Out-patient care) 3 (Alcoholism, drug addiction) 8 (Questionable) 9 (Unknown)	* * * * 9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: FOB - Mental Illness

Location: 490 (5344...VAR)

Group/Interval Code

Approved: _____

Revised: _____

Remarks: _____

	Codes	Recodes*
Recode from	0	0
Location 489	1,2,3	1
(5543...VAR)	8,9	9
FOB - Mental Illness		

***An asterisk in recode column means transfer codes verbatim.**

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: FOE - Diabetes Location: 491 (5345...VAR)
 _____ Approved: 7/16/70
 _____ Revised: _____

Remarks: _____

Card Sources	Columns	Codes	Recodes*
3505	58	0 (None) 1 (Onset before age 15) 2 (Onset at age 15 or older) 4 (Age at onset unknown) 8 (Questionable) 9 (Unknown)	* * * * 9 *

*An asterisk in recode column means transfer codes verbatim.

VARIABLE FILE FIELD DERIVATION METHOD

Field Description: F08 - Diabetes

Location: 492 (5346...VAR)

Group/Interval Code


Approved: _____

Revised: _____

Remarks: _____

	Codes	Recodes*
Recode from	0	0
Location 491	1,2,3,4	1
(5345...VAR)	8,9	9
Diabetes (FOB)		

*An asterisk in recode column means transfer codes verbatim.



MICROCOPY RESOLUTION TEST CHART
ASTM D155-60 (1993) STANDARD
MAGNIFICATION 100X
DATE 10-10-70

CONTINUED ON NEXT FICHE