



DOT HS 812 315 August 2016

Fatality Analysis Reporting System (FARS)

Analytical User's Manual 1975-2015

Table of Contents

New in 2015 FARS		2
Preface		7
FARS Operations		8
FARS SAS Data Files	S	9
FARS Data Element I	_ist	13
Data Element Definiti	ons and Codes	25
The ACCIDEN	IT Data File	31
	Data File	
The PERSON	Data File	240
The PARKWO	PRK Data File	285
	Data File	
	Data File	
	ta File	
	Data File	
	CT Data File	
The DRIMPAI	R Data File	456
The FACTOR	Data File	458
The MANEUV	ER Data File	460
The VIOLATN	Data File	462
The VISION D	Pata File	466
The NMCRAS	H Data File	468
The NMIMPAI	R Data File	470
The NMPRIO	R Data File	472
The SAFETY	EQ Data File	474
The VINDECO	DDE Data File	476
Appendices		477
Appendix A:	PC23 Crash Type Diagram	478
Appendix B:	Rules for Derived Data Elements	
Appendix C:	Additional Data Element Information	486
Appendix D:	Changes in FARS Data Elements by SAS Data File and Ye	
Appendix E:	Summary of 2010 and 2011 FARS Changes	544
Appendix F:	Pedestrian and Bicyclist Data Availability Change	
Appendix G:	Changes to the FARS VIN Decoded Data Elements	587

New in 2015 FARS

Data Elements with Changes in Attributes

Below is a list of FARS data elements that have substantial changes for 2015. Changes are denoted in bold typeface (bold/italics for additions, bold/strikethrough for deletions). More detailed information on each data element can be found in the FARS/NASS GES Coding and Validation Manual. NHTSA publishes these manuals for each year of data collection and they can be found at:

NHTSA's FARS Coding Manuals.

DATA ELEMENT #	DATA ELEMENT NAME	SAS TABLE.NAME	COMMENTS
C11	Roadway Function Class	Accident.ROAD_FNC	■ Deleted Element.
C12A	Land Use	Accident.RUR_URB	Added new element with attributes: 1 (Rural), 2 (Urban), 6 (Trafficway Not in State Inventory), 8 (Not Reported) and 9 (Unknown).
C12B	Functional System	Accident.FUNC_SYS	■ Added new element with attributes: 01 (Interstate), 02 (Principal Arterial - Other Freeways and Expressways), 03 (Principal Arterial - Other), 04 (Minor Arterial), 05 (Major Collector), 06 (Minor Collector), 07 (Local), 96 (Trafficway Not in State Inventory), 98 (Not Reported), and 99 (Unknown).

DATA ELEMENT #	DATA ELEMENT NAME	SAS TABLE.NAME	COMMENTS
C13	Ownership	Accident.RD_OWNER	■ Added new element with attributes: 01 (State Highway Agency), 02 (County Highway Agency), 03 (Town or Township Highway Agency), 04 (City or Municipal Highway Agency), 11 (State Park, Forest or Reservation Agency), 12 (Local Park, Forest or Reservation Agency), 21 (Other State Agency), 25 (Other Local Agency), 26 (Private [other than Railroad]), 27 (Railroad), 31 (State Toll Road), 32 (Local Toll Authority), 40 (Other Public Instrumentality [i.e., Airport]), 50 (Indian Tribe Nation), 60 (Other Federal Agency), 62 (Bureau of Indian Affairs), 63 (Bureau of Fish and Wildlife), 64 (U.S. Forest Service), 66 (National Park Service), 67 (Tennessee Valley Authority), 68 (Bureau of Land Management), 69 (Bureau of Reclamation), 70 (Corps of Engineers), 72 (Air Force), 74 (Navy/Marines), 80 (Army), 96 (Trafficway Not in State Inventory), 98 (Not Reported) and 99 (Unknown).
D14	Previous Recorded Crashes	Vehicle.PREV_ACC	Changed qualifying events time period from the <u>previous three years</u> to the <u>previous five years</u> .
D15	Previous Recorded Suspensions and Revocations	Vehicle.PREV_SUS	Changed qualifying events time period from the <u>previous three years</u> to the <u>previous five years</u> .
D16	Previous DWI Convictions	Vehicle.PREV_DWI	Changed qualifying events time period from the <u>previous three years</u> to the <u>previous five years</u> .
D17	Previous Speeding Convictions	Vehicle.PREV_SPD	Changed qualifying events time period from the <u>previous three years</u> to the <u>previous five years</u> .

DATA ELEMENT #	DATA ELEMENT NAME	SAS TABLE.NAME	COMMENTS
D18	Previous Other Harmful MV Conviction change to Previous Other Moving Violation Convictions	Vehicle.PREV_OTH	 Changed Element Name. Changed qualifying events time period from the <u>previous three years</u> to the <u>previous five years</u>.
D19	Date of First Crash, Suspension, Conviction	Vehicle.FIRST_MO, Vehicle.FIRST_YR	Changed qualifying events time period from the <u>previous three years</u> to the <u>previous five years</u> . Added remarks regarding non-traffic related issues or offenses.
D20	Date of Last Crash, Suspension, Conviction	Vehicle.LAST_MO, Vehicle.LAST_YR	Changed qualifying events time period from the <u>previous three years</u> to the <u>previous five years</u> .
D24	Related Factors - Driver Level	Vehicle.DR_SF1, Vehicle.DR_SF2, Vehicle.DR_SF3, Vehicle.DR_SF4	■ Updated attributes: 28 (Failure to Keep in Proper Lane Improper Lane Usage), 33 (Passing Where Prohibited by Posted Signs, Pavement Markings, Hill or Curve, or School Bus Displaying Warning Not to Pass), 34 (Passing on Wrong Right Side), 36 (Operating the Vehicle in an Erratic, Reckless or Negligent Manner or Operating at Erratic or Suddenly Changing Speeds) and 59 (Getting Off/Out of or On/In to a Vehicle). ■ Deleted attribute: 57 (Locked Wheel).
PC19	Critical Event - Precrash (Event)	Vehicle.P_CRASH2	• Modify attribute name: 52 (Traveling in Same Direction With Lower <u>er</u> Steady Speed).
P14	Ejection Path	Person.EJ_PATH	Modify attribute: 0 (Not Ejected/Not Applicable) to (Ejection Path Not Applicable) and 9 (Unknown/Unknown Path) to (Ejection Path Unknown).

DATA ELEMENT #	DATA ELEMENT NAME	SAS TABLE.NAME	COMMENTS
P18B/ NM17B	Alcohol Test Type	Person.ATST_TYP	■ Modify attribute name: 02 (Breathalyzer "BAC") to (Breath Test [AC]).
P18C/ NM17C	Alcohol Test Result	Person.ALC_RES	■ Format change from 2 to 3 numeric. ■ Modify attribute numbering (Subfield 3) from 2 digit to 3 digit: 000-930 (Actual Value), 940 (.94 or Greater), 996 (Test Not Given), 997 (AC Test Performed, Results Unknown), 998 (Positive Reading with No Actual Value), 995 (Not Reported) and 999 (Unknown if Tested).
P26/ NM25	Related Factors - Person MV Occupant Level	Person.P_SF1, Person.P_SF2, Person.P_SF3	■ Updated attributes: 28 (Failure to Keep in Proper Lane Improper Lane Usage), 29 (Intentional Illegal Driving on Road Shoulder, in Ditch, on Sidewalk or on Median), 33 (Passing Where Prohibited by Posted Signs, Pavement Markings, Hill or Curve, or School Bus Displaying Warning Not to Pass Line) and 82 (Pedestrian, Pedal Cyclists or Persons on Personal Conveyances Other Non-Motorist). ■ Deleted Attribute: 58 (Locked Wheel).
SP1	Death Certificate Number	Person.CERT_NO	■ Deleted Element
New C18 Old C17	Crash Events	Cevent.VNUMBER1, Cevent.AOI1, Cevent.VNUMBER2, Cevent.AOI2, Vevent.VNUMBER1, Vevent.AOI1, Vevent.VNUMBER2, Vevent.AOI2, Vsoe.AOI	■ Moved Element from C17 to C18.
D21	Violations Charged	Violatn.MVIOLATN	Added new attribute: 10 (Use of Telecommunications Device).
NM13	Non-Motorist Safety Equipment	Safetyeq.MSAFEQMT	■ Updated attributes: 3 - Reflective Equipment/Clothing (jacket, backpack, etc) and Protective Pads Used (elbows, knees, shins, etc.).

Summary of the SAS Naming Changes in 2015

Locator Code	2014 SAS Name	New 2015 SAS Name	Data Element Name
C12A	N/A	Accident.RUR_URB	Land Use
C12B	N/A	Accident.FUNC_SYS	Functional System
C13	N/A	Accident.RD_OWNER	Ownership
		None	

The data elements in RED are new to 2015 FARS.

The data elements in BLUE are changed in 2015 FARS.

Preface

One of the primary objectives of the National Highway Traffic Safety Administration (NHTSA) is to reduce the staggering human toll and property damage that motor vehicle traffic crashes impose on our society. Crashes each year result in thousands of lives lost, hundreds of thousands of injured victims, and billions of dollars in property damage. Accurate data are required to support the development, implementation, and assessment of highway safety programs aimed at reducing this toll. NHTSA uses data from many sources, including the Fatality Analysis Reporting System (FARS) which began operation in 1975. Providing data about fatal crashes involving all types of vehicles, the FARS is used to identify highway safety problem areas, provide a basis for regulatory and consumer information initiatives, and form the basis for cost and benefit analyses of highway safety initiatives.

FARS is a census of fatal motor vehicle crashes with a set of data files documenting all qualifying fatalities that occurred within the 50 States, the District of Columbia, and Puerto Rico since 1975. To qualify as a FARS case, the crash had to involve a motor vehicle traveling on a trafficway customarily open to the public, and must have resulted in the death of a motorist or a non-motorist within 30 days of the crash.

This multi-year analytical user's manual provides documentation on the historical coding practices of the Fatality Analysis Reporting System from 1975 to 2015. In other words, this manual presents the evolution of FARS coding from inception through present. The manual includes the data elements that are contained in FARS and other useful information that will enable the users to become familiar with the data system. FARS/NASS GES Coding and Validation Manuals provide more detailed definitions for each data element and attribute for a given year. Years 2001 to current are available at:

http://www-nrd.nhtsa.dot.gov/Cats/listpublications.aspx?Id=J&ShowBv=DocTvpe

The compilation of FARS data for almost four decades has been a priority for NHTSA. These data store valuable information that have been preserved over time and are available for present and future use. This analytical user's manual should help improve the usefulness and accessibility of the FARS data. With the exception of personal notes, there is no reason to keep older versions of this reference manual. All information in earlier editions has been retained in this newer version.

Thank you for your interest in highway traffic safety.

FARS Operations

The Fatality Analysis Reporting System (FARS), which became operational in 1975, contains data on a census of fatal traffic crashes within the 50 States, the District of Columbia, and Puerto Rico. To be included in FARS, a crash must involve a motor vehicle traveling on a trafficway customarily open to the public, and must result in the death of an occupant of a vehicle or a non-occupant within 30 days (720 hours) of the crash.

FARS is directed by the National Center for Statistics and Analysis (NCSA) which is a component of NHTSA. NHTSA has a cooperative agreement with an agency in each State's government to provide information on all qualifying fatal crashes in the State. These agreements are managed by NCSA's FARS Program staff. Trained State employees, called "FARS Analysts," are responsible for gathering, translating, and transmitting their State's data to NCSA in a standard format. The number of analysts varies by State.

FARS data are obtained from various States' documents, such as:

- Police Accident Reports (PAR)
- Death Certificates
- State Vehicle Registration Files
- Coroner/Medical Examiner Reports
- State Driver Licensing Files
- State Highway Department Data
- Emergency Medical Service Reports
- Vital Statistics and other State Records

From these documents, the analysts code more than 100 FARS data elements. The specific data elements may be modified slightly each year to conform to changing user needs, vehicle characteristics, and highway safety emphasis areas. The data collected within FARS do not include any personal identifying information, such as names, addresses, or social security numbers. Thus, any data kept in FARS data files and made available to the public fully conform to the Privacy Act.

Each analyst interprets and codes data directly onto an electronic data file. The data are automatically checked when entered for acceptable range values and for consistency, enabling the analyst to make corrections immediately. Several programs continually monitor and improve the completeness and accuracy of the data.

Each analyst uses a coding manual which provides a set of written instructions on how to transfer the information from a police accident/crash report (PAR) to the FARS data. To augment the coding manual, classes are held each year to train the coders, and a system wide FARS meeting is held to reinforce uniform coding practices.

After the data file is created, quality checks are performed on the data. When these are completed, the electronic data are made available to the public. The FARS data are also used to respond to requests from the international and national highway safety communities, state and local governments, the Congress, federal agencies, research organizations, industry, the media, and private citizens. Annual FARS data files are available for 1975 through 2015.

FARS SAS Data Files

FARS data are made available to the public in Statistical Analysis System (SAS) data files as well as Database Files (DBF). Over the years, changes have been made to the type of data collected and the way the data are presented in the data files. Some data files have been discontinued and new ones have been created. For the current data collection year there are 20 data files.

This manual describes the 20 current data files as well as previously discontinued data files. The 20 current data files are: Accident, Vehicle, Person, Parkwork, Pbtype, Cevent, Vevent, Vsoe, Distract, Factor, Drimpair, Nmimpair, Maneuver, Nmprior, Nmcrash, Safetyeq, Violatn, Vision, Damage and Vindecode data files. The following data files: Distract, Factor, Drimpair, Nmimpair, Maneuver, Nmprior, Nmcrash, Safetyeq, Violatn, Vision, and Damage contain data elements in which the analyst could code multiple responses. Hence, the 2014 FARS/NASS GES Coding and Validation Manual will instruct coders to "select all that apply" for these data elements. Discontinued data files are included after the current data files. The Vehnit data file was replaced by the Parkwork data file and its data element history can be found in the Parkwork data file.

The data files are presented with their data elements in the Data Elements Definitions and Codes section. For each of the data elements, a brief definition is provided along with any additional information which could assist analyses. SAS names and values are also provided for the data elements. Discontinued data elements are moved to the end of the data file.

The SAS data files and years of availability are:


- **Accident** (1975-current): This data file contains information about crash characteristics and environmental conditions at the time of the crash. There is one record per crash.
- **Vehicle** (1975-current): This data file contains information describing the in-transport motor vehicles and the drivers of in-transport motor vehicle who are involved in the crash. There is one record per in-transport motor vehicle. Parked and working vehicle information is in the Parkwork data file.
- **Person** (1975-current): This data file contains information describing all persons involved in the crash including motorists (i.e., drivers and passengers of in-transport motor vehicles) and non-motorists (e.g., pedestrians and pedalcyclists). It provides information such as age, sex, vehicle occupant restraint use, and injury severity. There is one record per person.
- Parkwork (2010-current): This data file contains information about parked and working vehicles that were involved in FARS crashes. A parked vehicle is a motor vehicle which is stopped off the roadway. A working vehicle is used to indicate that this is a motor vehicle that was in the act of performing highway construction, maintenance or utility work related to the trafficway when it became an involved in the crash. Data users are strongly advised to consult the annual FARS/NASS GES Coding and Validation Manuals for a detailed description. There is one record per parked/working vehicle.
- Pbtype (2014-current): This data file contains information about crashes between
 motor vehicles and pedestrians, people on personal conveyances and bicyclists. Data
 from the crash are enter into the Pedestrian and Bicycle Crash Analysis Tool (PBCAT).
 The output fields from PBCAT, including the pre-crash actions of the parties involved
 (crash type), are included in this data set. There is one record for each pedestrian,
 bicyclist or person on a personal conveyance.

- Cevent (2010-current): This data file contains information for all of the qualifying events (i.e., both harmful and non-harmful involving in-transport motor vehicles) which occurred in the crash. It details the chronological sequence of events resulting from an unstabilized situation that constitutes a motor vehicle traffic crash. There is one record per event. Included in each record is a description of the event or object contacted (e.g., ran off road-right, crossed center line, guardrail, parked motor vehicle), the vehicles involved, and the vehicles' area of impact.
- **Vevent** (2010-current): This data file contains the sequence of events for each intransport motor vehicle involved in the crash. This data file has the same data elements as the Cevent data file. In addition, this data file has a data element that records the sequential event number for each vehicle (VEVENTNUM). There is one record for each event for each in-transport motor vehicle.
- **Vsoe** (2010-current): This data file contains the sequence of events for each intransport motor vehicle involved in the crash. This data file has a subset of the data elements contained in the Vevent data file (It is a simplified Vevent data file). There is one record for each event for each in-transport motor vehicle.
- **Damage** (2012-current): This data file contains information about all of the areas on this vehicle that were damaged in the crash. There is one record per damaged area.
- **Distract** (2010-current): This data file contains information about driver distractions. There is at least one record per in-transport motor vehicle. Each distraction is a separate record.
- **Drimpair** (2010-current): This data file contains information about physical impairments of drivers of motor vehicles. There is one record per impairment and there is at least one record for each driver of an in-transport motor vehicle.
- **Factor** (2010-current): This data file contains information about vehicle circumstances which may have contributed to the crash. There is at least one record per in-transport motor vehicle. Each factor is a separate record.
- **Maneuver** (2010-current): This data file contains information about actions taken by the driver to avoid something or someone in the road. There is at least one record per in-transport motor vehicle. Each maneuver is a separate record.
- Violatn (2010-current): This data file contains information about violations which were charged to drivers. There is at least one record per in-transport motor vehicle. Each violation is a separate record.
- **Vision** (2010-current): This data file contains information about circumstances which may have obscured the driver's vision. There is at least one record per in-transport motor vehicle. Each obstruction is a separate record.
- **Nmcrash** (2010-current): This data file contains information about any contributing circumstances or improper actions of people who are not occupants of motor vehicles (e.g., pedestrians and bicyclists) noted on the PAR. There is one record per action and there is at least one record for each person who is not an occupant of a motor vehicle.
- **Nmimpair** (2010-current): This data file contains information about physical impairments of people who are not occupants of motor vehicles. There is one record per impairment and there is at least one record for each person who is not an occupant of a motor vehicle.

- **Nmprior** (2010-current): This data file contains information about the actions of people who are not occupants of motor vehicles (e.g., pedestrians and bicyclists) at the time of their involvement in the crash. There is one record per action and there is at least one record for each person who is not an occupant of a motor vehicle.
- **Safetyeq** (2010-current): This data file contains information about safety equipment used by people who are not occupants of motor vehicles. There is one record per equipment item, and there is at least one record for each person who is not an occupant of a motor vehicle.
- **Vindecode** (2013-current): This data file contains vehicle descriptors for all vehicles, mainly passenger vehicles, trucks and motorcycles, based on the vehicle's VIN which is decoded using the VINtelligence program. There is one record per vehicle.

Discontinued Data Files

• Vehnit - (2005-2009): This data file contains information about parked and working vehicles that were involved in FARS crashes. Prior to the Vehnit creation, the vehicles Not-In-Transport were not included in the FARS data. This data file had the same list of data elements and SAS structure as the Vehicle data file where the UNITTYPE of the vehicle is 2, 3, or 4. The vehicle data file will have the vehicles in-transport where the UNITYPE of the vehicle is 1. Beginning in 2010, FARS discontinued the Vehnit data file and introduced the Parkwork data file. There is one record per parked/working vehicle. This data file was replaced in 2010 with the Parkwork data file. See the Parkwork data file in the Data Element Definitions and Codes section for the element history of this data file.



FARS Data Element List

The following lists all SAS data elements with their SAS data file locations.

DATA ELEMENT LIST

C1/V1/D1/PC1/			
P1/NM1	State Number	STATE	26
C2/V2/D2/PC2/			
P2/NM2	Consecutive Number	ST_CASE	27
V3/D3/PC3/			
P3/NM4	Vehicle Number	VEH_NO	28
P4/NM3	Person Number	PER_NO	29
C18	Event Number	EVENTNUM	30
C18	Vehicle Event Number	VEVENTNUM	30
	The ACCIDENT Data File 31		
C3	Number of Forms Submitted for Persons		
00	Not in Motor Vehicles	PEDS	32
C3A	Number of Persons Not in Motor Vehicles		
	in Transport (MVIT)	PERNOTMVIT	32
C4	Number of Vehicle Forms Submitted- ALL	VE_TOTAL	33
C4A	Number of Motor Vehicles in Transport (MVIT)	VE_FORMS	34
C4B	Number of Parked/Working Vehicles	PVH_INVL	35
C5	Number of Forms Submitted for Persons in Motor Vehicles	PERSONS	36
C5A	Number of Persons in Motor Vehicles	1 LIGOINO	
00/1	in Transport (MVIT)	PERMVIT	37
C6	County	COUNTY	38
C7	City	CITY	39
C8A	Month of Crash	MONTH	40
C8B	Day of Crash	DAY	40
C8C	Day of Week	DAY_WEEK	41
C8D	Year of Crash	YEAR	41
C9A	Hour of Crash	HOUR	42
C9B	Minute of Crash	MINUTE	42
C10	Trafficway Identifier	TWAY_ID	43
C10	Trafficway Identifier	TWAY_ID2	43
C11	Route Signing	ROUTE	44
C12A	Land Use	TBD	45
C12B	Functional System	TBD	46

C13	Ownership	TBD	47
C14	National Highway System	NHS	48
C15	Special Jurisdiction	SP_JUR	49
C16	Milepoint	MILEPT	50
C17A	Latitude	LATITUDE	51
C17B	Longitude	LONGITUD	52
C19	First Harmful Event	HARM_EV	53
C20	Manner of Collision	MAN_COLL	57
C21A	Relation to Junction- Within Interchange Area	RELJCT1	58
C21B	Relation to Junction- Specific Location	RELJCT2	58
C22	Type of Intersection	TYP_INT	60
C23	Relation to Trafficway	REL_ROAD	61
C24	Work Zone	WRK_ZONE	62
C25	Light Condition	LGT_COND	63
C26	Atmospheric Conditions	WEATHER	64
C26	Atmospheric Conditions	WEATHER1	64
C26	Atmospheric Conditions	WEATHER2	64
C27	School Bus Related	SCH_BUS	65
C28	Rail Grade Crossing Identifier	RAIL	66
C29A	Hour of Notification	NOT_HOUR	67
C29B	Minute of Notification	NOT_MIN	67
C30A	Hour of Arrival at Scene	ARR_HOUR	68
C30B	Minute of Arrival at Scene	ARR_MIN	68
C31A	Hour of EMS Arrival at Hospital	HOSP_HR	69
C31B	Minute of EMS Arrival at Hospital	HOSP_MIN	69
C32	Related Factors- Crash Level	CF1	70
C32	Related Factors- Crash Level	CF2	70
C32	Related Factors- Crash Level	CF3	70
C100	Drunk Drivers	DRUNK_DR	72
C101	Fatalities	FATALS	73
	Federal Highway (discontinued)	FED_AID	74
	Hit and Run (discontinued)	HIT_RUN	75
	Land Use (discontinued)	LAND_USE	76
	Roadway Alignment (discontinued)	ALIGNMNT	77
	Roadway Function Class (discontinued)	ROAD_FNC	78
	Roadway Profile (discontinued)	PROFILE	79
	Roadway Surface Condition (discontinued)	SUR_COND	80
	Roadway Surface Type (discontinued)	PAVE_TYP	81
	Speed Limit (discontinued)	SP_LIMIT	82
	Total Lanes in Roadway (discontinued)	NO_LANES	83
	Traffic Control Device (discontinued)	TRA_CONT	84

	Traffic Control Device Functioning		
	(discontinued)	T_CONT_F	86
	Trafficway Description (discontinued)	TRAF_FLO	87
	Vehicles in Transport (discontinued)	VEHICLES	88
	The VEHICLE Data File 89)	
V4	Number of Occupants	NUMOCCS	90
V5	Unit Type	UNITTYPE	91
V6	Hit and Run	HIT_RUN	92
V7	Registration State	REG_STAT	93
V8	Registered Vehicle Owner	OWNER	95
V9	Vehicle Make	MAKE	96
V10	Vehicle Model	MODEL	101
V11	Body Type	BODY_TYP	103
V12	Vehicle Model Year	MOD_YEAR	108
V13	Vehicle Identification Number (VIN)	VIN	109
V14	Vehicle Trailing	TOW_VEH	110
V15	Jackknife	J_KNIFE	111
V16	Motor Carrier Identification Number (MCID)	MCARR_ID	112
V16A	MCID Issuing Authority	MCARR_I1	113
V16B	MCID Identification Number	MCARR_I2	114
V17	Gross Vehicle Weight Rating	GVWR	115
V18	Vehicle Configuration	V_CONFIG	116
V19	Cargo Body Type	CARGO_BT	118
V20A/HM1	Hazardous Material Involvement	HAZ_INV	120
V20B/HM2	Hazardous Material Placard	HAZ_PLAC	120
V20C/HM3	Hazardous Material Identification Number	HAZ_ID	120
V20D/HM4	Hazardous Material Class Number	HAZ_CNO	121
V20E/HM5	Release of Hazardous Material from the		
	Cargo Compartment	HAZ_REL	121
V21	Bus Use	BUS_USE	122
V22	Special Use	SPEC_USE	123
V23	Emergency Motor Vehicle Use	EMER_USE	124
V24	Travel Speed	TRAV_SP	125
V25	Underride/Override	UNDERIDE	126
V26	Rollover	ROLLOVER	127
V27	Location of Rollover	ROLINLOC	128
V28A	Initial Contact Point	IMPACT1	129
V29	Extent of Damage	DEFORMED	130
V30	Vehicle Removal	TOWED	131
V32	Most Harmful Event	M_HARM	132
V33	Related Factors- Vehicle Level	VEH_SC1	136
V33	Related Factors- Vehicle Level	VEH_SC2	136

\/2.4	Fire Occurrence	FIDE EVD	400
V34	Fire Occurrence	FIRE_EXP	138
V100	Make Model Combined	MAK_MOD	139
V101	VIN Character 1	VIN_1	140
V102	VIN Character 2	VIN_2	141
V103	VIN Character 3	VIN_3	142
V104	VIN Character 4	VIN_4	143
V105	VIN Character 5	VIN_5	144
V106	VIN Character 6	VIN_6	145
V107	VIN Character 7	VIN_7	146
V108	VIN Character 8	VIN_8	147
V109	VIN Character 9	VIN_9	148
V110	VIN Character 10	VIN_10	149
V111	VIN Character 11	VIN_11	150
V112	VIN Character 12	VIN_12	151
V150	Fatalities in Vehicle	DEATHS	152
V151	Driver Drinking	DR_DRINK	153
D4	Driver Presence	DR_PRES	154
D5	Driver's License State	L_STATE	155
D6	Driver's ZIP Code	DR_ZIP	156
D7A	Non-CDL License Type	L_TYPE	157
D7B	Non-CDL License Status	L_STATUS	157
D8	Commercial Motor Vehicle License Status	CDL_STAT	159
D9	Compliance with CDL Endorsements	L_ENDORS	160
D10	License Compliance with Class of Vehicle	L_COMPL	161
D11	Compliance with License Restrictions	L_RESTRI	162
D12	Driver Height	DR_HGT	163
D13	Driver Weight	DR_WGT	164
D14	Previous Recorded Crashes	PREV_ACC	165
D15	Previous Recorded Suspensions and		
	Revocations	PREV_SUS	166
D16	Previous DWI Convictions	PREV_DWI	167
D17	Previous Speeding Convictions	PREV_SPD	168
D18	Previous Other Moving Violation Convictions	PREV_OTH	169
D19A	Month of First Crash, Suspension or Conviction	FIRST_MO	170
D19B	Year of First Crash, Suspension or Conviction	FIRST_YR	171
D20A	Month of Last Crash, Suspension or Conviction	LAST_MO	172
D20B	Year of Last Crash, Suspension or Conviction	LAST_YR	173
D22	Speeding Related	SPEEDREL	174
D24	Related Factors- Driver Level	DR_SF1	175
D24	Related Factors- Driver Level	DR_SF2	175
D24	Related Factors- Driver Level	DR_SF3	175
D24	Related Factors- Driver Level	DR_SF4	175
		_	

DOF	Troffic you December 2	\/TD \ \ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \	404
PC5	Trafficway Description	VTRAFWAY	181
PC6	Total Lanes in Roadway	VNUM_LAN	182
PC7	Speed Limit	VSPD_LIM	183
PC8	Roadway Alignment	VALIGN	184
PC9	Roadway Grade	VPROFILE	185
PC10	Roadway Surface Type	VPAVETYP	186
PC11	Roadway Surface Condition	VSURCOND	187
PC12	Traffic Control Device	VTRAFCON	188
PC13	Traffic Control Device Functioning	VTCONT_F	189
PC17	Pre-Event Movement (Prior To Recognition of Critical Event)	P_CRASH1	190
PC19	Critical Event- Precrash	P_CRASH2	191
PC20	Attempted Avoidance Maneuver	P_CRASH3	193
PC21	Pre-Impact Stability	PCRASH4	194
PC22	Pre-Impact Location	PCRASH5	195
PC23	Crash Type	ACC_TYPE	196
	Axle (discontinued)	AXLES	199
	Carburetion (discontinued)	CARBUR	200
	Crash Avoidance Maneuver (discontinued)	AVOID	201
	Cubic Inch Displacement (discontinued)	DISPLACE	202
	Curb Weight (discontinued)	VIN_WGT	203
	Driver Training (discontinued)	DR_TRAIN	204
	Driver's Vision Obscured by (discontinued)	D_VISION1	205
	Driver's Vision Obscured by (discontinued)	D_VISION2	205
	Driver's Vision Obscured by (discontinued)	D_VISION3	205
	Fuel Code (discontinued)	FUELCODE	206
	Hazardous Material Involvement/Placard	HAZ_CARG	207
	(discontinued)	IMPACT2	
	Most Damaged Area (discontinued)		208
	Motorcycle Dry Weight (discontinued)	MCYCL_WT	209
	Motorcycle Engine Displacement (CC) (discontinued)	MCYCL_DS	210
	Motorcycle Type (discontinued)	MCYCL_TY	211
	Number of Cylinders (discontinued)	CYLINDER	212
	Number of Motorcycle Engine Cycles	OTLINDLIX	212
	(discontinued)	MCYCL_CY	213
	Number of Wheels/Drive Wheels		
	(discontinued)	WHLDRWHL	214
	Original Tire Size (discontinued)	TIRE_SZE	215
	Sequence of Events (discontinued)	SEQ1	216
	Sequence of Events (discontinued)	SEQ2	216
	Sequence of Events (discontinued)	SEQ3	216
	Sequence of Events (discontinued)	SEQ4	216

	Sequence of Events (discontinued)	SEQ5	216
	Sequence of Events (discontinued)	SEQ6	216
	Truck Shipping Weight (discontinued)	TRK_WT	218
	Truck Shipping Weight Variance (discontinue		219
	Truck Ton Rating (discontinued)	TON RAT	220
	Truck VIN Restraint Type (discontinued)	VIN_REST	221
	Truck Weight Rating (discontinued)	WGTCD_TR	222
	Vehicle Maneuver (discontinued)	VEH MAN	223
	Vehicle Role (discontinued)	IMPACTS	224
	VIN Body Type (discontinued)	VIN_BT	228
	VIN Length (discontinued)	VIN_LNGT	232
	VIN Make (discontinued)	VINMAKE	233
	VIN Model (discontinued)	VINA MOD	234
	VIN Model Year (discontinued)	VINA_NOD	235
	VIN Truck Series (discontinued)	SER_TR	236
	VIN Vehicle Type (discontinued)	VINTYPE	237
	Wheelbase Short (discontinued)	WHLBS_SH	238
	Wheelbase Long (discontinued)	WHLBS_SH	238
	wheelbase cong (discontinued)	WILDO_LG	239
	The PERSON Data File 24	0	
P5/NM5	Age	AGE	241
P6/NM6	Sex	SEX	242
P7/NM7	Person Type	PER_TYP	243
P8/NM8	Injury Severity	INJ_SEV	244
P9	Seating Position	SEAT_POS	245
P10	Restraint System/Helmet Use	REST_USE	247
P11	Indication of Misuse of Restraint		
	System/Helmet	REST_MIS	249
P12	Air Bag Deployed	AIR_BAG	250
P13	Ejection	EJECTION	252
P14	Ejection Path	EJ_PATH	253
P15	Extrication	EXTRICAT	254
P16/NM15	Police Reported Alcohol Involvement	DRINKING	255
P17/NM16	Method of Alcohol Determination by Police	ALC_DET	256
P18A/NM17A	Alcohol Test Status	ALC_STATUS	257
P18A/NM17A	Alcohol Test Status	ATST_TYP	258
P18A/NM17A	Alcohol Test Status	ALC_RES	259
P19/NM18	Police Reported Drug Involvement	DRUGS	260
P20/NM19	Method of Drug Determination by Police	DRUG_DET	261
P21A/NM20A	Drug Test Status	DSTATUS	262
P21B/NM20B	Drug Test Type	DRUGTST1	262
P21B/NM20B	Drug Test Type	DRUGTST2	262
P21B/NM20B	Drug Test Type	DRUGTST3	262

P21B/NM20B	Drug Test Type	DRUGRES1	263
P21B/NM20B	Drug Test Type	DRUGRES2	263
P21B/NM20B	Drug Test Type	DRUGRES3	263
P22/NM21	Transported to First Treatment Facility	HOSPITAL	264
P23/NM22	Died at Scene/En Route	DOA	265
P24A/NM23A	Month of Death	DEATH MO	266
P24B/NM23B	Day of Death	DEATH DA	266
P24C/NM23C	Year of Death	DEATH_YR	267
P25/NM24	Death Time	DEATH TM	268
P25A/NM24A	Hour of Death	DEATH HR	268
P25B/NM24B	Minute of Death	DEATH_MN	269
P26/NM25	Related Factors- Person Level	P_SF1	270
P26/NM25	Related Factors- Person Level	P_SF2	270
P26/NM25	Related Factors- Person Level	P SF3	270
P100A	Lag Hours	LAG_HRS	275
P100B	Lag Minutes	LAG_MINS	275
SP2	Fatal Injury at Work	WORK INJ	276
SP3A	Race	RACE	277
SP3B	Hispanic Origin	HISPANIC	278
NM4	Number of Motor Vehicle Striking Non-Motorist		279
NM10	Non-Motorist Location at Time of Crash	LOCATION	280
TAIVITO	Automatic Restraint (discontinued)	AUT_REST	282
	Death Certificate Number (discontinued)	CERT_NO	283
	Manual Restraint (discontinued)	MAN_REST	284
	Wanda Nestrani (discontinued)	IVI/ (IV_IVLOT	
	The PARKWORK Data File 285		
C4A	Number of Motor Vehicles in Transport (MVIT)	PVE_FORMS	286
C8A	Month of Crash	PMONTH	287
C8B	Day of Crash	PDAY	287
C9A	Hour of Crash	PHOUR	288
C9B	Minute of Crash	PMINUTE	288
C19	First Harmful Event	PHARM_EV	289
C20	Manner of Collision	PMAN_COLL	291
V4	Number of Occupants	PNUMOCCS	292
V5	Unit Type	PTYPE	293
V6	Hit and Run PHIT_RUN		294
V7	Registration State PREG_STAT		295
V8	Registered Vehicle Owner POWNER		297
V9	Vehicle Make	PMAKE	298
V10	Vehicle Model PMODEL		
V11	Body Type	PBODYTYP	303
V12	Vehicle Model Year	PMODYEAR	306
V13	Vehicle Identification Number (VIN) PVIN		

\/4.4	Vahiala Trailia		200
V14	Vehicle Trailing	PTRAILER	308
V16	Motor Carrier Identification Number	PMCARR_ID	309
V16A	MCID Issuing Authority	PMCARR_I1	310
V16B	MCID Identification Number	PMCARR_I2	311
V17	Gross Vehicle Weight Rating	PGVWR	312
V18	Vehicle Configuration	PV_CONFIG	313
V19	Cargo Body Type	PCARGTYP	314
V20A/HM1	Hazardous Material Involvement	PHAZ_INV	315
V20B/HM2	Hazardous Material Placard	PHAZPLAC	315
V20C/HM3	Hazardous Material Identification Number	PHAZ_ID	315
V20D/HM4	Hazardous Material Class Number	PHAZ_CNO	316
V20E/HM5	Release of Hazardous Material from the	DUAZ DEL	040
	Cargo Compartment	PHAZ_REL	316
V21	Bus Use	PBUS_USE	317
V22	Special Use	PSP_USE	318
V23	Emergency Motor Vehicle Use	PEM_USE	319
V25	Underride/Override	PUNDERIDE	320
V28A	Initial Contact Point	PIMPACT1	321
V29	Extent of Damage	PVEH_SEV	322
V30	Vehicle Removal PTOWED		323
V32	Most Harmful Event PM_HARM		324
V33	Related Factors – Vehicle Level PVEH_SC1		327
V33	Related Factors – Vehicle Level	PVEH_SC2	327
V34	Fire Occurrence PFIRE		329
V100	Make Model Combined PMAK_MC		330
V101	VIN Character 1	PVIN_1	331
V102	VIN Character 2	PVIN_2	332
V103	VIN Character 3	PVIN_3	333
V104	VIN Character 4	PVIN_4	334
V105	VIN Character 5	PVIN_5	335
V106	VIN Character 6	PVIN_6	336
V107	VIN Character 7	PVIN_7	337
V108	VIN Character 8	PVIN_8	338
V109	VIN Character 9	PVIN_9	339
V110	VIN Character 10 PVIN_10		340
V111	VIN Character 11 PVIN_11		341
V112	VIN Character 12 PVIN_12		342
V150	Fatalities in Vehicle	PDEATHS	343
	Axle (discontinued)	AXLES	344
	Carburetion (discontinued)	PCARBUR	345
	Crash Avoidance Maneuver (discontinued)	AVOID	346
	Commercial Motor Vehicle License Status (discontinued)	CDL_STAT	347

Compliance with CDL Endorsements (discontinued)	L ENDORS	348
Compliance with License Restrictions		340
(discontinued)	L RESTRI	349
Cubic Inch Displacement (discontinu		350
Curb Weight (discontinued)	PVIN_WGT	351
Driver Drinking (discontinued)	DR DRINK	352
Driver Height (discontinued)	DR HGT	353
Driver Presence (discontinued)	DR_PRES	354
Driver Weight (discontinued)	DR_WGT	355
Driver's License State (discontinued) L_STATE	356
Driver's Vision Obscured by (discontinuous)	tinued) D_VISION1	357
Driver's Vision Obscured by (discontinuous)	tinued) D_VISION2	357
Driver's Vision Obscured by (discon	tinued) D_VISION3	357
Driver's ZIP Code (discontinued)	DR_ZIP	358
Fuel Code (discontinued)	PFUECODE	359
Hazardous Material Involvement/Plac		
(discontinued)	HAZ_CARG	360
Jackknife (discontinued)	J_KNIFE	361
License Compliance with Class of Ve		000
(discontinued)	L_COMPL	362
Location of Rollover (discontinued)	ROLINLOC	363
Month of First Crash, Suspension or Conviction (discontinued)	FIRST_MO	364
Month of Last Crash, Suspension or		
Conviction (discontinued)	LAST_MO	365
Most Damaged Area (discontinued)	PIMPACT2	366
Motorcycle Dry Weight (discontinued		367
Motorcycle Engine Displacement (CC		
(discontinued)	PMCYCL_DS	368
Non-CDL License Status (discontinu		369
Non-CDL License Type (discontinue		369
Number of Cylinders (discontinued)	PCYLINDER	370
Number of Motorcycle Engine Cycles		271
(discontinued) Number of Wheels/Drive Wheels	PMCYCL_CY	371
(discontinued)	PWHLDRWHL	372
Original Tire Size (discontinued)	PTIRE_SZE	373
Previous DWI Convictions (discontin		374
Previous Other Harmful Moving Viola		
Convictions (discontinued)	PREV_OTH	375
Previous Recorded Crashes (discon	tinued) PREV_ACC	376
Previous Recorded Suspensions and		
Revocations (discontinued)	PREV_SUS	377

	Previous Speeding Convictions (discontinued)	ROLLOVER	378
	Sequence of Events (discontinued) Sequence of Events (discontinued)		382
			383
			383
	Sequence of Events (discontinued)	SEQ3	383
	Sequence of Events (discontinued)	SEQ4	383
	Sequence of Events (discontinued)	SEQ5	383
	Sequence of Events (discontinued)	SEQ6	383
	Speeding Related (discontinued)	SPEEDREL	384
	Travel Speed (discontinued)	TRAV_SP	385
	Truck Ton Rating (discontinued)	PTON_RAT	386
	Truck Shipping Weight (discontinued)	PTRK_WT	387
	Truck Shipping Weight Variance (discontinued)	PTRKWTVAR	388
	Truck VIN Restraint Type (discontinued)	PVIN_REST	389
	Truck Weight Rating (discontinued)	PWGTCD_TR	390
	Vehicle Maneuver (discontinued)	VEH_MAN	391
	Vehicle Role (discontinued)	IMPACTS	392
	VIN Body Type (discontinued)	PVIN_BT	393
	VIN Length (discontinued)	PVIN_LNGT	397
	VIN Make (discontinued)	PVINMAKE	398
	VIN Model (discontinued)	PVINA_MOD	399
	VIN Model Year (discontinued)	PVINMODYR	400
	VIN Truck Series (discontinued)	PSER_TR	401
	VIN Vehicle Type (discontinued)	PVINTYPE	402
	Wheelbase Long (discontinued)	PWHLBS LG	406
	Wheelbase Short (discontinued)	PWHLBS_SH	407
	Year of First Crash, Suspension or Conviction (discontinued)	FIRST_YR	408
	Year of Last Crash, Suspension or		
	Conviction (discontinued)	LAST_YR	409
	The PBTYPE Data File 410		
P5/NM5	Age	PBAGE	411
P6/NM6	Sex	PBSEX	412
P7/NM7	Person Type	PBPTYPE	413
NM9-PB27	Marked Crosswalk Present	PBCWALK	414
NM9-PB28	Sidewalk Present	PBSWALK	415
NM9-PB29	School Zone	PBSZONE	416
NM9-PB30	Crash Type – Pedestrian	PEDCTYPE	417
		BIKECTYPE	417
NM9-PB30B	Crash Type – Bicycle Crash Location – Pedestrian		
NM9-PB31		PEDLOC	421
NM9-PB31B	Crash Location – Bicycle	BIKELOC	422
NM9-PB32	Pedestrian Position	PEDPOS	423

PC15	Driver Maneuvered to Avoid	MDRMANAV	461
	The MANEUVER Data File 40		
PC4	Contributing Circumstances, Motor Vehicle	MFACTOR	459
		58	
	Driver	DRIMPAIR	457
D23	The DRIMPAIR Data File 45 Condition (Impairment) at Time of Crash-	56	
1 010	•		400
PC16	The DISTRACT Data File 45 Driver Distracted By	MDRDSTRD	455
V28B	Damaged Areas	MDAREAS	453
	The DAMAGE Data File 45	52	
V31	Sequence of Events	SOE	450
C18	Area of Impact Associated with the Event	AOI	449
	The VSOE Data File 448		
C18	Area of Impact (Other Vehicle)	AOI2	447
C18	Vehicle Number (Other Vehicle)	VNUMBER2	446
V31	Sequence of Events	SOE	444
C18	Area of Impact (This Vehicle)	AOI1	443
C18	Vehicle Number (This Vehicle)	VNUMBER1	442
		41	
C18	Area of Impact (Other Vehicle)	AUIZ	440
C18	Vehicle Number (Other Vehicle)	VNUMBER2 AOI2	439
V31	Sequence of Events	SOE	437
C18	Area of Impact (This Vehicle)	AOI1	436
C18	Vehicle Number (This Vehicle)	VNUMBER1	435
		34	
NM9-PB38B	Crash Group – Bicycle	BIKECGP	433
NM9-PB38	Crash Group – Pedestrian	PEDCGP	432
NM9-PB37	Pedestrian Scenario	PEDSNR	430
NM9-PB36	Intersection Leg	PEDLEG	429
NM9-PB35	Motorist Maneuver	MOTMAN	428
NM9-PB34	Motorist Initial Direction of Travel	MOTDIR	427
NM9-PB33B	Bicyclist Initial Direction of Travel	BIKEDIR	426
NM9-PB33	Pedestrian Initial Direction of Travel	PEDDIR	425
NM9-PB32B	Bicyclist Position	BIKEPOS	424

	The VIOLATN Data File	462		
D21	Violations Charged		MVIOLATN	463
	The VISION Data File	466		
PC14	Driver's Vision Obscured by		MVISOBSC	467
	The NMCRASH Data File	468		
NM12	Non-Motorist Contributing Circumstances		MTM_CRSH	469
	The NMIMPAIR Data File	470		
NM14	Condition (Impairment) at Time of Crash- Non-Motorist		NMIMPAIR	471
	The NMPRIOR Data File	472		
NM11	Non-Motorist Action/Circumstances		MPR_ACT	473
	The SAFETYEQ Data File	474		
NM13	Non-Motorist Safety Equipment Use		MSAFEQMT	475
	The VINDECODE Data File	476		
See Appendi	x G: Changes to the VIN Decoded Data Eleme			586

Data Element Definitions and Codes

This section represents the majority of the manual. It provides detailed information on the data elements, including definitions, SAS names, attribute codes and attribute labels. Over the years, changes have been made to the type of data collected. Some data elements have been dropped, new ones added, and coding of individual data elements has changed. Coding changes and the years for which individual attributes are available are shown for each data element. The FARS/NASS GES Coding and Validation Manual contains a detailed description of each data element including coding instructions and attribute definitions. The Coding Manual is published for each year of data collection. Years 2001 to current are available at:

http://www-nrd.nhtsa.dot.gov/Cats/listpublications.aspx?Id=J&ShowBy=DocType

The data elements are listed here under the primary data file in which the data are stored. Some data elements are provided in more than one data file to facilitate common analyses. For example, Month of Crash (MONTH) is a crash-level data element but for convenience it is also provided in the Vehicle, Parkwork and Person files.

All data elements are numeric except the following, which are character:

- C13 Trafficway Identifier (TWAY_ID, TWAY_ID2) [30]
- C27 Rail Grade Crossing Identifier (RAIL) [7]
- V13 Vehicle Identification Number (VIN, PVIN) [12]
- V16 & V16B Motor Carrier ID (MCARR_ID) [11], (MCARR_I2) [9]
- V101-V112 VIN Characters 1-12 (VIN_1, VIN_2, VIN_3, VIN_4, VIN_5, VIN_6, VIN_7, VIN_8, VIN_9, VIN_10, VIN_11, VIN_12, PVIN_1, PVIN_2, PVIN_3, PVIN_4, PVIN_5, PVIN_6, PVIN_7, PVIN_8, PVIN_9, PVIN_10, PVIN_11, PVIN_12) [1]
- V200-V280 VIN decoded data elements in the Vindecode data file [255]
- NM9-PB37 Pedestrian Scenario (PEDSNR) [10]

All of the data files contain the following two (2) crash-level data elements:

Key Data Elements

C1/V1/D1/PC1/P1/NM1 **State Number**

Definition: This data element identifies the state in which the crash occurred. The codes are from the General Services Administration's (GSA) publication of worldwide Geographic Location Codes (GLC).

Additional Information: GSA state data elements except for 43, Puerto Rico. The State in which the vehicle is registered, REG_STAT, is found in the Vehicle data file; the coding is the same.

SAS Name: STATE

Attribute Codes

1975-Later

01	Alabama
02	Alaska
04	Arizona
05	Arkansas
06	California
80	Colorado
09	Connecticut
10	Delaware
11	District of Columb

11 District of Columbia

12 Florida 13 Georgia 15 Hawaii 16 Idaho 17 Illinois 18 Indiana 19 Iowa 20 Kansas 21 Kentucky 22 Louisiana 23 Maine 24 Maryland 25 Massachusetts 26 Michigan

27 Minnesota 28 Mississippi 29 Missouri

30 Montana

31 Nebraska 32 Nevada

33 New Hampshire 34 New Jersey 35 New Mexico 36 New York 37 North Carolina

38 North Dakota 39 Ohio

40 Oklahoma 41 Oregon 42 Pennsylvania 43 Puerto Rico 44 Rhode Island 45 South Carolina 46 South Dakota

47 Tennessee

48 Texas 49 Utah 50 Vermont

51 Virginia

52 Virgin Islands (since 2004)

53 Washington 54 West Virginia 55 Wisconsin 56 Wyoming

C2/V2/D2/PC2/P2/NM2 Consecutive Number

Definition: This data element is the unique case number assigned to each crash. It appears on each data file and is used to merge information from the data files together.

Additional Information: This data element is a combination of the GSA State code and an assigned consecutive number. It is assigned by the data entry system to each crash and is the unique identifier for the crash within the year. It is used as the key, when any two of these files from the same year are merged.

This data element is stored as a numeric data element of six characters; the first two characters are the State code, and the next four characters are case number, with leading zeros if necessary.

SAS Name: ST_CASE

Attribute Codes

1975-Later

xxxxxx Two Characters for State Code followed by Four Characters for

Case Number

All of the vehicle level data files contain the preceding accident level data elements as well as VEH NO:

V3/D3/PC3/P3/NM4 Vehicle Number

Definition: This data element is the consecutive number assigned to each vehicle in the case. This data element appears on each vehicle level data file and is used in conjunction with the ST_CASE data element to merge information from vehicle level data files.

Additional Information: All vehicles will have a positive integer value. The value 0 is only used for non-motorists (pedestrians, cyclists, etc.) in the Person File. There are no corresponding Vehicle records for non-motorists. ST_CASE and VEH_NO may be used to merge the complete Person File to the Accident File, but including the Vehicle File in the merge will eliminate non-motorists from the merged data.

Non-Occupants have VEH_NO = 00, in this case see STR_VEH (N_MOT_NO prior to 2011) under Non-Motorist Striking Vehicle Number in the Person data file.

SAS Name: VEH_NO

Attribute Codes

1975- 2009-2008 Later

00-99 O00-999 Assigned Number of Motor Vehicle

All of the person level data files contain the preceding accident level and vehicle level data elements as well as PER_NO:

P4/NM3 Person Number

Definition: This data element is the consecutive number assigned to each person in the case (i.e., each occupant, pedestrian, or non-motorists involved in the crash). This data element appears on each person level data file and is used in conjunction with the ST_CASE data element (and sometimes the VEH_NO data element) to merge information from person level data files.

Additional Information: Each occupant of the vehicle is numbered and each non-occupant is numbered, in the case of a non-occupant the vehicle number is zero. The numbers for occupants are consecutive, for each vehicle, beginning with 001. Numbers are never skipped. Drivers do not have to be coded 001. Non-Occupants are identified by vehicle number 0 and are numbered consecutively starting with 01 for each non-motorist. To get drivers see data element PER_TYP, under Person Type.

PER_NO can be used in merges, e.g., when merging the FARS person data file with the multiple cause of death file.

SAS Name: PER NO

Attribute Codes

1975- 2009-2008 Later

01-99 001-999 Assigned Person Number

The CEVENT and VEVENT data files contain the preceding crash level data elements as well as EVENTNUM:

C18 Event Number

Definition: This data element is the consecutive number assigned to each harmful and non-harmful event in a crash, in chronological order.

Additional Information: Prior to 2015, this data element's Locator Code or Data Element Number was C17.

SAS Name: EVENTNUM

Attribute Codes 2010-Later

001-999 Event Number

The VEVENT and VSOE data files contain the preceding crash level data elements and VEH_NO as well as VEVENTNUM:

C18 Vehicle Event Number

Definition: This data element is the consecutive number assigned to each harmful and non-harmful event for this vehicle, in chronological order.

Additional Information: Prior to 2015, this data element's Locator Code or Data Element Number was C17.

SAS Name: VEVENTNUM

Attribute Codes

2010-Later

001-999 Vehicle Event Number

The ACCIDENT Data File

The Accident data file includes crash data. It contains the data elements ST_CASE and STATE, which are described in the beginning of the Data Element Definitions and Codes section. The Accident data file also contains the data elements on the following pages.

ST_CASE is the unique case identifier for each record.

C3 Number of Forms Submitted for Persons Not in Motor Vehicles

Definition: This data element is the number of Person Forms (Not a Motor Vehicle Occupant) that are applicable to this case (i.e., non-occupants).

Additional Information: This represents the number of forms created for persons *not* in motor vehicles. It is the number of persons in the crash where "Person Type" is in (4, 5, 6, 7, 8, 10 or 19).

Note: Persons where "Person Type" = 3 (Occupant of a Motor Vehicle Not In-Transport) are *not* included in this data element but are counted in C3A below.

SAS Name: PEDS

Attribute Codes

1991- 2011-2010 Later

01-99 00-99 Number of Persons Not in Motor Vehicles

C3A Number of Persons Not in Motor Vehicles in Transport (MVIT)

Definition: This data element is a count of the number of non-motorists in the crash. A non-motorist is defined as a pedestrian, a cyclist, an occupant of a motor vehicle not intransport, a person riding a horse, an occupant of an animal drawn conveyance, person associated with non-motorist conveyance (e.g., baby carriage, skate board, wheelchair), or an other non-motorist (e.g., person outside a trafficway, person in a house).

Additional Information: This data element is derived as the count of all persons in the crash where "Person Type" is in (3, 4, 5, 6, 7, 8, 10 or 19).

SAS Name: PERNOTMVIT

Attribute Codes

2011-Later

0-98 Number of Persons Not in Motor Vehicles in Transport

C4 Number of Vehicle Forms Submitted- ALL

Definition: This data element is the number of contact motor vehicles that the officer reported on the PAR as a unit involved in the crash.

Additional Information: This number represents all of the vehicles in the crash. This includes the vehicles in-transport which are in the Vehicle data file and the vehicles not in-transport which are in the Parkwork data file (previously Vehnit). This data element only appears in the Accident data file. Note: The Parkwork data file replaced the Vehnit data file in 2010. The Vehnit data file does not exist prior to 2005.

SAS Name: VE TOTAL

Attribute Codes

2005- 2009-2008 Later

C4A Number of Motor Vehicles in Transport (MVIT)

Definition: This data element is a count of the number of vehicles in-transport involved in the crash. Legally parked vehicles are not included.

Additional Information: This data element is derived as the count of all vehicles in the crash where "Unit Type" = 1. It is the number of records in the Vehicle data file.

It is unlikely that the number of vehicles involved in the crash is greater than the Number of Vehicle Forms plus two.

1975-1981: In the event of a hit-and-run crash, if the vehicle information was not known, then no vehicle form was filled out. Likewise, if no information was known on the person level, usually the driver of the unknown vehicle, then a Person Level form was not filled out. The result is that the number of unknowns is much smaller for this time period than 1982 and later.

Example: From 1975 to 1980, there were 30 to 40 drivers coded with unknown sex, approximately 0.05 percent of all drivers involved in fatal crashes. In 1981 the number of drivers with unknown sex rose to over 300, approximately 0.5 percent of all drivers involved in fatal crashes.

1982-Later: In the case of a hit-and-run crash, a Vehicle-Driver form and a Person Level form for the driver are filled out. When the information about the vehicle-driver or person is not known -- which is often the case with hit-and-runs -- the values are coded as unknown.

Example: Between 1982 and 1994, the number of drivers coded with unknown sex fluctuated between 700 and 1,000, approximately 1.5 percent of all drivers involved in fatal crashes. Reviewing the 768 persons in the 1994 Annual Report file, all were drivers and 90 percent of them were involved in hit-and-run crashes.

This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PVE_FORMS.

SAS Name: VE FORMS

Attribute Codes

1976-	1982-	2009-	
1981	2008	Later	
00-99	01-99	001-999	Number of Vehicle Forms

C4B Number of Parked/Working Vehicles

Definition: This data element is a count of the number of parked and working vehicles involved in the crash.

Additional Information: This data element is calculated as the count of all vehicles in the crash where "Unit Type" is in (2, 3 or 4). It is the number of records in the Parkwork data file.

SAS Name: PVH_INVL

Attribute Codes

2011-Later

0-999 Number of Parked/Working Vehicles in the Crash

C5 Number of Forms Submitted for Persons in Motor Vehicles

Definition: This data element is a count of the number of Person Level (Motor Vehicle Occupant) Forms that are applicable to this case (i.e., occupants).

Additional Information: This represents the number of forms created for persons in motor vehicles. It is the count of all persons where "Person Type" is in (1, 2, 3 or 9).

Before 2003, the policy was not to submit a Person Level form for occupants of van-based buses. Since 2003, a person level form has been submitted for all occupants of van-based vehicles, including van-based buses.

1975-1981: In the event of a hit-and-run crash, if the vehicle information was not known, then no vehicle form was filled out. Likewise, if no information was known on the person level, usually the driver of the unknown vehicle, then a Person Level form was not filled out. The result is that the number of unknowns is much smaller for this time period than 1982 and later.

Example: From 1975 to 1980, there were 30 to 40 drivers coded with unknown sex, approximately 0.05 percent of all drivers involved in fatal crashes. In 1981 the number of drivers with unknown sex rose to over 300, approximately 0.5 percent of all drivers involved in fatal crashes.

1982-Later: In the case of a hit-and-run crash, a Vehicle-Driver form and a Person Level form for the driver are filled out. When the information about the vehicle-driver or person is not known -- which is often the case with hit-and-runs -- the values are coded as unknown.

Example: Between 1982 and 1994, the number of drivers coded with unknown sex fluctuated between 700 and 1,000, approximately 1.5 percent of all drivers involved in fatal crashes. Reviewing the 768 persons in the 1994 Annual Report file, all were drivers and 90 percent of them were involved in hit-and-run crashes.

SAS Name: PERSONS

Attribute Codes

1975- 2009-2008 Later

00-99 Number of Person Forms

C5A Number of Persons in Motor Vehicles in Transport (MVIT)

Definition: This data element is a count of the number of motorists in the crash. A motorist is a driver, passenger or unknown occupant type of a motor vehicle in-transport.

Additional Information: This data element is derived as the count of all persons in the crash where "Person Type" is in (1, 2 or 9).

Note: Persons where "Person Type" = 3 (Occupant of a Motor Vehicle Not In-Transport) are *not* included in this data element but are counted in C5 above.

SAS Name: PERMVIT

Attribute Codes

2011-Later

0-999 Number of Persons in Motor Vehicles In-Transport

C6 County

Definition: This data element records the location of the unstabilized event with regard to the County. The codes are from the General Services Administration's (GSA) publication of worldwide Geographic Location Codes (GLC).

Additional Information: GSA geographical codes are somewhat stable. Occasionally one code will be divided into two codes.

This data element also appears in the Person data file.

SAS Name: COUNTY

Attribute Codes

1975-	2010-	
2009	Later	
000	000	Not Applicable
001-996	001-996	Use GSA Geographical Codes
997	997	Other
	998	Not Reported
999	999	Unknown

C7 City

Definition: This data element records the location of the unstabilized event with regard to the City. The codes are from the General Services Administration's (GSA) publication of worldwide Geographic Location Codes (GLC).

Additional Information: GSA geographical codes are somewhat stable. Occasionally one code will be divided into two codes.

SAS Name: CITY
Attribute Codes

1975-	2010-	
2009	Later	
0000	0000	Not Applicable
0001-9996	0001-9996	GSA Geographical Codes
9997	9997	Other
	9898	Not Reported
9999	9999	Unknown

C8 **Crash Date**

C8A **Month of Crash**

Definition: This data element records the month in which the crash occurred.

Additional Information: This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PMONTH.

SAS Name: MONTH

Attribute Codes

1975- 2008	2009- Later	
01	01	January
02	02	February
03	03	March
04	04	April
05	05	May
06	06	June
07	07	July
80	80	August
09	09	September
10	10	October
11	11	November
12	12	December
99		Unknown

C8B **Day of Crash**

Definition: This data element records the day of the month on which the crash occurred.

Additional Information: This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PDAY.

SAS Name: DAY

Attribute Codes

1975- 2009	2010- Later	
01-31	01-31	Day of the Month of the Crash
99		Unknown

C8C Day of Week

Definition: This data element records the day of the week on which the crash occurred.

Additional Information: This data element has been calculated based on the year, month, and

day.

SAS Name: DAY_WEEK

Attribute Codes

1975- 2009	2010- Later	
1	1	Sunday
2	2	Monday
3	3	Tuesday
4	4	Wednesday
5	5	Thursday
6	6	Friday
7	7	Saturday
9		Unknown

C8D Year of Crash

Definition: This data element records the year in which the crash occurred.

Additional Information:

SAS Name: YEAR

Attribute Codes

1975- 1998-1997 Later

xx xxxx Year of the Crash

More Information on **Date of Crash**

C9 Crash Time

C9A Hour of Crash

Definition: This data element records the hour at which the crash occurred.

Additional Information: All time is 24-hour military time.

The time of the crash/arrival of the emergency medical service can occur in a different day than the arrival of emergency medical service at the crash scene/hospital.

If you need to separate day and night, see the data element LGT_COND under the heading Light Condition.

This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PHOUR.

SAS Name: HOUR

1975- 2008	2009	2010- Later	
00-24	00-23	00-23	Hour
	88		Not Applicable or Not Notified
99	99	99	Unknown

C9B Minute of Crash

Definition: This data element records the minutes after the hour at which the crash occurred.

Additional Information: All time is 24-hour military time.

The time of the crash/arrival of the emergency medical service can occur in a different day than the arrival of emergency medical service at the crash scene/hospital.

This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PMINUTE.

SAS Name: MINUTE

1975-		2010-	
2008	2009	Later	
00-59	00-59	00-59	Minute
	88		Not Applicable or Not Notified
99	99	99	Unknown

C10 Trafficway Identifier

Definition: This data element records the trafficway on which the crash occurred.

Additional Information: Beginning in 2004, a second trafficway identifier was added to accommodate intersection and intersection-related crashes where the officer provides the identifier for the second trafficway. Prior to 2015, this data element's Locator Code or Data Element Number was C13.

SAS Name: TWAY_ID 1982-Later

TWAY_ID2 2004-Later

Attribute Codes

1982-1997

xxxxxxxxxx Actual Posted Number, Assigned Number,

or Common Name (10 characters)

99999999 Unknown

1998-2011

or Common Name (20 characters)

2012-Later

or Common Name (30 characters)

More Information on <u>Trafficway Identifier</u>

C11 Route Signing

Definition: This data element identifies the route signing of the trafficway on which the crash occurred.

Additional Information: Prior to 2015, this data element's Locator Code or Data Element Number was C12.

SAS Name: **CL_TWAY** 1975-1986

ROUTE 1987-Later

Attribute Codes

1975- 1980	1982- 1986	
1	1	Interstate
2		Other Limited Access
3	2	Other U.S. Route
4	3	Other State Route
5		Other Major Artery
6	4	County Road
7	5	Local Street
8	8	Other Road
9	9	Unknown

1981

Data were not available for this data element in 1981.

- 1 Interstate
- 2 U.S. Highway
- 3 State Highway
- 4 County Road
- 5 Local Street Township
- 6 Local Street Municipality
- 7 Local Street Frontage Road (Since 1994)
- 8 Other
- 9 Unknown

C12A Land Use

Definition: This data element identifies the classification of the segment of the trafficway on which the crash occurred based on FHWA-approved adjusted Census boundaries of small urban and urbanized areas.

Additional Information:

SAS Name: TBD

Attribute Codes

- 1 Rural
- 2 Urban
- 6 Trafficway Not in State Inventory
- 8 Not Reported
- 9 Unknown

C12B Functional System

Definition: This data element identifies the functional classification of the segment of the trafficway on which the crash occurred.

Additional Information:

SAS Name: TBD

Attribute Codes

- 01 Interstate
- 02 Principal Arterial Other Freeways and Expressways
- 03 Principal Arterial Other
- 04 Minor Arterial
- 05 Major Collector
- 06 Minor Collector
- 07 Local
- 96 Trafficway Not in State Inventory
- 98 Not Reported
- 99 Unknown

C13 Ownership

Definition: This data element identifies the entity that has legal ownership of the segment of the trafficway on which the crash occurred.

Additional Information:

SAS Name: TBD

Attribute Codes

- 01 State Highway Agency
- 02 County Highway Agency
- 03 Town or Township Highway Agency
- 04 City or Municipal Highway Agency
- 11 State Park, Forest or Reservation Agency
- 12 Local Park, Forest or Reservation Agency
- 21 Other State Agency
- 25 Other Local Agency
- 26 Private (other than Railroad)
- 27 Railroad
- 31 State Toll Road
- 32 Local Toll Authority
- 40 Other Public Instrumentality (i.e., Airport)
- 50 Indian Tribe Nation
- 60 Other Federal Agency
- 62 Bureau of Indian Affairs
- 63 Bureau of Fish and Wildlife
- 64 U.S. Forest Service
- 66 National Park Service
- 67 Tennessee Valley Authority
- 68 Bureau of Land Management
- 69 Bureau of Reclamation
- 70 Corps of Engineers
- 72 Air Force
- 74 Navy/Marines
- 80 Army
- 96 Trafficway Not in State Inventory
- 98 Not Reported
- 99 Unknown

C14 National Highway System

Definition: This data element identifies whether this crash occurred on a trafficway that is part of the National Highway System.

Additional Information: Prior to 2015, this data element's Locator Code or Data Element

Number was C10.

SAS Name: NHS
Attribute Codes

- 0 This Section is Not on the National Highway System
- 1 This Section is on the National Highway System
- 9 Unknown

C15 Special Jurisdiction

Definition: This data element identifies if the location on the trafficway where the crash occurred qualifies as a Special Jurisdiction even though it may be patrolled by state, county or local police (e.g., all State highways running through Indian reservations are under the jurisdiction of the Indian reservation).

Additional Information: Prior to 2015, this data element's Locator Code or Data Element Number was C16.

SAS Name: SP JUR

Attribute Codes

- 0 No Special Jurisdiction (Includes National Forests Since 2008)
- 1 National Park Service
- 2 Military
- 3 Indian Reservation
- 4 College/University Campus
- 5 Other Federal Properties (Since 1977)
- 8 Other (Since 1976)
- 9 Unknown

C16 Milepoint

Definition: This data element records the milepoint nearest to the location where the crash occurred.

Additional Information: Five digits are always coded.

EXAMPLES:

Milepoint	Code
10	00100
39.89	00399
404	04040
73.1	00731

In 2011, this data element changed from alphanumeric (character) to numeric. Prior to 2015, this data element's Locator Code or Data Element Number was C14.

SAS Name: MILEPT

Attribute Codes

1982- 2009	2010- Later	
00000	00000	None
XXXXX	XXXXX	Actual to Nearest Tenth Mile (Assume decimal, e.g., 12345 = 1234.5)
	99998	Not Reported
99999	99999	Unknown

C17 Global Position

C17A Latitude

Definition: This element identifies the location of the crash using Global Position coordinates. This is the position of latitude.

Additional Information: Prior to 2015, this data element's Locator Code or Data Element

Number was C15A.

SAS Name: LATITUDE

Attribute Codes

1999-2009

DDMMSSSS (DD MM SS.SS – Degrees/Minutes/Seconds)

17-71	DD- Actual Degrees
88	Not Available (If State Exempt)
99	Unknown
00-59	MM- Actual Minutes
88	Not Available (If State Exempt)
99	Unknown
00.00-59.99	SS.SS- Actual Seconds Not Available (If State Exempt)

Not Available (If State Exempt)

99.99 Unknown

2010-Later

DDDDDD (DD.DDDD – Decimal Degrees)

DD.DDDD	Actual Degrees
77.7777	Not Reported
88.888	Not Available (If State Exempt)
99.9999	Unknown

C17B Longitude

Definition: This element identifies the location of the crash using Global Position coordinates. This is the position of longitude.

Additional Information: Prior to 2015, this data element's Locator Code or Data Element

Number was C15B.

SAS Name: LONGITUD

Attribute Codes

DDDMMSSSS (DDD MM SS.SS – Degrees/Minutes/Seconds)

1999-2009

DDDMMSSSS (DDD MM SS.SS – Degrees/Minutes/Seconds)

065-178	DDD- Actual Degrees
	Not Reported
888	Not Available (If State Exempt)
999	Unknown
00-59	MM- Actual Minutes
	Not Reported
88	Not Available (If State Exempt)
99	Unknown
00.00-59.99 88.88 99.99	SS.SS- Actual Seconds Not Reported Not Available (If State Exempt) Unknown

2010-Later

DDDDDDD (DDD.DDDD - Decimal Degrees)

DDD.DDDD	Actual Degrees
777.7777	Not Reported
888.888	Not Available (If State Exempt)
999.9999	Unknown

C19 First Harmful Event

Definition: This data element describes the first injury or damage producing event of the crash.

Additional Information: "First Harmful Event" applies to the crash. "Most Harmful Event" (M_HARM) applies to the vehicle. Harmful events are judgment calls of the FARS analysts based on the data within the PAR.

From 2004 to 2009, the data elements "First Harmful Event," "Most Harmful Event," and the "Sequence of Events" have the same attributes. The harmful event attributes were modified to be consistent with the sequence of events data elements. Starting in 2009, these data elements still have the same attributes except non-harmful event attributes were added to the Sequence of Events data element.

Starting in 2010, this data element is derived from the "Sequence of Events" data element as the first value that is not between codes 60 and 71 (non-harmful events). Prior to 2015, this data element's Locator Code or Data Element Number was C18.

This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PHARM EV.

SAS Name: HARM_EV

Attribute Codes

1975-1981

- 01 Overturn
- 02 Fire/Explosion
- 03 Immersion
- 04 Gas Inhalation
- 05 Fell from Vehicle
- 06 Injured in Vehicle
- 07 Other Non-Collision
- 08 Pedestrian
- 09 Pedalcycle
- 10 Railway Train
- 11 Animal
- 12 Motor Vehicle in Transport
- 13 Motor Vehicle in Transport in Other Roadway
- 14 Parked Motor Vehicle
- 15 Other Type Non-Motorist
- 16 Other Object
- 17 Bridge or Overpass (1975-1978)
- 18 Building
- 19 Culvert
- 20 Curb or Wall
- 21 Divider
- 22 Embankment
- 23 Fence
- 24 Guard Rail
- 25 Light Support
- 26 Sign Post

C19 First Harmful Event (continued)

Attribute Codes

1975-1981

- 27 Tree/Shrubbery
- 28 Utility Pole
- 29 Other Pole/Support
- 30 Impact Attenuator
- 31 Other Fixed Object
- 32 Bridge or Overpass [Passing Under] (1979-1981)
- 33 Bridge or Overpass [Passing Over] (1979-1981)
- 99 Unknown

1982- 2003	2004- 2009	2010- Later	
01	01	01	Rollover/Overturn
02	02	02	Fire/Explosion
03	03	03	Immersion (or Partial Immersion, Since 2012)
03	03	03 04	Gas Inhalation
0 4 05	05	05	
06	05 06		Fell/Jumped from Vehicle Injured in Vehicle
		06	•
			Injured in Vehicle (Non-Collision) Other Non-Collision
07	07	07	
80	80	80	Pedestrian
09	09		Pedalcycle Pedalcyclist
		09	Pedalcyclist
10	10		Railway Train
		10	Railway Vehicle
11	11		Animal
		11	Live Animal
12	12		Motor Vehicle in Transport on Same Roadway
		12	Motor Vehicle in Transport
13	13		Motor Vehicle in Transport on Other Roadway
14	14	14	Parked Motor Vehicle (Not In Transport)
15			Other Type Non-Motorist
	15	15	Non-Motorist on Personal Conveyance
16	16	16	Thrown or Falling Object
17	17	17	Boulder
18	18	18	Other Object (Not Fixed)
19	19	19	Building
20	20	20	Impact Attenuator/Crash Cushion
21	21		Bridge Pier or Abutment
		21	Bridge Pier or Support
22	22		Bridge Parapet End
23	23		Bridge Rail
		23	Bridge Rail (Includes Parapet)
24	24	24	Guardrail Face
25	25	25	Concrete Traffic Barrier

C19 First Harmful Event (continued)

Attribute	Codes		
1982- 2003	2004- 2009	2010- Later	
26	26	26	Other Traffic Barrier
27	27		Highway/Traffic Sign Post
28	28		Overhead Sign Support/Sign
29	29		Luminary/Light Support
30	30		Utility Pole
		30	Utility Pole/Light Support
31	31	31	Other Post, Other Pole, or Other Support
32	32	32	Culvert
33	33	33	Curb
34	34	34	Ditch
35	35		Embankment – Earth
		35	Embankment
36	36		Embankment – Rock, Stone, or Concrete
37	37		Embankment – Material Type Unknown
38	38	38	Fence
39	39	39	Wall
40	40	40	Fire Hydrant
41	41	41	Shrubbery
42	42	42	Tree (Standing Only)
43	43	43	Other Fixed Object
44			Pavement Surface Irregularity (1993 Only)
	44		Pavement Surface Irregularity
		44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
45			Transport Device Used as Equipment (1993-2003)
45	45		Working Construction, Maintenance or Utility Vehicles
		45	Working Motor Vehicle
46	46	46	Traffic Signal Support
47	47		Vehicle Occupant Struck or Run Over by Own Vehicle (1997-2009)
48	48		Collision With Snow Bank (1997-2009)
		48	Snow Bank
49	49	49	Ridden Animal or Animal-Drawn Conveyance (Since 1998)
50	50	50	Bridge Overhead Structure
	51	 54	Jackknife Trial (1)
		51	Jackknife (Harmful to This Vehicle)
	52 53	52 52	Guardrail End
	53 54	53	Mail Box Meter Vehicle Struck by Felling/Shifting Corne or Apything Set in
	54		Motor Vehicle Struck by Falling/Shifting Cargo or Anything Set in

Motion by Another Motor Vehicle in Transport

Other Not in-Transport Motor Vehicle (2005-2007)

Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or

Objects Set-in-Motion from/by Another Motor Vehicle In-Transport

55

54

C19 First Harmful Event (continued)

Attribute Codes

1982- 2003	2004- 2009	2010- Later	
	55	55	Motor Vehicle in Motion Outside the Trafficway (Since 2008)
	57	57	Cable Barrier (Since 2008)
		58	Ground
		59	Traffic Sign Support
		72	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
		73	Object Fell From Motor Vehicle In-Transport (Since 2013)
		98	Not Reported (2010 Only)
99	99	99	Unknown

C20 Manner of Collision

Definition: This data element describes the orientation of two motor vehicles in-transport when they are involved in the "First Harmful Event" of a collision crash. If the "First Harmful Event" is not a collision between two motor vehicles in-transport it is classified as such.

Additional Information: In the original data files, from 1975 to 1977 sideswipe was coded as 5 but has since been changed to 7. These years are not consistent with the documentation of the time. Prior to 2015, this data element's Locator Code or Data Element Number was C19.

This data element also appears in the Vehicle and Person data files and in the Parkwork data file as PMAN COLL.

SAS Name: MAN_COLL

Attribute Codes

1975- 1977	1978- 2001	
0	0	Not Collision With Motor Vehicle in Transport
1	1	Rear-End .
2	2	Head-On
3	3	Rear-to-Rear
4	4	Angle
	5	Sideswipe, Same Direction
	6	Sideswipe, Opposite Direction
7		Sideswipe (May Either Be Same or Opposite Direction)
9	9	Unknown

Attribute Codes

2002- 2009	2010- Later	
0	0	Not Collision with Motor Vehicle in Transport (Not Necessarily in Transport for 2005-2009)
1	1	Front-to-Rear
2	2	Front-to-Front
3		Angle – Front-to-Side, Same Direction
4		Angle – Front-to-Side, Opposite Direction
5		Angle – Front-to-Side, Right Angle (Includes Broadside)
6		Angle – Front-to-Side/Angle-Direction Not Specified
	6	Angle
7	7	Sideswipe – Same Direction
8	8	Sideswipe – Opposite Direction
9	9	Rear-to-Side
10	10	Rear-to-Rear
11	11	Other (End-Swipes and Others)
	98	Not Reported
99	99	Unknown

More Information on Manner of Collision

C21 Relation to Junction

C21A Relation to Junction- Within Interchange Area

Definition: This data element identifies the crash's location with respect to presence in an interchange area. The coding of this data element is done in two sub-fields (see also C20B) and is based on the location of the "First Harmful Event" of the crash.

Additional Information: Prior to 2015, this data element's Locator Code or Data Element Number was C20A.

SAS Name: RELJCT1

Attribute Codes

2010-Later

- 0 No
- 1 Yes
- 8 Not Reported
- 9 Unknown

C21B Relation to Junction- Specific Location

Definition: This data element identifies the crash's location with respect to presence in or proximity to components typically in junction or interchange areas. The coding of this data element is done in two sub-fields (see also C20A) and is based on the location of the "First Harmful Event" of the crash.

Additional Information: Prior to 2015, this data element's Locator Code or Data Element Number was C20B.

SAS Name: REL JUNC 1975-2009

RELJCT2 2010-Later

Attribute Codes

1975-1990

- 1 Non-Junction
- 2 Intersection
- 3 Intersection-Related
- 4 Intersection Area
- 5 Driveway, Alley, Access, etc.
- 6 Entrance/Exit Ramp (Since 1978)
- 7 Rail Grade Crossing (Since 1979)
- 8 In Crossover (Since 1980)
- 9 Unknown

C21B Relation to Junction- Specific Location (continued)

Attribute Codes

1991-2009

00 None

NON-INTERCHANGE AREA

- 01 Non-Junction
- 02 Intersection
- 03 Intersection-Related
- 04 Driveway, Alley Access, etc.
- 05 Entrance/Exit Ramp-Related
- 06 Railway Grade Crossing
- 07 In Crossover
- 08 Driveway Access Related (Since 2003)
- 09 Unknown, Non-Interchange

INTERCHANGE AREA

- 10 Intersection
- 11 Intersection-Related
- 12 Driveway Access
- 13 Entrance/Exit Ramp-Related
- 14 In Crossover
- 15 Other Location in Interchange
- 19 Unknown, Interchange Area
- 99 Unknown

2010- 2012	2013	2014- Later	
1	1	1	Non-Junction
2	2	2	Intersection
3	3	3	Intersection Related
4	4	4	Driveway Access
5	5	5	Entrance/Exit Ramp Related
6	6	6	Railway Grade Crossing
7	7	7	Crossover Related
8	8	8	Driveway Access Related
16	16		Shared-Use Path or Trail
		16	Shared-Use Path Crossing
17	17	17	Acceleration/Deceleration Lane
18	18	18	Through Roadway
19	19	19	Other Location Within Interchange Area
	20	20	Entrance/Exit Ramp
98	98	98	Not Reported
99	99	99	Unknown

C22 Type of Intersection

Definition: This data element identifies and allows separation of various intersection types. **Additional Information:** Prior to 2015, this data element's Locator Code or Data Element

Number was C21.

SAS Name: TYP_INT

Attribute Codes

2010	2013- Later	
1	1	Not an Intersection
2	2	Four-Way Intersection
3	3	T-Intersection
4	4	Y-Intersection
5	5	Traffic Circle
6	6	Roundabout
7	7	Five-Point, or More
	10	L-Intersection
8	98	Not Reported
9	99	Unknown

C23 Relation to Trafficway

Definition: This data element identifies the location of the crash as it relates to its position within or outside the trafficway based on the "First Harmful Event."

Additional Information: Prior to 2015, this data element's Locator Code or Data Element

Number was C22.

SAS Name: REL ROAD

Attribute Codes

1975-1997

- 1 On Roadway
- 2 Shoulder
- 3 Median
- 4 Roadside
- 5 Outside Right-of-way
- 6 Off Roadway Location Unknown
- 7 In Parking Lane (Since 1980)
- 8 Gore (Since 1982)
- 9 Unknown

1998- 2009	2010- Later	
01	01	On Roadway
02	02	On Shoulder
03	03	On Median
04	04	On Roadside
05		Outside Trafficway/Outside Right-Of-Way
	05	Outside Trafficway
06	06	Off Roadway – Location Unknown
07		In Parking Lane (1998-2006)
07	07	In Parking Lane/Zone (Since 2007)
80	80	Gore
10	10	Separator
11		Two-way Continuous Left-Turn Lane (Since 2001)
	11	Continuous Left-Turn Lane
	98	Not Reported
99	99	Unknown

More Information on Relation to Trafficway

C24 Work Zone

Definition: This data element identifies a motor vehicle traffic crash in which the first harmful event occurs within the boundaries of a work zone or on an approach to or exit from a work zone, resulting from an activity, behavior, or control related to the movement of the traffic units through the work zone.

Additional Information: This data element identifies a "Work Zone Accident" as defined in ANSI D16.1, 7th Edition. If the crash qualifies as a "Work Zone Accident" then the type of work activity is identified. Use of the codes does not imply that the crash was caused by the construction, maintenance, or work activity.

The data element name was "Construction/Maintenance Zone" from 1975 to 2008. The data element name has been changed to "Work Zone" since 2009. Prior to 2015, this data element's Locator Code or Data Element Number was C23.

SAS Name: C_M_ZONE 1975-2008 WRK ZONE 2009-Later

Attribute Codes

1975-1979

The data element exists in the data files but has not been initialized. The data was not collected.

1980- 1981	1982- 2009	2010- 2011	2012- Later	
0	0	0	0	None
1	1	1	1	Construction
2	2	2	2	Maintenance
3				Construction or Maintenance
	3	3	3	Utility
	4	4	4	Work Zone, Type Unknown
		8		Not Reported

C25 Light Condition

Definition: This data element records the type/level of light that existed at the time of the crash as indicated in the case material.

Additional Information: Prior to 2015, this data element's Locator Code or Data Element

Number was C24.

SAS Name: LGT_COND

Attribute Codes

1975- 1979	1980- 2008	2009	2010- Later	
1	1	1	1	Daylight
2	2			Dark
		2	2	Dark – Not Lighted
3	3	3		Dark but Lighted
			3	Dark – Lighted
	4	4	4	Dawn
	5	5	5	Dusk
6				Dawn or Dusk
		6	6	Dark – Unknown Lighting
		7	7	Other
			8	Not Reported
9	9	9	9	Unknown

C26 Atmospheric Conditions

Definition: This data element records the prevailing atmospheric conditions that existed at the time of the crash as indicated in the case material.

Additional Information: This data element identifies up to two values. If more than two atmospheric conditions were reported, the two conditions that most affect visibility were selected. Accident.WEATHER1 and Accident.WEATHER2 are coded data elements, and Accident.WEATHER is derived from these two.

Prior to 2015, this data element's Locator Code or Data Element Number was C25.

See *Appendix B: Rules for Derived Data Elements* for an expanded explanation of this data element and how it is derived.

SAS Name: WEATHER 1975-2006

WEATHER, WEATHER1, WEATHER2 2007-Later

Attribute Codes

1975- 1979	1980- 1981	1982- 2006	2007- 2009	2010- 2012	2013- Later	
1				1	1	Clear
	1					Normal
		1	0			No Adverse Atmospheric Conditions
				0	0	No Additional Atmospheric Conditions
			1			Clear/Cloud (No Adverse Conditions)
2	2			2	2	Rain
		2	2			Rain <i>(Mist)</i>
3	3					Sleet
		3	3			Sleet <i>(Hail)</i>
				3		Sleet, Hail (Freezing Rain or Drizzle)
					3	Sleet, Hail
4	4	4		4	4	Snow
			4			Snow or Blowing Snow
	5	5				Fog
			5	5	5	Fog, Smog, Smoke
		6				Rain and Fog
			6	6	6	Severe Crosswinds
		7				Sleet and Fog
			7	7	7	Blowing Sand, Soil, Dirt
	8	8				Other: Smog, Smoke, Blowing Sand or Dust
			8	8	8	Other
7				10	10	Cloudy
				11	11	Blowing Snow
					12	Freezing Rain or Drizzle
				98	98	Not Reported
9	9	9	9	99	99	Unknown

C27 School Bus Related

Definition: This data element identifies if a school bus, or motor vehicle functioning as a school bus, is related to the crash.

Additional Information: A school bus crash is (1) a motor vehicle crash in which a school bus, with or without a pupil on board, is involved directly as a contact vehicle, or (2) a motor vehicle crash or an other-road-vehicle crash in which a school bus, with or without a pupil or board, is involved indirectly as a non-contact vehicle.

Prior to 2015, this data element's Locator Code or Data Element Number was C26.

This data element also appears on the Person data file.

SAS Name: SCH_BUS

Attribute Codes

1977- 2009	2010- 2012		
0	0	0	No
1	1	1	Yes
	8		Not Reported

More Information on School Bus Related

C28 Rail Grade Crossing Identifier

Definition: This data element identifies if the crash occurred in or near a rail grade crossing.

Additional Information: Prior to 2015, this data element's Locator Code or Data Element

Number was C27.

SAS Name: RAIL
Attribute Codes

1979-Later

0000000 Not Applicable

xxxxxxA Six Digits Followed by One Alphabetic Valid F.R.A. Code

9999999 Unknown

C29 Notification Time EMS

C29A Hour of Notification

Definition: This data element records the hour that emergency medical service was notified.

Additional Information: All time is 24-hour military time.

Prior to 2015, this data element's Locator Code or Data Element Number was C28A.

SAS Maille. NOT HOUR	SAS Name:	NOT HOUR
----------------------	-----------	-----------------

1975- 1998	1999- 2008	2009- Later	
00-24	00-24	00-23	Hour
00	00		Not Applicable or Not Notified (when NOT_MIN = 00)
		88	Not Applicable or Not Notified
99	99	99	Unknown Hour
	99	99	Unknown if Notified (when NOT_MIN = 98)

C29B Minute of Notification

Definition: This data element records the minutes after the hour that emergency medical service was notified.

Additional Information: Prior to 2015, this data element's Locator Code or Data Element Number was C28B.

SAS Name: NOT_MIN

1975- 1998	1999- 2008	2009- Later	
00-59	00-59	00-59	Minute
00	00		Not Applicable or Not Notified <i>(when NOT_HOUR = 00)</i>
		88	Not Applicable or Not Notified
	98	98	Unknown if Notified
99	99	99	Unknown Minutes

C30 Arrival Time EMS

C30A Hour of Arrival at Scene

Definition: This data element records the hour that emergency medical service arrived on the crash scene.

Additional Information: All time is 24-hour military time.

The time of the crash/arrival of the emergency medical service can occur in a different day than the arrival of emergency medical service at the crash scene/hospital.

Prior to 2015, this data element's Locator Code or Data Element Number was C29A.

SAS	Name:	ARR HOUR

1975- 1998	1999- 2008	2009- Later	
00-24	00-24	00-23	Hour
00			Not Notified or Officially Cancelled (when ARR_MIN = 00)
	00		Not Notified (when ARR_MIN = 00)
		88	Not Applicable or Not Notified
99	99	99	Unknown Hour
	99	99	Officially Cancelled (when ARR_MIN = 97)
	99	99	Unknown if Arrived (when ARR_MIN = 98)

C30B Minute of Arrival at Scene

Definition: This data element records the minutes after the hour that emergency medical service arrived on the crash scene.

Additional Information: The time of the crash/arrival of the emergency medical service can occur in a different day than the arrival of emergency medical service at the crash scene/hospital.

Prior to 2015, this data element's Locator Code or Data Element Number was C29B.

SAS Name: ARR_MIN

1975- 1998	1999- 2008	2009- Later	
00-59	00-59	00-59	Minute
00			Not Notified or Officially Cancelled (when ARR HOUR = 00)
	00		Not Notified (when ARR_HOUR = 00)
		88	Not Applicable or Not Notified
	97	97	Officially Cancelled
	98	98	Unknown if Arrived
99	99	99	Unknown Minutes

C31 EMS Time at Hospital

C31A Hour of EMS Arrival at Hospital

Definition: This data element records the hour that emergency medical service arrived at the treatment facility to which it was transporting victims of the crash.

Additional Information: All time is 24-hour military time.

The time of the crash/arrival of the emergency medical service can occur in a different day than the arrival of emergency medical service at the crash scene/hospital.

Prior to 2015, this data element's Locator Code or Data Element Number was C30A.

SAS Name:	HOSP_H	R	
1987- 1998	1999- 2008	2009- Later	
00-24	00-24	00-23	Hour
00			Not Notified, Officially Cancelled or Not Transported (when HOSP_MIN = 00)
	00		Not Notified or Not Transported (when HOSP_MIN = 00)
		88	Not Applicable or Not Notified
99	99	99	Unknown Hour
	99	99	Officially Cancelled (when HOSP_MIN = 97)
	99	99	Unknown if Transported (when HOSP_MIN = 98)

C31B Minute of EMS Arrival at Hospital

Definition: This data element records the minutes after the hour that emergency medical service arrived at the treatment facility to which it was transporting victims of the crash.

Additional Information: The time of the crash/arrival of the emergency medical service can occur in a different day than the arrival of emergency medical service at the crash scene/hospital.

Prior to 2015, this data element's Locator Code or Data Element Number was C30B.

SAS Name:	HOSP_MIN

_	987- 998	1999- 2008	2009- Later	
0	0-59	00-59	00-59	Minute
0	0			Not Notified, Officially Cancelled or Not Transported (when HOSP_HR = 00)
	•	00		Not Notified or Not Transported (when HOSP_HR = 00)
	•		88	Not Applicable or Not Notified
	•	96	96	Terminated Transport
	•	97	97	Officially Cancelled
	•	98	98	Unknown if Transported
9	9	99	99	Unknown Minutes

C32 Related Factors- Crash Level

Definition: This data element records factors related to the crash expressed by the investigating officer.

Additional Information: There are also vehicle-level related factors in the Vehicle data file (VEH_SC1 and VEH_SC2), driver-level related factors, also in the Vehicle data file (DR_SF1, DR_SF2, DR_SF3 and DR_SF4), and person-level related factors in the Person data file (P_SF1, P_SF2, and P_SF3).

The FARS analyst may have used any of the three data elements to code a related factor. One must test all three data elements to ensure that the selected related factor is included.

Note: Starting in 1982, many of the "Related Factors-Crash Level" attributes, values 01-29, are coded as "Related Factors-Driver Level" attributes, values 61-87, in the Vehicle data file.

Prior to 2015, this data element's Locator Code or Data Element Number was C31.

SAS Name: CF1, CF2, CF3

Attribute Codes

1975-1981

00 None

VISION OBSCURED BY:

- 01 Rain, Snow, Fog, Smoke, Sand, Dust (i.e., Weather Conditions)
- 02 Reflected Glare, Bright Sunlight, Headlights
- 03 Curve, Hill or Other Design Features (Including Traffic Signs, Embankments)
- 04 Building, Billboard, etc.
- 05 Trees, Crops, Vegetation
- 06 Moving Vehicle (Including Load)
- 07 Parked Vehicle
- 08 Other Object Not Classified Above

SWERVING DUE TO:

- 20 Severe Crosswind
- 21 Wind From Passing Truck
- 22 Slippery Surface
- 23 Avoiding Debris or Objects in Road
- 24 Ruts, Holes, Bumps, in Road
- 25 Avoiding Animals in Road
- 26 Avoiding Vehicle in Road
- 27 Avoiding Phantom Vehicle
- 28 Avoiding Pedestrian, Pedalcyclist, Other Non-Motorist in Road
- 29 Avoiding Water, Snow, Oil Slick on Road

ROADWAY FEATURES:

- 40 Traffic Controls Not Functioning Properly
- 41 Inadequate Warning of Exits, Lanes Narrowing, Traffic Controls, etc.
- 42 Uncontrolled Intersection or Railroad Crossing
- 43 Shoulder Too Low or High
- 44 Shoulders Too Narrow or No Shoulders for Emergency Use
- 47 Other Construction

C31 Related Factors- Crash Level (continued)

Attribute Codes

1975-1981

- 48 No or Obscured Pavement Markings
- 49 Surface Underwater (Since 1979)
- 50 Inadequate Construction or Poor Design of Roadway, Bridge, etc. (Since 1979)
- 51 Surface Washed Out (Caved in, Road Slippage, Since 1979)
- 99 Unknown

1982- 2012	2013- Later	
		Nama
0	0	None
1	1	Inadequate Warning of Exits, Lanes Narrowing, Traffic Controls etc.
2	2	Shoulder Related (Design or Condition, Since 2002)
3	3	Other Maintenance or Construction-Created Condition
4	4	No or Obscured Pavement Marking
5	5	Surface Under Water
6	6	Inadequate Construction or Poor Design of Roadway, Bridge, etc.
7	7	Surface Washed Out (Caved in, Road Slippage)
13	13	Aggressive Driving/Road Rage by Non-Contact Vehicle Driver (Since 2006)
14	14	Motor Vehicle (In Transport 1983-2004) Struck By Falling Cargo or Something That Came Loose From or Something That Was Set in Motion By a Vehicle (Since 1983)
15	15	Non-Occupant Struck By Falling Cargo, or Something Came Loose From or Something That Was Set In Motion By A Vehicle (Since 1983)
16	16	Non-Occupant Struck Vehicle (Since 1983)
17	17	Vehicle Set In Motion By Non-Driver (Since 1983)
18	18	Date of Crash and Date of EMS Notification Were Not Same Day (Since 1988)
19	19	Recent Previous Crash Scene Nearby (Since 1989)
20	20	Police-Pursuit-Involved (Since 1994)
21	21	Within Designated School Zone (Since 1995)
22	22	Speed Limit Is a Statutory Limit as Recorded or Was Determined as This State's "Basic Rule" (Since 1999)
23	23	Indication of a Stalled/Disabled Vehicle (Since 2008)
24	24	Unstabilized Situation Began and All Harmful Events Occurred Off of the Roadway (Since 2012)
25		Toll Plaza Related (2012 Only)
	25	Toll Booth/Plaza Related
	26	Backup Due to Prior Non-Recurring Incident
	27	Backup Due to Prior Crash
	28	Backup Due to Regular Congestion
99	99	Unknown

More Information on Related Factors- Crash Level

C100 Drunk Drivers

Definition: This data element records the number of drunk drivers involved in the crash.

Additional Information: This data element is derived from data elements in the Vehicle and Person data files. Data are analyzed and if there is "sufficient information" to conclude that a driver was drunk, i.e., if the blood alcohol concentration (BAC) is positive, or if the police reported alcohol involvement, then the driver is counted as a drunk driver.

A crash is alcohol-involved if a driver, pedestrian, or pedal cyclist involved in the crash has (1) police-reported alcohol involvement, or (2) a positive alcohol test result.

A driver who is charged with an alcohol violation by itself does not have the driver counted as a drunk driver.

Note that alcohol data is often missing. For that reason this data element may undercount the actual number of drunk drivers.

From 1975 to 1993 the maximum number of drunk drivers was 6. Virtually all crashes have no more than two drunk drivers.

Two useful partitions of this data element are:

- (1) no drunk drivers, one or more drunk drivers involved, and
- (2) no drunk drivers, one drunk driver, multiple drunk drivers

In the early years of FARS, especially 1975 and 1976, the alcohol data must be used with care. In these two years no drunk drivers were identified for North Dakota. In 1975/76 Alabama, Mississippi, New Mexico, North Carolina, Texas, and West Virginia have a reported drunk driver rate for fatal crashes of less than 5 percent. In 1979 the data from these States reports a drunk-driver rate for fatal crashes between 18.5 percent and 43 percent.

Note: The DRUNK_DR data element on the Crash level was incorrectly derived on all person types from 1999 through 2007. Since then, it was derived based on all person types rather than based on Drivers only. Furthermore, the data element name (DRUNK_DR) implies that the individual was drunk, however, it actually captures those individuals whom the police reported alcohol involvement OR who tested positive for alcohol (i.e. their blood alcohol concentration was .01 g/dL or greater). Beginning with the 2008 Final FARS data file, DRUNK_DR has been derived for Drivers only.

SAS Name: DRUNK DR

Attribute Codes

1975-Later

00-99 Number of Drunk Drivers Involved in the Fatal Crash.

C101 Fatalities

Definition: This data element records the number of fatally injured persons in the crash.

Additional Information: The data element is derived by counting all persons with "Injury Severity" of 4 in the crash. The data element "Fatalities in Vehicle" in the Vehicle data file provides the number of deaths in a vehicle.

SAS Name: FATALS

Attribute Codes

1975-Later

01-99 Number of Fatalities that Occurred in the Crash.

Discontinued ACCIDENT Data Elements

Federal Highway (discontinued)

Definition: This data element was discontinued after 1993.

Additional Information: The data element is in the data file, but was not initialized prior to 1978, i.e., no data exists for this data element. This may be due to the extensive revisions by the Federal Highway Administration (FHWA) in 1977, which caused extensive modifications to this field for all data before 1978.

SAS Name:

TA_1_CL 1975-1981 FED AID 1982-1993

1975- 1977	1978- 1981	1982- 1986	1987 1993	
	1	1	1	Interstate
	2	2		Other Federal Aid Primary
			2	Federal Aid Primary (Other Than Interstate)
	3	3		Federal Aid Secondary
			3	Federal Aid Urban
	4	4		Federal Aid Urban Arterials
			4	Federal Aid Secondary (Rural Only)
	5	5		Federal Aid Urban Collectors
			5	Non-Federal Aid
	6	6		Non-Federal Aid Arterials
	7	7		Non-Federal Aid Collectors
	8	8		Non-Federal Aid Local
	9	9	9	Unknown

Hit and Run (discontinued)

Definition: This data element identifies whether this vehicle was a contact vehicle in the crash that did not stop to render aid (this can include drivers who flee the scene on foot). Hit and run is coded when a motor vehicle in-transport, or its driver, departs from the scene; vehicles not intransport are excluded. It does not matter whether the hit-and-run vehicle was striking or struck.

Additional Information: From 1975 to 1981 if no information was known about the Hit-and-Run vehicle and/or driver, the vehicle form and/or driver form were not filled out and were not counted as unknown. Starting in 1982 both a vehicle and a driver form were filled out and the data were identified as unknown. This is why, for example, there were approximately only 20 to 40 drivers with unknown sex listed in the FARS data file from 1975 to 1981 and 700 to 1,000 drivers with unknown sex from 1982 on.

In 2009, this data element was no longer collected at the Accident level and is now collected at the Vehicle level.

SAS Name: HIT RUN

1975- 1976	1977- 1981	1982- 2008	
0			Not Applicable
	0	0	No Hit-and-Run
1	1		With Motor Vehicle
		1	Hit Motor Vehicle in Transport
2			With Non-Occupant
	2		Hit Non-Motorist
		2	Hit Pedestrian or Non-Motorist
	3		Left Scene
		3	Hit Parked Vehicle (Working Vehicle, Since 2004) or Object
		4	Occupant Is Struck by or Fell From Own Hit-and-Run Vehicle (2002 Only)
		4	Driver Leaves Scene after Non-Collision Event (Since 2004)
		5	Driver/Occupant Leaves Scene after a Non-Collision Event
			(2003 Only)
		5	Other Involved Person, not a driver, left Scene (2005-2006)
		5	Hit-and-Run, Other Involved Person Left Scene (Since 2007)

Land Use (discontinued)

Definition: This data element was discontinued after 1986.

Additional Information: The data element LAND_USE is defined by the Federal Highway Administration and does not necessarily coincide with the U.S. Census Bureau's definition or any other definition of urban or rural. It has been determined there are errors in the 1975 and 1976 data for this data element; consequently, care should be taken when comparing data over several years.

SAS Name: LAND USE

Attribute Codes

- 1 Urban
- 2 Rural
- 9 Unknown

Roadway Alignment (discontinued)

Definition: This data element identifies the attribute that best represents the roadway alignment prior to this vehicle's critical precrash event, based on the case materials.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level and appears on the Vehicle data file as VALIGN.

SAS Name: ALIGNMNT

Attribute Codes

- 1 Straight
- 2 Curved
- 9 Unknown

Roadway Function Class (discontinued)

Definition: This data element identifies the functional classification of the trafficway on which the crash occurred.

Additional Information: This data element also appears in the Person data file. This data element was discontinued in 2015.

SAS Name: ROAD_FNC

Attribute Codes

1975-1980

This data element is included in the format, but is not initialized. Do not use it.

1981-1986

- 1 Principal Arterial Interstate
- 2 Principal Arterial Other Urban Freeways and Expressways
- 3 Principal Arterial Other
- 4 Minor Arterial
- 5 Urban Collector
- 6 Major Rural Collector
- 7 Minor Rural Collector
- 8 Local Road or Street
- 9 Unknown

1987-Later

RURAL

- 01 Principal Arterial Interstate
- 02 Principal Arterial Other
- 03 Minor Arterial
- 04 Major Collector
- 05 Minor Collector
- 06 Local Road or Street
- 09 Unknown

URBAN

- 11 Principal Arterial Interstate
- 12 Principal Arterial Other Freeways or Expressways
- 13 Other Principal Arterial
- 14 Minor Arterial
- 15 Collector
- 16 Local Road or Street
- 19 Unknown
- 99 Unknown

More Information on Roadway Function Class and Land Use

Roadway Profile (discontinued)

Definition: This data element identifies the attribute that best represents the roadway grade prior to this vehicle's critical precrash event, based on the case materials.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level and appears on the Vehicle data file as VPROFILE.

SAS Name: PROFILE

Attribute Codes

1975-1981

- 1 Level
- 2 Grade
- 9 Unknown

- 1 Level
- 2 Grade
- 3 Hillcrest
- 4 Sag
- 9 Unknown

Roadway Surface Condition (discontinued)

Definition: This data element identifies the attribute that best represents the roadway surface condition prior to this vehicle's critical precrash event, based on the case materials.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level and appears on the Vehicle data file as VSURCOND.

SAS Name: SUR_COND

1975- 2006	2007- 2009	
1	1	Dry
2	2	Wet
3	3	Snow or Slush
4		Ice
	4	Ice/Frost
5		Sand, Dirt, Oil
	5	Sand, Dirt, Mud, Gravel
	6	Water (Standing or Moving)
	7	Oil
8	8	Other
9	9	Unknown

Roadway Surface Type (discontinued)

Definition: This data element identifies the attribute that best represents the roadway surface type prior to this vehicle's critical precrash event, based on the case materials.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level and appears on the Vehicle data file as VPAVETYP.

SAS Name: PAVE_TYP

Attribute Codes

- 1 Concrete
- 2 Blacktop, Bituminous, or Asphalt
- 3 Brick or Block
- 4 Slag, Gravel or Stone
- 5 Dirt
- 8 Other
- 9 Unknown

Speed Limit (discontinued)

Definition: This data element identifies the attribute that best represents the posted speed limit just prior to this vehicle's critical precrash event, based on the case materials.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level and appears on the Vehicle data file as VSPD_LIM.

SAS Name: SP_LIMIT

1975- 1976	1977- 1978	1979	1980- 2009	
			00	No Statutory Limit
01-94	01-94	01-98	01-98	Speed Limit (mph)
95	95			Speed Limit Is 95 mph or Greater
96	96		00	No Statutory Limit
98				Not Reportable
99	99	99	99	Unknown

Total Lanes in Roadway (discontinued)

Definition: This data element identifies the attribute that best describes the number of travel lanes just prior to this vehicle's critical precrash event, based on the case materials.

Additional Information: The number of lanes refers to the number of lanes of a continuous cross-section of roadway. For example, a local roadway with one lane going north and one lane going south would be coded as two lanes. However, if a trafficway is a divided highway, with two lanes going north, a median, and two lanes going south, then the number of lanes is coded as two. If a trafficway has two lanes going north immediately adjacent to two lanes going south, one continuous cross-section of roadway, then the number of lanes is coded as four. This data element can be used with the trafficway flow data element TRAF_FLO to determine the trafficway geometry. For example: If (NO_LANES EQ 2) AND (TRAF_FLO EQ 1), then one has a two-lane roadway that is not physically divided, that is what most people think of as a two-lane road, one lane going in each direction.

In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level and appears on the Vehicle data file as VNUM_LAN.

SAS Name: NO_LANES

1975- 1979	1980- 2009	
1	1	One Lane
2	2	Two Lanes
3	3	Three Lanes
4	4	Four Lanes
5	5	Five Lanes
6	6	Six or More Lanes
	7	Seven or More Lanes
9	9	Unknown

Traffic Control Device (discontinued)

Definition: This data element identifies the attribute that best describes the traffic controls in the vehicle's environment just prior to this vehicle's critical precrash event, based on the case materials.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level and appears on the Vehicle data file as VTRAFCON.

SAS Name: TRA CONT

Attribute Codes

1975-1981

- 00 No Controls
- 01 Flashing Traffic Signals
- 02 On Colors Traffic Signal
- 03 Stop Sign
- 04 Yield Sign
- 05 Physically Controlled Railroad Crossing
- 06 Stop Sign for Railroad Crossing
- 07 Other Railroad Crossing
- 08 School Zone Sign
- 09 Traffic Controls Not Functioning
- 10 Pedestrian Signal (Since 1978)
- 98 Other
- 99 Unknown

1982-2009

00 No Controls

NOT AT RAILROAD GRADE CROSSINGS

HIGHWAY TRAFFIC SIGNALS

- 01 Traffic Control Signal (On Colors) Without Pedestrian Signal
- 02 Traffic Control (On Colors) With Pedestrian Signal
- 03 Traffic Control Signal (On Colors) Not Known if Pedestrian Signal
- 04 Flashing Traffic Control Signal
- 05 Flashing Beacon
- 06 Flashing Highway Traffic Signal, Type Unknown, or Other
- 07 Lane Use Control Signal
- 08 Other Highway Traffic Signal
- 09 Unknown Highway Traffic Signal

Traffic Control Device (continued)

Attribute Codes

1982-2009

REGULATORY SIGNS

- 20 Stop Sign
- 21 Yield Sign
- 28 Other Regulatory Sign
- 29 Unknown Type Regulatory Sign

SCHOOL ZONE SIGNS

- 30 School Speed Limit Sign
- 31 School Advance or Crossing Sign
- 38 Other School-Related Sign
- 39 Unknown Type School Zone Sign

WARNING SIGN

- 40 Warning Sign
- 41 Electronic Warning Sign (Since 2002)

MISCELLANEOUS NOT AT RAILROAD CROSSING

50 Officer, Crossing Guard, Flagman, etc.

AT RAILROAD GRADE CROSSINGS

ACTIVE DEVICES

- 60 Gates
- 61 Flashing Lights
- 62 Traffic Control Signal
- 63 Wigwags
- 64 Bells
- 68 Other Train-Activated Device
- 69 Active Device, Type Unknown

PASSIVE DEVICES

- 70 Cross Bucks
- 71 Stop Sign
- 72 Other Railroad Crossing Sign
- 73 Special Warning Device Watchman, Flagged By Crew
- 78 Other Passive Device
- 79 Passive Device, Type Unknown

MISCELLANEOUS DEVICES AT RAILROAD CROSSING

80 Grade Crossing Controlled, Type Unknown

WHETHER OR NOT AT RAILROAD GRADE CROSSING

- 98 Other
- 99 Unknown

Traffic Control Device Functioning (discontinued)

Definition: This data element identifies the functionality of the traffic control device recorded for this vehicle in the data element Traffic Control Device.

Additional Information: Data not collected prior to 1982.

In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level and appears on the Vehicle data file as VTCONT_F.

SAS Name: T_CONT_F

Attribute Codes

- 0 No Controls
- 1 Device Not Functioning
- 2 Device Functioning Functioning Improperly
- 3 Device Functioning Properly
- 9 Unknown

Trafficway Description (discontinued)

Definition: This data element identifies the attribute that best describes the trafficway flow just prior to this vehicle's critical precrash event, based on the case materials.

Additional Information: In 1975 and 1976 all divided highway traffic is coded as Level Data element 3, i.e., divided highway, other barrier or barrier type unknown. There is no distinction made among median strips, guardrails and other barriers for these two years.

Prior to 2010, this data element was called Trafficway Flow. In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level and appears on the Vehicle data file as VTRAFWAY.

SAS Name: ROAD_FLO *1975-1981*

TWAY_FLO 1982-1986 TRAF_FLO 1987-2009

Attribute Codes

- 1 Divided Highway, Median Strip (Since 1977)
- 2 Divided Highway, Guardrail (Since 1977)
- 3 Divided Highway, Other Barrier or Barrier Type Unknown
- 4 Not Physically Divided
- 5 One Way Traffic
- 9 Unknown

1982- 1986	1987- 2002	2003- 2009	
1	1	1	Not Physically Divided (Two-Way Trafficway)
2	2	2	Divided Highway, Median Strip (Without Traffic Barrier)
3	3	3	Divided Highway, Median Strip (With Traffic Barrier)
4	4	4	One-Way Trafficway
	5		Divided Highway, Median Strip (With Two-Way Continuous Left- Turn Lane, Since 2001)
		5	Not Physically Divided (With Two-Way Continuous Left-Turn Lane)
		6	Entrance/Exit Ramp
9	9	9	Unknown

Vehicles in Transport (discontinued)

Definition: This data element counts the number of vehicles in-transport involved in the crash. Legally parked vehicles are not included.

Additional Information: This data element was discontinued after 1981.

SAS Name: VEHICLES

Attribute Codes 1976-1981

The VEHICLE Data File

The Vehicle data file includes in-transport motor vehicle data as well as driver and precrash data. It contains the data elements ST_CASE, STATE, and VEH_NO, which are described in the beginning of the Data Element Definitions and Codes section. The Vehicle data file also contains the data elements on the following pages.

ST_CASE and VEH_NO are the unique identifiers for each record. ST_CASE should be used to merge the Vehicle data file with the Accident data file. ST_CASE and VEH_NO should be used to merge the Vehicle data file with other vehicle-level data files and the Person data file.

V4 Number of Occupants

Definition: This data element is a count of the number of occupants in this vehicle.

Additional Information: All, some, or none of the individuals may have died in the crash.

This data element also appears in the Parkwork data file as PNUMOCCS.

SAS Name: OCUPANTS 1975-2008

NUMOCCS 2009-Later

1975- 2008	2009- Later	
00	00	None
01-95	01-95	Actual Number of Occupants in The Vehicle
96	96	96 or More Occupants in The Vehicle
97		Unknown – Only Injured Reported
	98	Not Reported (2010 Only)
99	99	Unknown

V5 Unit Type

Definition: This data element identifies the type of unit that applies to this motor vehicle at the time it became an involved vehicle in the crash and was reported as a unit on the PAR.

Additional Information: This data element also appears in the Parkwork data file as PTYPE. The valid attributes for PTYPE are:

- 2 Motor Vehicle Not in Transport Within the Trafficway
- 3 Motor Vehicle Not in Transport Outside the Trafficway
- 4 Working Motor Vehicle (Highway Construction, Maintenance, Utility Only)

SAS Name: UNITTYPE

Attribute Codes

2005- 2008-2007 Later

1 -- Motor Vehicle in Transport

-- 1 Motor Vehicle in Transport (Inside or Outside the Trafficway)

V6 Hit and Run

Definition: This data element identifies whether this vehicle was a contact vehicle in the crash that did not stop to render aid (this can include drivers who flee the scene on foot). Hit and run is coded when a motor vehicle in-transport, or its driver, departs from the scene; vehicles not intransport are excluded. It does not matter whether the hit-and-run vehicle was striking or struck.

Additional Information: From 1975 to 1981 if no information was known about the Hit-and-Run vehicle and/or driver, the vehicle form and/or driver form were not filled out and were not counted as unknown. Starting in 1982 both a vehicle and a driver form were filled out and the data were identified as unknown. This is why, for example, there were approximately only 20 to 40 drivers with unknown sex listed in the FARS data file from 1975 to 1981 and more than 700 drivers with unknown sex from 1982 on.

This data element was removed from Accident data file in 2009.

This data element also appears in the Parkwork data file as PHIT_RUN.

SAS Name: HIT_RUN

1975- 1976	1977- 1981	1982- 2008	
0			Not Applicable
	0	0	No Hit-and-Run
1	1		With Motor Vehicle
		1	Hit Motor Vehicle in Transport
2			With Non-Occupant
	2		Hit Non-Motorist
		2	Hit Pedestrian or Non-Motorist
	3		Left Scene
		3	Hit Parked Vehicle (Working Vehicle, Since 2004) or Object
		4	Occupant Is Struck by or Fell From Own Hit-and-Run Vehicle (2002 Only)
		4	Driver Leaves Scene after Non-Collision Event (Since 2004)
		5	Driver/Occupant Leaves Scene after a Non-Collision Event (2003 Only)
		5	Other Involved Person, not a driver, left Scene (2005-2006)
		5	Hit-and-Run, Other Involved Person Left Scene (Since 2007)
	2010-	2012-	
2009	2011	Later	
0	0	0	No
1	1	1	Yes
	8		Not Reported
9	9	9	Unknown

V7 Registration State

Definition: This element identifies the state in which this vehicle was registered.

Additional Information: For multiple state registrations prior to 1997 the value is 94. In 1997, values 93 and 94 were combined into 93. After 1997, the value for multiple state registrations is 93.

This variable also appears in the Parkwork data set as PREG_STAT.

SAS Name: REG_STAT

Attribute Codes

1975-Later

01 Alabama02 Alaska03 American Samoa04 Arizona05 Arkansas

06 California08 Colorado09 Connecticut10 Delaware

11 District of Columbia

12 Florida
13 Georgia
14 Guam
15 Hawaii
16 Idaho
17 Illinois
18 Indiana
19 Iowa
20 Kansas
21 Kentucky

22 Louisiana23 Maine

24 Maryland

25 Massachusetts

26 Michigan27 Minnesota

28 Mississippi

29 Missouri

30 Montana

31 Nebraska

32 Nevada

33 New Hampshire

34 New Jersey 35 New Mexico

36 New York

37 North Carolina

38 North Dakota

39 Ohio

40 Oklahoma

41 Oregon

42 Pennsylvania

43 Puerto Rico44 Rhode Island

45 South Carolina

46 South Dakota

47 Tennessee

41 161116336

48 Texas

49 Utah

50 Vermont

51 Virginia

52 Virgin Islands (Since 2004)

53 Washington

54 West Virginia

55 Wisconsin

56 Wyoming

V7 Registration State (continued)

1975- 2007	2008- 2009	2010- Later	
		00	Not Applicable
		91	Not Reported
92	92	92	No Registration
93	93	93	Multiple State Registrations
94			Multiple State Registrations - Out-of-State (1975-1996)
	94	94	U.S. Government Tags (Includes Military)
95			U.S. Government Tags
	95	95	Canada
96			Military Vehicle
	96	96	Mexico
97			Foreign Country
	97	97	Other Foreign Country
98			Other Registration
	98	98	Other Registration (Includes Native American Indian Nations)
99	99	99	Unknown

V8 Registered Vehicle Owner

Definition: This data element identifies the type of registered owner of the vehicle.

Additional Information: This data element also appears in the Parkwork data file as

POWNER.

SAS Name: OWNER

1991- 2007	2008- Later	
0	0	Not Applicable, Vehicle Not Registered
1	1	Driver (of This Vehicle) Was Registered Owner
2	2	Driver (of This Vehicle) Not Registered Owner (Other Private Owner)
3	3	Vehicle Registered as Business/Company/Government Vehicle
4	4	Vehicle Registered as Rental Vehicle
5	5	Vehicle Was Stolen (Reported By Police)
6		Driverless Vehicle
	6	Driverless/Motor Vehicle Parked/Stopped Off Roadway
9	9	Unknown

V9 Vehicle Make

Definition: This data element identifies the make (manufacturer) of this vehicle.

Additional Information: This data element also appears in the Person data file and in the

Parkwork data file as PMAKE.

SAS Name: MAKE

Attribute Codes

- 01 American Motors
- 02 Jeep
- 03 AM General
- 06 Chrysler
- 07 Dodge
- 08 Imperial
- 09 Plymouth
- 10 Eagle (Since 1988)
- 12 Ford
- 13 Lincoln
- 14 Mercury
- 18 Buick
- 19 Cadillac
- 20 Chevrolet
- 21 Oldsmobile
- 22 Pontiac
- 23 GMC
- 29 Other Domestic
- 30 Volkswagen
- 31 Alfa Romeo
- 32 Audi
- 33 Austin-Healey
- 35 Datsun
- 36 Fiat
- 37 Honda
- 38 Isuzu
- 39 Jaguar
- 40 Lancia
- 41 Mazda
- 42 Mercedes-Benz
- 43 MG
- 44 Peugeot
- 45 Porsche
- 46 Renault
- 47 Saab
- 48 Subaru

V9 Vehicle Make (continued)

Attribute Codes

1975-1990

- 49 Toyota
- 50 Triumph
- 51 Volvo
- 52 Mitsubishi (Since 1982)
- 53 Suzuki (Since 1987)
- 57 Lexus (Since 1988)
- 58 Infiniti (Since 1988)
- 59 Other Imports
- 60 BSA
- 61 Ducati
- 62 Harley-Davidson
- 63 Kawasaki
- 64 Moto Guzzi
- 65 Norton
- 67 Yamaha
- 69 Other Motor Cycle
- 70 Moped
- 80 Brockway
- 81 Diamond Reo
- 82 Freightliner
- 83 FWD
- 84 International Harvester
- 85 Kenworth
- 86 Mack
- 87 Peterbilt
- 88 White
- 95 Other Truck/Bus
- 98 Other Make
- 99 Unknown Make

1991-Later

- 01 American Motors
- 02 Jeep/Kaiser-Jeep/Willys Jeep
- 03 AM General
- 06 Chrysler
- 07 Dodge
- 08 Imperial
- 09 Plymouth
- 10 Eagle
- 12 Ford
- 13 Lincoln
- 14 Mercury
- 18 Buick/Opel
- 19 Cadillac

V9 Vehicle Make (continued)

Attribute Codes

```
1991-Later
```

- 20 Chevrolet
- 21 Oldsmobile
- 22 Pontiac
- 23 **GMC**
- 24 Saturn
- 25 Grumman
- 26 Coda (Since 2013)
- 29 Other Domestic

Avanti

Checker

DeSoto

Excalibur

Hudson

Packard

Panoz

Saleen

Studebaker

Stutz

Tesla (Since 2014)

- 30 Volkswagen
- 31 Alfa Romeo
- 32 Audi
- 33 Austin/Austin Healey
- 34 **BMW**
- 35 Datsun/Nissan
- 36 Fiat
- 37 Honda
- 38 Isuzu
- 39 Jaguar
- 40 Lancia
- 41 Mazda
- 42 Mercedes-Benz
- 43 MG
- 44 Peugeot
- Porsche 45
- 46 Renault
- 47 Saab
- Subaru 48
- 49 Toyota
- 50 Triumph
- 51 Volvo
- 52 Mitsubishi
- 53 Suzuki
- 54 Acura
- 55 Hyundai

V9 Vehicle Make (continued)

Attribute Codes

1991-Later

- 56 Merkur
- 57 Yugo
- 58 Infiniti
- 59 Lexus
- 60 Daihatsu
- 61 Sterling
- 62 Land Rover
- 63 Kia
- 64 Daewoo
- 65 Smart (Since 2010)
- 66 Mahindra (2011-2013)
- 67 Scion (Since 2012)
- 69 Other Imports

Aston Martin

Bentley

Bertone

_

Bricklin

Bugatti

Dagatti

Caterham Citroen

DeLorean

Deloie

Desta

Ferrari

Fisker

Gazelle Hillman

Jensen

Koenigsegg

Lada

Lamborghini

Lotus

Mahindra (Since 2013)

Maserati

Maybach

McLaren

Mini Cooper

Morgan

Morris

Reliant (British)

Rolls-Royce

Simca

Singer

Spyker

Sunbeam

TVR

V9 Vehicle Make (continued)

Attribute Codes

```
1991-Later
  70
        BSA
  71
        Ducati
  72
        Harley-Davidson
  73
        Kawasaki
  74
        Moto Guzzi
  75
        Norton
  76
        Yamaha
  77
        Victory
  78
        Other Make Moped (Since 2010)
  79
        Other Make Motored Cycle (Since 2010)
  80
        Brockway
  81
        Diamond Reo/Reo
  82
        Freightliner
        FWD
  83
  84
        International Harvester/Navistar
  85
        Kenworth
  86
        Mack
  87
        Peterbilt
  88
        Iveco/Magirus
  89
        White/Autocar, White/GMC
  90
        Bluebird
  91
        Eagle Coach
  92
        Gillig
  93
        MCI
  94
        Thomas Built
  97
        Not Reported (Since 2010)
  98
        Other Make
             Auto-Union-DKW
             Carpenter
             Collins Bus
             DINA
             Divco
             Hino
             Mid Bus
             Neoplan
             Orion
             Oshkosh
             Scania
             Sterling
```

99

UD Van Hool Western Star

Unknown Make

V10 Vehicle Model

Definition: This data element identifies the model of this vehicle within a given make.

Additional Information: This data element also appears in the Person data file and in the

Parkwork data file as PMODEL.

SAS Name: MODEL

Attribute Codes

1975-Later

See the current FARS/NASS GES Coding and Validation Manual for vehicle model codes.

V11 Body Type

Definition: This data element identifies a classification of this vehicle based on its general body configuration, size, shape, doors, etc.

Additional Information: This data element also appears in the Person data file and in the Parkwork data file as PBODYTYP.

1975-1981: Within the yearly NHTSA report *Fatal Accident Reporting System*, the term "Light Trucks" includes Vans.

The body type data do not track with the original documentation. For example, the documentation states that BODY_TYP EQ 7 is for utility vehicles. However, when the data files are examined one sees that BODY_TYP EQ 43 is the value that will provide the desired result. The data files have been modified to make the early years for this data element compatible with 1981.

Note: Utility vehicles are also part of the light truck category

Note: BODY_TYP 40, large limousines, are not included as part of Passenger Cars or Passenger Vehicles.

1982-1990: Within the yearly NHTSA report *Fatal Accident Report System*, the term "Light Truck" includes Vans. Utility vehicles are also part of the light-truck category.

Note: BODY_TYP 13, large limousines and BODY_TYP 14, three-wheel automobiles or automobile derivatives, are not included as part of Passenger Cars or Passenger Vehicles.

Note: A single-unit truck that tows another vehicle, or a bobtail by itself, is considered a combination truck.

1991-Later: Within the yearly NHTSA publication *Traffic Safety Facts*, the term "Light Trucks" includes Vans.

Note: BODY_TYP 12, large limousines and BODY_TYP 13, three-wheel automobiles or automobile derivatives, are not included as part of Passenger Cars or Passenger Vehicles.

When defining School Buses 1993 and later be sure to include the new body type 24 (van-based school bus). However, body type 24 is not part of Buses.

When defining Transit Buses 1993 and later be sure to include the new body type 25 (vanbased transit bus). However, body type 25 is not part of Buses.

Note: A single-unit truck that tows another vehicle, or a bobtail, is considered a combination truck.

SAS Name: BODY TYP

Attribute Codes

- 01 Convertible
- 02 2-Door Sedan HT/Coupe
- 03 4-Door Sedan HT
- 04 Hatchback
- 05 Car-Pickup Body
- 06 Station Wagon
- 07 On/Off Road Vehicle Jeep CJ-S, Bronco, Blazer, Scout, etc. (1975-1979)
- 08 Other Auto
- 09 Unknown Auto Type
- 15 Motorcycle
- 16 Moped
- 17 Other Cycle
- 18 Unknown Cycle
- 25 School Bus
- 26 Cross-County
- 27 Transit Bus
- 28 Other Bus
- 29 Unknown Bus
- 35 Snowmobile
- 36 Farm Equipment
- 37 Dune/Swamp Buggy
- 38 Construction Equipment
- 39 Ambulance/Hearse Type
- 40 Large Limousine
- 41 Camper/Motorhome
- 42 Fire Truck
- 43 On/Off-Road Vehicle Jeep CJ-S, Bronco, Blazer, Scout, etc. (1980-1981)
- 44 Other Special Vehicle
- 45 Ambulance EMS
- 50 Pickup
- 51 Van
- 52 Truck-Based Station Wagon
- 53 Straight Truck, Low GVW
- 54 Straight Truck, Medium GVW
- 55 Straight Truck, High GVW
- 56 Straight Truck, Unknown GVW
- 57 Two-Unit Truck
- 58 Multi-Unit Truck
- 59 Truck-Tractor
- 60 Unknown Type Truck
- 99 Unknown

Attribute Codes

- 01 Convertible
- 02 2-Door Sedan/Ht/Coupe
- 03 3-Door/2-Door Hatchback
- 04 4-Door Sedan/Ht
- 05 5-Door/4-Door Hatchback
- 06 Station Wagon
- 07 Hatchback/Number of Doors Unknown
- 08 Other Auto
- 09 Unknown Auto Type
- 10 Auto Pickup
- 11 Auto Panel
- 12 Short Utility/Not Truck-Based
- 13 Large Limousine
- 14 3-Wheel Vehicle Unknown Body Type
- 20 Motorcycle
- 21 Moped
- 27 3-Wheel Motorcycle Or Moped
- 28 Other Cycle
- 29 Unknown Cycle
- 30 School Bus
- 31 Cross-Country/Intercity
- 32 Transit Bus
- 38 Other Bus
- 39 Unknown Bus
- 40 Van
- 41 Van Commercial Cutaway
- 42 Van Motorhome
- 48 Other Van Type
- 49 Unknown Van Type
- 50 Pickup
- 51 Pickup W/Slide-In Camper
- 52 Pickup-Based Motorhome
- 53 Cab Chassis Based
- 54 Truck-Based Panel
- 55 Truck-Based Station Wagon
- 56 Truck-Based Utility
- 58 Other Light Conventional Truck
- 59 Unknown Light Convent Truck
- 67 Utility, Base Body Unknown
- 69 Unknown Light Truck

Attribute Codes

1982-1990

- 70 Straight Truck, Low GVW
- 71 Straight Truck, Medium GVW
- 72 Straight Truck, High GVW
- 73 Medium/Heavy Truck Motorhome
- 74 Truck/Tractor
- 75 Unknown Medium Truck
- 76 Unknown Heavy Truck
- 77 Camper/Motorhome
- 78 Single Unit Straight Truck GVW Unknown
- 79 Unknown Truck Type
- 80 Snowmobile
- 81 Farm Equipment/Not Trucks
- 82 ATV, Dune/Swamp Buggy
- 83 Construction Equipment/Not Trucks
- 88 Other
- 89 Unknown Other Vehicle
- 90 3-Wheel Vehicle Unknown Body Type
- 99 Unknown Body Type

1991- 2010-2009 Later

01	01	Convertible (Excludes Sunroof, T-Bar)

- 02 02 2-Door Sedan/Hardtop/Coupe03 03 3-Door/2-Door Hatchback
- 04 04 4-Door Sedan/Hardtop
- 05 05 5-Door/4-Door Hatchback
- 06 06 Station Wagon (Excluding Van and Truck-Based)
- 08 -- Other Auto (1991-1993)
- 08 Sedan/Hardtop, Number of Doors Unknown (Since 1994)
- 09 -- Unknown Auto Type (1991-1993)
- 09 Other or Unknown Automobile Type (Since 1994)
- 10 10 Auto-Based Pickup
- 11 Auto-Based Panel (Cargo Station Wagon, Auto-Based Ambulance or Hearse)
- 12 Large Limousine More Than Four Side Doors or Stretch Chassis
- 13 Three-Wheel Automobile or Automobile Derivative
- 14 Compact Utility (ANSI D-16 Utility Vehicle Categories "Small" and "Midsize")
- 15 Large Utility (ANSI D-16 Utility Vehicle Categories "Full Size" and "Large")
- 16 16 Utility Station Wagon
- -- 17 3-Door Coupe
- 19 19 Utility Unknown Body

Attribute	Codes	
1991- 2009	2010- Later	
20	20	Minivan
21	21	Large Van – Includes Van-Based Buses
22	22	Step Van or Walk-In Van
23		Van Motorhome (1991-2002)
24		Van-Based School Bus (1993-2002)
25		Van-Based Transit Bus (1993-2002)
28	28	Other Van Type (Hi-Cube Van)
29	29	Unknown Van Type
30	30	Compact Pickup (Gross Vehicle Weight, GVWR, < 4,500 lbs)
31	31	Standard Pickup (4,500 lbs □ GVWR < 10,000 lbs)
32	32	Pickup with Slide-In Camper
33	33	Convertible Pickup
39	39	Unknown (Pickup Style) Light Conventional Truck Type
40	40	Cab Chassis-Based (Includes Light Stake, Light Dump, Light Tow, Rescue Vehicles)
41	41	Truck-Based Panel
42	42	Light-Truck-Based Motorhome (Chassis Mounted)
45	45	Other Light Conventional Truck Type (Includes Stretched Suburban Limousine)
48	48	Unknown Light-Truck Type (Not a Pickup, 1991-2012)
	48	Unknown Light Truck Type (Since 2013)
49	49	Unknown Light-Vehicle Type (Automobile, Utility Vehicle, Van or Light Truck)
50	50	School Bus
51	51	Cross-Country/Intercity Bus (i.e., Greyhound)
52	52	Transit Bus (City Bus)
	55	Van-Based Bus GVWR > 10,000 lbs. (Since 2011)
58	58	Other Bus Type
59	59	Unknown Bus Type
60	60	Step Van
61	61	Single-Unit Straight Truck (10,000 lbs < GVWR <= 19,500 lbs) (1991-2010)
	61	Single-Unit Straight Truck or Cab-Chassis (10,000 lbs < GVWR <= 19,500 lbs) (Since 2011)
62	62	Single-Unit Straight Truck (19,500 lbs < GVWR <= 26,000 lbs) (1991-2010)
	62	Single-Unit Straight Truck or Cab-Chassis (19,500 lbs < GVWR <= 26,000 lbs) (Since 2011)
63	63	Single-Unit Straight Truck (GVWR > 26,000 lbs) (1991-2010)
	63	Single-Unit Straight Truck or Cab-Chassis (GVWR > 26,000 lbs) (Since 2011)
64		Single-Unit Straight Truck
	64	Single Unit Straight Truck or Cab-Chassis (GVWR Unknown) (Since 2011)
65	65	Medium/Heavy Truck-Based Motorhome
66	66	Truck/Tractor (Cab Only, or with Any Number of Trailing Units: Any Weight)
67	67	Medium/Heavy Pickup (GVWR > 10,000 lbs) (Since 2001)
	68	Single-Unit Straight Truck (GVWR Unknown) (2010 Only)

Attribute Codes		
1991- 2009	2010- Later	
71	71	Unknown if Single-Unit or Combination-Unit Medium Truck (10,000 lbs < GVWR < 26,000 lbs)
72	72	Unknown if Single-Unit or Combination-Unit Heavy Truck (GVWR > 26,000 lbs.)
73	73	Camper or Motorhome, Unknown Truck Type
78	78	Unknown Medium/Heavy Truck Type
79	79	Unknown Truck Type
80	80	Motorcycle
81	81	Moped (Motorized Bicycle)
82	82	Three-Wheel Motorcycle/Moped- Not All-Terrain Vehicle
83	83	Off-Road Motorcycle (2-Wheel) (Since 1993)
88		Other Motored Cycle Type (Mini-Bikes, Motor Scooters) (1991-2007)
88	88	Other Motored Cycle Type (Mini-Bikes, Motor Scooters, Pocket Motorcycles, Pocket Bikes) (Since 2008)
89	89	Unknown Motored Cycle Type
90	90	ATV (All-Terrain Vehicle; Includes 3 or 4 Wheels)
91	91	Snowmobile
92	92	Farm Equipment Other Than Trucks
93	93	Construction Equipment Other Than Trucks (Includes Graders)
94		Motorized Wheel Chair (1997 Only)
	94	Low Speed Vehicle (LSV)/Neighborhood Electric Vehicle (NEV) (Since 2011)
	95	Golf Cart (Since 2012)
97	97	Other Vehicle Type (Includes Go-Cart, Fork-Lift, City Street Sweeper, Dune/Swamp Buggy)
	98	Not Reported
99	99	Unknown Body Type

More Information on Vehicle (Body Type) Classification

V12 Vehicle Model Year

Definition: This data element identifies the manufacturer's model year of this vehicle.

Additional Information: This data element also appears in the Person data file and in the

Parkwork data file as PMODYEAR.

SAS Name: MOD_YEAR

1975-	1998-	2010-	
1997	2009	Later	
00-98	XXXX	XXXX	Actual Model Year
		9998	Not Reported
99	9999	9999	Unknown

V13 Vehicle Identification Number (VIN)

Definition: This data element records the vehicle identification number (VIN) of this vehicle assigned by the vehicle manufacturer. The VIN contains information on the vehicle such as: manufacturer, model year, model, body type, restraint type, etc.

Additional Information: From 1975 to 1993 the first ten characters of the VIN are recorded; from 1994 onward the first 12 are used. The vehicle manufacturers use the VIN to describe certain characteristics of a vehicle and to assign a serial number to the vehicle.

VINA is a software program, maintained by R. L. Polk & Co. that deciphers the VIN for 1966 and newer vehicles that are within the scope of the program. In FARS, the VINA program uses the VIN as input values and returns decoded values for automobiles, trucks, and motorcycles. Vehicle type, determined by the analyst-coded body type, is also used as input to facilitate the program processing. The names of many data elements decoded from the VIN begin with "VIN" or "PVIN." Some of the results from the VINA program are used as edit checks for these data.

Starting in 1981, the Vehicle Identification Numbers were required to conform to an international standard. For vehicles built prior to 1981 one may consult the National Automobile Theft Bureau's publication Passenger Vehicle Identification Manual for the year in question.

This data element also appears in the Parkwork data file as PVIN.

SAS Name: VIN Attribute Codes

1975-1993	1994-2008	2009	2010-Later	
XXXXXXXXX				First 10 Characters
	XXXXXXXXXXX	XXXXXXXXXXX	XXXXXXXXXXX	First 12 Characters
		000000000000	00000000000	No VIN Required
			8888888888	Not Reported
			99999999999	Unknown

More Information on Vehicle Identification Number (VIN)

V14 Vehicle Trailing

Definition: This data element identifies whether this vehicle had any attached trailing units or was towing another motor vehicle. A trailing unit can be a horse trailer, fifth wheel trailer, camper, boat, truck trailer, towed vehicle or any other trailer.

Additional Information: This data element not only applies to tractor trailers, but also to boats, cars, and U-Haul-type vehicles that are towed with a trailer hitch. Vehicles pulled by a rope or chain are not counted as towed vehicles.

Note that the number of unknowns is 0 until 1982. From 1982 to 1984 the number of unknowns is approximately 2,500 per year. Starting in 1985 the number of unknowns falls to about 300 per year.

This data element also appears in the Person data file and in the Parkwork data file as PTRAILER.

SAS Name: TOW_VEH

1975- 1981	1982	1983- 2003	2004- 2008	2009- Later	
0	0	0	0	0	No Trailing Unit
1					Yes
	1	1	1	1	Yes, One Trailing Unit
		2	2	2	Yes, Two Trailing Units
		3	3	3	Yes, Three or More Trailing Units
	4	4	4	4	Yes, Number of Trailing Units Unknown
	5				Yes, Two or More Trailing Units
			5		Vehicle Towing another Motor Vehicle
				5	Vehicle Towing another Motor Vehicle – Fixed Linkage
				6	Vehicle Towing another Motor Vehicle – Non-Fixed Linkage
		9	9	9	Unknown

V15 Jackknife

Definition: This data element identifies whether this vehicle experienced a jackknife anytime during the unstabilized situation.

Additional Information: Jackknife applies to a condition which occurs to a "semi" truck (i.e., cab and one or more trailers) while in motion. The condition reflects a loss of control of the truck by the driver in which the trailer yaws more than 15 degrees from its normal straight line path behind the cab. If the final resting configuration of the vehicle is in the jackknife position, it does not necessarily mean that the vehicle has jackknifed (such as, a crash occurring while the vehicle is backing up or parking).

From 1975 to 1979, the data element exists in the data files but has not been initialized. These data were not collected.

SAS Name: J_KNIFE

1980- 1981	1982- Later	
0	0	Not an Articulated Vehicle
1	1	No
2		Yes
	2	Yes, First Event
	3	Yes, Subsequent Event

V16 Motor Carrier Identification Number (MCID)

Definition: This data element records the issuing authority and motor carrier identification number (if applicable) to this vehicle.

Additional Information: This 11-character data element is the combination of two data elements, the 2-digit "Motor Carrier Issuing Authority" code (MCARR_I1) followed by the 9-character "Identification Number" (MCARR_I2).

The Carrier Identification Number is found only on vehicles of interstate for-hire or private carriers in the transportation business. It is the unique number assigned to the Carrier by the United States Department of Commerce Commission, or the State. The number can be either a US DOT number (on interstate private carriers) or an ICC MC number (interstate for-hire carriers). Collected only for buses and trucks over 4,500 kg GVWR (Bodytype (V5)= 60, 64, 66-79), this data element is applicable to the following vehicles:

- Medium/Heavy Trucks: vehicles with two axles/six tires and/or gross weight greater than 10,000 pounds.
- Buses with 16 or more seats (including the driver)
- Trucks and Vans of any size carrying hazardous cargo.
- Light commercial trucks pulling a trailer with gross combination weight rating (GCWR) greater than 10,000 pounds.

This data element also appears in the Parkwork data file as PMCARR_ID.

SAS Name: MCARR_ID

1998- 2009	2010- Later	
XXXXXXXXXX	XXXXXXXXXX	11-Character Combination of MCARR_I1 followed by MCARR_I2
0000000000	0000000000	Not Applicable
	7777777777	Not Reported
888888888 99999999999	888888888 99999999999	None Unknown

V16A MCID Issuing Authority

Definition: This data element records the issuing authority if applicable to this vehicle.

Additional Information: This data element is only applicable for the following vehicles:

- Medium/Heavy Trucks: vehicles with two axles/six tires and/or gross weight greater than 10,000 pounds.
- Buses with 16 or more seats (including the driver)
- Trucks and Vans of any size carrying hazardous cargo.
- Light commercial trucks pulling a trailer with gross combination weight rating (GCWR) greater than 10,000 pounds.

This data element also appears in the Parkwork data file as PMCARR_I1.

SAS Name: MCARR_I1

2007- 2009	2010- Later	
00	00	Not Applicable
01-56	01-56	FARS State Code
57	57	US DOT
58	58	MC/MX (ICC)
	77	Not Reported
88	88	None
95	95	Canada
96	96	Mexico
99	99	Unknown

V16B MCID Identification Number

Definition: This data element records the motor carrier identification number if applicable to this vehicle.

Additional Information: The Carrier Identification Number is found only on vehicles of interstate for-hire or private carriers in the transportation business. It is the unique number assigned to the Carrier by the United States Department of Commerce Commission, or the State. The number can be either a US DOT number (on interstate private carriers) or an ICC MC number (interstate for-hire carriers). Collected only for buses and trucks over 4,500 kg GVWR (Bodytype (V5)= 60, 64, 66-79), this data element is applicable to the following vehicles:

- Medium/Heavy Trucks: vehicles with two axles/six tires and/or gross weight greater than 10,000 pounds.
- Buses with 16 or more seats (including the driver)
- Trucks and Vans of any size carrying hazardous cargo.
- Light commercial trucks pulling a trailer with gross combination weight rating (GCWR) greater than 10,000 pounds.

This data element also appears in the Parkwork data file as PMCARR_I2.

SAS Name: MCARR_I2

Attribute Codes

2007-Later

xxxxxxxx Actual 9-Digit Number 000000000 Not Applicable 777777777 Not Reported 88888888 None 99999999 Unknown

V17 Gross Vehicle Weight Rating

Definition: This data element identifies the gross vehicle weight rating of this vehicle if applicable.

Additional Information: The Gross Vehicle Weight Rating (GVWR) or Gross Combination Weight Rating (GCWR) is a value specified by the manufacturer for a single-unit truck, truck tractor, or trailer. In the absence of a gross vehicle weight rating, an estimate of the gross weight of a fully loaded unit can be substituted.

In 2000 the GVWR was the sum of the weight of the power unit and its trailers. Since 2001 this data element is the gross vehicle weight of the Power Unit only. The weight of trailers is not added.

This data element also appears in the Parkwork data file as PGVWR.

SAS Name: GVWR

2000- 2009	2010- Later	
0	0	Not Applicable
1	1	10,000 lbs or Less
2	2	10,001 lbs - 26,000 lbs
3	3	26,001 lbs or More
	8	Not Reported
9	9	Unknown

V18 Vehicle Configuration

Definition: This data element describes the general configuration of this vehicle if applicable.

Additional Information: This data element also appears in the Parkwork data file as

PV_CONFIG.

SAS Name: V_CONFIG

1991- 1994	1995- 2000	2001- 2009	2010- Later	
0	0			Not Applicable, Not a Medium/Heavy Truck or Bus
		0		Not Applicable, Not a Medium/Heavy Truck or Bus or Vehicle Displaying a Hazardous Material Placard
			0	Not Applicable
1	1	1		Single-Unit Truck (2 axles, 6 tires)
			1	Single-Unit Truck (2 axles and GVWR more than 10,000 lbs.)
2	2	2	2	Single-Unit Truck (3 or More axles)
	3	3		Single-Unit Truck (Unknown Number of Axles, Tires)
3	4	4		Truck/Trailer(s)
			4	Truck Pulling Trailer(s)
4	5	5	5	Truck Tractor (Bobtail, i.e., Tractor Only, No Trailer)
5	6			Truck Tractor/Semi-Trailer
		6		Truck Tractor/Semi-Trailer (One Trailer)
			6	Truck Tractor/Semi-Trailer
		7		Truck Tractor/Doubles (Two Trailers)
			7	Truck Tractor/Double
		8		Tractor/Triples (Three Trailers)
			8	Truck Tractor/Triple
			10	Vehicle 10,000 lbs or Less Placarded for Hazardous Materials
6	7	19		Medium/Heavy Trucks, Cannot Classify
			19	Truck More than 10,000 lbs., Cannot Classify
7	8			Bus
		20		Bus (Seats for 9-15 Occupants, Including Driver)
			20	Bus/Large Van (Seats for 9-15 Occupants, Including Driver)
		21		Bus (Seats for More Than 15 People, Including Driver, 2001-2006)
		21		Bus (Seats for 16 or More People, Including Driver, 2007-2009)
			21	Bus (Seats for More Than 15 Occupants, Including Driver, 2010-Later)
		70		Light Truck (Van, Mini-Van, Panel, Pickup, Sport Utility Vehicle Displaying a Hazardous Material Placard)
		80		Passenger Car (Only When Displaying a Hazardous Material Placard)

V18 Vehicle Configuration (continued)

		2001- 2009	2010- Later	
			98	Not Reported (2010-2012)
9			99	Unknown
	9	99		Unknown if Light or Medium/Heavy Truck/Bus

V19 Cargo Body Type

Definition: This data element describes the primary cargo carrying capability of this vehicle if applicable.

Additional Information: This data element also appears in the Parkwork data file as

PCARGTYP.

SAS Name: CARGO_BT

1991- 1994	1995- 2000	2001- 2008	2009- Later	
0	0			Not Applicable Not a Truck or Bus
		0		Not Applicable, Not a Medium/Heavy Truck or Bus
			0	Not Applicable
1	1	1	1	Van/Enclosed Box
2	2	2	2	Cargo Tank
3	3	3	3	Flatbed
4	4	4	4	Dump
5	5	5	5	Concrete Mixer
6	6	6	6	Auto Transporter
7	7	7	7	Garbage/Refuse
8				Medium/Heavy Truck, Other Body Type
9	8			Bus
		8	8	Grain, Chips, Gravel
		9		Pole
			9	Pole-Trailer
		10	10	Log (Since 2007)
		11		Intermodal Chassis (2007-2008)
			11	Intermodal Container Chassis
		12	12	Vehicle Towing Another Motor Vehicle (Since 2007)
		20		Bus (Seats 9-15 People, Including Driver)
		21		Bus (Seats More than 15 People, Including Driver, 2001-2006)
		21		Bus (Seats for 16 or More People, Including Driver, 2007-2008)
			22	Bus
			28	Not Reported (2010-2012)
		96	96	No Cargo Body Type
	97			Medium/Heavy Truck, Other Cargo Body Type
		97		Medium/Heavy Truck, or Bus, Other Cargo Body Type (Not Data elements 01-12, 20-21)
			97	Other
	98			Medium/Heavy Truck, Unknown Cargo Body Type
		98		Medium/Heavy Truck, or Bus, Unknown Cargo Body Type
			98	Unknown Cargo Body Type

V19 Cargo Body Type (continued)

1991- 1994	1995- 2000		2009	2010- Later	
99					Unknown Vehicle Type
	99	99			Unknown if Light or Medium/Heavy Truck/Bus
			99	99	Unknown

V20A/HM1 Hazardous Material Involvement

Definition: This data element identifies whether this vehicle was carrying hazardous materials.

Additional Information: This data element also appears in the Parkwork data file as

PHAZ_INV.

SAS Name: HAZ_INV

2007-Later 1 No

2 Yes

V20B/HM2 Hazardous Material Placard

Definition: This data element identifies the presence of hazardous materials for this vehicle and whether this vehicle displayed a hazardous materials placard.

Additional Information: This data element also appears in the Parkwork data file as

PHAZPLAC.

SAS Name: HAZ_PLAC

2007-Later

0 Not Applicable

1 No

2 Yes

8 Not Reported

V20C/HM3 Hazardous Material Identification Number

Definition: This data element identifies the 4-digit hazardous material identification number for this vehicle.

Additional Information: This data element also appears in the Parkwork data file as

PHAZ ID.

SAS Name: HAZ ID

2007-Later

0000 Not Applicable

xxxx Actual 4-Digit Number

8888 Not Reported

V20D/HM4 Hazardous Material Class Number

Definition: This data element identifies the single-digit hazardous material class number for this vehicle.

Additional Information: This data element also appears in the Parkwork data file as

PHAZ_CNO.

SAS Name: HAZ_CNO

2007

0	Not Applicable
1-7 or 9	Actual Number
8	Not Reported

2008-Later

0	Not Applicable
1-9	Actual Number
88	Not Reported

V20E/HM5 Release of Hazardous Material from the Cargo Compartment

Definition: This data element identifies whether any hazardous cargo was released from the cargo tank or compartment of this vehicle.

Additional Information: This data element also appears in the Parkwork data file as PHAZ_REL.

SAS Name: HAZ REL

2007-Later

0 Not Applicable

1 No 2 Yes

8 Not Reported

V21 Bus Use

Definition: This data element describes the common type of bus service this vehicle was being used as at the time of the crash or the primary use for the bus if not in service at the time of the crash.

Additional Information: This data element also appears in the Parkwork data file as PBUS_USE.

SAS Name: BUS USE

Attribute Codes

2000-2009

- 0 Not Used as a Bus
- 1 Used as a Public School Bus
- 2 Used as a Private School Bus
- 3 Used as a School Bus, Public or Private Unknown
- 4 Used as a Scheduled Service Bus
- 5 Used as a Tour Bus
- 6 Used as a Commuter Bus
- 7 Used as a Shuttle Bus
- 8 Modified for Personal/Private Use
- 9 Unknown Bus Use

2010-Later

- 00 Not a Bus
- 01 School Bus
- 04 Intercity Bus
- 05 Charter/Tour Bus
- 06 Transit/Commuter Bus
- 07 Shuttle Bus
- 08 Modified for Personal/Private Use
- 98 Not Reported
- 99 Unknown

V22 Special Use

Definition: This data element identifies any special use associated with this vehicle at the time of the crash.

Additional Information: This data element also appears in the Person data file set and in the Parkwork data file as PSP_USE.

SAS Name: SPEC_USE

1975- 2009	2010- 2011	2012	2013- Later	
0	0	0	0	No Special Use
1	1	1	1	Taxi
2	2			Vehicle Used for School Bus
		2	2	Vehicle Used as School Transport
3	3	3	3	Vehicle Used as Other Bus
4	4	4	4	Military
5	5	5	5	Police
6	6	6	6	Ambulance (Since 1980)
7	7	7	7	Fire Truck (Since 1982)
8	8	8		Emergency Services Vehicle (2009-2012)
			8	Non-Transport Emergency Services Vehicle
			13	Incident Response
	98	98	98	Not Reported
9	99	99	99	Unknown

V23 Emergency Motor Vehicle Use

Definition: This data element identifies whether this vehicle was engaged in emergency use. Emergency Use indicates operation of any motor vehicle that is legally authorized by a government authority to respond to emergencies with or without the use of emergency warning equipment, such as a police vehicle, fire truck or ambulance while actually engaged in such response.

Additional Information: This data element is applicable only if the vehicle was being used as an emergency vehicle at the time of the crash.

Prior to 2013 this data element was called "Emergency Use."

This data element also appears in the Person data file and in the Parkwork data file as PEM_USE.

SAS Name: EMER_USE

1977- 2009	2010- 2012	2013	2014- Later	
0	0			No
		0	0	Not Applicable
1	1			Yes
		2	2	Non-Emergency, Non-Transport
		3	3	Non-Emergency Transport
		4	4	Emergency Operation, Emergency Warning Equipment Not In Use
		5	5	Emergency Operation, Emergency Warning Equipment In Use
			6	Emergency Operation, Emergency Warning Equipment In Use Unknown
	8	8	8	Not Reported
	9	9	9	Unknown

V24 Travel Speed

Definition: This data element records the speed the vehicle was traveling prior to the occurrence of the crash as reported by the investigating officer.

Additional Information: This data is collected after the crash, and is an estimate of the travel speed, which is often a judgment, rather than a measurement. Computing the mean without removing the unknowns will increase the mean travel speed.

For the years 1980 and 1981 travel speed was not collected. However, the data element is currently in the database for these two years with all data as missing. With this data element there has always been a high number of unknown cases. Since the data were considered somewhat "uncollectible," a decision was made not to collect the data for these two years. However, although the data were often unavailable, it was considered too important not to try to collect it.

Since 2005, data have been collected for parked vehicles and vehicles not in-transport. The values 00 and 000 only apply to motor vehicles in-transport, for example, a vehicle that is intransport, but stopped at a stop light.

SAS Name: TRAV SP

1975- 2008	2009- Later	
00	000	Stopped Motor Vehicle in Transport
01-96	001-151	Reported Speed Up to 151 mph
97		Speed Greater than 96 mph
	997	Speed Greater than 151 mph
98	998	Not Reported
99	999	Unknown

V25 Underride/Override

Definition: This data element identifies this vehicle's involvement in an underride or override during the crash.

Additional Information: Note the striking vehicle, not the vehicle struck, determines the underride/override condition. From 1975 to 1993 both the initial and principal impacts were counted. In the event and only in the event, that the initial or principal impact point was an underride/override were the data element IMPACT1 or IMPACT2 flagged/counted as such. However, all other underrides/overrides were not counted, nor should they have been counted. Impacts were counted, not underrides. Therefore, the data element UNDERIDE was added to the FARS in 1994.

The data element UNDERIDE is dependent on the data contained in PAR. The NASS CDS is based on the efforts of professional crash investigators performing detailed analysis of crashes. An analysis of the 1994-1996 FARS and NASS CDS data systems and the 1997 Trucks in Fatal Accident file revealed that underrides and overrides are generally not identified on the PARs.

This data element also appears in the Parkwork data file as PUNDERIDE.

SAS Name: UNDERIDE

Attribute Codes

1994-Later

- 0 No Underride or Override (1994-2011)
- 0 No Underride or Override Noted (2012-Later)

WITH MOTOR VEHICLE IN TRANSPORT

- 1 Underride (Compartment Intrusion)
- 2 Underride (No Compartment Intrusion)
- 3 Underride (Compartment Intrusion Unknown)

WITH MOTOR VEHICLE NOT IN TRANSPORT

- 4 Underride (Compartment Intrusion)
- 5 Underride (No Compartment Intrusion)
- 6 Underride (Compartment Intrusion Unknown)
- 7 Override, Motor Vehicle in Transport
- 8 Override, Motor Vehicle Not in Transport
- 9 Unknown if Underride or Override

V26 Rollover

Definition: This data element identifies this vehicle's involvement in a rollover or overturn during the crash. Rollover is defined as any vehicle rotation of 90 degrees or more about any true longitudinal or lateral axis. Rollover can occur at any time during the crash.

Additional Information: Data are not available from 1975 to 1977.

This data element also appears in the Person data file.

SAS Name: ROLLOVER

1978- 2008	2009- Later	
0	0	No Rollover
1		First Event
	1	Rollover, Tripped by Object/Vehicle
2		Subsequent Event
	2	Rollover, Untripped
	9	Rollover, Unknown Type

V27 Location of Rollover

Definition: This data element identifies the location of the trip point or start of this vehicle's roll.

Additional Information: SAS Name: ROLINLOC

2009- 2010	2011- Later	
0	0	No Rollover
1	1	On Roadway
2	2	On Shoulder
3	3	On Median/Separator
4	4	In Gore
5	5	On Roadside
6	6	Outside of Trafficway
	7	In Parking Lane/Zone
9	9	Unknown

V28A Initial Contact Point

Definition: This data element identifies the area on this vehicle that produced the first instance of injury to non-motorists or occupants of this vehicle, or that resulted in the first instance of damage to other property or to this vehicle.

Additional Information: Prior to 2010 this data element was called "Initial Point of Impact." In 2010 and 2011 it was called "Initial Damaged Area." Since 2012 it is called "Initial Contact Point." Starting in 2010, this data element is derived from the crash events for the vehicle. It is the first recorded "Area of Impact (This Vehicle)" value for this vehicle.

The attributes Underride and Override were discontinued in 1993 and "Underride/Override" became its own data element in 1994. Prior to 1994, the striking vehicle, not the vehicle struck, determined the underride/override condition. After the crash, in the case of an override or underride one vehicle is over the other. If the striking vehicle is over the other, then the crash is an override. If the striking vehicle is under the other, the crash is an underride. See the information under "Underride/Override" about using this data element.

This data element also appears in the Person data file and in the Parkwork data file as PIMPACT1.

SAS Name: IMPACT1

1975- 1993	1994- 2009	2010- 2011	2012	2013- Later	
0	0	0	0	0	Non-Collision
1-12	1-12	1-12	1-12	1-12	Clock points
13	13	13	13	13	Top
14	14	14	14	14	Undercarriage
15					Underride (1980-1993)
16					Override (1982-1993)
	18				This Vehicle Set Something in Motion
					Causing Injury or Damage (Not a Clock Point, 2004-2009)
		18			Set-in-Motion (Not a Clock Point)
			18		Set-in-Motion (Not a Clock Value)
				18	Cargo/Vehicle Parts Set-In-Motion
				19	Other Objects Set-In-Motion
		61	61	61	Left
		62			Left-Front Half
			62	62	Left-Front Side
		63			Left-Back Half
			63	63	Left-Back Side
		81	81	81	Right
		82			Right-Front Half
			82	82	Right-Front Side
		83			Right-Back Half
			83	83	Right-Back Side
		98	98	98	Not Reported
99	99	99	99	99	Unknown

V29 Extent of Damage

Definition: This data element records the amount of damage sustained by this vehicle as indicated in the case materials based on an operational damage scale.

Additional Information: The data element name was "Extent of Deformation" from 1975 to 2008. The data element name was changed to "Extent of Damage" in 2009.

The data on 8 (Not Reportable) collected in 1976 are no longer contained in the data file. The data for that year are not consistent with the documentation of the time.

This data element also appears in the Parkwork data set as PVEH_SEV.

SAS Name: DEFORMED

Attribute Codes

1975-2008

- 0 None
- 2 Other (Minor)
- 4 Functional (Moderate)
- 6 Disabling (Severe)
- 9 Unknown

	2010-	
2009	Later	
0	0	No Damage
2	2	Minor Damage
4	4	Functional Damage
6	6	Disabling Damage
	8	Not Reported
9	9	Unknown

V30 Vehicle Removal

Definition: This data element describes the mode by which this vehicle left the scene of the crash.

Additional Information: The data element name was "Manner of Leaving Scene" from 1975 to 2008. The data element name was changed to "Vehicle Removal" in 2009.

The early years are not consistent with the documentation of the time.

This data element also appears in the Parkwork data set as PTOWED.

SAS Name: TOWAWAY 1975-2008
TOWED 2009-Later

1975	1976- 2008	2009	2010- 2012	2013- Later	
	1	1	1		Driven Away
2	2				Towed Away
		2	2	2	Towed Due to Disabling Damage
	3				Abandoned/Left Scene
		3	3	3	Towed Not Due to Disabling Damage
4					Not Towed Away
		4	4		Abandoned/Left at Scene
				5	Not Towed
			8	8	Not Reported
9	9	9	9	9	Unknown

V32 Most Harmful Event

Definition: This data element describes the event that resulted in the most severe injury or, if no injury, the greatest property damage involving this vehicle.

Additional Information: "First Harmful Event" (HARM_EV) applies to the crash. "Most Harmful Event" (M_HARM) applies to the vehicle. Harmful events are judgment calls of the FARS analysts based on the data within the PAR.

From 2004 to 2009, the data elements "First Harmful Event," "Most Harmful Event," and the "Sequence of Events" have the same attributes. The harmful event attributes were modified to be consistent with the sequence of events data elements. Starting in 2009, these data elements still have the same attributes except non-harmful event attributes were added to the "Sequence of Events" data element.

This data element also appears in the Parkwork data file as PM_HARM.

SAS Name: M HARM

Attribute Codes

1979-1981

- 01 Overturn
- 02 Fire/Explosion
- 03 Immersion
- 04 Gas Inhalation
- 05 Fell from Vehicle
- 06 Injured in Vehicle
- 07 Other Non-Collision
- 08 Pedestrian
- 09 Pedalcycle
- 10 Railway Train
- 11 Animal
- 12 Motor Vehicle in Transport
- 13 Motor Vehicle in Transport in Other Roadway
- 14 Parked Motor Vehicle
- 15 Other Type Non-Motorist
- 16 Other Object
- 18 Building
- 19 Culvert
- 20 Curb or Wall
- 21 Divider
- 22 Embankment
- 23 Fence
- 24 Guard Rail
- 25 Light Support
- 26 Sign Post
- 27 Tree/Shrubbery
- 28 Utility Pole
- 29 Other Pole/Support
- 30 Impact Attenuator

V32 Most Harmful Event (continued)

Attribute Codes

1979-1981

- Other Fixed Object 31
- Bridge or Overpass (Passing Under) Bridge or Overpass (Passing Over) 32
- 33
- 99 Unknown

1982- 2003	2004- 2009	2010- 2012	2013- Later	
01	01	01	01	Rollover/Overturn
02	02	02	02	Fire/Explosion
03	03	03	03	Immersion (or Partial Immersion, Since 2012)
04	04	04	04	Gas Inhalation
05	05	05	05	Fell/Jumped from Vehicle
06	06			Injured in Vehicle
		06	06	Injured in Vehicle (Non-Collision)
07	07	07	07	Other Non-Collision
80	80	08	08	Pedestrian
09	09			Pedalcycle
		09	09	Pedalcyclist
10	10			Railway Train
		10	10	Railway Vehicle
11	11			Animal
		11	11	Live Animal
12	12			Motor Vehicle in Transport on Same Roadway
		12	12	Motor Vehicle in Transport
13	13			Motor Vehicle in Transport on Other Roadway
14	14	14	14	Parked Motor Vehicle
15				Other Type Non-Motorist
	15	15	15	Non-Motorist on Personal Conveyance
16	16	16	16	Thrown or Falling Object
17	17	17	17	Boulder
18	18	18	18	Other Object (Not Fixed)
19	19	19	19	Building
20	20	20	20	Impact Attenuator/Crash Cushion
21	21			Bridge Pier or Abutment
		21	21	Bridge Pier or Support
22	22			Bridge Parapet End
23	23			Bridge Rail
		23	23	Bridge Rail (Includes Parapet)
24	24	24	24	Guardrail Face
25	25	25	25	Concrete Traffic Barrier

V32 Most Harmful Event (continued)

Attribute	Codes			
1982-	2004-	2010-	2013-	
2003	2009	2012	Later	
26	26	26	26	Other Traffic Barrier
27	27			Highway/Traffic Sign Post
28	28			Overhead Sign Support/Sign
29	29			Luminary/Light Support
30	30			Utility Pole
		30	30	Utility Pole/Light Support
31	31	31	31	Other Post, Other Pole, or Other Support
32	32	32	32	Culvert
33	33	33	33	Curb
34	34	34	34	Ditch
35	35			Embankment – Earth
		35	35	Embankment
36	36			Embankment – Rock, Stone, or Concrete
37	37			Embankment – Material Type Unknown
38	38	38	38	Fence
39 40	39	39	39	Wall
40 41	40	40	40	Fire Hydrant
41 42	41 42	41	41 42	Shrubbery Tree (Standing Only)
42 43	42 43	42 43	42 43	Tree (Standing Only) Other Fixed Object
43 44	4 3	4 3	43 	Pavement Surface Irregularity (1993 Only)
	44			Pavement Surface Irregularity (1993 Only)
		44	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
45				Transport Device Used as Equipment (1993-2003)
45	45			Working Construction, Maintenance or Utility Vehicles
		45	45	Working Motor Vehicle
46	46	46	46	Traffic Signal Support
47	47			Vehicle Occupant Struck or Run Over by Own Vehicle
				(Since 1997)
48	48			Collision With Snow Bank (Since 1997)
		48	48	Snow Bank
49	49	49	49	Ridden Animal or Animal-Drawn Conveyance (Since 1998)
50	50	50	50	Bridge Overhead Structure
	51			Jackknife
		51	51	Jackknife (Harmful to This Vehicle)
	52	52	52	Guardrail End
	53	53	53	Mail Box
	54			Motor Vehicle Struck by Falling/Shifting Cargo or Anything
		54	54	Set in Motion by Another Motor Vehicle in Transport Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or Objects Set-in-Motion from/by Another Motor Vehicle In-Transport

V32 Most Harmful Event (continued)

1982- 2003	2004- 2009	2010- 2012	2013- Later	
	55			Other Not in-Transport Motor Vehicle (2005-2007)
	55	55	55	Motor Vehicle in Motion Outside the Trafficway (Since 2008)
	57	57	57	Cable Barrier (Since 2008)
		58	58	Ground
		59	59	Traffic Sign Support
		72	72	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
			73	Object Fell From Motor Vehicle In-Transport
		98		Not Reported (2010 Only)
99	99	99	99	Unknown

V33 Related Factors- Vehicle Level

Definition: This data element records factors related to this vehicle expressed by the investigating officer.

Additional Information: There are also crash-level related factors in the Accident data file (CF1, CF2, and CF3), driver-level related factors in the Vehicle data file (DR_SF1, DR_SF2, DR_SF3 and DR_SF4) and person-level related factors in the Person data file (P_SF1, P_SF2, and P_SF3).

The FARS analyst may have used either of the two data elements to code a related factor. One must test both data elements to ensure that the selected related factor is included.

The set of *Pre-existing Vehicle Defects* that had been collected under "Related Factors- Vehicle Level" is now captured in the precrash level data element "Contributing Circumstances, Motor Vehicle" (Factor.MFACTOR).

These data elements also appear in the Parkwork data file as PVEH_CF1 and PVEH_CF2 in 2009 and prior and as PVEH_SC1 and PVEH_SC2 in 2010 and later.

SAS Name: VEH_CF1, VEH_CF2 1975-2009 VEH_SC1, VEH_SC2 2010-Later

1975- 1981	1982- 2009	2010- 2013	2014- Later	
0	0	0	0	None
1				Tires and Wheels
	1			Tires (Does Not Include Wheels, See Value 16)
2	2			Brake System
3	3			Steering System- Tie Rod, Kingpin, Ball Joint, etc.
4	4			Suspension- Springs, Shock Absorbers, MacPherson struts,
				Axle Bearing, Control Arms, etc.
5	5			Power Train (Power Train/Engine, 2001-2009)- Universal
				Joint, Drive Shaft, Transmission, etc.
6	6			Exhaust System
7	7			Headlights
8	8			Signal Lights
9	9			Other Lights
10	10			Horn
11	11			Mirrors
12	12			Wipers
13	13			Driver Seating and Control
14	14			Body, Doors, Hood, Other
15	15			Trailer Hitch
	16			Wheels
	17			Air Bags (1995-2009)
	18			Other Vehicle Defects
	19			Safety Belts (2002-2009)

V33 Related Factors- Vehicle Level (continued)

Attribute Codes							
1975- 1981	1982- 2009	2010- 2013	2014- Later				
		30		3-Wheeled Motorcycle Conversion (Since 2012)			
			30	Multi-Wheeled Motorcycle Conversion (Since 2012)			
	31			Hit-and-Run Vehicle (1982-2008)			
	32	32	32	Vehicle Registration for Handicapped			
	33	33	33	Vehicle Being Pushed by Non-Motorist			
	34			Vehicle Impact Point- the Result of Something Set in Motion (1998-2003)			
	35			Reconstructed Vehicle (1998-2007)			
	35	35	35	Reconstructed/Altered Vehicle (Since 2008)			
	36	36		Electric/Alternative Fuel Vehicle (Since 1999)			
	37	37	37	Transporting Children to/from Head Start/Day Care (Since 2000)			
	38			Vehicle Went Airborne During Crash (2001-2003)			
	39	39	39	Highway Construction, Maintenance or Utility Vehicle, In Transport (Inside or Outside Work Zone) (Since 2002)			
	40	40	40	Highway Incident Response Vehicle (Since 2002)			
	41	41	41	Police Fire or EMS Vehicle Working at the Scene of an Emergency or Performing Other Traffic Control Activities (Since 2004)			
	42	42	42	Other Working Vehicle (Not Construction, Maintenance, Utility, Police, Fire, or EMS Vehicle, Since 2004)			
	43			Hazardous Materials/Cargo Released From This Vehicle (2005-2006)			
	44	44	44	Adaptive Equipment (Since 2007)			
99	99	99	99	Unknown			

V34 Fire Occurrence

Definition: This data element identifies whether a fire in any way related to the crash occurred in this vehicle.

Additional Information: From 1975 to 1979 if an explosion occurred in the vehicle, with or without a fire, this data element would also be set to 1.

This data element also appears in the Person data file and in the Parkwork data file as PFIRE.

SAS Name: FIRE_EXP

1975- 2007	2008	2009- Later	
0	0		No Fire
		0	No or Not Reported
1	1		Fire Occurred in This Vehicle during Crash
		1	Yes
	2		Fire Occurred in This Vehicle and Initiated Fire/Explosion in Another Vehicle

V100 Make Model Combined

Definition: This derived data element represents the 5-digit combination of two data elements, the 2-digit "Vehicle Make" code (MAKE) followed by the 3-digit "Vehicle Model" code (MODEL).

Additional Information: This data element also appears in the Person data file and in the Parkwork data file as PMAK_MOD.

SAS Name: MAK_MOD

Attribute Codes

1975-Later

See the current FARS/NASS GES Coding and Validation Manual for vehicle make and model codes.

V101 VIN Character 1

Definition: This data element represents the first character in the VIN string for this vehicle. **Additional Information:** This data element also appears in the Parkwork data set as PVIN_1.

SAS Name: VIN_1

Attribute Codes

1975-Later

x First Character in the VIN String

V102 VIN Character 2

Definition: This data element represents the second character in the VIN string for this vehicle. **Additional Information:** This data element also appears in the Parkwork data set as PVIN_2.

SAS Name: VIN_2

Attribute Codes

1975-Later

x Second Character in the VIN String

V103 VIN Character 3

Definition: This data element represents the third character in the VIN string for this vehicle. **Additional Information:** This data element also appears in the Parkwork data set as PVIN_3.

SAS Name: VIN_3

Attribute Codes

1975-Later

x Third Character in the VIN String

V104 VIN Character 4

Definition: This data element represents the fourth character in the VIN string for this vehicle. **Additional Information:** This data element also appears in the Parkwork data set as PVIN_4.

SAS Name: VIN_4

Attribute Codes

1975-Later

x Fourth Character in the VIN String

V105 VIN Character 5

Definition: This data element represents the fifth character in the VIN string for this vehicle. **Additional Information:** This data element also appears in the Parkwork data set as PVIN_5.

SAS Name: VIN_5
Attribute Codes

1975-Later

x Fifth Character in the VIN String

V106 VIN Character 6

Definition: This data element represents the sixth character in the VIN string for this vehicle. **Additional Information:** This data element also appears in the Parkwork data set as PVIN_6.

SAS Name: VIN_6
Attribute Codes

1975-Later

x Sixth Character in the VIN String

V107 VIN Character 7

Definition: This data element represents the seventh character in the VIN string for this vehicle.

Additional Information: This data element also appears in the Parkwork data set as PVIN_7.

SAS Name: VIN_7

Attribute Codes

1975-Later

x Seventh Character in the VIN String

V108 VIN Character 8

Definition: This data element represents the eighth character in the VIN string for this vehicle. **Additional Information:** This data element also appears in the Parkwork data set as PVIN_8.

SAS Name: VIN_8
Attribute Codes

1975-Later

x Eighth Character in the VIN String

V109 VIN Character 9

Definition: This data element represents the ninth character in the VIN string for this vehicle. **Additional Information:** This data element also appears in the Parkwork data set as PVIN_9.

SAS Name: VIN_9
Attribute Codes

1975-Later

x Ninth Character in the VIN String

V110 VIN Character 10

Definition: This data element represents the tenth character in the VIN string for this vehicle. **Additional Information:** This data element also appears in the Parkwork data set as PVIN_10.

SAS Name: VIN_10

Attribute Codes

1975-Later

x Tenth Character in the VIN String

V111 VIN Character 11

Definition: This data element represents the eleventh character in the VIN string for this vehicle.

Additional Information: This data element also appears in the Parkwork data set as PVIN_11.

SAS Name: VIN_11

Attribute Codes

1994-Later

x Eleventh Character in the VIN String

V112 VIN Character 12

Definition: This data element represents the twelfth character in the VIN string for this vehicle. **Additional Information:** This data element also appears in the Parkwork data set as PVIN_12.

SAS Name: VIN_12

Attribute Codes

1994-Later

x Twelfth Character in the VIN String

V150 Fatalities in Vehicle

Definition: This data element records the number of fatalities that occurred in this vehicle.

Additional Information: The data element is derived by counting all persons with "Injury Severity" of 4 in the vehicle. The data element "Fatalities" in the Accident data file provides the number of deaths for the entire crash.

This is a derived data element and is not coded on the form directly. In 1976, this value is always set to 0.

This data element also appears in the Parkwork data file as PDEATHS.

SAS Name: DEATHS

Attribute Codes

1975-Later

01-99 Number of Fatalities that Occurred in the Vehicle.

V151 Driver Drinking

Definition: This data element records whether the driver was drinking.

Additional Information: This data element is derived from data elements in the Vehicle and Person data files. Data are analyzed and if there is "sufficient information" to conclude that a driver was drinking, i.e., positive BAC data or police-reported alcohol involvement, then a driver is classified as drinking.

A driver is classified as drinking (alcohol-involved) if the driver has (1) police-reported alcohol involvement, or (2) a positive alcohol test result.

A driver who is charged with an alcohol violation does not by itself make the driver a "drinking driver" by this definition.

Note that alcohol data is often missing. For that reason this data element may under-count the actual number of drinking drivers.

SAS Name: DR_DRINK

1975-	1982-	
1981	Later	
0	0	No Drinking
1	1	Drinking
9		Unknown

D4 Driver Presence

Definition: This data element identifies whether a driver was present in this vehicle at the onset of the unstabilized situation.

Additional Information:

SAS Name: DR_PRES

1975- 1977	1978- 2008	2009- Later	
		0	No Driver Present/Not Applicable
1	1		Driver Operated Vehicle
		1	Yes
2			No Driver
	2		Driverless (No Driver)
	3		Driver Left Scene
	4		Motor Vehicle not In-Transport (Parked/Stopped Off Roadway/
			Working Motor Vehicle/In Motion Outside Trafficway, 2008 Only)
	4		Motor Vehicle not In-Transport (Parked/Stopped Off
			Roadway/Working/ In Motion Outside Trafficway, 2005-2007)
9	9	9	Unknown

D5 Driver's License State

Definition: This element identifies the state of issue for the license held by this driver.

Additional Information: SAS Name: L STATE

Attribute Codes

1975-Later

- 01 Alabama
- 02 Alaska
- 03 American Samoa
- 04 Arizona
- 05 Arkansas
- 06 California
- 08 Colorado
- 09 Connecticut
- 10 Delaware
- 11 District of Columbia
- 12 Florida
- 13 Georgia
- 14 Guam
- 15 Hawaii
- 16 Idaho
- 17 Illinois
- 18 Indiana
- 19 Iowa
- 20 Kansas
- 21 Kentucky
- 22 Louisiana
- 23 Maine
- 24 Maryland
- 25 Massachusetts
- 26 Michigan
- 27 Minnesota
- 28 Mississippi
- 29 Missouri
- 00 No Driver Present (Since 2010)
- 93 Indian Nation (Since 2009)
- 94 Military (1975-2006)
- 94 U.S. Government (Since 2007)
- 95 Canada
- 96 Mexico
- 97 Other Foreign Country
- 98 Not reported (Since 2010)
- 99 Unknown

- 30 Montana
- 31 Nebraska
- 32 Nevada
- 33 New Hampshire
- 34 New Jersey
- 35 New Mexico
- 36 New York
- 37 North Carolina
- 38 North Dakota
- 39 Ohio
- 40 Oklahoma
- 41 Oregon
- 42 Pennsylvania
- 43 Puerto Rico
- 44 Rhode Island
- 45 South Carolina
- 46 South Dakota
- 47 Tennessee
- 48 Texas
- 49 Utah
- 50 Vermont
- 51 Virginia
- 52 Virgin Islands (Since 2004)
- 53 Washington
- 54 West Virginia
- 55 Wisconsin
- 56 Wyoming

D6 Driver's ZIP Code

Definition: This data element records the zip code of the driver's address as listed in the case material.

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: DR_ZIP

1987- 2010	2011- Later	
00000	00000	Not a Resident of U.S. or Territories
XXXXX	XXXXX	Actual Zip Code, Five Numeric
	99997	No Driver Present/Unknown if Driver Present
99999	99999	Unknown

D7 Non-CDL License Type/Status

D7A Non-CDL License Type

Definition: This data element identifies the type of license held by this driver at the time of the crash.

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: L_TYPE

Attribute Codes

2004- 2010	2011- Later	
0	0	Not Licensed
1	1	Full Driver License
2	2	Intermediate Driver License
	6	No Driver Present/Unknown if Driver Present
7	7	Learner's Permit
8	8	Temporary License
9	9	Unknown License Type

D7B Non-CDL License Status

Definition: This data element identifies the status of the driver's license at the time of the crash.

Additional Information: For 1975-1981, values 3 and 7 make up the valid license category. For 1982-1986, values 2, 7, and 8 are all valid license categories. For 1987-1992, values 5, 6, 7 and 8 make up the valid license category.

Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: L_STATUS

Attribute Codes

1975-1981

- 0 None Required
- 1 No License, License Required
- 2 Licensed, But Not for This Type Vehicle
- 3 Valid License for This Type Vehicle
- 4 Suspended License
- 5 Revoked License
- 6 Expired License
- 7 Learner's Permit
- 9 Unknown

D7B Non- CDL License Status (continued)

Attribute Codes

1982- 1986	1987- 1992	1993- 2003	2004- 2009	2010	2011- Later	
0						None Required
	0	0	0	0	0	Not Licensed
1						None
2						Valid
3	1	1	1	1	1	Suspended
4	2	2	2	2	2	Revoked
5	3	3	3	3	3	Expired
6	4	4	4	4	4	Cancelled or Denied
	5					Single-Class License
	6					Multiple-Class License
		6	6	6	6	Valid License
7	7					Learner's Permit
		7				Learner's Permit/Restricted
					7	No Driver Present/Unknown if Driver
						Present
8	8	8				Temporary
9	9	9				Unknown
			9	9	9	Unknown License Status

More Information on $\underline{\text{Driver License Status/Type}}$

D8 Commercial Motor Vehicle License Status

Definition: This data element indicates the status of the driver's Commercial Driver's License (CDL) if applicable.

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: CDL_STAT

Attribute Codes

1991-1992

- 0 No Commercial Driver's License (CDL Not Required)
- 1 No CDL (CDL Required)
- 2 No CDL (Unknown if CDL Required)
- 3 CDL (CDL Not Required)
- 4 CDL (CDL REQUIRED)
- 5 CDL (Unknown if CDL Required)
- 6 Unknown CDL (CDL Not Required)
- 7 Unknown CDL (CDL Required)
- 9 Unknown CDL (Unknown if CDL Required)

1993- 2009	2010	2011	2012- Later	
0	0	0	0	No Commercial Driver's License (CDL)
1	1	1	1	Suspended
2	2	2	2	Revoked
3	3	3	3	Expired
4	4	4	4	Cancelled or Denied
5	5	5	5	Disqualified
6	6	6	6	Valid
7	7	7	7	Learner's Permit
8	8	8	8	Other – Not Valid
9				Unknown CDL
		97	97	No Driver Present/Unknown if Driver Present
	98	98		Not Reported
	99	99	99	Unknown License Status

D9 Compliance with CDL Endorsements

Definition: This data element identifies whether the vehicle driven at the time of the crash required endorsement(s) on a Commercial Driver's License (CDL) and whether this driver was complying with the CDL endorsements.

Additional Information: Data was not collected prior to 1991.

Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: L_ENDORS

1991- 2009	2010	2011	2012- Later	
0	0	0	0	No Endorsements Required For This Vehicle
1	1	1	1	Endorsement(s) Required, Complied With
2	2	2	2	Endorsement(s) Required, Not Complied With
3	3	3	3	Endorsement(s) Required, Compliance Unknown
		7	7	No Driver Present/Unknown if Driver Present
	8	8		Not Reported
9	9	9	9	Unknown, if Required

D10 License Compliance with Class of Vehicle

Definition: This data element identifies the type of license possessed or not possessed by this driver for the class of vehicle being driven at the time of the crash.

Additional Information: Data not available before 1982.

Since 2004, this data element addresses license compliance with class of vehicle.

Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

1982-1986

- 0 No License Required
- 1 No License, License Required
- 2 Valid License for This Class Vehicle Only
- 3 One Valid License, but Not for This Class Vehicle
- 4 Multiple Class Licenses, Valid License for This Class Vehicle
- 5 Multiple Class Licenses, Not Valid License for This Class Vehicle
- 9 Unknown

1987-	1993-			2012-	
1992	2009	2010	2011	Later	
0	0	0	0	0	Not Licensed
1	1	1	1	1	No License Required for This Class Vehicle
2	2	2	2	2	No Valid License for This Class Vehicle
3	3	3	3	3	Valid License for This Class Vehicle
			6	6	No Driver Present/Unknown if Driver Present
		7	7		Not Reported
	8	8	8	8	Unknown if CDL and/or CDL Endorsement
					Required for This Vehicle
9	9	9	9	9	Unknown

More Information on <u>Driver License Type Compliance</u>

D11 Compliance with License Restrictions

Definition: This data element indicates whether this driver was compliant with restrictions on their license.

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: L_RESTRI

1975- 2009	2010	2011	2012- Later	
0	0	0	0	No Restrictions or Not Applicable
1	1	1	1	Restrictions Complied With
2	2	2	2	Restrictions Not Complied With
3	3	3	3	Restrictions, Compliance Unknown
		7	7	No Driver Present/Unknown if Driver Present
	8	8		Not Reported
9	9	9	9	Unknown

D12 Driver Height

Definition: This data element identifies this driver's height (in inches).

Additional Information: This information was coded in 2 sub fields which are in Feet or in Inches. If both the Driver Height in Feet and Driver Height in Inches are known then we do the conversion using (Feet)*12 + inches; If Feet is Unknown or if Inches are 98 (Other) or 99 (Unknown) then DR_HGT=999 (Unknown). Minimum height 2 feet = 24 inches, Maximum height 8 feet 11 inches = 107 inches.

In 2009, if feet and/or inches are unknown (9,99) or blank then the Driver Height is left blank. However in 2010, if feet and/or inches are unknown (9,99) then the Driver Height is computed as 999 (Unknown). The Driver Presence data element is not taken into account. In 2011, if feet and/or inches are unknown (9,99) and Driver Presence is 1, then the Driver Height is computed as 999 (Unknown) otherwise Driver Height is computed as 998 (No Driver Present/Unknown if Driver Present).

SAS Name: DR HGT

1998- 2010	2011- Later	
24-107	24-107	Actual Height in Inches
	998	No Driver Present/Unknown if Driver Present
999	999	Unknown

D13 Driver Weight

Definition: This data element identifies this driver's weight (in pounds).

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: DR_WGT

1998- 2010	2011- Later	
40-700	40-700	Actual Weight in Pounds
	997	No Driver Present/Unknown if Driver Present
998	998	Other
999	999	Unknown

D14 Previous Recorded Crashes

Definition: This data element records any previous crashes for this driver that occurred within five* years of the crash date.

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: PREV_ACC

1975- 1993	1994- 2010	2011- Later	
00	00	00	None
01-97	01-97	01-97	Actual Value
98			CDL Disqualified
	98	98	Not Reported on Driving Record
99	99	99	Unknown
		998	No Driver Present/Unknown if Driver Present

^{*} Prior to 2015, the time frame for this data element was any occurrence within *three* years of the crash date.

D15 Previous Recorded Suspensions and Revocations

Definition: This data element records any previous license suspensions or revocations for this driver that occurred within five* years of the crash date.

Additional Information: If a driver has been disqualified for a CDL this event is recorded in Previous Recorded Suspensions and Revocations.

Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: PREV_SUS

1975- 1993	1994- 2010	2011- Later	
00	00	00	None
01-97	01-97	1-97	Actual Value
98			CDL Disqualified
99	99	99	Unknown
		998	No Driver Present/Unknown if Driver Present

^{*} Prior to 2015, the time frame for this data element was any occurrence within *three* years of the crash date.

D16 Previous DWI Convictions

Definition: This data element records any previous DWI convictions for this driver that occurred within five* years of the crash date.

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: PREV_DWI

1975- 1993	1994- 2010	2011- Later	
00	00	00	None
01-97	01-97	01-97	Actual Value
98			CDL Disqualified
99	99	99	Unknown
		998	No Driver Present/Unknown if Driver Present

^{*} Prior to 2015, the time frame for this data element was any occurrence within *three* years of the crash date.

D17 Previous Speeding Convictions

Definition: This data element records any previous speeding convictions for this driver that occurred within five* years of the crash date.

Additional Information: Speeding violations count going too slow, as well as going too fast.

Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: PREV SPD

1975- 1993	1994- 2010	2011- Later	
00	00	00	None
01-97	01-97	01-97	Actual Value
98			CDL Disqualified
99	99	99	Unknown
		998	No Driver Present/Unknown if Driver Present

^{*} Prior to 2015, the time frame for this data element was any occurrence within *three* years of the crash date.

D18 Previous Other Moving Violation Convictions

Definition: This data element records any other previous moving violations or convictions for this driver that occurred within five* years of the crash date.

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: PREV_OTH

1975- 1993	1994- 2010	2011- Later	
00	00	00	None
01-97	01-97	01-97	Actual Value
98			CDL Disqualified
99	99	99	Unknown
		998	No Driver Present/Unknown if Driver Present

^{*} Prior to 2015, the time frame for this data element was any occurrence within *three* years of the crash date.

D19 Date of First Crash, Suspension or Conviction

D19A Month of First Crash, Suspension or Conviction

Definition: This data element records the month of the first crash, suspension, or conviction for this driver that occurred within five* years of the crash date.

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

* Prior to 2015, the time frame for this data element was any occurrence within *three* years of the crash date.

SAS Name: FIRST_MO

1975- 2010	2011- Later	
00	00	No Record
01	01	January
02	02	February
03	03	March
04	04	April
05	05	May
06	06	June
07	07	July
80	80	August
09	09	September
10	10	October
11	11	November
12	12	December
	98	No Driver Present/Unknown if Driver Present
99	99	Unknown

D19B Year of First Crash, Suspension or Conviction

Definition: This data element records the year of the first crash, suspension, or conviction for this driver that occurred within five* years of the crash date.

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: FIRST_YR

1975- 1997	1998- 2010	2011- Later	
00	0000	0000	No Record
XX	XXXX	XXXX	Actual Year
		9998	No Driver Present/Unknown if Driver Present
99	9999	9999	Unknown

^{*} Prior to 2015, the time frame for this data element was any occurrence within *three* years of the crash date.

D20 Date of Last Crash, Suspension or Conviction

D20A Month of Last Crash, Suspension or Conviction

Definition: This data element records the month of the last crash, suspension, or conviction for this driver that occurred within five* years of the crash date.

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

* Prior to 2015, the time frame for this data element was any occurrence within *three* years of the crash date.

SAS Name: LAST_MO

1975-	2011-	
2010	Later	
00	00	No Record
01	01	January
02	02	February
03	03	March
04	04	April
05	05	May
06	06	June
07	07	July
80	80	August
09	09	September
10	10	October
11	11	November
12	12	December
	98	No Driver Present/Unknown if Driver Present
99	99	Unknown

D20B Year of Last Crash, Suspension or Conviction

Definition: This data element records the year of the last crash, suspension, or conviction for this driver that occurred within five* years of the crash date.

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.).

SAS Name: LAST YR

1975- 1997	1998- 2010	2011- Later	
00	0000	0000	No Record
XX	XXXX	XXXX	Actual Year
		9998	No Driver Present/Unknown if Driver Present
99	9999	9999	Unknown

^{*} Prior to 2015, the time frame for this data element was any occurrence within *three* years of the crash date.

D22 Speeding Related

Definition: This data element records whether the driver's speed was related to the crash as indicated by law enforcement.

Additional Information: Prior to 2011, if no driver was present or the driver presence was unknown, then this data element was left blank. In SAS, these blank values are represented by a single dot or period (.). Prior to 2013, this data element was called "Speed Related."

SAS Name: SPEEDREL

Attribute Codes

2009- 2010	2011- 2012	2013- Later	
0	0	0	No
1	1		Yes
		2	Yes, Racing
		3	Yes, Exceeded Speed Limit
		4	Yes, Too Fast for Conditions
		5	Yes, Specifics Unknown
	8	8	No Driver Present/Unknown if Driver Present
9	9	9	Unknown

More Information on **Speeding**

D24 Related Factors- Driver Level

Definition: This data element records factors related to this driver expressed by the investigating officer.

Additional Information: There are also crash-level related factors in the Accident data file (CF1, CF2, and CF3), vehicle-level related factors in the Vehicle data file (VEH_SC1 and VEH_SC2), and person-level related factors in the Person data file (P_SF1, P_SF2, and P_SF3).

The person-related factors P_SF1, P_SF2, and P_SF3 are all set to 0 for drivers.

The FARS Analyst may have used any of the three data elements (1975-1996) or four data elements (1997-later) to code a driver-related factor. One must test all of these data elements to ensure that the selected related factor is included.

Early data files are not consistent with the documentation of the time. The following interpretation is suggested for current/future analysis.

A police pursuit is an event that is initiated when a law enforcement officer, operating an authorized emergency vehicle, gives notice to stop (either through the use of visual or audible emergency signals or a combination of emergency devices) to a motorist who the officer is attempting to apprehend and that motorist fails to comply with the signal by either maintaining speed, increasing speed, or taking other evasive action to elude the officer's continued attempts to stop the motorist. This is recorded if any "Related Factor – Driver Level" is coded as 37.

From 1975 to 1981, see "Related Factors- Crash Level" for attributes under *Swerving Due To* and *Vision Obscured By*.

Some information that had been collected under "Related Factors- Driver Level" is now captured in "Condition (Impairment) at Time of Crash- Driver or in two Non-Motor Vehicle Occupant data elements; "Non-Motorist Action/Circumstances Prior to Crash" and "Non-Motorist Action/Circumstances at Time of Crash."

SAS Name: DR CF1, DR CF2, DR CF3 1975-1996

DR_CF1, DR_CF2, DR_CF3, DR_CF4 1997-2009
DR_SF1, DR_SF2, DR_SF3, DR_SF4 2010-Later

Attribute Codes

1975-1981

0 None

PHYSICAL/MENTAL CONDITION

- 1 Drowsy, Sleepy, Asleep, Fatigued
- 2 III. Blackout
- 3 Depression
- 4 Reaction to Drugs- Medication
- 5 Other Drugs (Marijuana, Cocaine, etc.)
- 6 Inattentive (Talking, Eating, etc.)
- 7 Physical Impairments
- 8 Died Prior to Crash

Attribute Codes

1975-1981

MISCELLANEOUS CAUSES

- 20 Leaving Vehicle Unattended with Engine Running Leaving Vehicle Unattended in Roadway
- 21 Overloading or Improper Loading of Vehicle with Passengers or Cargo
- 22 Towing or Pushing Vehicle Improperly
- 23 Failing to Dim Lights or to Have Lights on When Required
- 24 Operating Without Required Equipment
- 25 Creating Unlawful Noise or using Equipment Prohibited by Law
- 26 Following Improperly
- 27 Improper or Erratic Lane Changing
- 28 Failure to Keep in Proper Lane or Running off Road
- 29 Illegal Driving on Road Shoulder, in Ditch or Sidewalk or on Median
- 30 Making Improper Entry to or Exit from Trafficway
- 31 Starting or Backing Improperly
- 32 Opening Vehicle Closure into Moving Traffic or Vehicle is in Motion
- Passing Where Prohibited by Posted Signs, Pavement Markings, Hill or Curve, or School Bus Displaying Warning Not to Pass
- 34 Passing on Wrong Side
- Passing with Insufficient Distance or Inadequate Visibility or Failing to Yield to Overtaking Vehicle
- 36 Operating the Vehicle in an Erratic, Reckless, Careless, or Negligent Manner
- 37 High-Speed Chase with Police in Pursuit (Since 1978)
- 38 Failure to Yield Right of Way
- 39 Failure to Obey Traffic Signs, Traffic Control Devices or Traffic Officers, Failure to Observe Safety Zone
- 40 Passing Through or Around Barrier
- 41 Failure to Observe Warnings or Instructions on Vehicle Displaying Them
- 42 Failure to Signal Intentions
- 43 Giving Wrong Signal
- 44 Driving Too Fast for Conditions or in Excess of Posted Speed Limit
- 45 Driving Less Than Posted Maximum
- 46 Operating at Erratic or Suddenly Changing Speeds
- 47 Making Right Turn from Left Turn-Lane; Making Left-Turn from Right-Turn Lane
- 48 Making Improper Turn
- 49 Failure to Comply With Physical Restrictions of License
- 50 Driving Wrong Way on One-Way Trafficway
- 51 Driving on Wrong Side of Road
- 52 Operator Inexperience
- 53 Unfamiliar With Roadway
- 54 Stopping in Roadway (Since 1979)
- 99 Unknown

Attribute	Attribute Codes					
1982- 2009	2010- 2014	2015- Later				
0	0	0	None			
PHYS			CONDITION			
1			Drowsy, Sleepy, Asleep, Fatigued			
2			III, Passed Out/Blackout			
3			Emotional (e.g., Depression, Angry, Disturbed)			
4	4	4	Reaction to or Failure to Take Drugs/Medication			
5			Other Drugs (Marijuana, Cocaine, etc., 1982-1994)			
5			Under the Influence of Alcohol, Drugs, or Medication (Since 2003)			
6			Inattentive/Careless (Talking, Eating, Car Phones, etc.)			
	6	6	Careless Driving (Since 2012)			
7			Restricted to Wheelchair			
8			Paraplegic (1982-1994, See Data element 11)			
8	8	8	Road Rage/Aggressive Driving (Since 2004)			
9			Impaired Due to Previous Injury			
10			Deaf (1982-1994)			
11	40	 10	Other Physical Impairment (Includes Paraplegic Since 1995)			
12 12	12	12	Mother of Dead Fetus/Mother of Infant Born Post Crash			
13 14	13	13	Mentally Challenged (Since 1995) Failure to Take Druge (Medication (1995 2004)			
15	 15	 15	Failure to Take Drugs/Medication (1995-2004) Seat Back Not in Normal Position, Seat Back Reclined (Since 2002)			
			,			
		EOUS FA				
16	16	16	Police or Law Enforcement Officer (Since 2002)			
17 19	 18	 10	Running off Road (2000-2003) Traveling on Prohibited Trafficways (Since 1995)			
18 19	19	18 19	Legally Driving on Suspended or Revoked License			
20	20	20	Leaving Vehicle Unattended with Engine Running; Leaving Vehicle			
20	20	20	Unattended in Roadway			
21	21	21	Overloading or Improper Loading of Vehicle with Passenger or			
			Cargo			
22	22	22	Towing or Pushing Vehicle Improperly			
23	23	23	Failing to Dim Lights or to Have Lights on When Required			
24	24	24	Operating Without Required Equipment			
25			Creating Unlawful Noise or Using Equipment Prohibited by Law			
26	26	26	Following Improperly			
27	27	27	Improper or Erratic Lane Changing			
28			Failure to Keep in Proper Lane or Running off Road (1982-1999)			
28	28		Failure to Keep in Proper Lane (Since 2000)			
		28	Improper Lane Usage			
29	29		Illegal Driving on Road Shoulder, in Ditch, or Sidewalk, or on Median			
	29	29	Intentional Illegal Driving on Road Shoulder, in Ditch, or Sidewalk, or on Median (Since 2014)			
30	30	30	Making Improper Entry to or Exit from Trafficway			

Attribute	Codes		
1982- 2009	2010- 2014	2015- Later	
31	31	31	Starting or Backing Improperly
32	32	32	Opening Vehicle Closure into Moving Traffic or Vehicle is in Motion
33	33		Passing Where Prohibited by Posted Signs, Pavement Markings,
		33	Hill or Curve, or School Bus Displaying Warning Not to Pass Passing Where Prohibited by Posted Signs, Pavement Markings, or School Bus Displaying Warning Not to Pass
34	34		Passing on Wrong Side
		34	Passing on Right Side
35	35	35	Passing with Insufficient Distance or Inadequate Visibility or Failing to Yield to Overtaking Vehicle
36	36		Operating the Vehicle in an Erratic, Reckless, Careless or Negligent Manner or Operating at Erratic or Suddenly Changing Speeds
		36	Operating the Vehicle in an Erratic, Reckless, Careless or Negligent Manner
37			High-Speed Chase with Police in Pursuit (See Police Pursuit Note)
	37	37	Police Pursuing this Driver or Police Officer in Pursuit (See Police Pursuit Note)
38	38	38	Failure to Yield Right of Way
39	39	39	Failure to Obey Actual Traffic Signs, Traffic Control Devices or Traffic Officers, Failure to Observe Safety Zone Traffic Laws
40	40	40	Passing Through or Around Barrier
41	41	41	Failure to Observe Warnings or Instructions on Vehicle Displaying Them
42	42	42	Failure to Signal Intentions
43			Driving too Fast for Conditions (2008 Only)
44			Driving too Fast for Conditions or in Excess of Posted Speed Limit (1982-2007)
44			Driving in Excess of Posted Speed Limit (2008 Only)
45	45	45	Driving Less Than Posted Maximum
46			Operating at Erratic or Suddenly Changing Speeds (1982-1994)
46			Not Used (1995-1997)
46			Racing (1998-2008)
47	47	47	Making Right Turn from Left-Turn Lane or Making Left Turn from Right-Turn Lane
48	48	48	Making Improper Turn
49			Failure to Comply With Physical Restrictions of License (1982-2004)
50	50	50	Driving Wrong Way on One-Way Trafficway
51	51		Driving on Wrong Side of Road (Intentionally or Unintentionally)
	51	51	Driving on Wrong Side of Two-way Trafficway (Intentionally or
			Unintentionally)(Since 2014)
52 53	52 53	52 52	Operator Inexperience
53	53 54	53	Unfamiliar With Roadway
54 55	54 	54 	Stopping in Roadway (Vehicle Not Abandoned) Underriding a Parked Truck (1982-2008)

			Driver Level (Continued)			
Attribute Codes						
1982- 2009	2010- 2014	2015- Later				
56			Improper Tire Pressure (1982-2005)			
57	57		Locked Wheel			
58	58	58	Over Correcting			
59			Getting Off/Out of or On/In to Moving Vehicle (1982-2004)			
59	59		Getting Off/Out of or On/In to a Vehicle (Since 2004)			
		59	Getting Off/Out of a Vehicle			
60			Getting Off/Out of or On/In to Non-Moving Vehicle (1982-2004)			
VISIC	N OBS	CURED E	ЗҮ			
61			Rain, Snow, Fog, Smoke, Sand, Dust (1982-2008)			
62			Reflected Glare, Bright Sunlight, Headlights (1982-2008)			
63			Curve, Hill, or Other Design Features (Including Traffic Signs,			
00			Embankment 1982-2008)			
64			Building, Billboard, etc. (1982-2008)			
65			Trees, Crops, Vegetation (1982-2008)			
66			Motor Vehicle (Including Load 1982-2008)			
67			Parked Vehicle (1982-2008)			
68			Splash or Spray of Passing Vehicle (1982-2008)			
69			Inadequate Defrost or Defog System (1982-2008)			
70			Inadequate Vehicle Lighting System (1982-2008)			
71			Obstructing Angles on Vehicle (1982-2008)			
72			Mirrors- Rear View (1982-2008)			
73			Mirrors- Other (1982-2001)			
	CIAL CIE	CUMST	,			
73		73				
	73	73	Driver Has Not Complied with Learners Permit or Intermediate Driver License Restrictions (GDL Restrictions, Since 2004)			
74			Head Restraints (1982-2001)			
74	74	74	Driver Has Not Complied With Physical or Other Imposed Restrictions (Since 2004)			
75			Broken or Improperly Cleaned Windshield (1982-2008)			
76			Other Obstruction (1982-2008)			
SKID	DING, S	WERVIN	IG, OR SLIDING DUE TO			
77	77	77	Severe Crosswind			
78	78	78	Wind from Passing Truck			
79	79	79	Slippery or Loose Surface			
80	80	80	Tire Blow-Out or Flat			
81	81	81	Debris or Objects in Road			
82	82	82	Ruts, Holes, Bumps in Road			
83	83	83	Live Animals in Road			
84	84	84	Vehicle in Road			
85	85	85	Phantom Vehicle			
86	86	86	Pedestrian, Pedalcyclist, or Other Non-Motorist in Road			
87	87	87	Ice, Water, Snow, Slush, Sand, Dirt, Oil, Wet Leaves on Road			
88	88	88	Trailer Fishtailing or Swaying (Since 2001)			

D24 Related Factors- Driver Level (continued)

Attribute Codes 1982- 2010- 2015-2009 2014 Later SPECIAL CIRCUMSTANCES 89 Carrying Hazardous Cargo Improperly (1994-2009) Driver has a Driving Record or Driver's License from More than One 89 89 90 Hit-and-Run Vehicle Driver 91 91 91 Non-Traffic Violation Charged (Manslaughter, Homicide or Other Assault Offense Committed Without Malice, Since 1986) Other Non-Moving Traffic Violation (1986-2011) 92 92 92 POSSIBLE DISTRACTIONS INSIDE VEHICLE 93 Cellular Telephone (Since 1991) 94 Fax Machine (1991-2001) 94 Cellular Telephone in Use in Vehicle (Since 2002) --95 Computer (1991-2001) --Computer Fax Machines/Printers (Since 2002) 95 On-Board Navigation System (Since 1991) 96 Two-Way Radio (Since 1991) 97 --Head-Up Display (Since 1991) 98 --

More Information on Police Pursuits

99

Unknown

99

99

PC5 Trafficway Description

Definition: This data element identifies the attribute that best describes the trafficway flow just prior to this vehicle's critical precrash event.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level.

SAS Name: VTRAFWAY

2010- 2012	2013- Later	
0		Non-Trafficway Area
	0	Non-Trafficway or Driveway Access
1	1	Two-Way, Not Divided
2	2	Two-Way, Divided, Unprotected (Painted > 4 Feet) Median
3	3	Two-Way, Divided, Positive Median Barrier
4	4	One-Way Trafficway
5	5	Two-Way, Not Divided With a Continuous Left-Turn Lane
6	6	Entrance/Exit Ramp
8	8	Not Reported
9	9	Unknown

PC6 Total Lanes in Roadway

Definition: This data element identifies the attribute that best describes the number of travel lanes just prior to this vehicle's critical precrash event.

Additional Information: The number of lanes refers to the number of lanes of a continuous cross-section of roadway. For example, a local roadway with one lane going north and one lane going south would be coded as two lanes. However, if a trafficway is a divided highway with two lanes going north, a median, and two lanes going south, then the number of lanes is coded as two. If a trafficway has two lanes going north immediately adjacent to two lanes going south, one continuous cross-section of roadway, then the number of lanes is coded as four. This data element can be used with the Trafficway Description data element VTRAFWAY to determine the trafficway geometry. For example: If (VNUM_LAN= 2) AND (VTRAFWAY=1), then one has a two-lane roadway that is not physically divided, which is what most people think of as a two-lane road (i.e., one lane going in each direction).

If the roadway is a divided trafficway, the number of travel lanes counts only lanes in the direction of travel of the first harmful event. If the roadway is an undivided trafficway, the number of travel lanes are all the lanes regardless of their direction of travel.

In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level.

SAS Name: VNUM LAN

2010- 2012	2013- Later	
0		Non-Trafficway Area
	0	Non-Trafficway or Driveway Access
1	1	One Lane
2	2	Two Lanes
3	3	Three Lanes
4	4	Four Lanes
5	5	Five Lanes
6	6	Six Lanes
7	7	Seven or More Lanes
8	8	Not Reported
9	9	Unknown

PC7 Speed Limit

Definition: This data element identifies the attribute that best represents the speed limit just prior to this vehicle's critical precrash event.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level.

SAS Name: VSPD_LIM

2010	2011- 2012	2013- Later	
0	0		No Statutory Limit/Non-Trafficway Area
		0	No Statutory Limit/Non-Trafficway or Driveway Access
1-97			Speed Limit (mph)
	5-80	5-80	Speed Limit (5 mph Increments)
98	98	98	Not Reported
99	99	99	Unknown

PC8 Roadway Alignment

Definition: This data element identifies the attribute that best represents the roadway alignment prior to this vehicle's critical precrash event.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level.

SAS Name: VALIGN

2010- 2012	2013- Later	
0		Non-Trafficway Area
	0	Non-Trafficway or Driveway Access
1	1	Straight
2	2	Curve Right
3	3	Curve Left
4	4	Curve – Unknown Direction
8	8	Not Reported
9	9	Unknown

PC9 Roadway Grade

Definition: This data element identifies the attribute that best represents the roadway grade prior to this vehicle's critical precrash event.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level.

Prior to 2010, this data element was called Roadway Profile.

SAS Name: VPROFILE

2010- 2012	2013- Later	
0		Non-Trafficway Area
	0	Non-Trafficway or Driveway Access
1	1	Level
2	2	Grade, Unknown Slope
3	3	Hillcrest
4	4	Sag (Bottom)
5	5	Uphill
6	6	Downhill
8	8	Not Reported
9	9	Unknown

PC10 Roadway Surface Type

Definition: This data element identifies the attribute that best represents the roadway surface type prior to this vehicle's critical precrash event.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level.

SAS Name: VPAVETYP

2010- 2012	2013- Later	
0		Non-Trafficway Area
	0	Non-Trafficway or Driveway Access
1	1	Concrete
2	2	Blacktop, Bituminous, or Asphalt
3	3	Brick or Block
4	4	Slag, Gravel or Stone
5	5	Dirt
7	7	Other
8	8	Not Reported
9	9	Unknown

PC11 Roadway Surface Condition

Definition: This data element identifies the attribute that best represents the roadway surface condition prior to this vehicle's critical precrash event.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level.

SAS Name: VSURCOND

2010- 2012	2013- Later	
0		Non-Trafficway Area
	0	Non-Trafficway Area or Driveway Access
1	1	Dry
2	2	Wet
3	3	Snow
4	4	Ice/Frost
5	5	Sand
6	6	Water (Standing or Moving)
7	7	Oil
8	8	Other
10	10	Slush
11	11	Mud, Dirt, Gravel
98	98	Not Reported
99	99	Unknown

PC12 Traffic Control Device

Definition: This data element identifies the attribute that best describes the traffic controls in the vehicle's environment just prior to this vehicle's critical precrash event.

Additional Information: In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level.

SAS Name: VTRAFCON

Attribute Codes

2010	2011- Later	
0	0	No Controls

TRAFFIC SIGN	VΑL	LS
--------------	-----	----

- Traffic Control Signal (On Colors) Without Pedestrian Signal
 Traffic Control Signal (On Colors) With Pedestrian Signal
- 3 Traffic Control Signal (On Colors) Not Known if Pedestrian Signal
- 4 4 Flashing Traffic Control Signal 8 Other Highway Traffic Signal
- 8 8 Other Highway Traffic Signal9 9 Unknown Highway Traffic Signal

REGULATORY SIGNS

7	7	Lane Use Control Signal	

- 20 20 Stop Sign21 21 Yield Sign
- 28 28 Other Regulatory Sign
- 29 29 Unknown Regulatory Sign
- 32 23 School Zone Sign/Device
- 40 40 Warning Sign
- 50 50 Person
- 65 65 Railway Crossing Device
- 97 97 Not Reported
- 98 98 Other
- 99 99 Unknown

PC13 Traffic Control Device Functioning

Definition: This data element identifies the functionality of the traffic control device recorded for this vehicle in the data element "Traffic Control Device."

Additional Information: Data not collected prior to 1982.

In 2010, this data element was no longer collected at the Accident level. It is now collected at the Vehicle level.

SAS Name: VTCONT_F

Attribute Codes

2010-Later

- 0 No Controls
- 1 Device Not Functioning
- 2 Device Functioning Functioning Improperly
- 3 Device Functioning Properly
- 8 Not Reported
- 9 Unknown

PC17 Pre-Event Movement (Prior To Recognition of Critical Event)

Definition: This data element identifies the attribute that best describes this vehicle's activity prior to the driver's realization of an impending critical event or just prior to impact if the driver took no action or had no time to attempt any evasive maneuvers.

Additional Information:

SAS Name: P_CRASH1

2010	2011- 2012	2013- Later	
0	0		No Driver Present
		0	No Driver Present/Unknown if Driver Present
1	1	1	Going Straight
2			Decelerating in Traffic Lane
	2	2	Decelerating in Road
3			Accelerating in Traffic Lane
	3	3	Accelerating in Road
4			Starting in Traffic Lane
	4	4	Starting in Road
5			Stopped in Traffic Lane
	5	5	Stopped in Roadway
6	6	6	Passing or Overtaking Another Vehicle
7	7	7	Disabled or Parked in Travel Lane
8	8	8	Leaving a Parking Position
9	9	9	Entering a Parking Position
10	10	10	Turning Right
11	11	11	Turning Left
12	12	12	Making a U-Turn
13	13	13	Backing Up (Other Than For Parking Position)
14	14	14	Negotiating a Curve
15	15	15	Changing Lanes
16	16	16	Merging
17	17	17	Successful Avoidance Maneuver to a Previous Critical Event
98	98	98	Other
99	99	99	Unknown

PC19 Critical Event- Precrash

Definition: This data element identifies the attribute that best describes the critical event which made this crash imminent (i.e., something occurred which made the collision possible).

Additional Information:

SAS Name: P_CRASH2

Attribute Codes

2011-

2010 Later

THIS VEHICLE LOSS OF CONTROL DUE TO:

- 1 1 Blow Out/Flat Tire
- 2 2 Stalled Engine
- 3 Disabling Vehicle Failure (e.g., Wheel Fell Off)
- 4 Non-Disabling Vehicle Problem (e.g., Hood Flew Up)
- 5 Poor Road Conditions (Puddle, Pothole, Ice, etc.)
- 6 6 Traveling Too Fast For Conditions
- 8 8 Other Cause of Control Loss
- 9 Unknown Cause of Control Loss

THIS VEHICLE TRAVELING

- 10 Over the Lane Line on Left Side of Travel Lane
- 11 Over the Lane Line on Right Side of Travel Lane
- 12 Off the Edge of the Road on the Left Side
- 13 Off the Edge of the Road on the Right Side
- 14 14 End Departure
- 15 -- Turning Left at Intersection
- -- 15 Turning Left at Junction
- 16 -- Turning Right at Intersection
- -- 16 Turning Right at Junction
- 17 Crossing Over (Passing Through) Intersection
- 18 This Vehicle Decelerating
- 19 19 Unknown Travel Direction

OTHER MOTOR VEHICLE IN LANE

- 50 Other Vehicle Stopped
- 51 Traveling In Same Direction with Lower Steady Speed
- 52 52 Traveling In Same Direction while Decelerating
- 53 Traveling In Same Direction with Higher Speed
- 54 54 Traveling In Opposite Direction
- 55 55 In Crossover
- 56 56 Backing
- 59 Unknown Travel Direction of the Other Motor Vehicle in Lane

OTHER MOTOR VEHICLE ENCROACHING INTO LANE

- 60 From Adjacent Lane (Same Direction) Over Left Lane Line
- 61 From Adjacent Lane (Same Direction) Over Right Lane Line
- 62 From Opposite Direction Over Left Lane Line

PC19 Critical Event- Precrash (Event) (continued)

Attribute C	Codes
-------------	-------

2010	2011- Later				
		5 0 " B' " 0 B' I'I			
63	63	From Opposite Direction Over Right Lane Line			
64	64	From Parking Lane, Median, Shoulder, Roadside			
65	65 66	From Crossing Street, Turning Into Same Direction			
66 67	66 67	From Crossing Street, Across Path			
67	67	From Crossing Street, Turning Into Opposite Direction			
68 70	68 70	From Crossing Street, Intended Path Unknown			
70 71	70 71	From Driveway, Turning Into Same Direction			
71 72	71 72	From Driveway, Across Path From Driveway, Turning Into Opposite Direction			
73	73	From Driveway, Intended Path Unknown			
73 74	73 74	From Entrance to Limited Access Highway			
74 78	74 78	Encroachment by Other Vehicle – Details Unknown			
		-			
	ESTRIAN	I OR PEDALCYCLIST OR OTHER NON-MOTORIST			
80		Pedestrian in Roadway			
	80	Pedestrian in Road			
81		Pedestrian Approaching Roadway			
	81	Pedestrian Approaching Road			
82	82	Pedestrian Unknown Location			
83		Pedalcyclist/Other Non-Motorist in Roadway			
	83	Pedalcyclist/Other Non-Motorist in Road			
84		Pedalcyclist/Other Non-Motorist Approaching Roadway			
	84	Pedalcyclist/Other Non-Motorist Approaching Road			
85	85	Pedalcyclist/Other Non-Motorist Unknown Location			
	ECT OR A				
87		Animal in Roadway			
	87	Animal in Road			
88		Animal Approaching Roadway			
	88	Animal Approaching Road			
89	89	Animal – Unknown Location			
90		Object in Roadway			
	90	Object in Road			
91		Object Approaching Roadway			
	91	Object Approaching Road			
92	92	Object Unknown Location			
OTH	ER				
98	98	Other Critical Precrash Event			
99	99	Unknown			

PC20 Attempted Avoidance Maneuver

Definition: This data element identifies the attribute that best describes the movements/actions taken by this driver, within a critical crash envelope, in response to the "Critical Precrash Event."

Additional Information: This data element identifies the actions taken by the driver in response to the impending danger. Because this data element focuses upon the driver's action just prior to the first harmful event it is coded independently of any maneuvers associated with this vehicle's "Crash Type."

SAS Name: P_CRASH3

2010- 2012		
0		No Driver Present
	0	No Driver Present/Unknown if Driver Present
1	1	No Avoidance Maneuver
2	2	Braking (No Lockup)
3	3	Braking (Lockup)
4	4	Braking (Lockup Unknown)
5	5	Releasing Brakes
6	6	Steering Left
7	7	Steering Right
8	8	Braking and Steering Left
9	9	Braking and Steering Right
10	10	Accelerating
11	11	Accelerating and Steering Left
12	12	Accelerating and Steering Right
98	98	Other Actions
99	99	Unknown

PC21 Pre-Impact Stability

Definition: This data element identifies the attribute that best describes the stability of this vehicle after the "Critical Precrash Event," but before the impact.

Additional Information:

SAS Name: PCRASH4

2010- 2012	2013- Later	
0		No Driver Present
	0	No Driver Present/Unknown if Driver Present
1	1	Tracking
2	2	Skidding Longitudinally – Rotation Less Than 30 Degrees
3	3	Skidding Laterally – Clockwise Rotation
4	4	Skidding Laterally – Counterclockwise Rotation
	5	Skidding Laterally – Rotation Direction Unknown
7	7	Other Vehicle Loss-of-Control
9	9	Precrash Stability Unknown

PC22 Pre-Impact Location

Definition: This data element identifies the attribute that best describes the location of this vehicle after the "Critical Precrash Event," but before the impact.

Additional Information:

SAS Name: PCRASH5

2010- 2012	2013- Later	
0		No Driver Present
	0	No Driver Present/Unknown if Driver Present
1	1	Stayed In Original Travel Lane
2	2	Stayed On Roadway, But Left Original Travel Lane
3	3	Stayed On Roadway, Not Known if Left Original Travel Lane
4	4	Departed Roadway
5	5	Remained Off Roadway
6	6	Returned to Roadway
7	7	Entered Roadway
9	9	Unknown

PC23 Crash Type

Definition: This data element identifies the attribute that best describes the type of crash this vehicle was involved in based on the "First Harmful Event" and the precrash circumstances. For graphic descriptions of possible values see *Appendix A: PC23 Crash Type Diagram*.

Additional Information:

SAS Name: ACC_TYPE

Attribute Codes

2010-Later

0 No Impact

CATEGORY I: SINGLE DRIVER

CONFIGURATION A: RIGHT ROADSIDE DEPARTURE

- 1 Drive Off Road
- 2 Control/Traction Loss
- 3 Avoid Collision with Vehicle, Pedestrian, Animal
- 4 Specifics Other
- 5 Specifics Unknown

CONFIGURATION B: LEFT ROADSIDE DEPARTURE

- 6 Drive Off Road
- 7 Control/Traction Loss
- 8 Avoid Collision With Vehicle, Pedestrian, Animal
- 9 Specifics Other
- 10 Specifics Unknown

CONFIGURATION C: FORWARD IMPACT

- 11 Parked Vehicle
- 12 Stationary Object
- 13 Pedestrian/Animal
- 14 End Departure
- 15 Specifics Other
- 16 Specifics Unknown

CATEGORY II: SAME TRAFFICWAY, SAME DIRECTION

CONFIGURATION D: REAR END

- 20 Stopped
- 21 Stopped, Straight
- 22 Stopped, Left
- 23 Stopped, Right
- 24 Slower
- 25 Slower, Going Straight
- 26 Slower, Going Left
- 27 Slower, Going Right
- 28 Decelerating (Slowing)
- 29 Decelerating (Slowing), Going Straight

PC23 Crash Type (continued)

Attribute Codes

2010-Later

- 30 Decelerating (Slowing), Going Left
- 31 Decelerating (Slowing), Going Right
- 32 Specifics Other
- 33 Specifics Unknown

CONFIGURATION E: FORWARD IMPACT

- 34 This Vehicles Frontal Area Impacts Another Vehicle.
- 35 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 36 This Vehicles Frontal Area Impacts Another Vehicle.
- 37 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 38 This Vehicles Frontal Area Impacts Another Vehicle.
- 39 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 40 This Vehicles Frontal Area Impacts Another Vehicle.
- 41 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 42 Specifics Other
- 43 Specifics Unknown

CONFIGURATION F: SIDESWIPE/ANGLE

- 44 Straight Ahead on Left.
- 45 Straight Ahead on Left/Right.
- 46 Changing Lanes to the Right
- 47 Changing Lanes to the Left
- 48 Specifics Other
- 49 Specifics Unknown

CATEGORY III: SAME TRAFFICWAY, OPPOSITE DIRECTION

CONFIGURATION G: HEAD-ON

- 50 Lateral Move (Left/Right)
- 51 Lateral Move (Going Straight)
- 52 Specifics Other
- 53 Specifics Unknown

CONFIGURATION H: FORWARD IMPACT

- 54 This Vehicles Frontal Area Impacts Another Vehicle.
- 55 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 56 This Vehicles Frontal Area Impacts Another Vehicle.
- 57 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 58 This Vehicles Frontal Area Impacts Another Vehicle.
- 59 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 60 This Vehicles Frontal Area Impacts Another Vehicle.
- 61 This Vehicle Is Impacted by Frontal Area of Another Vehicle
- 62 Specifics Other
- 63 Specifics Unknown

PC23 Crash Type (continued)

Attribute Codes

2010-Later

CONFIGURATION I: SIDESWIPE/ANGLE

- 64 Lateral Move (Left/Right)
- 65 Lateral Move (Going Straight)
- 66 Specifics Other
- 67 Specifics Unknown

CATEGORY IV: CHANGING TRAFFICWAY, VEHICLE TURNING

CONFIGURATION J: TURN ACROSS PATH

- 68 Initial Opposite Directions (Left/Right)
- 69 Initial Opposite Directions (Going Straight)
- 70 Initial Same Directions (Turning Right)
- 71 Initial Same Directions (Going Straight)
- 72 Initial Same Directions (*Turning Left*)
- 73 Initial Same Directions (Going Straight)
- 74 Specifics Other
- 75 Specifics Unknown

CONFIGURATION K: TURN INTO PATH

- 76 Turn Into Same Direction (*Turning Left*)
- 77 Turn Into Same Direction (Going Straight)
- 78 Turn Into Same Direction (Turning Right)
- 79 Turn Into Same Direction (Going Straight)
- 80 Turn Into Opposite Directions (*Turning Right*)
- 81 Turn Into Opposite Directions (Going Straight)
- 82 Turn Into Opposite Directions (*Turning Left*)
- 83 Turn Into Opposite Directions (Going Straight)
- 84 Specifics Other
- 85 Specifics Unknown

CATEGORY V: INTERSECTING PATHS (VEHICLE DAMAGE)

CONFIGURATION L: STRAIGHT PATHS

- 86 Striking from the Right
- 87 Struck on the Right
- 88 Striking from the Left
- 89 Struck on the Left
- 90 Specifics Other
- 91 Specifics Unknown

CATEGORY VI: MISCELLANEOUS

CONFIGURATION M: BACKING, ETC.

- 92 Backing Vehicle
- 93 Other Vehicle or Object (2010-2012)
- 93 Other Vehicle (2013-Later)
- 98 Other Crash Type
- 99 Unknown Crash Type

Discontinued VEHICLE Data Elements

Axle (discontinued)

Definition: This data element counts the total number of axles on the vehicle (and converter dolly), including the trailing units (includes raised axles).

Additional Information: The major change in this data element from 1994 to 1995 is the count of axles on the vehicle rather than the deployed axles on the ground. From 1991 to 1994, this data element counts the total number of deployed axles on the *ground* for the vehicle including trailing units. From 1995 to 2007, this data element counts the total number of axles on the *vehicle* for the vehicle including trailing units.

This data element was discontinued after 2007.

SAS Name: AXLES

1991- 1994	1995- 2007	
00	00	Not Applicable, Not a Medium/Heavy Truck or Bus
02-97	02-97	Number of Axles
98	98	Medium/Heavy Truck or Bus, Number of Axles Unknown
99		Unknown Vehicle Type
	99	Unknown if Light or Medium/Heavy Truck or Bus

Carburetion (discontinued)

Definition: This data element identifies the number of barrels for the engine of this vehicle or a code indicating that the engine is high-performance, fuel-injected, turbocharged, or electronically-controlled.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V129, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PCARBUR.

SAS Name: CARBUR

Attribute Codes

2011-2012

V

W X

Υ

7

0-8 **Actual Number of Barrels** 1 Barrel, Lower HP Α В 1 Barrel, Higher HP 1 Barrel, Turbo С D 1 Barrel, Turbo Low HP Е 1 Barrel, Turbo High HP F Number of Barrels Not Specified, Fuel injection G 1 Barrel, Electronically controlled Number of Barrels Not Specified, High performance Н 2 Barrels, Lower HP J Κ 2 Barrels, Higher HP 2 Barrels, Turbo L М 2 Barrels, Turbo Low HP Ν 2 Barrels, Turbo High HP 2 Barrels, Electronically controlled Р Number of Barrels Not Specified, Electronically controlled Q 4 Barrels, Electronically controlled R S 4 Barrels, Lower HP Т 1, 2 or 4 Barrels, Turbo Fuel Injected 4 Barrels, Higher HP U

FARS Analytical User's Manual

4 Barrels, Turbo

4 Barrels, Turbo Low HP

4 Barrels, Turbo High HP

Number of Barrels Not Specified, Turbo

Number of Barrels Not Specified, Super Charged

Crash Avoidance Maneuver (discontinued)

Definition: This data element is collected to indicate if an avoidance maneuver was taken by the driver to avoid the crash.

Additional Information: AVOID is the maneuver that the driver executed to attempt to avoid the crash. See VEH_MAN, Vehicle Maneuver, for the maneuver the driver was executing just prior to entering a crash situation.

This data element was discontinued after 2009.

SAS Name: AVOID

Attribute Codes

1991-2009

- 0 No Avoidance Maneuver Reported
- 1 Braking (Skid Marks Evident)
- 2 Braking (No Skid Marks; Driver Stated)
- 3 Braking (Other Reported Evidence)
- 4 Steering (Evidence or Stated)
- 5 Steering and Braking (Evidence or Stated)
- 6 Other Avoidance Maneuver
- 8 Not Reported / (Inconclusive Since 1999, By Police)

Cubic Inch Displacement (discontinued)

Definition: This data element identifies the manufacturer's cubic inch displacement of the engine pistons for this vehicle.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V127, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PDISPLACE.

SAS Name: DISPLACE

Attribute Codes

2011-2012

xxx Actual Cubic Inch Displacement (cid)

Curb Weight (discontinued)

Definition: This data element identifies the base weight of the series for this vehicle. This is available for Passenger Type Vehicles only (VINTYPE='P').

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V118, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PVIN_WGT.

SAS Name: VIN WGT

Attribute Codes

1975-2012

0 Not Available

1-9998 Actual weight of Automobile (*lbs*)

9999 Unavailable

More Information on VIN Weight- Auto

Driver Training (discontinued)

Definition: This data element was discontinued after 1986.

Additional Information: SAS Name: DR_TRAIN

Attribute Codes

1975-1986

- 0 None
- 1 High School
- 2 Commercial
- 3 School Bus
- 4 Traffic School
- 5 Two or More Types
- 6 Training, Type Unknown (Since 1977)
- 9 Unknown

Driver's Vision Obscured by (discontinued)

Definition: This data element records impediments to a driver's visual field that were noted in the case materials.

Additional Information: Most of these data elements can be found in "Related Factor – Driver Level" from 1982 to 2008. This data element was added here in 2009. In 2010, the data element was changed to identify all that apply in the crash and was therefore moved to its own data file, Vision.

SAS Name: D_VISION1, D_VISION2, D_VISION3

Attribute Codes

2009

- 00 No Obstruction Noted
- 01 Rain, Snow, Fog, Smoke, Sand, Dust
- 02 Reflected Glare, Bright Sunlight, Headlights
- 03 Curve, Hill, or Other Roadway Design Features
- 04 Building, Billboard, or Other Structure
- 05 Trees, Crops, Vegetation
- 06 In-Transport Motor Vehicle (Including Load)
- 07 Not-in-Transport Motor Vehicle (Parked, Working)
- 08 Splash or Spray of Passing Vehicle
- 09 Inadequate Defrost or Defog System
- 10 Inadequate Vehicle Lighting System
- 11 Obstructing Interior to the Vehicle
- 12 External Mirrors
- 13 Broken or Improperly Cleaned Windshield
- 14 Obstructing Angles on Vehicle
- 97 Vision Obscured No Details
- 98 Other Visual Obstruction
- 99 Unknown

Fuel Code (discontinued)

Definition: This data element identifies the fuel type for this vehicle determined by the manufacturer specification and recommendation.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

Prior to 2010, this data element was derived for trucks only. Since 2010 this data element is coded for all vehicles.

This data element, formerly V121, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PFUECODE.

SAS Name: FLDCD_TR 1975-2009 FUELCODE 2010-2012

1975- 2009	2010- 2012	
	В	Electric and Gasoline Hybrid Engine
С	С	Gasoline Engine That Can Be Easily Converted to Gaseous-Powered Engine (Powered by Natural Gas, Propane, etc.)
D	D	Diesel
E	Е	Electric
F	F	Flexible Fuel
G	G	Gas
Н	Н	Ethanol Fuel Only
M	M	Methanol Gas Only
Ν	Ν	Compressed Natural Gas
Р	Р	Propane
9	9	Unknown

Hazardous Material Involvement/Placard (discontinued)

Definition: This data element identifies the presence of hazardous cargo for this vehicle and records information about the hazardous cargo when present.

Additional Information: The data element HAZ_CARG is no longer in FARS. It has been replaced with the following five data elements HAZ_INV, HAZ_PLAC, HAZ_ID, HAZ_CNO, and HAZ_REL.

SAS Name: HAZ_CARG

1982- 1990	1991- 2006	
0	0	No
1		Yes
	1	Yes, Placarded
	2	Yes, Not Placarded
	3	Yes, Unknown if Placarded
9	9	Unknown

Most Damaged Area (discontinued)

Definition: This data element identifies the area on this vehicle that was most damaged during an event in the crash.

Additional Information: Prior to 2010 this data element was called "Principal Point of Impact." In 2010 and 2011 it was called "Most Damaged Area." This data element was replaced with "Damaged Areas" (MDAREAS) in 2012 which records all damaged areas to this vehicle in the Damage data file.

The attributes Underride and Override were discontinued in 1993 and "Underride/Override" became its own data element in 1994. Prior to 1994, the striking vehicle, not the vehicle struck, determined the underride/override condition. After the crash, in the case of an override or underride one vehicle is over the other. If the striking vehicle is over the other, then the crash is an override. If the striking vehicle is under the other, the crash is an underride. See the information under "Underride/Override" about using and interpreting the data element UNDERIDE.

This data element also appears in the Person data file and in the Parkwork data file as PIMPACT2.

SAS Name: IMPACT2

Attribute Codes

1975- 1993	1994- 2009	2010- 2011	
00	00	00	Non-Collision
01-12	01-12	01-12	Clock points
13	13	13	Тор
14	14	14	Undercarriage
15			Underride (1980-1993)
16			Override (1982-1993)
	18		This Vehicle Set Something in Motion Causing Injury or
			Damage (Not a Clock Point, Since 2004)
		18	Set-in-Motion (Not a Clock Point)
		61	Left
		62	Left-Front Half
		63	Left-Back Half
		81	Right
		82	Right-Front Half
		83	Right-Back Half
		98	Not Reported
99	99	99	Unknown

More Information on Impact

Motorcycle Dry Weight (discontinued)

Definition: This data element identifies the dry weight of this motorcycle model.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V135, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PMCYCL_WT.

SAS Name: MCYCL_WT

Attribute Codes

2011-2012

xxxx Weight (lbs)

Motorcycle Engine Displacement (CC) (discontinued)

Definition: This data element identifies the piston bore measured in cubic centimeters for this motorcycle.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V124, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PMCYCL_DS.

SAS Name: MCYCL DS

Attribute Codes

1975-2012

xxxx Actual Displacement (cc)

Motorcycle Type (discontinued)

Definition: This is the VINA Body Type (example, Dirt Bike).

Additional Information: This data element was discontinued in 1981.

SAS Name: MCYCL_TY

Attribute Codes

1975-1981

xx Two-character representation of the motorcycle type

Number of Cylinders (discontinued)

Definition: This data element identifies the number of cylinders for the engine of this vehicle.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V128, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PCYLINDER.

SAS Name: CYLINDER

Attribute Codes

2011-2012

0-18 Number of Cylinders

R Rotary Engine

Number of Motorcycle Engine Cycles (discontinued)

Definition: This data element identifies the number of engine cycles for this motorcycle model.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V136, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PMCYCL_CY.

SAS Name: MCYCL_CY

Attribute Codes

2011-2012

- 2 Two-stroke engine4 Four-stroke engine
- R Rotary engine

Number of Wheels/Drive Wheels (discontinued)

Definition: This data element identifies the number of wheels/driving wheels for this truck (trucks only, VINTYPE='T'). The length of this data element is two digits; the first position represents the number of axles on the vehicle times two and the second position represents the number of drive axles times two.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V130, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PWHLDRWHL.

SAS Name: WHLDRWHL

Attribute Codes

2011-2012

xx Number of Wheels (1st digit) followed by the Number of Drive Wheels (2nd digit)

Original Tire Size (discontinued)

Definition: This data element identifies the manufacturer's original equipment specified tire size for the series of this vehicle. The length of this data element is six characters; the first two positions represent rim size and the remaining four positions represent tire size.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V126, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PTIRE SZE.

SAS Name: TIRE_SZE

Attribute Codes

2011-2012

xxxxxx 6-Character Tire Size

Sequence of Events (discontinued)

Definition: The events in sequence related to this motor vehicle, regardless of injury and/or property damage. Events for the vehicle are recorded in the order in which they occur, timewise, from the PAR narrative and diagram.

Additional Information: Starting in 2004, HARM_EV, M_HARM and the sequence of events data elements have the same values. The harmful event values were modified to be consistent with the sequence of event data elements.

SAS Name: SEQ1, SEQ2, SEQ3, SEQ4, SEQ5, SEQ6

Attribute Codes

- 01 Rollover/Overturn
- 02 Fire/Explosion
- 03 Immersion
- 04 Gas Inhalation
- 05 Fell/Jumped from Vehicle
- 06 Injured in Vehicle
- 07 Other Non-Collision
- 08 Pedestrian
- 09 Pedalcycle
- 10 Railway Train
- 11 Animal
- 12 Motor Vehicle in Transport on Same Roadway
- 13 Motor Vehicle in Transport on Other Roadway
- 14 Parked Motor Vehicle
- 15 Non-Motorist on Personal Conveyance
- 16 Thrown or Falling Object
- 17 Boulder
- 18 Other Object (Not Fixed)
- 19 Building
- 20 Impact Attenuator/Crash Cushion
- 21 Bridge Pier or Abutment
- 22 Bridge Parapet End
- 23 Bridge Rail
- 24 Guardrail Face
- 25 Concrete Traffic Barrier
- 26 Other Traffic Barrier
- 27 Highway/Traffic Sign Post
- 28 Overhead Sign Support/Sign
- 29 Luminary/Light Support
- 30 Utility Pole
- 31 Other Post, Other Pole, or Other Support
- 32 Culvert

Sequence of Events (continued)

Attribute Codes

- 33 Curb
- 34 Ditch
- 35 Embankment Earth
- 36 Embankment Rock, Stone, or Concrete
- 37 Embankment Material Type Unknown
- 38 Fence
- 39 Wall
- 40 Fire Hydrant
- 41 Shrubbery
- 42 Tree (Standing Only)
- 43 Other Fixed Object
- 44 Pavement Surface Irregularity
- 45 Working Construction, Maintenance or Utility Vehicles
- 46 Traffic Signal Support
- 47 Vehicle Occupant Struck or Run Over by Own Vehicle
- 48 Collision With Snow Bank
- 49 Ridden Animal or Animal-Drawn Conveyance
- 50 Bridge Overhead Structure
- 51 Jackknife
- 52 Guardrail End
- 53 Mail Box
- Motor Vehicle Struck by Falling/Shifting Cargo or Anything Set in Motion by Another Motor Vehicle in Transport
- 55 Other Not in-Transport Motor Vehicle (2005-2007)
- Motor Vehicle in Motion Outside the Trafficway (Since 2008)
- 57 Cable Barrier (Since 2008)
- 60 Cargo/Equipment Loss or Shift
- 61 Equipment Failure (Blown Tire, Brake Failure, etc.)
- 62 Separation of Units
- 63 Ran Off Road Right
- 64 Ran Off Road Left
- 65 Cross Median/Centerline
- 66 Downhill Runaway
- 67 Vehicle Went Airborne
- 99 Unknown

Truck Shipping Weight (discontinued)

Definition: This data element identifies the shipping weight for the shortest wheel base of this truck model.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V132, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PTRK_WT.

SAS Name: TRK_WT

Attribute Codes

2011-2012

xxxxx Actual Shipping Weight (lbs)

Truck Shipping Weight Variance (discontinued)

Definition: This data element identifies the difference (coded in 100 pound increments) between the shipping weights of the shortest wheel base and the longest wheel base for this truck model. (e.g., a 200 lb. difference appears as "02".) Incremental weights for optional equipment are not included.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V133, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PTRKWTVAR.

SAS Name: TRKWTVAR

Attribute Codes

2011-2012

xx Shipping Weight Variance (100 lbs)

Truck Ton Rating (discontinued)

Definition: This data element identifies the payload capacity of this vehicle based on manufacturer's specifications. The length of this data element is two characters. A single code indicates a single capacity rating. Two codes indicate a range of capacity rating. For example, a Ford F150 pickup truck with a payload capacity from ½ to ¾ tons would have a rating of "BC."

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V131, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PTON_RAT.

SAS Name: TON_RAT

Attribute Codes

- A 1/4
- B 1/2
- C 3/4
- D 1
- E 1½
- F 1 3/4
- G 2
- H 2½
- I 3
- J 3½
- K 4 L 4½
- M 5
- N 6
- 0 7
- P 8
- Q 9
- R 10 and Over

Truck VIN Restraint Type (discontinued)

Definition: This data element identifies restraint type information for this truck. This includes information about vehicle seat belts and air bags.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V134, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PVIN_REST.

SAS Name: VIN_REST

Attribute Codes

- A Active (Manual) Belts
- B Driver Front Air Bag/Passenger Side Belt Unknown
- C Dual Front Air Bags/Belt System Unknown
- D Dual Front Air Bag/Passenger Side Passive Belts
- E Dual Front Air Bags/Active Belts
- F Dual Front Air Bags/Passive Belts
- G Dual Air Bags Front and Side/Belts Unknown
- H Dual Air Bags Front, Head and Sides/Belts Unknown
- I Dual Air Bags Front, Head and Sides/Passive Belts
- J Dual Air Bags Front and Sides/Passive Belts
- K Dual Air Bags Front and Sides/Active Belts
- L Dual Air Bags Front, Head and Sides/Active Belt
- M Driver Front Air Bag/Passenger Side Active Belt
- N If Unable To Determine
- P Passive (Automatic) Belts
- R Dual Air Bags Front and Side/Active Belts w/ Automatic Passenger Sensor
- S Dual Air Bags Front, Head, and Side/Active Belts w/ Automatic Passenger Sensor
- T Dual Air Bags Front/Active Belts/Rear Passenger Side Air Bag
- U Dual Front Air Bags/Active Belts With Passenger Side Deactivation Cutoff Switch
- V Dual Air Bags Front, Head and Side/Active Belts/Rear Dual Side Air Bags
- W Dual Air Bags Front, Head and Side/Active Belts w/ Automatic Passenger Sensor/ Rear Dual Side Airbags
- X Dual Air Bags Front/Side Air Bag, Driver-Side Only/Active Belts
- Y Dual Front and Side Air Bags With Passenger Deactivation Switch
- 3 Dual Front and Head Airbags With Passenger Sensor; Active Belts
- 4 Dual Front Airbags With Passenger Sensor; Active Belts
- 7 Dual Front, Side and Head Airbags, Rear Head Airbags; Active Belts
- 9 Unknown

Truck Weight Rating (discontinued)

Definition: This data element identifies weight ranges for this truck of model year 1966 and later based on manufacturer specifications.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

Often coded as 9 for buses.

This data element, formerly V123, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PWGTCD TR.

SAS Name: WGTCD TR

Attribute Codes

- 1 6,000 lbs or Less
- 2 6,001 10,000 lbs
- 3 10,001 14,000 lbs
- 4 14,001 16,000 lbs
- 5 16,001 19,500 lbs
- 6 19,501 26,000 lbs
- 7 26,001 33,000 lbs
- 8 33,001 and Up
- 9 Unknown

Vehicle Maneuver (discontinued)

Definition: This data element captures the driver's action, or intended action, prior to the commencement of the unstabilized event as indicated on the crash report.

Additional Information: This data element was discontinued after 2009.

VEH_MAN is the maneuver that the driver was executing just prior to entering a crash situation. For the maneuver that the driver executed to attempt to avoid the crash, see the data element AVOID under Crash Avoidance Maneuver.

SAS Name: VEH_MAN

Attribute Codes

- 01 Going Straight
- 02 Slowing or Stopping in Traffic Lane
- 03 Starting in Traffic Lane
- 04 Stopped in Traffic Lane
- 05 Passing or Overtaking another Vehicle
- 06 Leaving a Parked Position
- 07 Parked
- 08 Entering a Parked Position
- 09 Maneuvering to Avoid
- 10 Turning Right: Right Turn on Red Permitted
- 11 Turning Right: Right Turn on Red Not Permitted
- 12 Turning Right: Right Turn on Red Not Applicable or Not Known if Permitted
- 13 Turning Left
- 14 Making a U-Turn
- 15 Backing Up (Not Parking)
- 16 Changing Lanes or Merging
- 17 Negotiating a Curve
- 98 Other
- 99 Unknown

Vehicle Role (discontinued)

Definition: This data element Indicates the vehicle's role in single or multi-vehicle crashes.

Additional Information: This data element was discontinued after 2009.

Note when a vehicle is both striking and struck, i.e., Value = 3, the event cannot simultaneously be at the same point of the vehicle. A vehicle must have at least one striking impact point and a struck impact point. A classic example is a chain reaction rear-end crash, where a vehicle which is both striking and struck is located within the chain.

SAS Name: IMPACTS

Attribute Codes

- 0 Non-Collision
- 1 Striking
- 2 Struck
- 3 Both
- 9 Unknown

Violations Charged (discontinued)

Definition: This data element identifies violations charged to this driver in this crash.

Additional Information: This data element was changed in 2010 to identify all violations charged in the crash and was therefore moved to its own data file, Violatn.

SAS Name: VIOL_CHG 1975-1996

VIOLCHG1, VIOLCHG2, VIOLCHG3 1997-2009

Attribute Codes

1975- 1981	1982- 1996	
0	0	None
1		Yes
	1	Alcohol or Drugs
2		Pending
	2	Speeding
	3	Alcohol or Drugs and Speeding
	4	Reckless Driving
	5	Driving With Suspended or Revoked License
	6	Other Moving Violation
	7	Non-Moving Violation
	8	Violation, Type Unknown or Other Violation
9	9	Unknown

1997-2009

00 None

RECKLESS/CARELESS/HIT-AND-RUN OFFENSES

- 01 Manslaughter or Homicide
- 02 Willful Reckless Driving; Driving to Endanger; Negligent Driving
- 03 Unsafe Reckless (Not Willful, Wanton Reckless) Driving
- 04 Inattentive, Careless, Improper Driving
- 05 Fleeing or Eluding Police
- 06 Fail to Obey Police, Fireman, Authorized Person Directing Traffic
- 07 Hit-and-Run, Fail to Stop After Crash
- 08 Fail to Give Aid, Information, Wait for Police after Crash
- 09 Serious Violation Resulting in Death

Violations Charged (continued)

1997-2009

IMPAIRMENT OFFENSES

- 11 Driving While Intoxicated (Alcohol or Drugs) or BAC above Limit (Any Detectable BAC for CDLs)
- 12 Driving While Impaired; Driving Under Influence of Substance Not Intended to Intoxicate
- 13 Driving under Influence of Substance not intended to intoxicate
- 14 Drinking While Operating
- 15 Illegal Possession of Alcohol or Drugs
- 16 Driving With Detectable Alcohol
- 18 Refusal to Submit to Chemical Test
- 19 Alcohol, Drug, or Impairment Violations Generally

SPEED-RELATED OFFENSES

- 21 Racing
- 22 Speeding (Above the Speed Limit)
- 23 Speed Greater Than Reasonable and Prudent (Not Necessarily Over the Limit)
- 24 Exceeding Special Speed Limit (e.g., for Trucks, Buses, Cycles, or on Bridge, in School Zone, etc.)
- 25 Energy Speed (Exceeding 55 mph, Non-Pointable)
- 26 Driving Too Slowly
- 29 Speed-Related Violations Generally

RULES OF THE ROAD - TRAFFIC SIGN & SIGNALS

- 31 Fail to Stop for Red Signal
- 32 Fail to Stop for Flashing Red
- 33 Violation of Turn on Red (Fail to Stop & Yield, Yield to Pedestrians before Turning)
- 34 Fail to Obey Flashing Signal (Yellow or Red)
- 35 Fail to Obey Signal Generally
- 36 Violate RR Grade Crossing Device/Regulations
- 37 Fail to Obey Stop Sign
- 38 Fail to Obey Yield Sign
- 39 Fail to Obey Traffic Control Device Generally

RULES OF THE ROAD - TURNING, YIELDING, SIGNALING

- Turn in Violation of Traffic Control (Disobey Signs, Turn Arrow Or Pavement Markings; This Is Not A Right-On-Red Violation)
- 42 Improper Method & Position of Turn (Too Wide, Wrong Lane)
- 43 Fail to Signal for Turn or Stop
- 45 Fail to Yield to Emergency Vehicle
- 46 Fail to Yield Generally
- 48 Enter Intersection When Space Insufficient
- 49 Turn, Yield, Signaling Violations Generally

Violations Charged (continued)

1997-2009

RULES OF THE ROAD - WRONG SIDE, PASSING & FOLLOWING

- 51 Driving Wrong Way on One-Way Road
- 52 Driving on Left, Wrong Side of Road Generally
- 53 Improper, Unsafe Passing
- 54 Pass on Right (Drive off Pavement to Pass)
- 55 Pass Stopped School Bus
- 56 Fail to Give Way When Overtaken
- 58 Following Too Closely
- 59 Wrong Side, Passing, Following Violations Generally

RULES OF THE ROAD - LANE USAGE

- 61 Unsafe or Prohibited Lane Change
- 62 Improper Use of Lane (Enter of 3-Lane Road, HOV Designated Lane)
- 63 Certain Traffic to Use Right Lane (Trucks, Slow Moving, etc.)
- 66 Motorcycle Lane Violations (More than two per Lane, Riding Between Lanes, etc.)
- 67 Motorcyclist Attached to another Vehicle
- 69 Lane Violations Generally

NON-MOVING - LICENSE & REGISTRATION VIOLATIONS

- 71 Driving While License Withdrawn
- 72 Other Driver License Violations
- 73 Commercial Driver Violations
- 74 Vehicle Registration Violations
- 75 Fail to Carry Insurance Card
- 76 Driving Uninsured Vehicle
- 79 Non-Moving Violations Generally

EQUIPMENT

- 81 Lamp Violations
- 82 Brake Violations
- 83 Failure to Require Restraint Use (By Self or Passenger)
- 84 Motorcycle Equipment Violations (Helmet, Special Equipment)
- 85 Violation of Hazardous Cargo Regulations
- 86 Size, Weight, Load Violations
- 89 Equipment Violations Generally

OTHER VIOLATIONS

- 91 Parking
- 92 Theft, Unauthorized Use of Motor Vehicle
- 93 Driving Where Prohibited (Sidewalk, Limited Access, Off Truck Route)
- 98 Other Moving Violation
- 99 Unknown Violation

VIN Body Type (discontinued)

Definition: This data element identifies the two-character representation of this vehicle's body style.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers. The VINA program decodes these data and partitions vehicles into three classes, passenger vehicles, trucks, and motorcycles.

This data element, formerly V116, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PVIN_BT.

SAS Name: VIN_BT

Attribute Codes

1982- 2009	2010- 2012	
2D	2D	Passenger Vehicle Sedan 2-Door
2F	2F	Passenger Vehicle Formal Hardtop 2-Door
2H	2H	Passenger Vehicle Hatchback 2-Door
2L	2L	Passenger Vehicle Liftback 3-Door
2P	2P	Passenger Vehicle Pillard Hardtop 2-Door
2T	2T	Passenger Vehicle Hardtop 2-Door
2W	2W	Truck 2-Door Wagon/Sport Utility
2W	2W	Passenger Vehicle Wagon 2-Door
	3B	Truck 3-Door Extended Cab/Chassis
	3C	Truck 3-Door Extended Cab Pickup
3D	3D	Passenger Vehicle Runabout 3-Door
	3P	Passenger Vehicle Coupe 3-Door
	4B	Truck 4-Door Extended Cab/Chassis
	4C	Truck 4-Door Extended Cab Pickup
4D	4D	Passenger Vehicle Sedan 4-Door
4H	4H	Passenger Vehicle Hatchback 4-Door
4L	4L	Passenger Vehicle Liftback 5-Door
4P	4P	Passenger Vehicle Pillard Hardtop 4-Door
4T	4T	Passenger Vehicle Hardtop 4-Door
4W	4W	Truck 4-Door Wagon/Sport Utility
4W	4W	Passenger Vehicle Wagon 4-Door
5D	5D	Passenger Vehicle Sedan 5-Door
8V	8V	Truck 8-Passenger Sport Van
AC	AC	Truck Auto Carrier
AM	AM	Passenger Vehicle Ambulance
AR	AR	Truck Armored Truck
AT	AT	Motorcycle All-Terrain
BU	BU	Bus
	C4	Passenger Vehicle Coupe 4-Door
CB	CB	Truck Chassis and Cab
CB	CB	Passenger Vehicle Cab & Chassis (Luv)

V116 VIN Body Type (continued) Attribute Codes

Attribute Codes		
1982-	2010-	
2009	Later	
CC	CC	Truck Conventional Cab
CG	CG	Truck Cargo Van
CH	CH	Truck Crew Chassis
CL	CL	Truck Club Chassis
CM	CM	Truck Concrete or Transit Mixer
CP CP	CP CP	Truck Crew Pickup
CR	CR	Passenger Vehicle Coupe Truck Crane
CS	CS	Truck Super Cab/Chassis Pickup
CU	CU	Truck Custom Pickup
CV	CV	Truck Convertible (Jeep Commando, Suzuki Samurai, Dodge Dakota)
CV	CV	Passenger Vehicle Convertible
CY	CY	Truck Cargo Cutaway
DP	DP	Truck Dump
DS	DS	Truck Tractor Truck (Diesel)
EC	EC	Truck Extended Cargo Van
EN ES	EN ES	Motorcycle Enduro Truck Extended Sport Van
EV	EV	Truck Extended Sport Van Truck Extended Van
EW	EW	Truck Extended Van
FB	FB	Truck Flat-bed or Platform
FC	FC	Truck Forward Control
FT	FT	Truck Fire Truck
GG	GG	Truck Garbage or Refuse
GL	GL	Truck Gliders
GN	GN	Truck Grain
HB	HB	Passenger Vehicle Hatchback Number Doors Unknown
HO	HO	Truck Hopper
HR HT	HR HT	Passenger Vehicle Hearse Passenger Vehicle Hardtop Number Doors Unknown
IC	IC	Truck Incomplete Chassis
ΙΕ	İE	Truck Incomplete Ext Van
	IN	Passenger Vehicle Incomplete Passenger
LB	LB	Passenger Vehicle Liftback
LG	LG	Truck Logger
LL	LL	Truck Suburban & Carry-All
LM	LM	Passenger Vehicle Limousine
 N 41 1	LM	Truck Limousine
MH	MH	Truck Motorized Home
MK MN	MK MM	Motorcycle Mini-Bike Motorcycle Mini Moto Cross
MM	MP	Motorcycle Moped
IVIIVI	1711	Motoroyole Mopeu

V116 VIN Body Type (continued) Attribute Codes

Attribute	Codes	
1982-	2010-	
2009	Later	
MP	MP	Truck Multipurpose
MR	MR	Motorcycle Mini Road/Trail
MS	MS	Motorcycle Motor Scooter
MV	MV	Truck Maxi-Van
	MW	Truck Maxi Wagon
MX	MX	Motorcycle Moto Cross
MY	MY	Truck Motorized Cutaway
MY	MY	Motorcycle Mini-Cycle
NB	NB	Passenger Vehicle Notchback
	P2	Passenger Vehicle 2-Passenger Low Speed
 DC	P2	Passenger Vehicle 4-Passenger Low Speed
PC PD	PC PD	Truck Club Cab Pickup
PK	PK	Truck Parcel Delivery Truck Pickup
PK	PK	Passenger Vehicle Pickup, Truck Commonly Registered Passengers
PM	PM	Truck Pickup with Camper Mounted on Bed
PN	PN	Truck Panel
PS	PS	Truck Super Cab Pickup
RC	RC	Motorcycle Racer
PN	PN	Passenger Vehicle Panel, Truck Commonly Registered as Passengers
RD	RD	Truck Roadster (Jeep, Jeep Commando)
RD	RD	Passenger Vehicle Roadster
RS	RS	Motorcycle Road/Street
RT	RT	Motorcycle Road/Trail
S1	S1	Truck One-Seat
S2	S2	Truck Two-Seat
SB	SB	Passenger Vehicle Sport Hatchback
SC	SC	Passenger Vehicle Sport Coupe
SD	SD	Passenger Vehicle Sedan, number doors unknown
SN SP	SN SP	Truck Step Van
ST	ST	Truck Sport Pickup Truck Stake or Rack
SV	SV	Truck Sports Van
SV	SV	Passenger Vehicle Sport Van
SW	SW	Passenger Vehicle Station Wagon
SW	SW	Truck Station Wagon (Jeep Wagoneer, etc.)
T	T	Motorcycle Dirt
TB	TB	Truck Tilt Cab
TL	TL	Truck Tilt Tandem
TL	TL	Motorcycle Trail/Dirt
TM	TM	Truck Tandem
TN	TN	Truck Tank

V116 VIN Body Type (continued)

Attribute Codes

1982- 2009	2010- Later	
TR	TR	Motorcycle Trails
TR	TR	Truck Tractor (Gasoline)
UT	UT	Passenger Vehicle Utility, truck commonly registered as passenger
UT	UT	Truck Utility (Blazer, Jimmy, Scout, etc.)
VC	VC	Truck Van Camper
VD	VD	Truck Display Van
VN	VN	Truck Van
VT	VT	Truck Vanette (Includes Metro and Handy Van)
VW	VW	Truck Window Van
WK	WK	Truck Tow Truck Wrecker
WW	WW	Truck Wide Wheel Wagon
WW	WW	Passenger Vehicle Wide-Wheel Wagon
XT	XT	Truck Travel-all
YY	YY	Truck Cutaway
99	99	Unknown

VIN Length (discontinued)

Definition: This data element identifies the actual length of the VIN for this vehicle.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V125, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Parkwork data file as PVIN_LNGT.

SAS Name: VIN_LNGT

Attribute Codes

1981-2012

1-17 Actual Value

99 Unknown VIN Length

VIN Make (discontinued)

Definition: This data element identifies the National Crime Information Center (NCIC) Standard Make Abbreviation for this vehicle.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers. For a listing of these codes please refer to the Polk VINtelligence Manual.

This data element, formerly V114, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PVINMAKE.

SAS Name: VINMAKE

Attribute Codes

2010-2012

xxxx 4-Character Make Abbreviation

VIN Model (discontinued)

Definition: This data element identifies the VIN model for this vehicle obtained from the VINA program.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers. For a listing of these codes please refer to the Polk VINtelligence Manual.

If one needs to select cars based on make and model the data element of choice is VINA_MOD rather than MAK MOD.

The VINA_MOD is only unique within the vehicle make. That is, different makes of vehicles can have the same VINA_MOD. To ensure that the correct vehicle is selected the data element MAKE or VIN_MAKE (available 2010 and later) must be used in conjunction with VINA_MOD. The data elements VINA_MOD, MAKE and VINMAKE are in the Vehicle data file and the Person data file.

This data element, formerly V115, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PVINA MOD.

SAS Name: VINA MOD

Attribute Codes

1975-2012

xxx 3-Character Model (Series) Abbreviation

VIN Model Year (discontinued)

Definition: This data element identifies the model year of this vehicle.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V117, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PVINMODYR.

SAS Name: VINMODYR

Attribute Codes

2010-2012

xx 2-Digit Model Year

VIN Truck Series (discontinued)

Definition: This data element identifies the model (series) of this truck.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers. For a listing of these codes please refer to the Polk VINtelligence Manual.

This data element, formerly V122, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PSER_TR.

SAS Name: SER_TR

Attribute Codes

1975-2012

xxx 3-Character Model (Series) Abbreviation

VIN Vehicle Type (discontinued)

Definition: This data element identifies the basic vehicle type of his vehicle from the VINA program.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V113, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PVINTYPE.

SAS Name: VINTYPE

Attribute Codes

2010-2012

P Passenger Vehicle

T Truck

M Motorcycle

U Unknown

Wheelbase Short (discontinued)

Definition: This data element identifies the shortest wheelbase respectively for the manufactured model of this vehicle.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V119, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PWHLBS_SH.

SAS Name: WHLBS SH

Attribute Codes

1975-2012

0000 Value Not Available from the VINA Program

1-9998 Actual Value (in) 9999 Value Not Coded

Wheelbase Long (discontinued)

Definition: This data element identifies the longest wheelbase respectively for the manufactured model of this vehicle.

Additional Information: This data element is derived by the VINA analysis system scanning the VIN for vehicles of model year 1966 and later that have verifiable VIN numbers.

This data element, formerly V120, was discontinued in 2013. See the Vindecode data file for VIN decoded data elements. Prior to 2013, this data element also appeared in the Person data file and in the Parkwork data file as PWHLBS_LG.

SAS Name: WHLBS_LG

Attribute Codes

1975-2012

0000 Value Not Available from the VINA Program

1-9998 Actual Value (in) 9999 Value Not Coded

The PERSON Data File

The Person data file includes motorist and non-motorist data. It contains the data elements ST_CASE, STATE, VEH_NO, and PER_NO, which are described in the beginning of the Data Element Definitions and Codes section. The Person data file also contains the data elements on the following pages.

ST_CASE, VEH_NO, and PER_NO are the unique identifiers for each record. ST_CASE should be used to merge the Person data file with the Accident data file for a set of all motorists and non-motorists. ST_CASE and VEH_NO should be used to merge the Person data file with the Vehicle and Parkwork data files for a set of all motor vehicle occupants. ST_CASE and PER_NO should be used to merge the Person data file with non-motorist person-level data files.

In the Person data file, motor vehicle occupants are PER_TYPE = 1, 2, 3, 9. Motor vehicle occupants have assigned vehicle numbers starting with 1. When PER_TYPE = 3, the occupied vehicle will be found in the PARKWORK data file. Non-motor vehicle occupants are PER_TYPE = 4, 5, 6, 7, 8, 10 or 19. VEH_NO = 0 for non-motor vehicle occupants.

P5/NM5 Age

Definition: This data element identifies this person's age at the time of the crash, in years, with respect to their last birthday.

Additional Information:

SAS Name: AGE
Attribute Codes

00 01-96 97 99	Up to One Year Age of the Individual in Years 97 Years Old or Older Unknown		
2009	2010- Later		
000	000	Less than One Year	
001-120	001-120	Age of the Individual in Years	
	998	Not Reported	
999	999	Unknown	

P6/NM6 Sex

Definition: This data element identifies the sex of this person involved in the crash.

Additional Information: From 1975 to 1981, if no information was known about the hit-and-run vehicle and/or driver, then neither the vehicle form nor the driver form were filled out and were not counted in the FARS census. Starting in 1982 both a vehicle and a driver form were filled out and the data were identified as unknown. This is why there were approximately only 20 to 40 drivers with unknown sex listed in the FARS data file from 1975 to 1981 and 700 to 1000 drivers with unknown sex from 1982 on.

On March 22, 1995, a quick review of the 1994 Annual Report File revealed that of the 768 persons in the 1994 data file with unknown sex; over 90 percent were involved in hit-and-run crashes.

SAS Name: SEX
Attribute Codes

1975- 2009	2010- Later	
1	1	Male
2	2	Female
	8	Not Reported
9	9	Unknown

P7/NM7 Person Type

Definition: This data element describes the role of this person involved in the crash.

Additional Information: SAS Name: PER_TYP

Attribute Codes

1975-1981

- 1 Driver
- 2 Passenger
- 3 Non-Motorist: Pedestrian4 Non-Motorist: Pedalcyclist
- 5 Non-Motorist: Occupant of Non-Traffic-Unit Vehicle
- 8 Non-Motorist: Other or Unknown
- 9 Occupant: Unknown Type

1982-1993

- 1 Driver of a Motor Vehicle in Transport
- 2 Passenger of a Motor Vehicle in Transport
- 3 Occupant of a Motor Vehicle Not in Transport
- 4 Occupant of a Non-Motor Vehicle Transport Device (e.g., Horse and Buggy)
- 5 Non-Occupant Pedestrian
- 6 Non-Occupant Bicyclist
- 7 Non-Occupant Other Cyclist
- 8 Non-Occupant Other or Unknown
- 9 Unknown Occupant Type in a Motor Vehicle in Transport

1994- 2009	2010	2011- Later	
01	01	01	Driver of a Motor Vehicle In-Transport
02	02	02	Passenger of a Motor Vehicle In-Transport
03	03	03	Occupant of a Motor Vehicle Not In-Transport
04	04	04	Occupant of a Non-Motor Vehicle Transport Device
05	05	05	Pedestrian
06	06	06	Bicyclist
07	07	07	Other Cyclist
80			Other Pedestrian (Includes Persons on Personal Conveyances, 1994-2006)
80	08	80	Person on Personal Conveyances (Since 2007)
09	09	09	Unknown Occupant Type in a Motor Vehicle In-Transport
10	10	10	Persons In/On Buildings (Since 2007)
19	19	19	Unknown Type of Non-Motorist
	88		Not Reported
99			Unknown

More Information on Person Type

P8/NM8 Injury Severity

Definition: This data element describes the severity of the injury to this person in the crash using the KABCO scale.

Additional Information: It is important to realize that some States do not always collect data on persons who were in a crash but were not injured. If the analysis being performed depends on non-injured occupants -- for example some paired comparisons -- check the data at the State level.

SAS Name: INJ SEV

Attribute Codes

1975- 2012	2013- Later	
0		No Injury (O)
	0	No Apparent Injury (O)
1	1	Possible Injury (C)
2		Non-Incapacitating Evident Injury (B)
	2	Suspected Minor Injury (B)
3		Incapacitating Injury (A)
	3	Suspected Serious Injury (A)
4	4	Fatal Injury (K)
5	5	Injured, Severity Unknown (U) (Since 1978)
6	6	Died Prior to Crash
8	8	Not Reported (2010 Only)
9	9	Unknown

P9 Seating Position

Definition: This data element identifies the location of this person in or on the vehicle.

Additional Information: SAS Name: SEAT POS

Attribute Codes

1975-1981

- 00 Non-Motorist
- 01 Front Seat Left Side (*Driver's Side*)
- 02 Front Seat Middle
- 03 Front Seat Right Side
- 04 Second Seat Left Side (Driver's Side)
- 05 Second Seat Middle
- 06 Second Seat Right Side
- 07 Third Seat Left Side (*Driver's Side*)
- 08 Third Seat Middle
- 09 Third Seat Right Side
- 10 Front Seat Other
- 11 Second Seat Other
- 12 Third Seat Other
- 13 Other Passenger
- 14 Cab Sleeper
- 15 Vehicle Exterior
- 99 Unknown

1982- 2010-2009 Later

- 00 -- Non-Motorist (1982-2004)
- 00 00 Not a Motor Vehicle Occupant (2005-Later)
 11 11 Front Seat Left Side (Driver's Side)
- 12 12 Front Seat Middle
- 13 Front Seat Right Side
- 18 18 Front Seat Other
- 19 19 Front Seat Unknown
- 21 Second Seat Left Side
- 22 Second Seat Middle
- 23 Second Seat Right Side
- 28 Second Seat Other
- 29 Second Seat Unknown
- 31 31 Third Seat Left Side
- 32 32 Third Seat Middle
- 33 Third Seat Right Side
- 38 Third Seat Other
- 39 39 Third Seat Unknown

P9 Seating Position (continued)

Attribute Codes 2010-1982-2009 Later 41 41 Fourth Seat - Left Side 42 42 Fourth Seat - Middle 43 43 Fourth Seat - Right Side Fourth Seat - Other 48 48 49 49 Fourth Seat – Unknown 50 50 Sleeper Section of Cab (Truck) Other Passenger In Enclosed Passenger or Cargo Area 51 [Includes Passengers In 5th Row Of 15-Seat, 5-Row Vans] [Includes Injured Full-Size-Bus Occupants] (2002-2008) Other Passenger in Enclosed Passenger or Cargo Area (Since 2009) 51 51 52 52 Other Passenger in Unenclosed Passenger or Cargo Area Other Passenger in Passenger or Cargo Area, Unknown Whether Or Not 53 53 **Enclosed** 54 54 **Trailing Unit** 55 Riding on Vehicle Exterior 55 Not Reported 98 99 99 Unknown

More Information on Seat Position

P10 Restraint System/Helmet Use

Definition: This data element records the restraint equipment in use by the occupant, or the helmet in use by a motorcyclist, at the time of the crash.

Additional Information: Bicycle helmets are sometimes worn while riding a variety of personal conveyances.

SAS Name: REST_USE

Attribute Codes

- 0 None Used Vehicle Occupant/Not Applicable-Non-Motorist
- 1 Shoulder Belt
- 2 Lap Belt
- 3 Lap and Shoulder Belt
- 4 Child Safety Seat
- 5 Motorcycle Helmet
- 8 Restraint Used Type Unknown or Other Including Other Helmet
- 9 Unknown

1994- 2009	2010- 2012	2013- Later	
00			None Used- Vehicle Occupant; Not Applicable (1994-2004)
00			None Used/Not Applicable - Not a Motor Vehicle Occupant
			(Since 2005)
	00	00	Not Applicable
01	01	01	Shoulder Belt Only Used
02	02	02	Lap Belt Only Used
03	03	03	Lap and Shoulder Belt Used
04			Child Safety Seat (1994-2007)
04			Child Safety Seat/Booster Seat – Type Unknown/Not Reported (Since 2008)
	04	04	Child Restraint Type Unknown
05			Motorcycle Helmet
	05	05	DOT-Compliant Motorcycle Helmet
06			Bicycle Helmet
	07		None Used – Motor Vehicle Occupant
		07	None Used
08	08	08	Restraint Used – Type Unknown
10	10	10	Child Restraint System – Forward Facing (Since 2008)
11	11	11	Child Restraint System – Rear Facing (Since 2008)
12			Booster Seat with Lap/Shoulder Belt Used Properly (Since 2008)
	12	12	Booster Seat
13			Safety Belt Used Improperly
14			Child Safety Seat Used Improperly (1994-2007)
14			Child Safety Seat/Booster Seat Used Improperly (2008-2009)
15			Helmets Used Improperly
	16		Other Helmet
		16	Helmet, Other than DOT-Compliant Motorcycle Helmet

P10 Restraint System/Helmet Use (continued)

1994- 2009	2010- 2012	2013- Later	
	17	17	No Helmet
		19	Helmet, Unknown if DOT-Compliant
		29	Unknown if Helmet Worn
	96	96	Not a Motor Vehicle Occupant
	97	97	Other
	98	98	Not Reported
99	99	99	Unknown

More Information on Restraint Use

P11 Indication of Misuse of Restraint System/Helmet

Definition: This data element indicates any misuse of the restraint system or helmet used by this person.

Additional Information:

SAS Name: REST_MIS

Attribute Codes

2010-Later

- 0 No
- 1 Yes
- 8 Not a Motor Vehicle Occupant

P12 Air Bag Deployed

Definition: This data element records air bag availability and deployment for this person as reported in the case materials.

Additional Information: This data element is designed to collect both air bag availability and deployment for each occupied seat position. Variation in the presentation of the source data on the state crash report forms and the selections coded on the PAR may produce unlikely combinations or missing data. For example:

- 1. If the seat position does not have an air bag at the time of manufacture, but the information on the PAR indicates an air bag was available or deployed, the information on the PAR may have taken precedence.
- If the seat position has an air bag installed at the time of manufacture and the PAR indicates there is no air bag available, then the PAR information may have taken precedence.

SAS Name: AIR BAG

Attribute Codes

1991-1997

- 0 Non-Motorist
- 3 Deployed Air Bag
- 4 Non-Deployed Air Bag
- 9 Unknown or Not Applicable

1998-2008

00 Non-Motorist (Not a Motor Vehicle Occupant, Since 2005)

DEPLOYED (FOR THIS SEAT)

- 01 Deployed Air Bag From Front (1998-2006)
- 01 From Front (Steering Wheel, Dashboard, Since 2007)
- 02 Deployed Air Bag From Side (1998-2006)
- 02 From Side (Door, Seat, Canopy, Since 2007)
- 07 Deployed Air Bag Other Direction (1998-2006)
- 07 From Other Direction (*Knee, Airbelt, etc, Since 2007*)
- 08 Deployed Air Bag Multiple Directions
- 09 Deployed Air Bag Direction Unknown

NOT DEPLOYED (FOR THIS SEAT)

- 20 Air Bag Available but Not Deployed for This Seat
- 28 Air Bag Available and Switched Off

UNKNOWN IF DEPLOYED

29 Air Bag Available, Deployment Not Known for This Seat

NOT AVAILABLE

- 30 Air Bag Not Available for This Seat
- 31 Air Bag Previously Deployed and Not Replaced
- 32 Air Bag Disabled or Removed
- 99 Unknown (If Airbag Available)

P12 Air Bag Deployed (continued)

Attribute Codes

2010-2009 Later 00 Not a Motor Vehicle Occupant/Not Applicable 00 Not Applicable Deployed: Front 01 01 Deployed: Side (Door, Seatback) 02 02 Deployed: Curtain (Roof) 03 03 07 07 Deployed: Other (Knee, Air Belt, etc.) Deployed: Combination 80 80 Deployed: Unknown Location 09 09 20 20 Not Deployed Switched Off 28 28 97 Not a Motor Vehicle Occupant --98 Not Reported Deployment Unknown 99 99

P13 Ejection

Definition: This data element describes the ejection status and degree of ejection for this person, excluding motorcycle occupants.

Additional Information: In the mid 1970's there were a large number of people coded as ejection unknown and a corresponding small number of people coded as not ejected. However, the totally ejected and partially ejected counts are the same magnitude as in later years.

Starting in 2011, "Not Applicable" includes people not in motor vehicles (i.e., pedestrians, bicyclists, etc.)

SAS Name: EJECTION

Attribute Codes

1975-2006

- 0 Not Ejected or Not Applicable
- 1 Totally Ejected
- 2 Partially Ejected
- 9 Unknown

2007- 2009	2010- Later	
0	0	Not Ejected
1	1	Totally Ejected
2	2	Partially Ejected
3	3	Ejected – Unknown Degree (Since 2008)
	7	Not Reported
8	8	Not Applicable
9		Unknown (2007-2008)
9	9	Unknown if Ejected (Since 2009)

More Information on Ejection

P14 Ejection Path

Definition: This data element identifies the path by which this person was ejected from the vehicle.

Additional Information:

SAS Name: EJ_PATH

1991- 2014	2015- Later	
0		Not Ejected/Not Applicable
	0	Ejection Path Not Applicable
1	1	Through Side Door Opening (All Side Doors)
2	2	Through Side Window (All Side Windows, Bus Side Windows)
3	3	Through Windshield (Front Windshield Only)
4	4	Through Back Window (Standard Rear Window, Back Window of Bronco, Van)
5	5	Through Back Door/Tailgate Opening (Station Wagon Tailgate, Back Door of Truck, Back Door of Bronco, Van)
6	6	Through Roof Opening (Sun Roof, Convertible Top Down, T-Top, Targa Top)
7	7	Through Roof (Convertible Top Up)
8	8	Other Path (e.g., Back of Pickup Truck, Torn-Off Roof, Car Cut in Half)
9		Unknown/Unknown Path
	9	Ejection Path Unknown

P15 Extrication

Definition: This data element identifies if equipment or other force was used to remove this person from the vehicle.

Additional Information: In Massachusetts, if an occupant is not injured, data for Protection system use and ejection are not coded on the PAR.

From 1975 to 1976 the EXTRICAT and EJECTION data elements were combined in a single field. The data files were changed in 1977 to the current format. In 1975 and 1976 there are fewer persons identified as not extricated than in later years. Both the count of extricated persons and unknowns seem high for these years. From 1977 to 1981 there was not an edit check to prevent one coding an occupant as being both ejected and extricated. There are 69, 48, 83, 98, and 88 persons coded as both totally ejected and extricated in the 1977, 1978, 1979, 1980, and 1981 respectively.

SAS Name: EXTRICAT

Attribute Codes

1975-Later

- 0 Not Extricated/Not Applicable
- 1 Extricated
- 9 Unknown

P16/NM15 Police Reported Alcohol Involvement

Definition: This data element records whether alcohol was involved for this person and reflects the judgment of law enforcement.

Additional Information: This data element does not indicate that alcohol was a cause of the crash. If a PAR indicates that opened or unopened alcohol bottles were found in the vehicle, then this information does not by itself constitute involvement.

SAS Name: DRINKING

Attribute Codes

1975-Later

- 0 No (Alcohol Not Involved)
- 1 Yes (Alcohol Involved)
- 8 Not Reported
- 9 Unknown (Police Reported)

More Information on Alcohol

P17/NM16 Method of Alcohol Determination by Police

Definition: This data element describes the method by which the police made the determination as to whether alcohol was involved for this person.

Additional Information: 1975 to 1979 data on the type of blood alcohol test were collected, but this data has since been removed from the analysis data files.

SAS Name: ALC DET

Attribute Codes

1987-Later

- 1 Evidential Test (Breath, Blood, Urine)
- 2 Preliminary Breath Test (PBT)
- 3 Behavioral
- 4 Passive Alcohol Sensor (PAS)
- 5 Observed
- 8 Other (e.g., Saliva Test)
- 9 Not Reported

P18/NM17 Alcohol Test

P18A/NM17A Alcohol Test Status

Definition: This data element identifies whether an alcohol test was given to this person.

Additional Information:

SAS Name: ALC_STATUS

2009	2010- Later	
0	0	Test Not Given
1	1	Test Refused
2	2	Test Given
	8	Not Reported
9		Unknown if Tested/Not Reported
	9	Unknown if Tested

P18B/NM17B Alcohol Test Type

Definition: This data element identifies the type of alcohol test that was given to this person.

Additional Information: SAS Name: ATST_TYP

Attribute Codes

1998-2003

- 0 Not Tested for Alcohol
- 1 Whole Blood
- 2 Breath "BAC"
- 3 Urine
- 4 Vitreous
- 5 Blood Plasma/Serum
- 6 Blood Clot
- 7 Liver
- 8 Other Test Type
- 9 Unknown/Not Reported (Since 2001)

2004- 2009	2010- 2014	2015- Later	
00	00	00	Not Tested for Alcohol
01	01	01	Blood Test
02	02		Breathalyzer "BAC"
		02	Breath Test (AC)
03	03	03	Urine
04	04	04	Vitreous
05	05	05	Blood Plasma/Serum
06	06	06	Blood Clot
07	07	07	Liver
80	80	80	Other Test Type
09			Unknown/Not Reported
10	10	10	Preliminary Breath Test (PBT)
	95	95	Not Reported
98			Positive Reading with No Actual Value (2006-2008)
98	98	98	Unknown Test Type (Since 2009)
99			Unknown if Tested/Not Reported (2009 Only)
	99	99	Unknown if Tested

P18C/NM17C Alcohol Test Result

Definition: This data element identifies the alcohol test result for this person.

Additional Information: A value of 10 is a BAC of .10. The decimal is implied before first digit.

The BAC is expressed in grams per deciliter or a clinical evaluation of the same.

SAS Name: TEST_RES *1975-1990*

ALC_RES 1991-Later

Attribute Codes

1975-1990

00-94	Actual Value of BAC Test
95	Test Refused
96	None Given
97	AC Test Performed, Results Unknown
99	Unknown

1991- 2009	2010- 2014	2015- Later	
00-93	00-93	000-939	Actual Value of BAC Test
94	94	940	0.94 or Greater (The value should be interpreted as 0.94 or greater, since 1995)
95			Test Refused (1991-2008)
	95	995	Not Reported
96	96	996	None Given
97	97	997	AC Test Performed, Results Unknown
98	98	998	PBT Positive Reading with No Actual Value (Since 2004)
99			Unknown if Tested/Not Reported
	99	999	Unknown if Tested

More Information on Alcohol Test Result

P19/NM18 Police Reported Drug Involvement

Definition: This data element records whether drugs were involved for this person and reflects the judgment of law enforcement.

Additional Information:

SAS Name: DRUGS

Attribute Codes

1991-Later

- 0 No (Drugs Not Involved)
- 1 Yes (Drugs Involved)
- 8 Not Reported
- 9 Unknown (Police Reported)

P20/NM19 Method of Drug Determination by Police

Definition: This data element identifies the method by which the police made the determination as to whether drugs were involved for this person.

Additional Information:

SAS Name: TOXCLGY *1987-1990*

DRUG_DET 1991-Later

Attribute Codes

1987-1990

0 No Blood Test Given

BLOOD TEST GIVEN, RESULTS KNOWN

- 1 No Drugs Reported
- 2 Drugs Reported (Excluding Nicotine, Aspirin)
- 3 Not tested for Drugs

BLOOD TEST GIVEN, RESULTS UNKNOWN

- 7 Test for Drugs, Results, Unknown
- 8 Unknown if Tested for Drugs
- 9 Unknown if Drug Test Given

1991-Later

- 1 Evidential Test (Blood, Urine)
- 2 Drug Recognition Technician (DRT) Determination
- 3 Behavioral
- 7 Other
- 8 Not Reported

P21/NM20 Drug Test

P21A/NM20A Drug Test Status

Definition: This data element identifies whether a drug test was given to this person.

Additional Information: SAS Name: DSTATUS

Attribute Codes

2009	2010- Later	
0	0	Test Not Given
1	1	Test Refused
2	2	Test Given
	8	Not Reported
9		Unknown if Tested/Not Reported
	9	Unknown if Tested

P21B/NM20B Drug Test Type

Definition: This data element identifies the type of drug test that was given to this person.

Additional Information:

SAS Name: DRUGTEST 1991-1992

DRUGTST1, DRUGTST2, DRUGTST3 1993-Later

1991- 1992	1993- 2009	2010- Later	
0	0	0	Test Not Given
1	1	1	Blood Test
2	2	2	Urine Test
	3	3	Both Blood and Urine Tests
		6	Not Reported
7	7	7	Unknown Test Type
8	8	8	Other Test Type
	9		Unknown if Tested/Not Reported
9		9	Unknown if Tested

P21C/NM20C Drug Test Result

Definition: This data element identifies the drug test result for this person.

Additional Information: The FARS analyst may have used any of the three data elements to code a result of a drug test. One must test all three data elements to ensure that the selected result is included. *See Specific Drug Listing in the FARS/NASS GES Coding and Validation Manual.

SAS Name: DRUG_RES 1991-1992

DRUGRES1, DRUGRES2, DRUGRES3 1993-Later

Attribute Codes

1991-1992

- 00 Not Tested for Drugs
- 01 No Drugs Reported
- 02 Narcotic
- 03 Depressant
- 04 Stimulant
- 05 Hallucinogen
- 06 Cannabinol
- 07 Phencyclidine (PCP)
- 08 Inhalant
- 09 Multiple Drugs (From Data elements 02 to 08)
- 10 Other Drugs (All Other Drugs Excluding Nicotine, Aspirin, Alcohol)
- 97 Tested for Drugs, Results Unknown
- 98 Tested for Drugs, Drugs Found, Type Unknown
- 99 Unknown if Tested for Drugs

1993-	2010-	
2009	Later	
000	000	Not Tested for Drugs
001	001	No Drugs Reported/Negative
	095	Not Reported
100-295	100-295	Narcotic*
300-395	300-395	Depressant*
400-495	400-495	Stimulant*
500-595	500-595	Hallucinogen*
600-695	600-695	Cannabinoid*
700-795	700-795	Phencyclidine (PCP) *
800-895	800-895	Anabolic Steroid*
900-995	900-995	Inhalant*
996	996	Other Drugs
997	997	Tested for Drugs, Results Unknown
998	998	Tested for Drugs, Drugs Found, Type Unknown/Positive
999		Unknown if Tested/Not Reported
	999	Unknown if Tested

P22/NM21 Transported to First Treatment Facility

Definition: This data element identifies the mode of transportation to a hospital or medical facility provided for this person.

Additional Information: Prior to 2008 this data element was called "Taken to Hospital or Treatment Facility." From 2008 to 2009 this data element was called "Transported for Treatment by." From 2010 to 2012 this data element was called "Transported to Medical Facility By."

This field exists in the 1975 and 1976 data file, but is not initialized, i.e., it has no values.

SAS Name: HOSPITAL

1977- 2000		2007- 2009	2010- Later	
0	0			No
		0	0	Not Transported
1	1			Yes
		1		Yes, EMS
			1	EMS Air
		2		Yes, Law Enforcement
			2	Law Enforcement
		3		Yes, Other
			3	EMS Unknown Mode
		4		Yes, Transported by Unknown Source
			4	Transported Unknown Source
			5	EMS Ground
			6	Other
7				Died at the Scene (1999-2000)
8				Died En Route (1999-2000)
				Not Reported
9	9	9	9	Unknown

P23/NM22 Died at Scene/En Route

Definition: This data element identifies if this person died at the scene of the crash or en route to a hospital/medical facility.

Additional Information:

SAS Name: DOA
Attribute Codes

2001-Later

- 0 Not Applicable
- 7 Died at Scene
- 8 Died En Route
- 9 Unknown

P24/NM23 Death Date

P24A/NM23A Month of Death

Definition: This data element records the month of this person's death.

Additional Information: SAS Name: DEATH MO

Attribute Codes

1975- 2007	2008- Later	
2007	Later	
00	88	Not Applicable (Non-Fatal)
01	01	January
02	02	February
03	03	March
04	04	April
05	05	May
06	06	June
07	07	July
80	80	August
09	09	September
10	10	October
11	11	November
12	12	December
	99	Unknown (Except 2009)

P24B/NM23B Day of Death

Definition: This data element records the day of the month of this person's death.

Additional Information: SAS Name: DEATH_DA

1975- 2008	2009- Later		
00	88	Not Applicable (Non-Fatal)	
01-31	01-31	Day of the Month of the Death	
99	99	Unknown (Since 2008)	

P24C/NM23C Year of Death

Definition: This data element records the year of this person's death. **Additional Information:** A person can die the year after the crash year.

SAS Name: DEATH_YR

	1998- 2008		
	0000	8888	Not Applicable (Non-Fatal)
XX	XXXX	XXXX	Year of the Death
99	9999	9999	Unknown

P25/NM24 Death Time

Definition: This data element records the hour and minute of this person's death utilizing the 24-hour clock format.

Additional Information: four digits; DEATH_HR followed by DEATH_MN, e.g., Valid Military

Times 0643 for 6:43 a.m. **SAS Name: DEATH TM**

Attribute Codes

1975-	2009-	
2008	Later	
2400	0000	For Midnight
0001-2359	0001-2359	Time of Death in HHMM format
	8888	Not Applicable (Non-Fatal)
9999	9999	Unknown

P25A/NM24A Hour of Death

Definition: This data element records the hour of this person's death utilizing the 24-hour clock format.

Additional Information:

SAS Name: DEATH HR

2000

Attribute Codes

107E

1975- 2008	Later	
00-24	00-23	Valid Military Times
	88	Not Applicable
99	99	Unknown

P25B/NM24B Minute of Death

Definition: This data element records the minutes after the hour of this person's death.

Additional Information: SAS Name: DEATH_MN

1975- 2008	2009- Later	
00-59	00-59	Valid Military Times
	88	Not Applicable
99	99	Unknown

P26/NM25 Related Factors- Person Level

Definition: This data element records factors related to motor vehicle occupants other than drivers and persons not in motor vehicles as expressed by the investigating officer.

Additional Information: There are also crash-level related factors in the Accident data file (CF1, CF2, and CF3), vehicle-level related factors in the Vehicle data file (VEH_SC1 and VEH_SC2), and driver-level related factors, also in the Vehicle data file (DR_SF1, DR_SF2, DR_SF3 and DR_SF4).

Any of the three data elements may have been used to code a related factor. One must test all three data elements to ensure that the selected related factor is included.

Person-related factors for all drivers are coded 00. Person-related factors for non-drivers can have non-zero values as listed below.

For 1975 to 1981, values 02 to 06 correspond to 01 to 05 for the 1982 to 2009 data. Values of 20 and higher correspond directly the same values for 1982 to 2009.

SAS Name: P_CF1, P_CF2, P_CF3 1975-2009

P_SF1, P_SF2, P_SF3 2010-Later

Attribute Codes

1975-1981

- 00 Not Applicable Driver/None All Other Persons
- 01 Physical Impairments
- 02 Not Visible
- 03 Darting or Running into Road
- 04 Improper Crossing of Roadway or Intersection
- Walking/Riding With or Against Traffic, Playing, Working, Sitting, Lying, Standing, etc., in Roadway
- 06 Interfering with Driver (Since 1976)

NON-MOTOR-VEHICLE-OPERATOR-RELATED FACTORS:

- 20 Leaving Vehicle Unattended in Roadway
- 21 Overloading or Improper Loading of Vehicle with Passengers or Cargo
- 22 Towing or Pushing Vehicle Improperly
- 23 Failing to Have Lights on When Required
- 24 Operating Without Required Equipment
- 25 Creating Unlawful Noise or Using Equipment Prohibited by Law
- 26 Following Improperly
- 27 Improper or Erratic Lane-Changing
- 28 Failure to Keep in Proper Lane or Running off Road
- 29 Illegal Driving on Road Shoulder, in Ditch, on Sidewalk, on Median
- 30 Making Improper Entry to or Exit from Trafficway

Attribute Codes

1975-1981

- Passing Where Prohibited by Posted Signs, Pavement Markings, Hill, or Curve, or School Bus Displaying Warning Not to Pass
- 34 Passing on Wrong Side
- Passing with Insufficient Distance or Inadequate Visibility or Failing to Yield to Overtaking Vehicle
- 36 Operating the Vehicle in Other Erratic, Reckless, Careless or Negligent Manner
- 38 Failure to Yield Right of Way
- Failure to Obey Traffic Signs, Traffic Control Devices or Traffic Officers, Failure to Observe Safety Zone
- 40 Passing Through or Around Barrier Positioned to Prohibit or Channel Traffic
- 41 Failure to Observe Warnings or Instructions on Vehicles Displaying Them
- 42 Failure to Signal Intentions
- 43 Giving Wrong Signal
- 44 Driving Too Fast for Conditions or in Excess of Posted Speed Limit
- 45 Driving Less Than Posted Maximum
- 46 Operating at Erratic or Suddenly Changing Speeds
- 47 Making Right Turn from Left Turn Lane or Making Left Turn from Right Turn Lane
- 48 Making Improper Turn
- 49 Driving Wrong Way on One-Way Roadway
- 50 Driving on Wrong Side of Road
- 51 Operator Inexperience
- 52 Unfamiliar with Roadway
- 99 Unknown

1982- 2009	2010- 2014	2015- Later	
00	00	00	None/Not Applicable-Driver
01			Not Visible
02			Darting, Running or Stumbling (Since 1995) Into Roadway
03			Improper Crossing or Roadway or Intersection
04			Walking/Riding With or Against Traffic, Playing, Working, Sitting,
			Lying, Standing Etc. In Roadway
05	05	05	Interfering With Driver*
06			III, Passed Out (Since 1995)/Blackout
07			Emotional (e.g., Depression, Angry, Disputed)
80	80	08	Mentally Challenged (Since 1995)
09	09	09	Construction/Maintenance/Utility Worker (Since 1995) Highway
			Department, Contractor, Utility Company Personnel, etc.
10			Inattentive
11			Walking With Cane or Crutches
12			Restricted to Wheelchair
13			Paraplegic (1982-1994)
13	13	13	Motorized Wheelchair Rider**

Attribute	Codes		
1982- 2009	2010- 2014	2015- Later	
14			Impaired Due to Previous Injury
15			Deaf (1982-1994)
15			Under the Influence of Alcohol, Drugs, or Medication (Since 2008)
16			Blind
17			Other Physical Impairment
18	18		Mother of Dead Fetus (1982-2010)
	18	18	Mother of Dead Fetus/Mother of Infant Born Post Crash (Since 2011)
19			Pedestrian
NON-	-MOTOF	R-VEHICL	E-OPERATOR-RELATED FACTORS:
20			Leaving Vehicle Unattended in Roadway (1982-1994)
20			Running off Road (2000-2001)
21	21	21	Overloading or Improper Loading of Vehicle with Passengers or Cargo
22			Towing or Pushing Vehicle Improperly (1982-2003)
23			Failing to [Dim Lights or, Since 1995] Have Lights on When Required
24			Operating Without Required Equipment
25			Creating Unlawful Noise or Using Equipment Prohibited by Law (1982-2002)
26	26	26	Following Improperly
27			Improper or Erratic Lane Changing
28			Failure to Keep in Proper Lane or Running off Road (1982-1999)*
28	28		Failure to Keep in Proper Lane (Since 2000)*
		28	Improper Lane Usage*
29	29		Illegal Driving on Road Shoulder, in Ditch, on Sidewalk, on Median*
		29	Intentional Illegal Driving on Road Shoulder, in Ditch, on Sidewalk, on Median*
30			Making Improper Entry to or Exit from Trafficway
32	32	32	Opening Vehicle Closure into Moving Traffic or While Vehicle is in
			Motion (Since 2001)*
33	33		Passing where Prohibited by Posted Signs, Pavement Markings, Hill
			or Curve, or School Bus Displaying Warning not to Pass Line*
		33	Passing where Prohibited by Posted Signs, Pavement Markings, or
			School Bus Displaying Warning not to Pass*
34			Passing on Wrong Side
35			Passing with Insufficient Distance or Inadequate Visibility or Failing
00			to Yield to Overtaking Vehicle
36			Operating the Vehicle in Other Erratic, Reckless, Careless or Negligent Manner (or Operating at Erratic or Suddenly Changing
27	27	27	Speeds, Since 1995) Traveling on Prohibited Trafficulary (Since 1995)
37 38	37	37	Traveling on Prohibited Trafficway (Since 1995)
38			Failure to Yield Right of Way

Attribute	Codes		
1982- 2009	2010- 2014	2015- Later	
39			Failure to Obey Actual Traffic Signs, Traffic Control Devices or Traffic Officers; Failure to Obey Safety Zone Traffic Laws
40	40	40	Passing Through or Around Barrier Positioned to Prohibit or Channel Traffic
41	41	41	Failure to Observe Warnings or Instructions on Vehicles Displaying Them
42	42	42	Failure to Signal Intentions
43			Giving Wrong Signal (1982-1996)
44	44	44	Driving Too Fast for Conditions or in Excess of Posted Maximum*
45	45	45	Driving Less Than Posted Maximum*
46			Operating at Erratic or Suddenly Changing Speeds (1982-1996)
47	47	47	Making Right Turn From Left-Turn Lane, Left Turn from Right-Turn Lane*
48			Making Other Improper Turn
49			Driving Wrong Way on One-Way Trafficway
50			Driving on Wrong Side of Road (Intentional or Unintentional, Since 1995)
51	51	51	Operator Inexperience
52	52	52	Unfamiliar with Roadway
53			Stopping in Roadway (Vehicle Not Abandoned)
54			Underriding a Parked Truck (1982-1996)
55			Getting Off/Out of or On/Into Moving Transport Vehicle
56			Getting Off/Out of or On/Into Non-Moving Transport Vehicle (1982-2001)
56	56	56	Non-Driver Flees Scene (Since 2005)
57	57	57	Improper Tire Pressure (Since 1995)
58	58		Locked Wheel (Since 1995)
59	59	59	Overcorrecting (Since 1995)*
		CURED B	Y
60	60	60	Rain, Snow, Fog, Smoke, Sand, Dust
61	61	61	Reflected Glare, Bright Sunlight, Headlights
62	62	62	Curve, Hill, or Other Design Features (Including Traffic Signs, Embankment)
63	63	63	Building, Billboard, Other Structures (Since 1995)
64	64	64	Trees, Crops, Vegetation
65	65	65	Motor Vehicle (Including Load)
66	66	66	Parked Vehicle
67	67	67	Splash or Spray or Passing Vehicle
68	68	68	Inadequate Lighting System
69	69	69	Obstructing Angles on Vehicle
70	70	70	Mirrors
71			Mirrors-Other(1982-2002)
72	72	72	Other Visual Obstruction

Attribute Codes 1982- 2010- 2015-2009 2014 Later SKIDDING. SWERVING. OR SLIDING DUE TO 73 73 73 Severe Crosswind 74 74 74 Wind From Passing Truck 75 75 75 Slippery or Loose Surface Tire Blow-Out or Flat 76 76 76 77 77 77 Debris or Objects in Road OTHER FACTORS 78 78 78 Ruts, Holes, Bumps in Road 79 Live Animals in Road 80 80 80 Vehicle in Road 81 81 Phantom Vehicle 81 Pedestrian, Pedalcyclist, or Other Non-Motorist 82 --82 Pedestrian, Pedalcyclist, or Persons on Personal Conveyances 82 --Ice, Snow, Slush, Water, Sand, Dirt, Oil, Wet Leaves on Road 83 83 83 (Since 1995) Jay Walk (1982-1994) 84 ----85 --Jog (1982-1994) --86 86 86 Emergency Services Personnel (Since 2007) Police or Law Enforcement Officer (Since 2002) 87 87 87 Seat Back Not in Normal Upright Position, Seat Back Reclined 88 88 88 (Since 2002)* 89 89 Parked Motor Vehicle With Equipment Extending into the Travel Lane (Since 2013)* Non-Motorist Pushing a Vehicle** 90 90 90 Portable Electronic Devices (Since 2008) 91 91 91 92 92 Person in Ambulance Treatment Compartment (Since 2013)* --99 99 99 Unknown

^{*} Attribute is only applicable to occupants (other than drivers) of motor vehicles.

^{**} Attribute is only applicable to persons not in motor vehicles.

P100 Lag Time

P100A Lag Hours

Definition: This data element records the hours between the time of the crash and this person's time of death.

Additional Information: This is a computed data element.

SAS Name: LAG_HRS

Attribute Codes

1975-	2009-	
2008	Later	
00.04	00 740	

00-24 00-719 Hours 99 999 Unknown

P100B Lag Minutes

Definition: This data element records the minutes, in addition to hours ("Lag Hours"), between the time of the crash and this person's time of death.

Additional Information: This is a computed data element.

SAS Name: LAG MINS

Attribute Codes

1975-Later

00-59 Minutes 99 Unknown

SP2 Fatal Injury at Work

Definition: This data element records whether the death certificate indicated this person was "at work" at the time of the crash.

Additional Information:

SAS Name: WORK_INJ

Attribute Codes

1987-Later

- 0 No (The Injury Was Not At Work)
- 1 Yes (The Injury Was At Work)
- 8 Not Applicable (Not A Fatality)
- 9 Unknown

SP3 Race/Hispanic Origin

SP3A Race

Definition: This data element records the race of this person from the death certificate.

Additional Information: This data element is only coded for fatalities.

SAS Name: RACE
Attribute Codes

-		
	4000	0004

1999- 2000	2001- Later	
00	00	Not A Fatality (Not Applicable)
01	01	White
02	02	Black
03	03	American Indian (Includes Aleuts and Eskimos)
04	04	Chinese
05	05	Japanese
06	06	Hawaiian (Includes Part-Hawaiian)
07	07	Filipino
18	18	Asian Indian
19	19	Other Indian (Includes South and Central America, Since 2000)
28	28	Korean
38	38	Samoan
48	48	Vietnamese
58	58	Guamanian
68	68	Other Asian or Pacific Islander
78		Combined Other Asian Or Pacific Islander, Includes Data elements 18-68 For
		Areas That Do Not Report Them Separately
	78	Asian Or Pacific Islander, No Specific (Individual) Race
97	97	Multiple Races (Individual Races Not Specified; ex., "Mixed", Since 2000)
	98	All Other Races
99	99	Unknown

SP3B Hispanic Origin

Definition: This data element records the Hispanic origin of this person from the death

certificate.

Additional Information: This data element is only coded for fatalities.

SAS Name: HISPANIC

1999- 2000	2001- Later	
00	00	Not A Fatality (Not Applicable)
01	01	Mexican
02	02	Puerto Rican
03	03	Cuban
04	04	Central or South American
05		Other or Unknown Hispanic (1999 Only)
05	05	European Spanish (Since 2000)
06		Hispanic, Origin Not Specified (1999 Only)
06		Other Hispanic Origin (Since 2000)
	06	Hispanic, Origin Not Specified or Other Origin
07	07	Non-Hispanic
99	99	Unknown

NM4 Number of Motor Vehicle Striking Non-Motorist

Definition: This data element identifies the "Vehicle Number" (VEH_NO) of the in-transport vehicle that made contact with this non-motorist.

Additional Information: This data element applies only to non-motorists/non-occupants and reflects the vehicle that made contact with the non-motorist/non-occupant identified by the Person Number (PER_NO).

The number must match the vehicle number of the striking vehicle. This number is similar to VEH_NO, except that the non-motorist/non-occupant was struck by the vehicle, rather than being within the vehicle.

SAS Name: **N_MOT_NO** 1982-2010

STR VEH 2011-Later

1982- 2008	2009- Later	
00	000	Occupant of a Motor Vehicle
01-98	001-998	Vehicle Number of Striking Vehicle
99	999	Unknown

NM10 Non-Motorist Location at Time of Crash

Definition: This data element identifies the attribute which best describes the location of this non-motorist with respect to the roadway at the time of the crash.

Additional Information:

SAS Name: LOCATION

Attribute Codes

1975-1981

- 0 Not Applicable-Vehicle Occupant
- 1 Intersection-In Crosswalk
- 2 Intersection-Sidewalk, Median, Island, Shoulder, Other
- 3 Intersection-On Roadway
- 4 Intersection-Unknown
- 5 Non-Intersection-In Crosswalk
- 6 Non-Intersection-Sidewalk, Median, Island, Shoulder, Other
- 7 Non-Intersection-Bike Path
- 8 Non-Intersection-On Road Shoulder
- 9 Non-Intersection-Outside Trafficway
- 10 Non-Intersection-On Roadway
- 11 Non-Intersection-In Parking Lane (Since 1980)
- 12 Non-Intersection-Unknown
- 99 Unknown

1982-	2010-	2014-	
2009	2013	Later	
0	0	0	Occupant of a Motor Vehicle (Includes Railway Train Occupants Since 2006)
1			Intersection-In Crosswalk
	1		Intersection-In Marked Crosswalk
		1	At Intersection-In Marked Crosswalk
2			Intersection-On Roadway, Not in Crosswalk
	2		Intersection-Unmarked Crosswalk
		2	At Intersection-Unmarked/Unknown If Marked Crosswalk
3			Intersection-On Roadway, Crosswalk Not Available
	3		Intersection-Not in Crosswalk
		3	At Intersection-Not in Crosswalk
4			Intersection-On Roadway, Crosswalk Availability Unknown
5			Intersection-Not on Roadway
9	9		Intersection-Unknown Location
		9	At Intersection-Unknown Location
10			Non-Intersection-In Crosswalk
	10		Non-Intersection-In Marked Crosswalk
		10	Not At Intersection-In Marked Crosswalk
11			Non-Intersection-On Roadway, Not in Crosswalk
	11		Non-Intersection-On Roadway, Not in Marked Crosswalk
		11	Non At Intersection-On Roadway, Not in Marked Crosswalk
12			Non-Intersection-On Roadway, Crosswalk Not Available

NM10 Non-Motorist Location at Time of Crash (continued)

1982- 2009	2010- 2013	2014- Later	
13	13		Non-Intersection-On Roadway, Crosswalk Availability Unknown
		13	Not At Intersection-On Roadway, Crosswalk Availability Unknown
14			Non-Intersection-In Parking Lane
	14	14	Parking Lane/Zone
15			Non-Intersection-On Road Shoulder
16			Non-Intersection-Bike Path
	16	16	Bicycle Lane
17			Non-Intersection-Outside Trafficway
18			Non-Intersection-Other, Not a Roadway
19			Non-Intersection-Unknown
	20	20	Shoulder/Roadside
	21	21	Sidewalk
	22	22	Median/Crossing Island
	23	23	Driveway Access
	24		Shared-Use Path/Trail
		24	Shared-Use Path
	25	25	Non-Trafficway Area
	28	28	Other
	98	98	Not Reported
99	99	99	Unknown Location

Discontinued PERSON Data Elements

Automatic Restraint (discontinued)

Definition: This data element was discontinued after 1990.

Additional Information: SAS Name: AUT_REST

Attribute Codes

1975-1989

- 0 Non-Motorist or Not Applicable
- 1 Automatic Belt in Use
- 2 Automatic Belt Not in Use
- 3 Deployed Air Bag (No Data 1983-1985)
- 4 Non-Deployed Air Bag (No Data 1983-1987)
- 5 Passive Belt (i.e., Passive Belt In Use, 1977-1979)
- 9 Unknown

1990

- 0 Non-Motorist
- 3 Deployed Air Bag
- 4 Non-Deployed Air Bag
- 9 Unknown

Death Certificate Number (discontinued)

Definition: This data element records the sequence number from the death certificate for this person as assigned by the State Vital Statistics or Vital Records Department. This twelve-digit data element is a combination of the four-digit GSA code for the City where the death occurred, the two-digit state number, and the six-digit death certificate number.

Additional Information: .

SAS Name: CERT_NO

Attribute Codes

1991-2014

00000000000 Not Applicable (Not A Fatality) 12 0's

xxxxxxxxxxx Any 12 digits

9997xxxxxxxx No GSA Element for The City

9999xxxxxxxx City Where Death Occurred Cannot Be Found on Death Certificate

99999999999 Unknown

Manual Restraint (discontinued)

Definition: This data element was discontinued after 1990.

Additional Information: SAS Name: MAN_REST

Attribute Codes

1975-1990

- 0 None Used Vehicle Occupant; Not Applicable Non-Motorist
- 1 Shoulder Belt
- 2 Lap Belt
- 3 Lap and Shoulder Belt
- 4 Child Safety Seat
- 5 Motorcycle Helmet
- 8 Restraint Used Type Unknown or Other Including Other Helmet
- 9 Unknown

The PARKWORK Data File

The Parkwork data file includes Vehicle data elements applicable to Parked and Working Vehicles. It contains the data elements ST_CASE, STATE, and VEH_NO, which are described in the beginning of the Data Element Definitions and Codes section. The Parkwork data file also contains the data elements on the following pages.

ST_CASE and VEH_NO are the unique identifiers for each record. ST_CASE should be used to merge the Parkwork data file with the Accident data file. ST_CASE and VEH_NO should be used to merge the Parkwork data file with the Vindecode and Person data files.

The Parkwork data file replaced the Vehnit data file in 2010. The Vehnit data file ran from 2005 to 2009 and its element and attribute history is also provided below.

C4A Number of Motor Vehicles in Transport (MVIT)

Definition: This data element is a count of the number of vehicles in-transport involved in the crash. Legally parked vehicles are not included.

Additional Information: See this data element in the Accident data file section for more information.

SAS Name: **VE_FORMS** 2005-2009

PVE_FORMS 2010-Later

Attribute Codes

2005- 2009-2008 Later

C8 Crash Date

C8A Month of Crash

Definition: This data element records the month in which the crash occurred.

Additional Information: See this data element in the Accident data file section for more

information.

SAS Name: MONTH *2005-2009*

PMONTH 2010-Later

Attribute Codes

2005-Later

- 1 January
- 2 February
- 3 March
- 4 April
- 5 May
- 6 June
- 7 July
- 8 August
- 9 September
- 10 October
- 11 November
- 12 December

C8B Day of Crash

Definition: This data element records the day of the month on which the crash occurred.

Additional Information: See this data element in the Accident data file section for more information.

SAS Name: DAY 2009

PDAY 2010-Later

Attribute Codes

2005-Later

01-31 Day of the Month of the Crash

C9 Crash Time

C9A Hour of Crash

Definition: This data element records the hour at which the crash occurred.

Additional Information: See this data element in the Accident data file section for more

information.

SAS Name: HOUR 2009

PHOUR 2010-Later

Attribute Codes

2005-Later

0-23 Hour 99 Unknown

C9B Minute of Crash

Definition: This data element records the minutes after the hour at which the crash occurred.

Additional Information: See this data element in the Accident data file section for more

information.

SAS Name: MINUTE 2009

PMINUTE 2010-Later

Attribute Codes

2005-Later

0-59 Minute 99 Unknown

C19 First Harmful Event

Definition: This data element describes the first injury or damage producing event of the crash.

Additional Information: See this data element in the Accident data file section for more

information.

SAS Name: HARM_EV *2005-2009*

PHARM_EV 2010-Later

2005- 2009	2010- Later	
01	01	Rollover/Overturn
02	02	Fire/Explosion
03	03	Immersion (or Partial Immersion, Since 2012)
04	04	Gas Inhalation
05	05	Fell/Jumped from Vehicle
06		Injured in Vehicle
	06	Injured in Vehicle (Non-Collision)
07	07	Other Non-Collision
80	80	Pedestrian
09		Pedalcycle
	09	Pedalcyclist
10		Railway Train
	10	Railway Vehicle
11		Animal
	11	Live Animal
12		Motor Vehicle in Transport on Same Roadway
	12	Motor Vehicle in Transport
13		Motor Vehicle in Transport on Other Roadway
14	14	Parked Motor Vehicle (Not In Transport)
15	15	Non-Motorist on Personal Conveyance
16	16	Thrown or Falling Object
17	17	Boulder
18	18	Other Object (Not Fixed)
19	19	Building
20	20	Impact Attenuator/Crash Cushion
21		Bridge Pier or Abutment
	21	Bridge Pier or Support
22		Bridge Parapet End
23		Bridge Rail
	23	Bridge Rail (Includes Parapet)
24	24	Guardrail Face
25	25	Concrete Traffic Barrier
26	26	Other Traffic Barrier
27		Highway/Traffic Sign Post
28		Overhead Sign Support/Sign
29		Luminary/Light Support

Attribute Codes

46

47

48

49

50

51

--

52

53

54

55

55

57

99

46

48

49

50

51

52

53

54

55

57

58 59

72

73

98

99

C18 First Harmful Event (continued)

Traffic Signal Support

Bridge Overhead Structure

Cable Barrier (Since 2008)

Not Reported (2010 Only)

Traffic Sign Support

Snow Bank

Jackknife

Mail Box

Ground

Unknown

Guardrail End

Collision With Snow Bank (2005-2009)

Jackknife (Harmful to This Vehicle)

Another Motor Vehicle in Transport

Ridden Animal or Animal-Drawn Conveyance

2005- 2009	2010- Later	
30		Utility Pole
	30	Utility Pole/Light Support
31	31	Other Post, Other Pole, or Other Support
32	32	Culvert
33	33	Curb
34	34	Ditch
35		Embankment – Earth
	35	Embankment
36		Embankment – Rock, Stone, or Concrete
37		Embankment – Material Type Unknown
38	38	Fence
39	39	Wall
40	40	Fire Hydrant
41	41	Shrubbery
42	42	Tree (Standing Only)
43	43	Other Fixed Object
44		Pavement Surface Irregularity
	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
45		Working Construction, Maintenance or Utility Vehicles
	45	Working Motor Vehicle

Vehicle Occupant Struck or Run Over by Own Vehicle (2005-2009)

Motor Vehicle Struck by Falling/Shifting Cargo or Anything Set in Motion by

Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or Objects

Set-in-Motion from/by Another Motor Vehicle In-Transport

Cargo/Equipment Loss or Shift (Harmful to This Vehicle)

Object Fell From Motor Vehicle In-Transport (Since 2013)

Motor Vehicle in Motion Outside the Trafficway (Since 2008)

Other Not in-Transport Motor Vehicle (2005-2007)

C20 Manner of Collision

Definition: This data element describes the orientation of two motor vehicles in-transport when they are involved in the "First Harmful Event" of a collision crash. If the "First Harmful Event" is not a collision between two motor vehicles in-transport it is classified as such.

Additional Information: See this data element in the Accident data file section for more information.

SAS Name: MAN_COLL 2005-2009
PMAN_COLL 2010-Later

Attribute Codes

2005- 2009	2010- Later	
0	0	Not Collision with Motor Vehicle in Transport (Not Necessarily in Transport for 2005-2009)
1	1	Front-to-Rear
2	2	Front-to-Front
3		Angle – Front-to-Side, Same Direction
4		Angle – Front-to-Side, Opposite Direction
5		Angle – Front-to-Side, Right Angle (Includes Broadside)
6		Angle – Front-to-Side/Angle-Direction Not Specified
	6	Angle
7	7	Sideswipe – Same Direction
8	8	Sideswipe – Opposite Direction
9	9	Rear-to-Side
10	10	Rear-to-Rear
11	11	Other (End-Swipes and Others)
	98	Not Reported
99	99	Unknown

More Information on Manner of Collision

V4 Number of Occupants

Definition: This data element is a count of the number of occupants in this vehicle.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: OCUPANTS 2005-2008

NUMOCCS 2009

PNUMOCCS 2010-Later

Attribute Codes

2005-Later

al Number of Occupants in The Vehicle
ore Occupants in The Vehicle
orted
1

V5 Unit Type

Definition: This data element identifies the type of unit that applies to this motor vehicle at the time it became an involved vehicle in the crash and was reported as a unit on the PAR.

Additional Information: This data element also appears in the Vehicle data file as UNITTYPE. The only valid attribute for UNITTYPE is 1 (Motor Vehicle in Transport (*Inside or Outside the Trafficway*)).

SAS Name: UNITTYPE 2005-2009

PTYPE 2010-Later

Attribute Codes

2005-Later

- 2 Motor Vehicle Not in Transport Within the Trafficway
- 3 Motor Vehicle Not in Transport Outside the Trafficway
- 4 Working Motor Vehicle (Highway Construction, Maintenance, Utility Only)

V6 Hit and Run

Definition: This data element identifies whether this vehicle was a contact vehicle in the crash that did not stop to render aid (this can include drivers who flee the scene on foot). Hit and run is coded when a motor vehicle in-transport, or its driver, departs from the scene; vehicles not intransport are excluded. It does not matter whether the hit-and-run vehicle was striking or struck.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: HIT_RUN *2005-2009*

PHIT RUN 2010-Later

2005- 2008	2009	2010- 2011	2012- Later	
0	0	0	0	No / No Hit-and-Run
1				Hit Motor Vehicle in Transport
	1	1	1	Yes
2				Hit Pedestrian or Non-Motorist
3				Hit Parked Vehicle (Working Vehicle, Since 2004) or Object
5				Other Involved Person, not a driver, left Scene (2005-2006)
5				Hit-and-Run, Other Involved Person Left Scene (2007-2008)
		8		Not Reported
	9	9	9	Unknown

V7 Registration State

Definition: This element identifies the state in which this vehicle was registered.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: REG_STAT 2005-2009

PREG_STAT 2010-Later

Attribute Codes

2005-Later

01 Alabama30 Montana02 Alaska31 Nebraska03 American Samoa32 Nevada

5 American Samoa 52 Nevada

04 Arizona33 New Hampshire05 Arkansas34 New Jersey06 California35 New Mexico08 Colorado36 New York09 Connecticut37 North Carolina10 Delaware38 North Dakota

11 District of Columbia12 Florida39 Ohio40 Oklahoma

13 Georgia 41 Oregon
14 Guam 42 Pennsylvania
15 Hawaii 43 Puerto Rico
16 Idaho 44 Rhode Island
17 Illinois 45 South Carolina
18 Indiana 46 South Dakota

19 Iowa 47 Tennessee
20 Kansas 48 Texas

21 Kentucky 49 Utah
22 Louisiana 50 Vermont
23 Maine 51 Virginia

24 Maryland25 Massachusetts52 Virgin Islands53 Washington

26 Michigan 54 West Virginia

27 Minnesota 55 Wisconsin

28 Mississippi 56 Wyoming 29 Missouri

V7 Registration State (continued)

Attribute Codes

2010-Later

- 00 Not Applicable
- 91 Not Reported
- 92 No Registration
- 93 Multiple State Registrations
- 94 U.S. Government Tags (Includes Military)
- 95 Canada
- 96 Mexico
- 97 Other Foreign Country
- 98 Other Registration (Includes Native American Indian Nations)
- 99 Unknown

V8 Registered Vehicle Owner

Definition: This data element identifies the type of registered owner of the vehicle.

Additional Information:

SAS Name: OWNER 2005-2009

POWNER 2010-Later

2005- 2007	2008- Later	
0	0	Not Applicable, Vehicle Not Registered
1	1	Driver (of This Vehicle) Was Registered Owner
2	2	Driver (of This Vehicle) Not Registered Owner (Other Private Owner)
3	3	Vehicle Registered as Business/Company/Government Vehicle
4	4	Vehicle Registered as Rental Vehicle
5	5	Vehicle Was Stolen (Reported By Police)
6		Driverless Vehicle
	6	Driverless/Motor Vehicle Parked/Stopped Off Roadway
9	9	Unknown

V9 Vehicle Make

Definition: This data element identifies the make (manufacturer) of this vehicle.

Additional Information:

SAS Name: **MAKE** 2005-2009

PMAKE 2010-Later

Attribute Codes

2005-Later

```
01 American Motors
```

- 02 Jeep/Kaiser-Jeep/Willys Jeep
- 03 AM General
- 06 Chrysler
- 07 Dodge
- 08 Imperial
- 09 Plymouth
- 10 Eagle
- 12 Ford
- 13 Lincoln
- 14 Mercury
- 18 Buick/Opel
- 19 Cadillac
- 20 Chevrolet
- 21 Oldsmobile
- 22 Pontiac
- 23 GMC
- 24 Saturn
- 25 Grumman
- 26 Coda (Since 2013)
- 29 Other Domestic

Avanti

Checker

DeSoto

Excalibur

Hudson

Packard

Panoz

Saleen

Studebaker

Stutz

Tesla (Since 2014)

- 30 Volkswagen
- 31 Alfa Romeo
- 32 Audi
- 33 Austin/Austin Healey

V9 Vehicle Make (continued)

Attribute Codes

2005-Later

- 34 BMW
- 35 Datsun/Nissan
- 36 Fiat
- 37 Honda
- 38 Isuzu
- 39 Jaguar
- 40 Lancia
- 41 Mazda
- 42 Mercedes-Benz
- 43 MG
- 44 Peugeot
- 45 Porsche
- 46 Renault
- 47 Saab
- 48 Subaru
- 49 Toyota
- 50 Triumph
- 51 Volvo
- 52 Mitsubishi
- 53 Suzuki
- 54 Acura
- 55 Hyundai
- 56 Merkur
- 57 Yugo
- 58 Infiniti
- 59 Lexus
- 60 Daihatsu
- 61 Sterling
- 62 Land Rover
- 63 Kia
- 64 Daewoo
- 65 Smart (Since 2010)
- 66 Mahindra *(2011-2013)*
- 67 Scion (Since 2012)
- 69 Other Imports

Aston Martin

Bentley

Bertone

Bricklin

Bugatti

Caterham

Citroen

DeLorean

Desta

V9 Vehicle Make (continued)

Attribute Codes

```
2005-Later
69
      Other Imports (continued)
           Ferrari
           Fisker
           Gazelle
           Hillman
           Jensen
           Koenigsegg
           Lada
           Lamborghini
           Lotus
           Mahindra (Since 2013)
           Maserati
           Maybach
           McLaren
           Mini Cooper
           Morgan
           Morris
           Reliant (British)
           Rolls-Royce
           Simca
           Singer
           Spyker
           Sunbeam
           TVR
      BSA
70
71
      Ducati
72
      Harley-Davidson
73
      Kawasaki
      Moto Guzzi
74
75
      Norton
76
      Yamaha
77
      Victory
      Other Make Moped (Since 2010)
78
79
      Other Make Motored Cycle (Since 2010)
      Brockway
80
81
      Diamond Reo/Reo
82
      Freightliner
83
      FWD
      International Harvester/Navistar
84
85
      Kenworth
      Mack
86
87
      Peterbilt
```

Iveco/Magirus

White/Autocar, White/GMC

88

89

V9 Vehicle Make (continued)

Attribute Codes

99

```
2005-Later
90
      Bluebird
91
      Eagle Coach
92
      Gillig
93
      MCI
94
      Thomas Built
      Not Reported (Since 2010)
97
98
      Other Make
           Auto-Union-DKW
           Carpenter
           Collins Bus
           DINA
           Divco
           Hino
           Meyers Motors
           Mid Bus
           Neoplan
           Orion
           Oshkosh
           Scania
           Sterling
           Think
           UD
           Van Hool
           Western Star
```

Unknown Make

V10 Vehicle Model

Definition: This data element identifies the model of this vehicle within a given make.

Additional Information:

SAS Name: MODEL *2005-2009*

PMODEL 2010-Later

Attribute Codes

2005-Later

See the current FARS/NASS GES Coding and Validation Manual for vehicle model codes.

V11 Body Type

Definition: This data element identifies a classification of this vehicle based on its general body configuration, size, shape, doors, etc.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: BODY_TYP *2005-2009*

PBODYTYP 2010-Later

2005- 2009	2010- Later	
		Conventible (Evaluates Comment T. Dan)
01	01	Convertible (Excludes Sunroof, T-Bar)
02	02	2-Door Sedan/Hardtop/Coupe
03	03	3-Door/2-Door Hatchback
04	04	4-Door Sedan/Hardtop
05	05	5-Door/4-Door Hatchback
06	06 07	Station Wagon (Excluding Van and Truck-Based)
07	07	Hatchback, Number of Doors Unknown
80	80	Sedan/Hardtop, Number of Doors Unknown
09	09	Other or Unknown Automobile Type
10	10	Auto-Based Pickup
11 12	11 12	Auto-Based Panel (Cargo Station Wagon, Auto-Based Ambulance or Hearse)
		Large Limousine – More Than Four Side Doors or Stretch Chassis
13	13	Three-Wheel Automobile or Automobile Derivative
14 15	14 15	Compact Utility (ANSI D-16 Utility Vehicle Categories "Small" and "Midsize") Large Utility (ANSI D-16 Utility Vehicle Categories "Full Size" and "Large")
16	16	Utility Station Wagon
	17	3-Door Coupe
 19	17	Utility Unknown Body
20	20	Minivan
21	21	Large Van – Includes Van-Based Buses
22	22	Step Van or Walk-In Van
28	28	Other Van Type (Hi-Cube Van)
29	29	Unknown Van Type
30	30	Compact Pickup (Gross Vehicle Weight, GVWR, < 4,500 lbs)
31	31	Standard Pickup (4,500 lbs \Box GVWR < 10,000 lbs)
32	32	Pickup with Slide-In Camper
33	33	Convertible Pickup
39	39	Unknown (Pickup Style) Light Conventional Truck Type
40	40	Cab Chassis-Based (Includes Light Stake, Light Dump, Light Tow, Rescue Vehicles)
41	41	Truck-Based Panel
42	42	Light-Truck-Based Motorhome (Chassis Mounted)
45	45	Other Light Conventional Truck Type (Includes Stretched Suburban Limousine)

V11 Body Type (continued)

Attribute Codes		
2005- 2009	2010- Later	
48	48	Unknown Light-Truck Type (Not a Pickup, 2005-2012)
	48	Unknown Light Truck Type (Since 2013)
49	49	Unknown Light-Vehicle Type (Automobile, Utility Vehicle, Van or Light Truck)
50	50	School Bus
51	51	Cross-Country/Intercity Bus (i.e., Greyhound)
52	52	Transit Bus (City Bus)
	55	Van-Based Bus GVWR > 10,000 lbs. (Since 2011)
58	58	Other Bus Type
59	59	Unknown Bus Type
60	60	Step Van
61	61	Single-Unit Straight Truck (10,000 lbs < GVWR <= 19,500 lbs) (2005-2010)
	61	Single-Unit Straight Truck or Cab-Chassis (10,000 lbs < GVWR <= 19,500 lbs) (Since 2011)
62	62	Single-Unit Straight Truck (19,500 lbs < GVWR <= 26,000 lbs) (2005-2010)
	62	Single-Unit Straight Truck or Cab-Chassis (19,500 lbs < GVWR <= 26,000 lbs) (Since 2011)
63	63	Single-Unit Straight Truck (GVWR > 26,000 lbs) (2005-2010)
	63	Single-Unit Straight Truck or Cab-Chassis (GVWR > 26,000 lbs) (Since 2011)
64		Single-Unit Straight Truck
	64	Single Unit Straight Truck or Cab-Chassis (GVWR Unknown) (Since 2011)
65	65	Medium/Heavy Truck-Based Motorhome
66	66	Truck/Tractor (Cab Only, or with Any Number of Trailing Units: Any Weight)
67	67	Medium/Heavy Pickup (GVWR > 10,000 lbs)
	68	Single-Unit Straight Truck (GVWR Unknown) (2010 Only)
71	71	Unknown if Single-Unit or Combination-Unit Medium Truck (10,000 lbs < GVWR < 26,000 lbs)
72	72	Unknown if Single-Unit or Combination-Unit Heavy Truck (GVWR > 26,000 lbs.)
73	73	Camper or Motorhome, Unknown Truck Type
78	78	Unknown Medium/Heavy Truck Type
79	79	Unknown Truck Type
80	80	Motorcycle
81	81	Moped (Motorized Bicycle)
82	82	Three-Wheel Motorcycle/Moped- Not All-Terrain Vehicle
83	83	Off-Road Motorcycle (2-Wheel)
88		Other Motored Cycle Type (Mini-Bikes, Motor Scooters) (2005-2007)
88	88	Other Motored Cycle Type (Mini-Bikes, Motor Scooters, Pocket Motorcycles, Pocket Bikes) (Since 2008)
89	89	Unknown Motored Cycle Type
90	90	ATV (All-Terrain Vehicle; Includes 3 or 4 Wheels)
91	91	Snowmobile
92	92	Farm Equipment Other Than Trucks
93	93	Construction Equipment Other Than Trucks (Includes Graders)

V11 Body Type (continued)

Attribute Codes 2005-2010-2009 Later --94 Low Speed Vehicle (LSV)/Neighborhood Electric Vehicle (NEV) (Since 2011) 95 Golf Cart (Since 2012) Other Vehicle Type (Includes Go-Cart, Fork-Lift, City Street Sweeper, 97 97 Dune/Swamp Buggy, Golf Cart) 98 Not Reported 99 99 Unknown Body Type

V12 Vehicle Model Year

Definition: This data element identifies the manufacturer's model year of this vehicle.

Additional Information:

SAS Name: MOD_YEAR *2005-2009*

PMODYEAR 2010-Later

Attribute Codes

2005-Later

0000-9997 Actual year of vehicle manufacture

9998 Not Reported 9999 Unknown

V13 Vehicle Identification Number (VIN)

Definition: This data element records the vehicle identification number (VIN) of this vehicle assigned by the vehicle manufacturer. The VIN contains information on the vehicle such as: manufacturer, model year, model, body type, restraint type, etc.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: VIN 2005-2009

PVIN 2010-Later

Attribute Codes

2005-2008	2009	2010-Later	
			First 10 Characters
XXXXXXXXXX	XXXXXXXXXXX	XXXXXXXXXXX	First 12 Characters
	00000000000	00000000000	No VIN Required
		8888888888	Not Reported
		99999999999	Unknown

More Information on Vehicle Identification Number (VIN)

V14 Vehicle Trailing

Definition: This data element identifies whether this vehicle had any attached trailing units or was towing another motor vehicle. A trailing unit can be a horse trailer, fifth wheel trailer, camper, boat, truck trailer, towed vehicle or any other trailer.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: TOW_VEH *2005-2009*

PTRAILER 2010-Later

2005- 2008	2009- Later	
0	0	No Trailing Unit
1	1	Yes, One Trailing Unit
2	2	Yes, Two Trailing Units
3	3	Yes, Three or More Trailing Units
4	4	Yes, Number of Trailing Units Unknown
5		Vehicle Towing another Motor Vehicle
	5	Vehicle Towing another Motor Vehicle – Fixed Linkage
	6	Vehicle Towing another Motor Vehicle – Non-Fixed Linkage
9	9	Unknown

V16 Motor Carrier Identification Number

Definition: This data element records the issuing authority and motor carrier identification number if applicable to this vehicle. This data element is the combination of two data elements, MCARR_I1 and MCARR_I2.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: MCARR_ID 2005-2009

PMCARR_ID 2010-Later

2010- Later	
xxxxxxxxx	11-Character Combination of MCARR_I1 followed by
	MCARR_I2
0000000000	Not Applicable
7777777777	Not Reported
8888888888	None
9999999999	Unknown
	Later xxxxxxxxxx 00000000000 7777777777 8888888888

V16A MCID Issuing Authority

Definition: This data element records the issuing authority if applicable to this vehicle. **Additional Information:** See this data element in the Vehicle data file section for more

information.

SAS Name: MCARR_I1 2007-2009

PMCARR_I1 2010-Later

2007- 2009	2010- Later	
00	00	Not Applicable
01-56	01-56	FARS State Code
57	57	US DOT
58	58	MC/MX (ICC)
	77	Not Reported
88	88	None
95	95	Canada
96	96	Mexico
99	99	Unknown

V16B MCID Identification Number

Definition: This data element records the motor carrier identification number if applicable to this vehicle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: MCARR_I2 2007-2009

PMCARR_I2 2010-Later

Attribute Codes

2007-Later

99999999

Actual 9-Digit Number XXXXXXXX 000000000 Not Applicable Not Reported 77777777 88888888 None Unknown

V17 Gross Vehicle Weight Rating

Definition: This data element identifies the gross vehicle weight rating of this vehicle if applicable.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: **GVWR** 2005-2009

PGVWR 2010-Later

2005- 2009	2010- Later	
0	0	Not Applicable
1	1	10,000 lbs or Less
2	2	10,001 lbs - 26,000 lbs
3	3	26,001 lbs or More
	8	Not Reported
9	9	Unknown

V18 Vehicle Configuration

Definition: This data element identifies the general configuration of this vehicle if applicable.

Additional Information:

SAS Name: V_CONFIG *2005-2009*

PV_CONFIG 2010-Later

2005- 2009	2010- Later	
0		Not Applicable, Not a Medium/Heavy Truck or Bus or Vehicle Displaying a
		Hazardous Material Placard
	0	Not Applicable
1		Single-Unit Truck (2 axles, 6 tires)
	1	Single-Unit Truck (2 axles and GVWR more than 10,000 lbs.)
2	2	Single-Unit Truck (3 or More axles)
3		Single-Unit Truck (Unknown Number of Axles, Tires)
4		Truck/Trailer(s)
	4	Truck Pulling Trailer(s)
5	5	Truck Tractor (Bobtail, i.e., Tractor Only, No Trailer)
6		Tractor/Semi-Trailer (One Trailer)
	6	Tractor/Semi-Trailer
7		Tractor/Doubles (Two Trailers)
	7	Truck Tractor/Double
8		Tractor/Triples (Three Trailers)
	8	Truck Tractor/Triple
	10	Vehicle 10,000 lbs or Less Placarded for Hazardous Materials
19		Medium/Heavy Trucks, Cannot Classify
	19	Truck More than 10,000 lbs., Cannot Classify
20		Bus (Seats for 9-15 Occupants, Including Driver)
	20	Bus/Large Van (Seats for 9-15 Occupants, Including Driver)
21		Bus (Seats for More Than 15 People, Including Driver, 2005-2006)
21		Bus (Seats for 16 or More People, Including Driver, 2007-2009)
	21	Bus (Seats for More Than 15 Occupants, Including Driver, 2010-Later)
70		Light Truck (Van, Mini-Van, Panel, Pickup, Sport Utility Vehicle Displaying a
		Hazardous Material Placard)
80		Passenger Car (Only When Displaying a Hazardous Material Placard)
	98	Not Reported (2010-2012)
	99	Unknown
99		Unknown if Light or Medium/Heavy Truck/Bus

V19 Cargo Body Type

Definition: This data element identifies the primary cargo carrying capability of this vehicle if applicable.

Additional Information:

SAS Name: CARGO_BT 2005-2009
PCARGTYP 2010-Later

2005- 2008	2009- Later	
0		Not Applicable, Not a Medium/Heavy Truck or Bus
U	0	Not Applicable
1	1	Van/Enclosed Box
2	2	Cargo Tank
3	3	Flatbed
4	4	Dump
5	5	Concrete Mixer
6	6	Auto Transporter
7	7	Garbage/Refuse
8	8	Grain, Chips, Gravel
9		Pole
	9	Pole-Trailer
10	10	Log (Since 2007)
11		Intermodal Chassis (2007-2008)
	11	Intermodal Container Chassis
12	12	Vehicle Towing Another Motor Vehicle (Since 2007)
20		Bus (Seats 9-15 People, Including Driver)
21		Bus (Seats More than 15 People, Including Driver, 2005-2006)
21		Bus (Seats for 16 or More People, Including Driver, 2007-2008)
	22	Bus
	28	Not Reported (2010-2012)
96	96	No Cargo Body Type
97		Medium/Heavy Truck, or Bus, Other Cargo Body Type (Not Data elements 01-12, 20-21)
	97	Other
98		Medium/Heavy Truck, or Bus, Unknown Cargo Body Type
	98	Unknown Cargo Body Type
		Unknown Vehicle Type
99		Unknown if Light or Medium/Heavy Truck/Bus
	99	Unknown

V20A/HM1 Hazardous Material Involvement

Definition: This data element identifies whether this vehicle was carrying hazardous materials.

Additional Information:

SAS Name: HAZ_INV *2007-2009*

PHAZ INV 2010-Later

2007-Later

1 No

2 Yes

V20B/HM2 Hazardous Material Placard

Definition: This data element identifies the presence of hazardous materials for this vehicle and whether this vehicle displayed a hazardous materials placard.

Additional Information:

SAS Name: HAZ PLAC *2007-2009*

PHAZPLAC 2010-Later

2007-Later

0 Not Applicable

1 No

2 Yes

8 Not Reported

V20C/HM3 Hazardous Material Identification Number

Definition: This data element identifies the 4-digit hazardous material identification number for this vehicle.

Additional Information:

SAS Name: HAZ ID 2007-2009

PHAZ ID 2010-Later

2007-Later

0000 Not Applicable

xxxx Actual 4-Digit Number

8888 Not Reported

V20D/HM4 Hazardous Material Class Number

Definition: This data element identifies the single-digit hazardous material class number for this vehicle.

Additional Information:

SAS Name: HAZ_CNO *2007-2009*

PHAZ CNO 2010-Later

2007

0 Not Applicable 1-7 or 9 Actual Number 8 Not Reported

2008-Later

0 Not Applicable 1-9 Actual Number 88 Not Reported

V20E/HM5 Release of Hazardous Material from the Cargo Compartment

Definition: This data element identifies whether any hazardous cargo was released from the cargo tank or compartment of this vehicle.

Additional Information:

SAS Name: HAZ_REL 2007-2009

PHAZ_REL 2010-Later

2007-Later

0 Not Applicable

1 No

2 Yes

8 Not Reported

V21 Bus Use

Definition: This data element describes the common type of bus service this vehicle was being used as at the time of the crash or the primary use for the bus if not in service at the time of the crash.

Additional Information:

SAS Name: BUS USE 2005-2009

PBUS_USE 2010-Later

Attribute Codes

2005-2009

- 0 Not Used as a Bus
- 1 Used as a Public School Bus
- 2 Used as a Private School Bus
- 3 Used as a School Bus, Public or Private Unknown
- 4 Used as a Scheduled Service Bus
- 5 Used as a Tour Bus
- 6 Used as a Commuter Bus
- 7 Used as a Shuttle Bus
- 8 Modified for Personal/Private Use
- 9 Unknown Bus Use

2010-Later

- 00 Not a Bus
- 01 School Bus
- 04 Intercity Bus
- 05 Charter/Tour Bus
- 06 Transit/Commuter Bus
- 07 Shuttle Bus
- 08 Modified for Personal/Private Use
- 98 Not Reported
- 99 Unknown

V22 Special Use

Definition: This data element identifies any special use associated with this vehicle at the time of the crash..

Additional Information:

SAS Name: SPEC_USE *2005-2009*

PSP_USE 2010-Later

2005- 2009	2010- 2011	2012	2013- Later	
0	0	0	0	No Special Use
1	1	1	1	Taxi
2	2			Vehicle Used for School Bus
		2	2	Vehicle Used as School Transport
3	3	3	3	Vehicle Used as Other Bus
4	4	4	4	Military
5	5	5	5	Police
6	6	6	6	Ambulance
7	7	7	7	Fire Truck
8	8	8		Emergency Services Vehicle (2009-2012)
			8	Non-Transport Emergency Services Vehicle
			13	Incident Response
	98	98	98	Not Reported
9	99	99	99	Unknown

V23 Emergency Motor Vehicle Use

Definition: This data element identifies whether this vehicle was engaged in emergency use. Emergency Use indicates operation of any motor vehicle that is legally authorized by a government authority to respond to emergencies with or without the use of emergency warning equipment, such as a police vehicle, fire truck or ambulance while actually engaged in such response.

Additional Information: Prior to 2013 this data element was called "Emergency Use."

See this data element in the Vehicle data file section for more information.

SAS Name: **EMER USE** 2005-2009

PEM USE 2010-Later

2005- 2009	2010- 2012	2013	2014- Later	
0	0			No
		0	0	Not Applicable
1	1			Yes
		2	2	Non-Emergency, Non-Transport
		3	3	Non-Emergency Transport
		4	4	Emergency Operation, Emergency Warning Equipment Not In Use
		5	5	Emergency Operation, Emergency Warning Equipment In Use
			6	Emergency Operation, Emergency Warning Equipment In Use Unknown
	8	8	8	Not Reported
	9	9	9	Unknown

V25 Underride/Override

Definition: This data element identifies this vehicle's involvement in an underride or override during the crash.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: UNDERIDE 2005-2009

PUNDERIDE 2010-Later

Attribute Codes

2005-Later

- 0 No Underride or Override (2005-2011)
- 0 No Underride or Override Noted (2012-Later)

WITH MOTOR VEHICLE IN TRANSPORT

- 1 Underride (Compartment Intrusion)
- 2 Underride (No Compartment Intrusion)
- 3 Underride (Compartment Intrusion Unknown)

WITH MOTOR VEHICLE NOT IN TRANSPORT

- 4 Underride (Compartment Intrusion)
- 5 Underride (No Compartment Intrusion)
- 6 Underride (Compartment Intrusion Unknown)
- 7 Override, Motor Vehicle in Transport
- 8 Override, Motor Vehicle Not in Transport
- 9 Unknown if Underride or Override

V28A Initial Contact Point

Definition: This data element identifies the area on this vehicle that produced the first instance of injury to non-motorists or occupants of this vehicle, or that resulted in the first instance of damage to other property or to this vehicle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: IMPACT1 2005-2009

PIMPACT1 2010-Later

Attribute Codes

2005- 2009	2010- 2011	2012	2013- Later	
0	0	0	0	Non-Collision
1-12	1-12	1-12	1-12	Clock points
13	13	13	13	Top
14	14	14	14	Undercarriage
18				This Vehicle Set Something in Motion
				Causing Injury or Damage (Not a Clock Point)
	18			Set-in-Motion (Not a Clock Point)
		18		Set-in-Motion (Not a Clock Value)
			18	Cargo/Vehicle Parts Set-In-Motion
			19	Other Objects Set-In-Motion
	61	61	61	Left
	62			Left-Front Half
		62	62	Left-Front Side
	63			Left-Back Half
		63	63	Left-Back Side
	81	81	81	Right
	82			Right-Front Half
		82	82	Right-Front Side
	83			Right-Back Half
		83	83	Right-Back Side
	98	98	98	Not Reported
99	99	99	99	Unknown

More Information on Impact

V29 Extent of Damage

Definition: This data element records the amount of damage sustained by this vehicle as indicated on the PAR based on an operational damage scale.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: VEH_SEV 2005-2009

PVEH_SEV 2010-Later

Attribute Codes

2005-2008

- 0 None
- 2 Other (Minor)
- 4 Functional (Moderate)
- 6 Disabling (Severe)
- 9 Unknown

2009	2010- Later	
0	0	No Damage
2	2	Minor Damage
4	4	Functional Damage
6	6	Disabling Damage
	8	Not Reported
9	9	Unknown

V30 Vehicle Removal

Definition: This data element describes the mode by which this vehicle left the scene of the crash.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: TOWAWAY 2005-2008

TOWED 2009

PTOWED 2010-Later

2005- 2008	2009	2010- 2012	2013- Later	
1	1	1		Driven Away
2				Towed Away
	2	2	2	Towed Due to Disabling Damage
3				Abandoned/Left Scene
	3	3	3	Towed Not Due to Disabling Damage
	4	4		Abandoned/Left Scene
			5	Not Towed
		8	8	Not Reported
9	9	9	9	Unknown

V32 Most Harmful Event

Definition: This data element describes the event that resulted in the most severe injury or, if no injury, the greatest property damage involving this vehicle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: M_HARM 2005-2009

PM_HARM 2010-Later

Attribute Codes

2005- 2009	2010- 2012	2013- Later	
01	01	01	Rollover/Overturn
02	02	02	Fire/Explosion
03	03	03	Immersion (or Partial Immersion, Since 2012)
04	04	04	Gas Inhalation
05	05	05	Fell/Jumped from Vehicle
06			Injured in Vehicle
	06	06	Injured in Vehicle (Non-Collision)
07	07	07	Other Non-Collision
80	80	08	Pedestrian
09			Pedalcycle
	09	09	Pedalcyclist
10			Railway Train
	10	10	Railway Vehicle
11			Animal
	11	11	Live Animal
12			Motor Vehicle in Transport on Same Roadway
	12	12	Motor Vehicle in Transport
13			Motor Vehicle in Transport on Other Roadway
14	14	14	Parked Motor Vehicle
15	15	15	Non-Motorist on Personal Conveyance
16	16	16	Thrown or Falling Object
17	17	17	Boulder
18	18	18	Other Object (Not Fixed)
19	19	19	Building
20	20	20	Impact Attenuator/Crash Cushion
21			Bridge Pier or Abutment
	21	21	Bridge Pier or Support
22			Bridge Parapet End
23			Bridge Rail
	23	23	Bridge Rail (Includes Parapet)
24	24	24	Guardrail Face
25	25	25	Concrete Traffic Barrier
26	26	26	Other Traffic Barrier
27			Highway/Traffic Sign Post

V32 Most Harmful Event (continued)

2005- 2009	2010- 2012	2013- Later	
28			Overhead Sign Support/Sign
29			Luminary/Light Support
30			Utility Pole
	30	30	Utility Pole/Light Support
31	31	31	Other Post, Other Pole, or Other Support
32	32	32	Culvert
33	33	33	Curb
34	34	34	Ditch
35			Embankment – Earth
	35	35	Embankment
36			Embankment – Rock, Stone, or Concrete
37			Embankment – Material Type Unknown
38	38	38	Fence
39	39	39	Wall
40	40	40	Fire Hydrant
41	41	41	Shrubbery
42	42	42	Tree (Standing Only)
43	43	43	Other Fixed Object
44			Pavement Surface Irregularity
	44	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
45			Working Construction, Maintenance or Utility Vehicles
	45	45	Working Motor Vehicle
46	46	46	Traffic Signal Support
47			Vehicle Occupant Struck or Run Over by Own Vehicle
48			Collision With Snow Bank
	48	48	Snow Bank
49	49	49	Ridden Animal or Animal-Drawn Conveyance
50	50	50	Bridge Overhead Structure
51			Jackknife
	51	51	Jackknife (Harmful to This Vehicle)
52	52	52	Guardrail End
53	53	53	Mail Box
54			Motor Vehicle Struck by Falling/Shifting Cargo or Anything Set in
			Motion by Another Motor Vehicle in Transport
	54	54	Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or
			Objects Set-in-Motion from/by Another Motor Vehicle In-Transport
55			Other Not in-Transport Motor Vehicle (2005-2007)
55	55	55	Motor Vehicle in Motion Outside the Trafficway (Since 2008)
57	57	57	Cable Barrier (Since 2008)
	58	58	Ground
	59	59	Traffic Sign Support
	72	72	Cargo/Equipment Loss or Shift (Harmful to This Vehicle)
		73	Object Fell From Motor Vehicle In-Transport

V32 Most Harmful Event (continued)

Attribute Codes

	2010- 2012		
	98		Not Reported (2010 Only)
99	99	99	Unknown

V33 Related Factors – Vehicle Level

Definition: This data element records factors related to this vehicle expressed by the investigating officer.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: VEH_CF1, VEH_CF2 2005-2009

PVEH_SC1, PVEH_SC2 2010-Later

Attribute Codes

2005- 2009	2010- 2013	2014- Later	
00	00	00	None
01			Tires (Does Not Include Wheels, See Value 16)
02			Brake System
03			Steering System- Tie Rod, Kingpin, Ball Joint, etc.
04			Suspension- Springs, Shock Absorbers, MacPherson struts, Axle
			Bearing, Control Arms, etc.
05			Power Train (Power Train/Engine)- Universal Joint, Drive Shaft,
			Transmission, etc.
06			Exhaust System
07			Headlights
80			Signal Lights
09			Other Lights
10			Horn
11			Mirrors
12			Wipers
13			Driver Seating and Control
14			Body, Doors, Hood, Other
15			Trailer Hitch
16			Wheels
17			Air Bags
18			Other Vehicle Defects
19			Safety Belts
	30		3-Wheeled Motorcycle Conversion (2012-2013)
		30	Multi-Wheeled Motorcycle Conversion
31			Hit-and-Run Vehicle (2005-2008)
32	32	32	Vehicle Registration for Handicapped
33	33	33	Vehicle Being Pushed by Non-Motorist
35			Reconstructed Vehicle (2005-2007)
35	35	35	Reconstructed/Altered Vehicle (Since 2008)
36	36		Electric/Alternative Fuel Vehicle
37	37	37	Transporting Children to/from Head Start/Day Care
39	39	39	Highway Construction, Maintenance or Utility Vehicle, In Transport (Inside or Outside Work Zone)

V33 Related Factors – Vehicle Level (continued)

_			_	_
A ++	rih	1140	Coc	Inc
ALL	HU	ule	CUL	162

2005- 2009	2010- 2013	2014- Later	
40	40	40	Highway Incident Response Vehicle
41	41	41	Police Fire or EMS Vehicle Working at the Scene of an Emergency or Performing Other Traffic Control Activities
42	42	42	Other Working Vehicle (Not Construction, Maintenance, Utility, Police, Fire, or EMS Vehicle)
43			Hazardous Materials/Cargo Released From This Vehicle (2005-2006)
44	44	44	Adaptive Equipment (Since 2007)
99	99	99	Unknown

V34 Fire Occurrence

Definition: This data element identifies whether a fire in any way related to the crash occurred in this vehicle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: FIRE_EXP *2005-2009*

PFIRE 2010-Later

Attribute Codes

2005- 2007	2008	2009- Later	
0	0		No Fire
		0	No or Not Reported
1	1		Fire Occurred in This Vehicle during Crash
		1	Yes
	2		Fire Occurred in This Vehicle and Initiated Fire/Explosion in Another Vehicle

V100 Make Model Combined

Definition: This derived data element represents the 5-digit combination of two data elements, the 2-digit "Vehicle Make" code (MAKE) followed by the 3-digit "Vehicle Model" code (MODEL).

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: MAK_MOD *2005-2009*

PMAK_MOD 2010-Later

Attribute Codes

2005-Later

See the current FARS/NASS GES Coding and Validation Manual for vehicle make and model codes.

V101 VIN Character 1

Definition: This data element represents the first character in the VIN string for this vehicle.

Additional Information:

SAS Name: VIN_1 2005-2009

PVIN_1 2010-Later

Attribute Codes

2005-Later

x First Character in the VIN String

V102 VIN Character 2

Definition: This data element represents the second character in the VIN string for this vehicle.

Additional Information:

SAS Name: VIN_2 2005-2009

PVIN 2 2010-Later

Attribute Codes

2005-Later

x Second Character in the VIN String

V103 VIN Character 3

Definition: This data element represents the third character in the VIN string for this vehicle.

Additional Information:

SAS Name: VIN_3 2005-2009

PVIN 3 2010-Later

Attribute Codes

2005-Later

x Third Character in the VIN String

V104 VIN Character 4

Definition: This data element represents the fourth character in the VIN string for this vehicle.

Additional Information:

SAS Name: VIN_4 2005-2009

PVIN 4 2010-Later

Attribute Codes

2005-Later

x Fourth Character in the VIN String

V105 VIN Character 5

Definition: This data element represents the fifth character in the VIN string for this vehicle.

Additional Information:

SAS Name: VIN_5 2005-2009

PVIN 5 2010-Later

Attribute Codes

2005-Later

x Fifth Character in the VIN String

V106 VIN Character 6

Definition: This data element represents the sixth character in the VIN string for this vehicle.

Additional Information:

SAS Name: VIN_6 2005-2009

PVIN 6 2010-Later

Attribute Codes

2005-Later

x Sixth Character in the VIN String

V107 VIN Character 7

Definition: This data element represents the seventh character in the VIN string for this vehicle.

Additional Information:

SAS Name: VIN_7 2005-2009

PVIN_7 2010-Later

Attribute Codes

2005-Later

x Seventh Character in the VIN String

V108 VIN Character 8

Definition: This data element represents the eighth character in the VIN string for this vehicle.

Additional Information:

SAS Name: VIN_8 2005-2009

PVIN 8 2010-Later

Attribute Codes

2005-Later

x Eighth Character in the VIN String

V109 VIN Character 9

Definition: This data element represents the ninth character in the VIN string for this vehicle.

Additional Information:

SAS Name: VIN_9 2005-2009

PVIN 9 2010-Later

Attribute Codes

2005-Later

x Ninth Character in the VIN String

V110 VIN Character 10

Definition: This data element represents the tenth character in the VIN string for this vehicle.

Additional Information:

SAS Name: VIN_10 2005-2009

PVIN_10 2010-Later

Attribute Codes

2005-Later

x Tenth Character in the VIN String

V111 VIN Character 11

Definition: This data element represents the eleventh character in the VIN string for this vehicle.

Additional Information:

SAS Name: VIN_11 2005-2009

PVIN_11 2010-Later

Attribute Codes

2005-Later

x Eleventh Character in the VIN String

V112 VIN Character 12

Definition: This data element represents the twelfth character in the VIN string for this vehicle.

Additional Information:

SAS Name: VIN_12 2005-2009

PVIN 12 2010-Later

Attribute Codes

2005-Later

x Twelfth Character in the VIN String

V150 Fatalities in Vehicle

Definition: This derived data element records the number of fatalities that occurred in this vehicle and is derived by counting all persons with "Injury Severity" of 4 in the vehicle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: DEATHS 2005-2009

PDEATHS 2010-Later

Attribute Codes

2005-Later

00-99 Number of Fatalities that Occurred in the Vehicle.

Discontinued PARKWORK Data Elements

Axle (discontinued)

Definition: This data element counts the total number of axles on the vehicle (and converter dolly), including the trailing units (includes raised axles).

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: AXLES

Attribute Codes

00	Not Applicable, Not a Medium/Heavy Truck or Bus
02-97	Number of Axles
98	Medium/Heavy Truck or Bus, Number of Axles Unknown
99	Unknown if Light or Medium/Heavy Truck or Bus

Carburetion (discontinued)

Definition: This data element identifies the number of barrels for the engine of this vehicle or a code indicating that the engine is high-performance, fuel-injected, turbocharged, or electronically-controlled.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PCARBUR

Attribute Codes

2011-2012

Q

- 0-8 **Actual Number of Barrels** Α 1 Barrel, Lower HP В 1 Barrel, Higher HP С 1 Barrel, Turbo 1 Barrel, Turbo Low HP D 1 Barrel, Turbo High HP Ε F Number of Barrels Not Specified, Fuel injection G 1 Barrel, Electronically controlled Н Number of Barrels Not Specified, High performance 2 Barrels, Lower HP J 2 Barrels, Higher HP K 2 Barrels, Turbo L 2 Barrels, Turbo Low HP M 2 Barrels, Turbo High HP Ν Р 2 Barrels, Electronically controlled
- R 4 Barrels, Electronically controlled
- S 4 Barrels, Lower HP
- T 1, 2 or 4 Barrels, Turbo Fuel Injected
- U 4 Barrels, Higher HP V 4 Barrels, Turbo
- W 4 Barrels, Turbo Low HP X 4 Barrels, Turbo High HP
- Y Number of Barrels Not Specified, Turbo
- Z Number of Barrels Not Specified, Super Charged

Number of Barrels Not Specified, Electronically controlled

Crash Avoidance Maneuver (discontinued)

Definition: This data element is collected to indicate if an avoidance maneuver was taken by the driver to avoid the crash.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: AVOID

Attribute Codes

- 0 No Avoidance Maneuver Reported
- 1 Braking (Skid Marks Evident)
- 2 Braking (No Skid Marks; Driver Stated)
- 3 Braking (Other Reported Evidence)
- 4 Steering (Evidence or Stated)
- 5 Steering and Braking (Evidence or Stated)
- 6 Other Avoidance Maneuver
- 8 Not Reported / (Inconclusive Since 1999, By Police)

Commercial Motor Vehicle License Status (discontinued)

Definition: This data element indicates the status of the driver's Commercial Driver's License (CDL) if applicable.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: CDL_STAT

Attribute Codes

- 0 No Commercial Driver's License (CDL)
- 1 Suspended
- 2 Revoked
- 3 Expired
- 4 Cancelled or Denied
- 5 Disqualified
- 6 Valid
- 7 Learner's Permit
- 8 Other Not Valid
- 9 Unknown CDL

Compliance with CDL Endorsements (discontinued)

Definition: This data element identifies whether the vehicle driven at the time of the crash required endorsement(s) on a Commercial Driver's License (CDL) and whether this driver was complying with the CDL endorsements.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: L_ENDORS

Attribute Codes

- 0 No Endorsements Required For This Vehicle
- 1 Endorsement(s) Required, Complied With
- 2 Endorsement(s) Required, Not Complied With
- 3 Endorsement(s) Required, Compliance Unknown
- -- No Driver Present/Unknown if Driver Present
- -- Not Reported
- 9 Unknown, if Required

Compliance with License Restrictions (discontinued)

Definition: This data element indicates whether this driver was compliant with restrictions on their license.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: L_RESTRI

Attribute Codes

- 0 No Restrictions or Not Applicable
- 1 Restrictions Complied With
- 2 Restrictions Not Complied With
- 3 Restrictions, Compliance Unknown
- 9 Unknown

Cubic Inch Displacement (discontinued)

Definition: This data element identifies the manufacturer's cubic inch displacement of the engine pistons for this vehicle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PDISPLACE

Attribute Codes

2011-2012

xxx Actual Cubic Inch Displacement (cid)

Curb Weight (discontinued)

Definition: This data element identifies the base weight of the series for this vehicle. This is available for Passenger Type Vehicles only (VINTYPE='P').

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: VIN_WGT 2005-2009

PVIN_WGT 2010-2012

Attribute Codes

2005-2012

0 Not Available

1-9998 Actual weight of Automobile (lbs)

9999 Value Not Coded

Driver Drinking (discontinued)

Definition: This data element records whether the driver was drinking and is derived from data elements in the Vehicle and Person data files.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: DR_DRINK

Attribute Codes

2005-2009

0 No Drinking1 Drinking

Driver Height (discontinued)

Definition: This data element identifies this driver's height (in inches).

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: DR_HGT

Attribute Codes

2005-2009

24-107 Actual Height in Inches

999 Unknown

Driver Presence (discontinued)

Definition: This data element identifies whether a driver was present in this vehicle at the onset of the unstabilized situation.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: DR_PRES

Attribute Codes

2005-		
2008	2009	
	0	No Driver Present/Not Applicable
1		Driver Operated Vehicle
	1	Yes
2		Driverless (No Driver)
3		Driver Left Scene
4		Motor Vehicle not In-Transport (Parked/Stopped Off Roadway/ Working
		Motor Vehicle/In Motion Outside Trafficway, 2008 Only)
4		Motor Vehicle not In-Transport (Parked/Stopped Off Roadway/Working/ In
		Motion Outside Trafficway, 2005-2007)
9	9	Unknown

Driver Weight (discontinued)

Definition: This data element identifies this driver's weight (in pounds).

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: DR_WGT

Attribute Codes

2005-2009

40-700 Actual Weight in Pounds

998 Other 999 Unknown

Driver's License State (discontinued)

Definition: This element identifies the state of issue for the license held by this driver.

Additional Information: SAS Name: L STATE

Attribute Codes

- 01 Alabama
- 02 Alaska
- 03 American Samoa
- 04 Arizona
- 05 Arkansas
- 06 California
- 08 Colorado
- 09 Connecticut10 Delaware
- 11 District of Columbia
- 12 Florida
- 13 Georgia
- 14 Guam
- 15 Hawaii
- 16 Idaho
- 17 Illinois
- 18 Indiana
- 19 Iowa
- 20 Kansas
- 21 Kentucky
- 22 Louisiana
- 23 Maine
- 24 Maryland
- 25 Massachusetts
- 26 Michigan
- 27 Minnesota
- 28 Mississippi
- 29 Missouri
- 94 Military *(2005-2006)*
- 94 U.S. Government (Since 2007)
- 95 Canada
- 96 Mexico
- 97 Other Foreign Country
- 99 Unknown

- 30 Montana
- 31 Nebraska
- 32 Nevada
- 33 New Hampshire
- 34 New Jersey
- 35 New Mexico
- 36 New York
- 37 North Carolina
- 38 North Dakota
- 39 Ohio
- 40 Oklahoma
- 41 Oregon
- 42 Pennsylvania
- 43 Puerto Rico
- 44 Rhode Island
- 45 South Carolina
- 46 South Dakota
- 47 Tennessee
- 48 Texas
- 49 Utah
- 50 Vermont
- 51 Virginia
- 52 Virgin Islands (Since 2004)
- 53 Washington
- 54 West Virginia
- 55 Wisconsin
- 56 Wyoming

Driver's Vision Obscured by (discontinued)

Definition: This data element records impediments to a driver's visual field that were noted in the case materials.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: D_VISION1, D_VISION2, D_VISION3

Attribute Codes

2009

- 00 No Obstruction Noted
- 01 Rain, Snow, Fog, Smoke, Sand, Dust
- 02 Reflected Glare, Bright Sunlight, Headlights
- 03 Curve, Hill, or Other Roadway Design Features
- 04 Building, Billboard, or Other Structure
- 05 Trees, Crops, Vegetation
- 06 In-Transport Motor Vehicle (Including Load)
- 07 Not-in-Transport Motor Vehicle (Parked, Working)
- 08 Splash or Spray of Passing Vehicle
- 09 Inadequate Defrost or Defog System
- 10 Inadequate Vehicle Lighting System
- 11 Obstructing Interior to the Vehicle
- 12 External Mirrors
- 13 Broken or Improperly Cleaned Windshield
- 14 Obstructing Angles on Vehicle
- 97 Vision Obscured No Details
- 98 Other Visual Obstruction
- 99 Unknown

Driver's ZIP Code (discontinued)

Definition: This data element records the zip code of the driver's address as listed in the case material.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: DR_ZIP

Attribute Codes

2005-2009

00000 Not a Resident of U. S. or Territories xxxxx Actual Zip Code, Five Numeric

99999 Unknown

Fuel Code (discontinued)

Definition: This data element identifies the fuel type for this vehicle determined by the manufacturer specification and recommendation.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: FLDCD_TR *2005-2009*

PFUECODE 2010-2012

Attribute Codes

2005- 2009	2010- 2012	
	В	Electric and Gasoline Hybrid Engine
С	С	Gasoline Engine That Can Be Easily Converted to Gaseous-Powered Engine (Powered by Natural Gas, Propane, etc.)
D	D	Diesel
Е	Е	Electric
F	F	Flexible Fuel
G	G	Gas
Н	Н	Ethanol Fuel Only
M	M	Methanol Gas Only
Ν	Ν	Compressed Natural Gas
Р	Р	Propane
9	9	Unknown

Hazardous Material Involvement/Placard (discontinued)

Definition: This data element identifies the presence of hazardous cargo for this vehicle and records information about the hazardous cargo when present.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: HAZ_CARG

Attribute Codes

- 0 No
- -- Yes
- 1 Yes, Placarded
- 2 Yes, Not Placarded
- 3 Yes, Unknown if Placarded
- 9 Unknown

Jackknife (discontinued)

Definition: This data element identifies whether this vehicle experienced a jackknife anytime during the unstabilized situation.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: J_KNIFE

Attribute Codes

- 0 Not an Articulated Vehicle
- 1 No
- 2 Yes, First Event
- 3 Yes, Subsequent Event

License Compliance with Class of Vehicle (discontinued)

Definition: This data element identifies the type of license possessed or not possessed by this driver for the class of vehicle being driven at the time of the crash.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: L COMPL

2005-2009

- 0 Not Licensed
- 1 No License Required for This Class Vehicle
- 2 No Valid License for This Class Vehicle
- 3 Valid License for This Class Vehicle
- 8 Unknown if CDL and/or CDL Endorsement Required for This Vehicle
- 9 Unknown

More Information on <u>Driver License Type Compliance</u>

Location of Rollover (discontinued)

Definition: This data element identifies the location of the trip point or start of this vehicle's roll.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: ROLINLOC

Attribute Codes

2009

- 0 No Rollover
- 1 On Roadway
- 2 On Shoulder
- 3 On Median/Separator
- 4 In Gore
- 5 On Roadside
- 6 Outside of Trafficway
- 9 Unknown

Month of First Crash, Suspension or Conviction (discontinued)

Definition: This data element records the month of the first crash, suspension, or conviction for this driver that occurred within three years of the crash date.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: FIRST MO

Attribute Codes

- 00 No Record
- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December
- 99 Unknown

Month of Last Crash, Suspension or Conviction (discontinued)

Definition: This data element records the month of the last crash, suspension, or conviction for this driver that occurred within three years of the crash date.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: LAST MO

Attribute Codes

- 00 No Record
- 01 January
- 02 February
- 03 March
- 04 April
- 05 May
- 06 June
- 07 July
- 08 August
- 09 September
- 10 October
- 11 November
- 12 December
- 99 Unknown

Most Damaged Area (discontinued)

Definition: This data element identifies the area on this vehicle that was most damaged during an event in the crash.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PIMPACT2

Attribute Codes

2005- 2009	2010- 2011	
00	00	Non-Collision
01-12	01-12	Clock points
13	13	Top
14	14	Undercarriage
18		This Vehicle Set Something in Motion Causing Injury or Damage
		(Not a Clock Point)
	18	Set-in-Motion (Not a Clock Point)
	61	Left
	62	Left-Front Half
	63	Left-Back Half
	81	Right
	82	Right-Front Half
	83	Right-Back Half
	98	Not Reported
99	99	Unknown

More Information on Impact

Motorcycle Dry Weight (discontinued)

Definition: This data element identifies the dry weight of this motorcycle model.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: PMCYCL_WT

Attribute Codes

2011-2012

xxxx Weight (lbs)

Motorcycle Engine Displacement (CC) (discontinued)

Definition: This data element identifies the piston bore measured in cubic centimeters for this motorcycle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: MCYCL_DS 2005-2009

PMCYCL_DS 2010-2012

Attribute Codes

2005-2012

xxxx Actual Displacement (cc)

Non-CDL License Status (discontinued)

Definition: This data element identifies the status of the driver's license at the time of the crash.

Additional Information:

SAS Name: L_STATUS

Attribute Codes

2005-2009

- 0 Not Licensed
- 1 Suspended
- 2 Revoked
- 3 Expired
- 4 Cancelled or Denied
- 6 Valid License
- 9 Unknown License Status

Non-CDL License Type (discontinued)

Definition: This data element identifies the type of license held by this driver at the time of the crash.

Additional Information:

SAS Name: L_TYPE

Attribute Codes

2005-2009

- 0 Not Licensed
- 1 Full Driver License
- 2 Intermediate Driver License
- -- No Driver Present/Unknown if Driver Present
- 7 Learner's Permit
- 8 Temporary License
- 9 Unknown License Type

More Information on Driver License Status/Type

Number of Cylinders (discontinued)

Definition: This data element identifies the number of cylinders for the engine of this vehicle.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: PCYLINDER

Attribute Codes

2011-2012

0-18 Number of Cylinders

R Rotary Engine

Number of Motorcycle Engine Cycles (discontinued)

Definition: This data element identifies the number of engine cycles for this motorcycle model.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: PMCYCL_CY

Attribute Codes

2011-2012

2 Two-stroke engine4 Four-stroke engine

R Rotary engine

Number of Wheels/Drive Wheels (discontinued)

Definition: This data element identifies the number of wheels/driving wheels for this truck (trucks only, VINTYPE='T'). The length of this data element is two digits; the first position represents the number of axles on the vehicle times two and the second position represents the number of drive axles times two.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PWHLDRWHL

Attribute Codes

2011-2012

xx Number of Wheels (1st digit) followed by the Number of Drive Wheels (2nd digit)

Original Tire Size (discontinued)

Definition: This data element identifies the manufacturer's original equipment specified tire size for the series of this vehicle. The length of this data element is six characters; the first two positions represent rim size and the remaining four positions represent tire size.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PTIRE_SZE

Attribute Codes

2011-2012

xxxxxx 6-Character Tire Size

Previous DWI Convictions (discontinued)

Definition: This data element records any previous DWI convictions for this driver that occurred within three years of the crash date.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PREV_DWI

Attribute Codes

2005-2009

00 None

01-97 Actual Value 99 Unknown

Previous Other Harmful Moving Violation Convictions (discontinued)

Definition: This data element records any other previous moving violations or convictions for this driver that occurred within three years of the crash date.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PREV_OTH

Attribute Codes

2005-2009

00 None

01-97 Actual Value 99 Unknown

Previous Recorded Crashes (discontinued)

Definition: This data element records any previous crashes for this driver that occurred within three years of the crash date.

Additional Information See this data element in the Vehicle data file section for more information.

SAS Name: PREV_ACC

Attribute Codes

2005-2009

00 None

01-97 Actual Value

98 Not Reported on Driving Record

99 Unknown

Previous Recorded Suspensions and Revocations (discontinued)

Definition: This data element records any previous license suspensions or revocations for this driver that occurred within three years of the crash date.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PREV_SUS

Attribute Codes

2005-2009

00 None

01-97 Actual Value 99 Unknown

Previous Speeding Convictions (discontinued)

Definition: This data element records any previous speeding convictions for this driver that occurred within three years of the crash date.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PREV_SPD

Attribute Codes

2005-2009

00 None

01-97 Actual Value 99 Unknown

Related Factors- Driver Level (discontinued)

Definition: This data element records factors related to this driver expressed by the investigating officer.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: DR CF1, DR CF2, DR CF3, DR CF4

Attribute Codes

2005-2009

00 None

PHYSICAL/MENTAL CONDITION

- 01 Drowsy, Sleepy, Asleep, Fatigued
- 02 III, Passed Out/Blackout
- 03 Emotional (e.g., Depression, Angry, Disturbed)
- 04 Reaction to or Failure to Take Drugs/Medication
- Under the Influence of Alcohol, Drugs, or Medication
- 06 Inattentive/Careless (Talking, Eating, Car Phones, etc.)
- 07 Restricted to Wheelchair
- 08 Road Rage/Aggressive Driving
- 09 Impaired Due to Previous Injury
- 11 Other Physical Impairment (Includes Paraplegic)
- 12 Mother of Dead Fetus/Mother of Infant Born Post Crash
- 13 Mentally Challenged
- 15 Seat Back Not in Normal Position, Seat Back Reclined

MISCELLANEOUS FACTORS

- 16 Police or Law Enforcement Officer
- 18 Traveling on Prohibited Trafficways
- 19 Legally Driving on Suspended or Revoked License
- 20 Leaving Vehicle Unattended with Engine Running; Leaving Vehicle Unattended in Roadway
- 21 Overloading or Improper Loading of Vehicle with Passenger or Cargo
- 22 Towing or Pushing Vehicle Improperly
- 23 Failing to Dim Lights or to Have Lights on When Required
- 24 Operating Without Required Equipment
- 25 Creating Unlawful Noise or Using Equipment Prohibited by Law
- 26 Following Improperly
- 27 Improper or Erratic Lane Changing
- 28 Failure to Keep in Proper Lane
- 29 Illegal Driving on Road Shoulder, in Ditch, or Sidewalk, or on Median
- 30 Making Improper Entry to or Exit from Trafficway
- 31 Starting or Backing Improperly
- 32 Opening Vehicle Closure into Moving Traffic or Vehicle is in Motion
- Passing Where Prohibited by Posted Signs, Pavement Markings, Hill or Curve, or School Bus Displaying Warning Not to Pass

D24 Related Factors- Driver Level (continued)

Attribute Codes

2005-2009

- 34 Passing on Wrong Side
- Passing with Insufficient Distance or Inadequate Visibility or Failing to Yield to Overtaking Vehicle
- Operating the Vehicle in an Erratic, Reckless, Careless or Negligent Manner or Operating at Erratic or Suddenly Changing Speeds
- 37 High-Speed Chase with Police in Pursuit (See Police Pursuit Note)
- -- Police Pursuing this Driver or Police Officer in Pursuit
- 38 Failure to Yield Right of Way
- 39 Failure to Obey Actual Traffic Signs, Traffic Control Devices or Traffic Officers, Failure to Observe Safety Zone Traffic Laws
- 40 Passing Through or Around Barrier
- 41 Failure to Observe Warnings or Instructions on Vehicle Displaying Them
- 42 Failure to Signal Intentions
- 43 Driving too Fast for Conditions (2008 Only)
- Driving too Fast for Conditions or in Excess of Posted Speed Limit (2005-2007)
- 44 Driving in Excess of Posted Speed Limit (2008 Only)
- 45 Driving Less Than Posted Maximum
- 46 Racing (2005-2008)
- 47 Making Right Turn from Left-Turn Lane or Making Left Turn from Right-Turn Lane
- 48 Making Improper Turn
- 50 Driving Wrong Way on One-Way Trafficway
- 51 Driving on Wrong Side of Road (Intentionally or Unintentionally)
- 52 Operator Inexperience
- 53 Unfamiliar With Roadway
- 54 Stopping in Roadway (Vehicle Not Abandoned)
- 55 Underriding a Parked Truck (2005-2008)
- 56 Improper Tire Pressure (2005 Only)
- 57 Locked Wheel
- 58 Over Correcting
- 59 Getting Off/Out of or On/In to Moving Vehicle

VISION OBSCURED BY

- 61 Rain, Snow, Fog, Smoke, Sand, Dust (2005-2008)
- 62 Reflected Glare, Bright Sunlight, Headlights (2005-2008)
- 63 Curve, Hill, or Other Design Features (Including Traffic Signs, Embankment 2005-2008)

D24 Related Factors- Driver Level (continued)

Attribute Codes

2005-2009

SPECIAL CIRCUMSTANCES

- 73 Driver Has Not Complied with Learners Permit or Intermediate Driver License Restrictions (GDL Restrictions)
- 74 Driver Has Not Complied With Physical or Other Imposed Restrictions
- 75 Broken or Improperly Cleaned Windshield (2005-2008)
- 76 Other Obstruction (2005-2008)

SKIDDING, SWERVING, OR SLIDING DUE TO

- 77 Severe Crosswind
- 78 Wind from Passing Truck
- 79 Slippery or Loose Surface
- 80 Tire Blow-Out or Flat
- 81 Debris or Objects in Road
- 82 Ruts, Holes, Bumps in Road
- 83 Live Animals in Road
- 84 Vehicle in Road
- 85 Phantom Vehicle
- 86 Pedestrian, Pedalcyclist, or Other Non-Motorist in Road
- 87 Ice, Water, Snow, Slush, Sand, Dirt, Oil, Wet Leaves on Road
- 88 Trailer Fishtailing or Swaying

OTHER MISCELLANEOUS FACTORS

- 89 Carrying Hazardous Cargo Improperly (2005-2009)
- -- Driver has a Driving Record or Driver's License from More than One State
- 90 Hit-and-Run Vehicle Driver
- 91 Non-Traffic Violation Charged (Manslaughter, Homicide or Other Assault Offense Committed Without Malice)
- 92 Other Non-Moving Traffic Violation

POSSIBLE DISTRACTIONS INSIDE VEHICLE

- 93 Cellular Telephone
- 94 Cellular Telephone in Use in Vehicle
- 95 Computer Fax Machines/Printers
- 96 On-Board Navigation System
- 97 Two-Way Radio
- 98 Head-Up Display
- 99 Unknown

Rollover (discontinued)

Definition: This data element identifies this vehicle's involvement in a rollover or overturn during the crash. Rollover is defined as any vehicle rotation of 90 degrees or more about any true longitudinal or lateral axis. Rollover can occur at any time during the crash.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: ROLLOVER

Attribute Codes

2005- 2008	2009	
0	0	No Rollover
1		First Event
	1	Rollover, Tripped by Object/Vehicle
2		Subsequent Event
	2	Rollover, Untripped
	9	Rollover, Unknown Type

Sequence of Events (discontinued)

Definition: The events in sequence related to this motor vehicle, regardless of injury and/or property damage. Events for the vehicle are recorded in the order in which they occur, timewise, from the PAR narrative and diagram.

Additional Information: See this data element in the Vehicle data file section for more information..

SAS Name: SEQ1, SEQ2, SEQ3, SEQ4, SEQ5, SEQ6

Attribute Codes

- 01 Rollover/Overturn
- 02 Fire/Explosion
- 03 Immersion
- 04 Gas Inhalation
- 05 Fell/Jumped from Vehicle
- 06 Injured in Vehicle
- 07 Other Non-Collision
- 08 Pedestrian
- 09 Pedalcycle
- 10 Railway Train
- 11 Animal
- 12 Motor Vehicle in Transport on Same Roadway
- 13 Motor Vehicle in Transport on Other Roadway
- 14 Parked Motor Vehicle
- 15 Non-Motorist on Personal Conveyance
- 16 Thrown or Falling Object
- 17 Boulder
- 18 Other Object (Not Fixed)
- 19 Building
- 20 Impact Attenuator/Crash Cushion
- 21 Bridge Pier or Abutment
- 22 Bridge Parapet End
- 23 Bridge Rail
- 24 Guardrail Face
- 25 Concrete Traffic Barrier
- 26 Other Traffic Barrier
- 27 Highway/Traffic Sign Post
- 28 Overhead Sign Support/Sign
- 29 Luminary/Light Support
- 30 Utility Pole
- 31 Other Post, Other Pole, or Other Support
- 32 Culvert

Speeding Related (discontinued)

Definition: This data element records whether the driver's speed was related to the crash as indicated by law enforcement.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: SPEEDREL

Attribute Codes

2009

0 No 1 Yes

9 Unknown

More Information on **Speeding**

Travel Speed (discontinued)

Definition: This data element records the speed the vehicle was traveling prior to the occurrence of the crash as reported by the investigating officer.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: TRAV_SP

Attribute Codes

2005- 2008	2009	
00	000	Stopped Motor Vehicle in Transport
01-96	001-151	Reported Speed Up to 151 mph
97		Speed Greater than 96 mph
	997	Speed Greater than 151 mph
98	998	Not Reported
99	999	Unknown

Truck Ton Rating (discontinued)

Definition: This data element identifies the payload capacity of this vehicle based on manufacturer's specifications. The length of this data element is two characters. A single code indicates a single capacity rating. Two codes indicate a range of capacity rating. For example, a Ford F150 pickup truck with a payload capacity from ½ to ¾ tons would have a rating of "BC."

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PTON RAT

Attribute Codes

- A 1/4
- B ½
- C 3/4
- D 1
- E 1½
- F 13/4
- G 2
- H 2½
- 1 3
- J 3½
- K 4
- L 4½
- M 5
- N 6
- 0 7
- P 8
- Q 9
- R 10 and Over

Truck Shipping Weight (discontinued)

Definition: This data element identifies the shipping weight for the shortest wheel base of this truck model.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: PTRK_WT

Attribute Codes

2011-2012

xxxxx Actual Shipping Weight (lbs)

Truck Shipping Weight Variance (discontinued)

Definition: This data element identifies the difference (coded in 100 pound increments) between the shipping weights of the shortest wheel base and the longest wheel base for this truck model. (e.g., a 200 lb. difference appears as "02".) Incremental weights for optional equipment are not included.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PTRKWTVAR

Attribute Codes

2011-2012

xx Shipping Weight Variance (100 lbs)

Truck VIN Restraint Type (discontinued)

Definition: This data element identifies restraint type information for this truck. This includes information about vehicle seat belts and air bags.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PVIN REST

Attribute Codes

- A Active (Manual) belts
- B Driver front air bag/passenger side belt unknown
- C Dual front air bags/belt system unknown
- D Dual front air bag/passenger side passive belts
- E Dual front air bags/active belts
- F Dual front air bags/passive belts
- G Dual air bags front and side/belts unknown
- H Dual air bags front, head and sides/belts unknown
- I Dual air bags front, head and sides/passive belts
- J Dual air bags front and sides/passive belts
- K Dual air bags front and sides/active belts
- L Dual air bags front, head and sides/active belt
- M Driver front air bag/passenger side active belt
- N If unable to determine
- P Passive (Automatic) belts
- R Dual air bags front and side/active belts w/ automatic passenger sensor
- S Dual air bags front, head, and side/active belts w/ automatic passenger sensor
- T Dual air bags front/active belts/rear passenger side air bag
- U Dual front air bags/active belts with passenger side deactivation cutoff switch
- V Dual air bags front, head and side/active belts/rear dual side air bags
- W Dual air bags front, head and side/active belts w/ automatic passenger sensor/ rear dual side airbags
- X Dual air bags front/side air bag, driver-side only/active belts
- Y Dual front and side air bags with passenger deactivation switch
- 3 Dual front & head airbags with passenger sensor; active belts
- 4 Dual front airbags with passenger sensor; active belts
- 7 Dual front, side & head airbags, Rear head airbags; active belts
- 9 Unknown

Truck Weight Rating (discontinued)

Definition: This data element identifies weight ranges for this truck of model year 1966 and later based on manufacturer specifications.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: WGTCD_TR *2005-2009*

PWGTCD_TR 2010-2012

Attribute Codes

- 1 6,000 lbs or Less
- 2 6,001 10,000 lbs
- 3 10,001 14,000 lbs
- 4 14,001 16,000 lbs
- 5 16,001 19,500 lbs
- 6 19,501 26,000 lbs
- 7 26,001 33,000 lbs
- 8 33,001 and Up
- 9 Unknown

Vehicle Maneuver (discontinued)

Definition: This data element captures the driver's action, or intended action, prior to the commencement of the unstabilized event as indicated on the crash report.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: VEH MAN

Attribute Codes

- 01 Going Straight
- 02 Slowing or Stopping in Traffic Lane
- 03 Starting in Traffic Lane
- 04 Stopped in Traffic Lane
- 05 Passing or Overtaking another Vehicle
- 06 Leaving a Parked Position
- 07 Parked
- 08 Entering a Parked Position
- 09 Maneuvering to Avoid
- 10 Turning Right: Right Turn on Red Permitted
- 11 Turning Right: Right Turn on Red Not Permitted
- 12 Turning Right: Right Turn on Red Not Applicable or Not Known if Permitted
- 13 Turning Left
- 14 Making a U-Turn
- 15 Backing Up (Not Parking)
- 16 Changing Lanes or Merging
- 17 Negotiating a Curve
- 98 Other
- 99 Unknown

Vehicle Role (discontinued)

Definition: This data element Indicates the vehicle's role in single or multi-vehicle crashes.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: IMPACTS

Attribute Codes

- 0 Non-Collision
- 1 Striking
- 2 Struck
- 3 Both
- 9 Unknown

VIN Body Type (discontinued)

Definition: This data element identifies the two-character representation of this vehicle's body style.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: VIN_BT 2005-2009

PVIN_BT 2010-2012

Attribute Codes

2005- 2009	2010- 2012	
2D	2D	Passenger Vehicle Sedan 2-Door
2F	2F	Passenger Vehicle Formal Hardtop 2-Door
2H	2H	Passenger Vehicle Hatchback 2-Door
2L	2L	Passenger Vehicle Liftback 3-Door
2P	2P	Passenger Vehicle Pillard Hardtop 2-Door
2T	2T	Passenger Vehicle Hardtop 2-Door
2W	2W	Truck 2-Door Wagon/Sport Utility
2W	2W	Passenger Vehicle Wagon 2-Door
	3B	Truck 3-Door Extended Cab/Chassis
	3C	Truck 3-Door Extended Cab Pickup
3D	3D	Passenger Vehicle Runabout 3-Door
	3P	Passenger Vehicle Coupe 3-Door
	4B	Truck 4-Door Extended Cab/Chassis
	4C	Truck 4-Door Extended Cab Pickup
4D	4D	Passenger Vehicle Sedan 4-Door
4H	4H	Passenger Vehicle Hatchback 4-Door
4L	4L	Passenger Vehicle Liftback 5-Door
4P	4P	Passenger Vehicle Pillard Hardtop 4-Door
4T	4T	Passenger Vehicle Hardtop 4-Door
4W	4W	Truck 4-Door Wagon/Sport Utility
4W	4W	Passenger Vehicle Wagon 4-Door
5D	5D	Passenger Vehicle Sedan 5-Door
8V	8V	Truck 8-Passenger Sport Van
AC	AC	Truck Auto Carrier
AM	AM	Passenger Vehicle Ambulance
AR	AR	Truck Armored Truck
AT	AT	Motorcycle All-Terrain
BU	BU	Bus
	C4	Passenger Vehicle Coupe 4-Door
CB	CB	Truck Chassis and Cab
CB	CB	Passenger Vehicle Cab & Chassis (Luv)
CC	CC	Truck Conventional Cab
CG	CG	Truck Cargo Van
CH	CH	Truck Crew Chassis
CL	CL	Truck Club Chassis

V116 VIN Body Type *(continued)*Attribute Codes

Attribute Codes		
2005- 2009	2010- Later	
CM	CM	Truck Concrete or Transit Mixer
CP	CP	Truck Crew Pickup
CP	CP	Passenger Vehicle Coupe
CR	CR	Truck Crane
CS	CS	Truck Super Cab/Chassis Pickup
CU	CU	Truck Custom Pickup
CV	CV	Truck Convertible (Jeep Commando, Suzuki Samurai, Dodge Dakota)
CV CY	CV CY	Passenger Vehicle Convertible
DP	DP	Truck Cargo Cutaway Truck Dump
DS	DS	Truck Tractor Truck (Diesel)
EC	EC	Truck Extended Cargo Van
EN	EN	Motorcycle Enduro
ES	ES	Truck Extended Sport Van
EV	EV	Truck Extended Van
EW	EW	Truck Extended Window Van
FB	FB	Truck Flat-bed or Platform
FC	FC	Truck Forward Control
FT	FT	Truck Fire Truck
GG	GG	Truck Garbage or Refuse
GL	GL	Truck Gliders
GN HB	GN HB	Truck Grain Resconder Vehicle Hatchback Number Doors Unknown
НО	НО	Passenger Vehicle Hatchback Number Doors Unknown Truck Hopper
HR	HR	Passenger Vehicle Hearse
HT	HT	Passenger Vehicle Hardtop Number Doors Unknown
IC	IC	Truck Incomplete Chassis
ΙE	ΙE	Truck Incomplete Ext Van
	IN	Passenger Vehicle Incomplete Passenger
LB	LB	Passenger Vehicle Liftback
LG	LG	Truck Logger
LL	LL	Truck Suburban & Carry-All
LM	LM	Passenger Vehicle Limousine
 N 41 1	LM	Truck Limousine
MH MK	MH	Truck Motorized Home
MN	MK MM	Motorcycle Mini-Bike Motorcycle Mini Moto Cross
MM	MP	Motorcycle Moped
MP	MP	Truck Multipurpose
MR	MR	Motorcycle Mini Road/Trail
MS	MS	Motorcycle Motor Scooter
MV	MV	Truck Maxi-Van
	MW	Truck Maxi Wagon

V116 VIN Body Type (continued)

Attribute Codes	
2005- 2010-	
2009 Later	
MX MX Motorcycle Moto Cross	
MY MY Truck Motorized Cutaway	
MY MY Motorcycle Mini-Cycle	
NB NB Passenger Vehicle Notchback	
P2 Passenger Vehicle 2-Passenger Low Speed	
P2 Passenger Vehicle 4-Passenger Low Speed	
PC PC Truck Club Cab Pickup	
PD PD Truck Parcel Delivery	
PK PK Truck Pickup	
PK PK Passenger Vehicle Pickup, Truck Commonly Registered	l Passengers
PM PM Truck Pickup with Camper Mounted on Bed	
PN PN Truck Panel	
PS PS Truck Super Cab Pickup	
RC RC Motorcycle Racer PN PN Passenger Vehicle Panel, Truck Commonly Registered	oo Doooongoro
PN PN Passenger Vehicle Panel, Truck Commonly Registered RD RD Truck Roadster (Jeep, Jeep Commando)	as Passellyels
RD RD Passenger Vehicle Roadster	
RS RS Motorcycle Road/Street	
RT RT Motorcycle Road/Trail	
S1 S1 Truck One-Seat	
S2 S2 Truck Two-Seat	
SB SB Passenger Vehicle Sport Hatchback	
SC SC Passenger Vehicle Sport Coupe	
SD SD Passenger Vehicle Sedan, number doors unknown	
SN SN Truck Step Van	
SP SP Truck Sport Pickup	
ST ST Truck Stake or Rack	
SV SV Truck Sports Van	
SV SV Passenger Vehicle Sport Van	
SW SW Passenger Vehicle Station Wagon	
SW SW Truck Station Wagon (Jeep Wagoneer, etc.)	
T T Motorcycle Dirt	
TB TB Truck Tilt Cab	
TL TL Truck Tilt Tandem	
TL TL Motorcycle Trail/Dirt TM TM Truck Tandem	
TM TM Truck Tandem TN TN Truck Tank	
TR TR Motorcycle Trails	
TR TR Motorcycle Trails TR TR Truck Tractor (Gasoline)	
UT UT Passenger Vehicle Utility, truck commonly registered as	nassender
UT UT Truck Utility (Blazer, Jimmy, Scout, etc.)	paddongoi
VC VC Truck Van Camper	
VD VD Truck Display Van	

V116 VIN Body Type (continued)

Attribute	Codes	
2005- 2009	2010- Later	
VN	VN	Truck Van
VT	VT	Truck Vanette (Includes Metro and Handy Van)
VW	VW	Truck Window Van
WK	WK	Truck Tow Truck Wrecker
WW	WW	Truck Wide Wheel Wagon
WW	WW	Passenger Vehicle Wide-Wheel Wagon
XT	XT	Truck Travel-all
YY	ΥΥ	Truck Cutaway
99	99	Unknown

VIN Length (discontinued)

Definition: This data element identifies the actual length of the VIN for this vehicle.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: VIN_LNGT *2005-2009*

PVIN_LNGT 2010-2012

Attribute Codes

2005-2012

1-17 Actual Value

99 Unknown VIN Length

VIN Make (discontinued)

Definition: This data element identifies the National Crime Information Center (NCIC) Standard Make Abbreviation for this vehicle.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: PVINMAKE

Attribute Codes

2010-2012

xxxx 4-Character Make Abbreviation

VIN Model (discontinued)

Definition: This data element identifies the VIN model for this vehicle obtained from the VINA program.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: VINA_MOD *2005-2009*

PVINA_MOD 2010-2012

Attribute Codes

2005-2012

xxx 3-Character Model (Series) Abbreviation

VIN Model Year (discontinued)

Definition: This data element identifies the model year of this vehicle.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: PVINMODYR

Attribute Codes

2010-2012

xx 2-Digit Model Year

VIN Truck Series (discontinued)

Definition: This data element identifies the model (series) of this truck.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: **SER_TR** 2005-2009

PSER_TR 2010-2012

Attribute Codes

2005-2012

xxx 3-Character Model (Series) Abbreviation

VIN Vehicle Type (discontinued)

Definition: This data element identifies the basic vehicle type of his vehicle from the VINA program.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: PVINTYPE

Attribute Codes

2010-2012

P Passenger Vehicle

T Truck

M Motorcycle

U Unknown

Violations Charged (discontinued)

Definition: This data element identifies violations charged to this driver in this crash.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: VIOLCHG1, VIOLCHG2, VIOLCHG3

Attribute Codes

2005-2009

00 None

RECKLESS/CARELESS/HIT-AND-RUN OFFENSES

- 01 Manslaughter or Homicide
- 02 Willful Reckless Driving; Driving to Endanger; Negligent Driving
- 03 Unsafe Reckless (Not Willful, Wanton Reckless) Driving
- 04 Inattentive, Careless, Improper Driving
- 05 Fleeing or Eluding Police
- 06 Fail to Obey Police, Fireman, Authorized Person Directing Traffic
- 07 Hit-and-Run, Fail to Stop After Crash
- 08 Fail to Give Aid, Information, Wait for Police after Crash
- 09 Serious Violation Resulting in Death

IMPAIRMENT OFFENSES

- 11 Driving While Intoxicated (Alcohol or Drugs) or BAC above Limit (Any Detectable BAC for CDLs)
- 12 Driving While Impaired; Driving Under Influence of Substance Not Intended to Intoxicate
- 13 Driving under Influence of Substance not intended to intoxicate
- 14 Drinking While Operating
- 15 Illegal Possession of Alcohol or Drugs
- 16 Driving With Detectable Alcohol
- 18 Refusal to Submit to Chemical Test
- 19 Alcohol, Drug, or Impairment Violations Generally

SPEED-RELATED OFFENSES

- 21 Racing
- 22 Speeding (Above the Speed Limit)
- 23 Speed Greater Than Reasonable and Prudent (Not Necessarily Over the Limit)
- 24 Exceeding Special Speed Limit (e.g., for Trucks, Buses, Cycles, or on Bridge, in School Zone, etc.)
- 25 Energy Speed (Exceeding 55 mph, Non-Pointable)
- 26 Driving Too Slowly
- 29 Speed-Related Violations Generally

Violations Charged (continued)

2005-2009

RULES OF THE ROAD - TRAFFIC SIGN & SIGNALS

- 31 Fail to Stop for Red Signal
- 32 Fail to Stop for Flashing Red
- 33 Violation of Turn on Red (Fail to Stop & Yield, Yield to Pedestrians before Turning)
- 34 Fail to Obey Flashing Signal (Yellow or Red)
- 35 Fail to Obey Signal Generally
- 36 Violate RR Grade Crossing Device/Regulations
- 37 Fail to Obey Stop Sign
- 38 Fail to Obey Yield Sign
- 39 Fail to Obey Traffic Control Device Generally

RULES OF THE ROAD - TURNING, YIELDING, SIGNALING

- Turn in Violation of Traffic Control (Disobey Signs, Turn Arrow Or Pavement Markings; This Is Not A Right-On-Red Violation)
- 42 Improper Method & Position of Turn (Too Wide, Wrong Lane)
- 43 Fail to Signal for Turn or Stop
- 45 Fail to Yield to Emergency Vehicle
- 46 Fail to Yield Generally
- 48 Enter Intersection When Space Insufficient
- 49 Turn, Yield, Signaling Violations Generally

RULES OF THE ROAD - WRONG SIDE, PASSING & FOLLOWING

- 51 Driving Wrong Way on One-Way Road
- 52 Driving on Left, Wrong Side of Road Generally
- 53 Improper, Unsafe Passing
- 54 Pass on Right (Drive off Pavement to Pass)
- 55 Pass Stopped School Bus
- 56 Fail to Give Way When Overtaken
- 58 Following Too Closely
- 59 Wrong Side, Passing, Following Violations Generally

RULES OF THE ROAD - LANE USAGE

- 61 Unsafe or Prohibited Lane Change
- 62 Improper Use of Lane (Enter of 3-Lane Road, HOV Designated Lane)
- 63 Certain Traffic to Use Right Lane (Trucks, Slow Moving, etc.)
- 66 Motorcycle Lane Violations (More than two per Lane, Riding Between Lanes, etc.)
- 67 Motorcyclist Attached to another Vehicle
- 69 Lane Violations Generally

NON-MOVING – LICENSE & REGISTRATION VIOLATIONS

- 71 Driving While License Withdrawn
- 72 Other Driver License Violations
- 73 Commercial Driver Violations
- 74 Vehicle Registration Violations
- 75 Fail to Carry Insurance Card
- 76 Driving Uninsured Vehicle
- 79 Non-Moving Violations Generally

Violations Charged (continued)

2005-2009

EQUIPMENT

- 81 Lamp Violations
- 82 Brake Violations
- 83 Failure to Require Restraint Use (By Self or Passenger)
- 84 Motorcycle Equipment Violations (Helmet, Special Equipment)
- 85 Violation of Hazardous Cargo Regulations
- 86 Size, Weight, Load Violations
- 89 Equipment Violations Generally

OTHER VIOLATIONS

- 91 Parking
- 92 Theft, Unauthorized Use of Motor Vehicle
- 93 Driving Where Prohibited (Sidewalk, Limited Access, Off Truck Route)
- 98 Other Moving Violation
- 99 Unknown Violation

Wheelbase Long (discontinued)

Definition: This data element identifies the longest wheelbase respectively for the manufactured model of this vehicle.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: WHLBS_LG 2005-2009

PWHLBS_LG 2010-2012

Attribute Codes

2005-2012

0000 Value Not Available from the VINA Program

1-9998 Actual Value (in) 9999 Value Not Coded

Wheelbase Short (discontinued)

Definition: This data element identifies the shortest wheelbase respectively for the manufactured model of this vehicle.

Additional Information: See this data element in the Vehicle data file section for more

information.

SAS Name: WHLBS_SH 2005-2009

PWHLBS_SH 2010-2012

Attribute Codes

2005-2012

0000 Value Not Available from the VINA Program

1-9998 Actual Value (in) 9999 Value Not Coded

Year of First Crash, Suspension or Conviction (discontinued)

Definition: This data element records the year of the first crash, suspension, or conviction for this driver that occurred within three years of the crash date.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: FIRST_YR

Attribute Codes

2005-2009

0000 No Record xxxx Actual Year 9999 Unknown

Year of Last Crash, Suspension or Conviction (discontinued)

Definition: This data element records the year of the last crash, suspension, or conviction for this driver that occurred within three years of the crash date.

Additional Information: See this data element in the Vehicle data file section for more information.

SAS Name: LAST_YR

Attribute Codes

2005-2009

0000 No Record xxxx Actual Year 9999 Unknown

The PBTYPE Data File

The Pbtype data file includes data on pedestrians, bicyclists, and people on personal conveyances. It contains the data elements ST_CASE, STATE, VEH_NO, and PER_NO, which are described in the beginning of the Data Element Definitions and Codes section. The Pbtype data file also contains the data elements on the following pages.

ST_CASE, VEH_NO and PER_NO are the unique identifiers. ST_CASE should be used to merge the Pbtype data file with the Accident data file.

P5/NM5 Age

Definition: This data element identifies the person's age, in years, with respect to the person's last birthday.

Additional Information:

SAS Name: PBAGE

Attribute Codes

2014-Later

000 Less than One Year

001-120 Age of the Individual in Years

998 Not Reported 999 Unknown

P6/NM6 Sex

Definition: This data element identifies the sex of the person involved in the crash

Additional Information:

SAS Name: PBSEX

Attribute Codes

- l Male
- 2 Female
- 8 Not Reported
- 9 Unknown

P7/NM7 Person Type

Definition: This data element describes the role of this person involved in the crash.

Additional Information: SAS Name: PBPTYPE

Attribute Codes

- 5 Pedestrian
- 6 Bicyclist
- 7 Other Cyclist
- 8 Person on Personal Conveyances

NM9-PB27 Marked Crosswalk Present

Definition: This data element indicates if a marked crosswalk was present at the crash site. **Additional Information:** This data element is applicable to both pedestrians and bicyclists.

SAS Name: PBCWALK

Attribute Codes

2014-Later

0 None Noted

1 Yes

9 Unknown

NM9-PB28 Sidewalk Present

Definition: This data element indicates if a sidewalk was present at the crash site.

Additional Information: This data element is applicable to both pedestrians and bicyclists.

SAS Name: PBSWALK

Attribute Codes

2014-Later

0 None Noted

1 Yes

9 Unknown

NM9-PB29 School Zone

Definition: This data element indicates if the crash occurred in a school zone.

Additional Information: This data element is applicable to both pedestrians and bicyclists.

SAS Name: PBSZONE

Attribute Codes

2014-Later

0 None Noted

1 Yes

9 Unknown

NM9-PB30 Crash Type – Pedestrian

Definition: This data element summarizes the circumstances of the crash for this pedestrian.

Additional Information: This data element is applicable to pedestrians only.

SAS Name: PEDCTYPE

Attribute Codes

- 0 Not a Pedestrian
- 120 Dispute-Related
- 130 Pedestrian on Vehicle
- 140 Vehicle-Vehicle/Object
- 150 Motor Vehicle Loss of Control
- 160 Pedestrian Loss of Control
- 190 Other Unusual Circumstances
- 211 Backing Vehicle Non-Trafficway Driveway
- 212 Backing Vehicle Driveway Access
- 213 Backing Vehicle Trafficway
- 214 Backing Vehicle Non-Trafficway Parking Lot
- 219 Backing Vehicle Other/Unknown
- 220 Driverless Vehicle
- 230 Disabled Vehicle-Related
- 240 Emergency Vehicle-Related
- 250 Play Vehicle-Related
- 311 Working in Roadway
- 312 Playing in Roadway
- 313 Lying in Roadway
- 320 Entering/Exiting Parked or Stopped Vehicle
- 330 Mailbox-Related
- 341 Transit Bus-Related
- 342 School Bus Stop-Related
- 360 Ice Cream/Vendor Truck-Related
- 410 Walking/Running Along Roadway With Traffic From Behind
- 420 Walking/Running Along Roadway With Traffic From Front
- 430 Walking/Running Along Roadway Against Traffic From Behind
- Walking/Running Along Roadway Against Traffic From Front
- Walking/Running Along Roadway Direction/Position Unknown
- 461 Motorist Entering Driveway
- 465 Motorist Exiting Driveway
- 469 Driveway Access Other/Unknown
- 510 Waiting to Cross Vehicle Turning
- 520 Waiting to Cross Vehicle Not Turning
- 590 Waiting to Cross Vehicle Action Unknown
- 610 Standing in Roadway
- 620 Walking in Roadway
- 680 Not At Intersection Other/Unknown
- 690 At Intersection Other/Unknown

NM9-PB30 Crash Type – Pedestrian (continued)

Attribute Codes

- 710 Multiple Threat
- 730 Trapped
- 741 Dash
- 742 Dart-Out
- 760 Pedestrian Failed to Yield
- 770 Motorist Failed to Yield
- 781 Motorist Left Turn Parallel Paths
- 782 Motorist Left Turn Perpendicular Paths
- 791 Motorist Right Turn Parallel Paths
- 792 Motorist Right Turn on Red Parallel Paths
- 794 Motorist Right Turn on Red Perpendicular Paths
- 795 Motorist Right Turn Perpendicular Paths
- 799 Motorist Turn/Merge Other/Unknown
- 830 Non-Trafficway Parking Lot
- 890 Non-Trafficway Other/Unknown
- 900 Other Unknown Location
- 910 Crossing an Expressway

NM9-PB30B Crash Type - Bicycle

Definition: This data element summarizes the circumstances of the crash for this bicyclist.

Additional Information: This data element is applicable to bicyclists only.

SAS Name: BIKECTYPE

Attribute Codes

- 0 Not a Cyclist
- 111 Motorist Turning Error Left Turn
- 112 Motorist Turning Error Right Turn
- 113 Motorist Turning Error Other
- 114 Bicyclist Turning Error Left Turn
- 115 Bicyclist Turning Error Right Turn
- 116 Bicyclist Turning Error Other
- 121 Bicyclist Lost Control Mechanical Problems
- 122 Bicyclist Lost Control Oversteering, Improper Braking, Speed
- 123 Bicyclist Lost Control Alcohol/Drug Impairment
- 124 Bicyclist Lost Control Surface Conditions
- 129 Bicyclist Lost Control Other/Unknown
- 131 Motorist Lost Control Mechanical Problems
- 132 Motorist Lost Control Oversteering, Improper Braking, Speed
- 133 Motorist Lost Control Alcohol/Drug Impairment
- 134 Motorist Lost Control Surface Conditions
- 139 Motorist Lost Control Other/Unknown
- 141 Motorist Drive-Out Sign-Controlled Intersection
- 142 Bicyclist Ride-Out Sign-Controlled Intersection
- 143 Motorist Drive-Through Sign-Controlled Intersection
- 144 Bicyclist Ride-Through Sign-Controlled Intersection
- 147 Multiple Threat Sign-Controlled Intersection
- 148 Sign-Controlled Intersection Other/Unknown
- 151 Motorist Drive-Out Right Turn on Red
- 152 Motorist Drive-Out Signalized Intersection
- 153 Bicyclist Ride-Out Signalized Intersection
- 154 Motorist Drive-Through Signalized Intersection
- 155 Bicyclist Ride-Through Signalized Intersection
- 156 Bicyclist Failed to Clear Trapped
- 157 Bicyclist Failed to Clear Multiple Threat
- 158 Signalized Intersection Other/Unknown
- 159 Bicyclist Failed to Clear Unknown
- 160 Crossing Paths Uncontrolled Intersection
- 180 Crossing Paths Intersection Other/Unknown
- 211 Motorist Left Turn Same Direction
- 212 Motorist Left Turn Opposite Direction
- 213 Motorist Right Turn Same Direction
- 214 Motorist Right Turn Opposite Direction
- 215 Motorist Drive-In/Out Parking

NM9-PB30B Crash Type – Bicycle (continued)

Attribute Codes

- 216 Bus/Delivery Vehicle Pullover
- 217 Motorist Right Turn on Red Same Direction
- 218 Motorist Right Turn on Red Opposite Direction
- 219 Motorist Turn/Merge Other/Unknown
- 221 Bicyclist Left Turn Same Direction
- 222 Bicyclist Left Turn Opposite Direction
- 223 Bicyclist Right Turn Same Direction
- 224 Bicyclist Right Turn Opposite Direction
- 225 Bicyclist Ride-out Parallel Path
- 231 Motorist Overtaking Undetected Bicyclist
- 232 Motorist Overtaking Misjudged Space
- 235 Motorist Overtaking Bicyclist Swerved
- 239 Motorist Overtaking Other/Unknown
- 241 Bicyclist Overtaking Passing on Right
- 242 Bicyclist Overtaking Passing on Left
- 243 Bicyclist Overtaking Parked Vehicle
- 244 Bicyclist Overtaking Extended Door
- 249 Bicyclist Overtaking Other/Unknown
- 250 Wrong-Way/Wrong-Side Bicyclist
- 255 Wrong-Way/Wrong-Side Motorist
- 259 Wrong-Way/Wrong-Side Unknown
- 280 Parallel Paths Other/Unknown
- 311 Bicyclist Ride-Out Residential Driveway
- 312 Bicyclist Ride-Out Commercial Driveway
- 313 Bicyclist Ride-Out Driveway, Unknown Type
- 318 Bicyclist Ride-Out Other Midblock
- 319 Bicyclist Ride-Out Unknown
- 321 Motorist Drive-Out Residential Driveway
- 322 Motorist Drive-Out Commercial Driveway
- 323 Motorist Drive-Out Driveway, Unknown Type
- 328 Motorist Drive-Out Other Midblock
- 329 Motorist Drive-Out Midblock Unknown
- 357 Multiple Threat Midblock
- 380 Crossing Paths Midblock Other/Unknown
- 610 Backing Vehicle
- 700 Play Vehicle-Related
- 800 Unusual Circumstances
- 910 Non-Trafficway
- 970 Unknown Approach Paths
- 980 Unknown Location

NM9-PB31 Crash Location – Pedestrian

Definition: This data element identifies where the pedestrian crash occurred with respect to an

intersection.

Additional Information: This data element is applicable to pedestrians only.

SAS Name: PEDLOC

Attribute Codes

- 1 At Intersection
- 2 Intersection-Related
- 3 Not At Intersection
- 4 Non-Trafficway Location
- 7 Not a Pedestrian
- 9 Unknown/Insufficient Information

NM9-PB31B Crash Location – Bicycle

Definition: This data element identifies where the bicyclist crash occurred with respect to an

intersection.

Additional Information: This data element is applicable to bicyclists only.

SAS Name: BIKELOC

Attribute Codes

- 1 At Intersection
- 2 Intersection-Related
- 3 Not At Intersection
- 4 Non-Trafficway Location
- 7 Not a Cyclist
- 9 Unknown/Insufficient Information

NM9-PB32 Pedestrian Position

Definition: This data element identifies the position/location of the pedestrian with respect to the trafficway when contacted.

Additional Information: This data element is applicable to pedestrians only.

SAS Name: PEDPOS

Attribute Codes

- 1 Intersection Area
- 2 Crosswalk Area
- 3 Travel Lane
- 4 Paved Shoulder/Bicycle Lane/Parking Lane
- 5 Sidewalk/Shared-Use Path/Driveway Access
- 6 Unpaved Right-of-Way
- 7 Non-Trafficway Driveway
- 8 Non-Trafficway Parking Lot/Other
- 9 Other/Unknown
- 77 Not a Pedestrian

NM9-PB32B Bicyclist Position

Definition: This data element identifies the position/location of the bicyclist with respect to the trafficway when contacted.

Additional Information: This data element is applicable to bicyclists only.

SAS Name: BIKEPOS

Attribute Codes

- 1 Travel Lane
- 2 Bicycle Lane/Paved Shoulder/Parking Lane
- 3 Sidewalk/Crosswalk/Driveway Access
- 4 Shared-Use Path
- 5 Non-Trafficway Driveway
- 6 Non-Trafficway Parking Lot/Other
- 7 Not a Cyclist
- 8 Other
- 9 Unknown

NM9-PB33 Pedestrian Initial Direction of Travel

Definition: This data element identifies the initial direction of travel of the pedestrian prior to being contacted in the crash.

Additional Information: This data element is applicable to pedestrians only.

SAS Name: PEDDIR

Attribute Codes

- 1 Northbound
- 2 Eastbound
- 3 Southbound
- 4 Westbound
- 7 Not a Pedestrian
- 8 Not Applicable
- 9 Unknown Initial Direction of Travel

NM9-PB33B Bicyclist Initial Direction of Travel

Definition: This data element identifies the initial travel direction of the bicyclist with respect to the flow of traffic prior to being contacted in the crash.

Additional Information: This data element is applicable to bicyclists only.

SAS Name: BIKEDIR

Attribute Codes

- 1 With Traffic
- 2 Facing Traffic
- 3 Not Applicable
- 7 Not a Cyclist
- 9 Unknown

NM9-PB34 Motorist Initial Direction of Travel

Definition: This data element identifies the initial direction of travel of the motorist prior to being involved in a pedestrian crash.

Additional Information: This data element is applicable to pedestrians only.

SAS Name: MOTDIR

Attribute Codes

- 1 Northbound
- 2 Eastbound
- 3 Southbound
- 4 Westbound
- 7 Not a Pedestrian
- 8 Not Applicable
- 9 Unknown Initial Direction of Travel

NM9-PB35 Motorist Maneuver

Definition: This data element identifies if the motorist was engaged in a turning maneuver at an intersection prior to being involved in a pedestrian crash. The data element indicates the maneuver being made by the motorist at the time of a pedestrian collision.

Additional Information: This data element is applicable to pedestrians only.

SAS Name: MOTMAN

Attribute Codes

- 1 Left Turn
- 2 Right Turn
- 3 Straight Through
- 7 Not a Pedestrian
- 8 Not Applicable
- 9 Unknown Motorist Maneuver

NM9-PB36 Intersection Leg

Definition: The data element identifies the leg of the intersection where the pedestrian crash

occurred.

Additional Information: This data element is applicable to pedestrians only.

SAS Name: PEDLEG

Attribute Codes

- 1 Nearside
- 2 Farside
- 7 Not a Pedestrian
- 8 Not Applicable
- 9 Unknown

NM9-PB37 Pedestrian Scenario

Definition: This data element identifies the location and travel directions of the motorist and pedestrian for those crashes that occur at intersections. This data element summarizes the movements of the pedestrian and motorist in an intersection area.

Additional Information: This data element is applicable to pedestrians only.

SAS Name: PEDSNR

Attribute Codes

2014-Later

MOTORIST TRAVELING STRAIGHT THROUGH – CRASH OCCURRED ON NEAR (APPROACH) SIDE OF INTERSECTION

- 1a Pedestrian Within Crosswalk Area, Traveled From Motorist's Left.
- 1b Pedestrian Within Crosswalk Area, Traveled From Motorist's Right.
- 1c Pedestrian Within Crosswalk Area, Approach Direction Unknown.
- 2a Pedestrian Outside Crosswalk Area, Traveled From Motorist's Left.
- 2b Pedestrian Outside Crosswalk Area, Traveled From Motorist's Right.
- 2c Pedestrian Outside Crosswalk Area, Approach Direction Unknown.

MOTORIST TRAVELING STRAIGHT THROUGH – CRASH OCCURRED ON FAR SIDE OF INTERSECTION

- 3a Pedestrian Within Crosswalk Area, Traveled From Motorist's Left.
- 3b Pedestrian Within Crosswalk Area, Traveled From Motorist's Right.
- 3c Pedestrian Within Crosswalk Area, Approach Direction Unknown.
- 4a Pedestrian Outside Crosswalk Area. Traveled From Motorist's Left.
- 4b Pedestrian Outside Crosswalk Area, Traveled From Motorist's Right.
- 4c Pedestrian Outside Crosswalk Area, Approach Direction Unknown.

MOTORIST TURNING RIGHT – CRASH OCCURRED ON NEAR (APPROACH) SIDE OF INTERSECTION

- 5a Pedestrian Within Crosswalk Area, Traveled From Motorist's Left.
- 5b Pedestrian Within Crosswalk Area, Traveled From Motorist's Right.
- 5c Pedestrian Within Crosswalk Area, Approach Direction Unknown.
- 6a Pedestrian Outside Crosswalk Area, Traveled From Motorist's Left.
- 6b Pedestrian Outside Crosswalk Area, Traveled From Motorist's Right.
- 6c Pedestrian Outside Crosswalk Area, Approach Direction Unknown.

MOTORIST TURNING RIGHT - CRASH OCCURRED ON FAR SIDE OF INTERSECTION

- 7a Pedestrian Within Crosswalk Area, Approach Direction Same as Motorist's.
- 7b Pedestrian Within Crosswalk Area, Approach Direction Opposite Motorist's.
- 7c Pedestrian Within Crosswalk Area, Approach Direction Unknown.
- 8a Pedestrian Outside Crosswalk Area, Approach Direction Same as Motorist's.
- 8b Pedestrian Outside Crosswalk Area, Approach Direction Opposite Motorist's.
- 8c Pedestrian Outside Crosswalk Area, Approach Direction Unknown.

NM9-PB37 Pedestrian Scenario (continued)

Attribute Codes

2014-Later

MOTORIST TURNING LEFT – CRASH OCCURRED ON NEAR (APPROACH) SIDE OF INTERSECTION

- 9a Pedestrian Within Crosswalk Area, Traveled From Motorist's Left.
- 9b Pedestrian Within Crosswalk Area, Traveled From Motorist's Right.
- 9c Pedestrian Within Crosswalk Area, Approach Direction Unknown.
- 10a Pedestrian Outside Crosswalk Area, Traveled From Motorist's Left.
- 10b Pedestrian Outside Crosswalk Area, Traveled From Motorist's Right.
- 10c Pedestrian Outside Crosswalk Area, Approach Direction Unknown.

MOTORIST TURNING LEFT - CRASH OCCURRED ON FAR SIDE OF INTERSECTION

- 11a Pedestrian Within Crosswalk Area, Approach Direction Same as Motorist's.
- 11b Pedestrian Within Crosswalk Area, Approach Direction Opposite Motorist's.
- 11c Pedestrian Within Crosswalk Area, Approach Direction Unknown.
- 12a Pedestrian Outside Crosswalk Area, Approach Direction Same as Motorist's.
- 12b Pedestrian Outside Crosswalk Area, Approach Direction Opposite Motorist's.
- 12c Pedestrian Outside Crosswalk Area, Approach Direction Unknown.
- 7 Not a Pedestrian
- 8 Not Applicable

NM9-PB38 Crash Group – Pedestrian

Definition: This data element provides general groupings of the more specific individual

Pedestrian Crash Types.

Additional Information: This data element is applicable to pedestrians only.

The Pedestrian Crash Types are divided into 16 homogeneous crash groups [pages 96-98 of the PBCAT manual]. Suggested countermeasures are available for 12 of these groups [www.walkinginfo.org/pedsafe, pages 75-76 of the PBCAT manual].

SAS Name: PEDCGP

Attribute Codes

- 0 Not a Pedestrian
- 100 Unusual Circumstances
- 200 Backing Vehicle
- 310 Working or Playing in Roadway
- 340 Bus-Related
- 350 Unique Midblock
- 400 Walking/Running Along Roadway
- 460 Driveway Access/ Driveway Access Related
- 500 Waiting to Cross
- 600 Pedestrian in Roadway Circumstances Unknown
- 720 Multiple Threat/Trapped
- 740 Dash/Dart-Out
- 750 Crossing Roadway Vehicle Not Turning
- 790 Crossing Roadway Vehicle Turning
- 800 Non-Trafficway
- 910 Crossing Expressway
- 990 Other/Unknown Insufficient Details

NM9-PB38B Crash Group - Bicycle

Definition: This data element provides general groupings of the more specific individual Bicyclist Crash Types.

Additional Information: This data element is applicable to bicyclists only.

The Bicycle Crash Types are divided into 21 homogeneous crash groups [pages 96-98 of the PBCAT manual]. Suggested countermeasures are available for 13 of these groups [www.bicyclinginfo.org/bikesafe, pages 75-76 of the PBCAT manual].

SAS Name: BIKECGP

Attribute Codes

- 0 Not a Cyclist
- 110 Loss of Control/Turning Error
- 140 Motorist Failed to Yield Sign-Controlled Intersection
- 145 Bicyclist Failed to Yield Sign-Controlled Intersection
- 150 Motorist Failed to Yield Signalized Intersection
- 158 Bicyclist Failed to Yield Signalized Intersection
- 190 Crossing Paths Other Circumstances
- 210 Motorist Left Turn/Merge
- 215 Motorist Right Turn/Merge
- 219 Parking/Bus-Related
- 220 Bicyclist Left Turn/Merge
- 225 Bicyclist Right Turn/Merge
- 230 Motorist Overtaking Bicyclist
- 240 Bicyclist Overtaking Motorist
- 258 Wrong-Way/Wrong-Side
- 290 Parallel Paths Other Circumstances
- 310 Bicyclist Failed to Yield Midblock
- 320 Motorist Failed to Yield Midblock
- 600 Backing Vehicle
- 850 Other/Unusual Circumstances
- 910 Non-Trafficway
- 990 Other/Unknown Insufficient Details

The CEVENT Data File

The Cevent data file includes harmful and non-harmful events in the crash. It contains the data elements ST_CASE, STATE, and EVENTNUM, which are described in the beginning of the Data Element Definitions and Codes section. The Cevent data file also contains the data elements on the following pages.

ST_CASE and EVENTNUM are the unique identifiers for each record. ST_CASE should be used to merge the Cevent data file with the Accident data file.

C18 Vehicle Number (This Vehicle)

Definition: This data element identifies the "Vehicle Number" (VEH_NO) of this in-transport motor vehicle described in this event.

Additional Information: This is the vehicle described in "Sequence of Events" for this event.

Prior to 2015, this data element's Locator Code or Data Element Number was C17.

SAS Name: VNUMBER1

Attribute Codes

2010-Later

1-999 Vehicle Number

C18 Area of Impact (This Vehicle)

Definition: This data element identifies the impact point, if any, on this in-transport motor vehicle that produced property damage or personal injury in this event.

Additional Information: This is the impact area of the vehicle recorded in "Vehicle Number (This Vehicle)" and described in "Sequence of Events."

Prior to 2015, this data element's Locator Code or Data Element Number was C17.

SAS Name: AOI1
Attribute Codes

2010-		2013-	
2011	2012	Later	
00	00	00	Non-Collision
01-12	01-12	01-12	Clock Points
13	13	13	Тор
14	14	14	Undercarriage
18			Set-In-Motion (Not a Clock Point)
	18		Set-In-Motion (Not a Clock Value)
		18	Cargo/Vehicle Parts Set-In-Motion
		19	Other Objects Set-In-Motion
55	55	55	Non-Harmful Event
61	61	61	Left
62			Left-Front Half
	62	62	Left-Front Side
63			Left-Back Half
	63	63	Left-Back Side
81	81	81	Right
82			Right-Front Half
	82	82	Right-Front Side
83			Right-Back Half
	83	83	Right-Back Side
98	98	98	Not Reported
99	99	99	Unknown

V31 Sequence of Events

Definition: This data element describes this event. A motor vehicle traffic crash is a series of events resulting from an unstabilized situation. This series of harmful and non-harmful events is recorded in chronological order based on the PAR narrative and diagram.

Additional Information: From 2004 to 2009, Sequence of Events was collected at the vehicle level and up to six events (SEQ1-SEQ6) were stored in the Vehicle data file.

"First Harmful Event," "Most Harmful Event," and the "Sequence of Events" data elements have the same harmful event attributes. The harmful event attributes were modified to be consistent. "Sequence of Events" also has non-harmful event attributes.

SAS Name: SOE Attribute Codes

2010- 2011	2012	2013	2014- Later	
_	_			Dallace and Occasion
1	1	1	1	Rollover/Overturn
2 3	2	2	2	Fire/Explosion
				Immersion
	3	3	3	Immersion or Partial Immersion
4	4	4	4	Gas Inhalation
5	5	5	5	Fell/Jumped from Vehicle
6 7	6 7	6 7	6 7	Injured in Vehicle (Non-Collision) Other Non-Collision
8				Pedestrian
9	8 9	8 9	8	
9 10	9 10		9	Pedalcyclist
10	10	10 11	10 11	Railway Vehicle Live Animal
12	12	12	12	
12 14				Motor Vehicle in Transport
14 15	14 15	14 15	14 15	Parked Motor Vehicle
	15 16	15 16	15 16	Non-Motorist on Personal Conveyance
16 17	16	16	16	Thrown or Falling Object
	17	17	17	Boulder
18	18	18	18	Other Object (Not Fixed)
19	19	19	19	Building
20	20	20	20	Impact Attenuator/Crash Cushion
21	21	21	21	Bridge Pier or Support
23	23	23	23	Bridge Rail (Includes Parapet) Guardrail Face
24	24	24	24	
25	25	25	25	Concrete Traffic Barrier
26	26	26	26	Other Traffic Barrier
30	30	30	30	Utility Pole/Light Support
31	31	31	31	Other Post, Other Pole, or Other Support
32	32	32	32	Culvert
33	33	33	33	Curb
34	34	34	34	Ditch

V31 Sequence of Events (continued)

Attribute Codes						
2010-			2014-			
2011	2012	2013	Later			
35	35	35	35	Embankment		
38	38	38	38	Fence		
39	39	39	39	Wall		
40	40	40	40	Fire Hydrant		
41	41	41	41	Shrubbery		
42	42	42	42	Tree (Standing Only)		
43	43	43	43	Other Fixed Object		
44	44	44	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)		
45	45	45	45	Working Motor Vehicle		
46	46	46	46	Traffic Signal Support		
48	48	48	48	Snow Bank		
49	49	49	49	Ridden Animal or Animal-Drawn Conveyance		
50	50	50	50	Bridge Overhead Structure		
51	51	51	51	Jackknife (Harmful to This Vehicle)		
52	52	52	52	Guardrail End		
53	53	53	53	Mail Box		
54	54	54	54	Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or Objects Set-in-Motion from/by Another Motor Vehicle In-Transport		
55	55	55	55	Motor Vehicle in Motion Outside the Trafficway		
57	57	57	57	Cable Barrier		
58	58	58	58	Ground		
59	59	59	59	Traffic Sign Support		
60	60	60	60	Cargo/Equipment Loss or Shift (Non-Harmful)		
61	61	61	61	Equipment Failure (Blown Tire, Brake Failure, etc.)		
62	62	62	62	Separation of Units		
63	63	63	63	Ran Off Road – Right		
64	64	64	64	Ran Off Road – Left		
65	65	65	65	Cross Median		
66	66	66	66	Downhill Runaway		
67	67	67	67	Vehicle Went Airborne		
68	68	68	68	Cross Centerline		
69	69	69	69	Re-Entering Highway		
70	70	70	70	Jackknife (Non-Harmful)		
	71	71	71	End Departure		
72	72	72	72	Cargo/Equipment Loss or Shift (Harmful To This Vehicle)		
		73	73	Object Fell From Motor Vehicle In-Transport		
			79	Ran Off Roadway – Direction Unknown		
98				Not Reported (2010 Only)		
99	99	99	99	Unknown		

C18 Vehicle Number (Other Vehicle)

Definition: This data element identifies the "Vehicle Number" (VEH_NO) of the other motor vehicle, if any, in this event.

Additional Information: This is the vehicle contacted by the motor vehicle in-transport recorded in "Vehicle Number (This Vehicle)." Another vehicle must have been involved in this event for this data element to be a valid vehicle number (i.e., "Sequence of Events" for this event must be 12, 14, 45, 54, or 55).

Prior to 2015, this data element's Locator Code or Data Element Number was C17.

SAS Name: VNUMBER2

Attribute Codes

1-999	Vehicle Number
5555	Non-Harmful Event
9999	Not a Motor Vehicle

C18 Area of Impact (Other Vehicle)

Definition: This data element identifies the impact point on the other motor vehicle, if any, in this event.

Additional Information: This is the impact area of the vehicle recorded in "Vehicle Number (Other Vehicle)." Another vehicle must have been involved in this event for this data element to be a valid impact location (i.e., "Sequence of Events" for this event must be 12, 14, 45, 54, or 55).

Prior to 2015, this data element's Locator Code or Data Element Number was C17.

SAS Name: AOI2
Attribute Codes

2010	2011	2012	2013-	
			Later	
00	00	00	00	Non-Collision
01-12	01-12	01-12	01-12	Clock Points
13	13	13	13	Тор
14	14	14	14	Undercarriage
18	18			Set-In-Motion (Not a Clock Point)
		18		Set-In-Motion (Not a Clock Value)
			18	Cargo/Vehicle Parts Set-In-Motion
			19	Other Objects Set-In-Motion
55	55	55	55	Non-Harmful Event
61	61	61	61	Left
62	62			Left-Front Half
		62	62	Left-Front Side
63	63			Left-Back Half
		63	63	Left-Back Side
	77	77	77	Not a Motor Vehicle
81	81	81	81	Right
82	82			Right-Front Half
		82	82	Right-Front Side
83	83			Right-Back Half
		83	83	Right-Back Side
98	98	98	98	Not Reported
99	99	99	99	Unknown

The VEVENT Data File

The Vevent data file includes harmful and non-harmful events for each in-transport motor vehicle. It contains the data elements ST_CASE, STATE, VEH_NO, EVENTNUM, and VEVENTNUM, which are described in the beginning of the Data Element Definitions and Codes section. The Vevent data file also contains the data elements on the following pages.

ST_CASE, VEH_NO, and VEVENTNUM are the unique identifiers for each record. ST_CASE and VEH_NO should be used to merge the Vevent data file with the Vehicle data file.

C18 Vehicle Number (This Vehicle)

Definition: This data element identifies the "Vehicle Number" (VEH_NO) of this in-transport motor vehicle described in this event.

Additional Information: This is the vehicle described in "Sequence of Events" for this event.

If Vehicle #1 (V1) impacts Vehicle #2 (V2), then we have at least 2 Vevent records.

Example:

<u>VEH_NO</u>	<u>EVENTNUM</u>	<u>VNUMBER1</u>	<u>SOE</u>	<u>VNUMBER2</u>
1	1	1	12	2
2	1	1	12	2

The explanation of these 2 records is as follows:

V1 was involved in event 1 where V1 impacts V2

V2 was involved in event 1 where V1 impacts V2

Prior to 2015, this data element's Locator Code or Data Element Number was C17.

SAS Name: VNUMBER1

Attribute Codes

2010-Later

1-999 Vehicle Number

C18 Area of Impact (This Vehicle)

Definition: This data element identifies the impact point, if any, on this in-transport motor vehicle that produced property damage or personal injury in this event.

Additional Information: This is the impact area of the vehicle recorded in "Vehicle Number (This Vehicle)" and described in "Sequence of Events."

Prior to 2015, this data element's Locator Code or Data Element Number was C17.

SAS Name: AOI1
Attribute Codes

2010-		2013-	
2011	2012	Later	
00	00	00	Non-Collision
01-12	01-12	01-12	Clock Points
13	13	13	Тор
14	14	14	Undercarriage
18			Set-In-Motion (Not a Clock Point)
	18		Set-In-Motion (Not a Clock Value)
		18	Cargo/Vehicle Parts Set-In-Motion
		19	Other Objects Set-In-Motion
55	55	55	Non-Harmful Event
61	61	61	Left
62			Left-Front Half
	62	62	Left-Front Side
63			Left-Back Half
	63	63	Left-Back Side
81	81	81	Right
82			Right-Front Half
	82	82	Right-Front Side
83			Right-Back Half
	83	83	Right-Back Side
98	98	98	Not Reported
99	99	99	Unknown

V31 Sequence of Events

Definition: This data element describes this event. A motor vehicle traffic crash is a series of events resulting from an unstabilized situation. This series of harmful and non-harmful events is recorded in chronological order based on the PAR narrative and diagram.

Additional Information: From 2004 to 2009, Sequence of Events was collected at the vehicle level and up to six events (SEQ1-SEQ6) were stored in the Vehicle data file.

"First Harmful Event," "Most Harmful Event," and the "Sequence of Events" data elements have the same harmful event attributes. The harmful event attributes were modified to be consistent. "Sequence of Events" also has non-harmful event attributes.

SAS Name: SOE Attribute Codes

2010-	2012	2012	2014-	
2011	2012	2013	Later	D. II. (0)
1	1	1	1	Rollover/Overturn
2	2	2	2	Fire/Explosion
3				Immersion
	3	3	3	Immersion or Partial Immersion
4	4	4	4	Gas Inhalation
5	5	5	5	Fell/Jumped from Vehicle
6	6	6	6	Injured in Vehicle (Non-Collision)
7	7	7	7	Other Non-Collision
8	8	8	8	Pedestrian
9	9	9	9	Pedalcyclist
10	10	10	10	Railway Vehicle
11	11	11	11	Live Animal
12	12	12	12	Motor Vehicle in Transport
14	14	14	14	Parked Motor Vehicle
15	15	15	15	Non-Motorist on Personal Conveyance
16	16	16	16	Thrown or Falling Object
17	17	17	17	Boulder
18	18	18	18	Other Object (Not Fixed)
19	19	19	19	Building
20	20	20	20	Impact Attenuator/Crash Cushion
21	21	21	21	Bridge Pier or Support
23	23	23	23	Bridge Rail (Includes Parapet)
24	24	24	24	Guardrail Face
25	25	25	25	Concrete Traffic Barrier
26	26	26	26	Other Traffic Barrier
30	30	30	30	Utility Pole/Light Support
31	31	31	31	Other Post, Other Pole, or Other Support
32	32	32	32	Culvert
33	33	33	33	Curb
34	34	34	34	Ditch

V31 Sequence of Events (continued)

voi Sequence of Events			ents (continuea)
Attribute	e Codes	i		
2010-			2014-	
2011	2012	2013	Later	
35	35	35	35	Embankment
38	38	38	38	Fence
39	39	39	39	Wall
40	40	40	40	Fire Hydrant
41	41	41	41	Shrubbery
42	42	42	42	Tree (Standing Only)
43	43	43	43	Other Fixed Object
44	44	44	44	Pavement Surface Irregularity
4.5	4.5	45	4.5	(Ruts, Potholes, Grates, etc.)
45 46	45 46	45 46	45 46	Working Motor Vehicle
46 40	46	46	46	Traffic Signal Support
48 49	48 49	48 49	48 49	Snow Bank Ridden Animal or Animal-Drawn Conveyance
50	50	50	50	Bridge Overhead Structure
51	51	50 51	51	Jackknife (Harmful to This Vehicle)
52	52	52	52	Guardrail End
53	53	53	53	Mail Box
54	54	54	54	Motor Vehicle In-Transport Strikes or is Struck by Cargo,
.	•	•	•	Persons or Objects Set-in-Motion from/by Another Motor
				Vehicle In-Transport
55	55	55	55	Motor Vehicle in Motion Outside the Trafficway
57	57	57	57	Cable Barrier
58	58	58	58	Ground
59	59	59	59	Traffic Sign Support
60	60	60	60	Cargo/Equipment Loss or Shift (Non-Harmful)
61	61	61	61	Equipment Failure (Blown Tire, Brake Failure, etc.)
62	62	62	62	Separation of Units
63	63	63	63	Ran Off Road – Right
64	64	64	64	Ran Off Road – Left
65	65	65	65	Cross Median
66	66	66	66	Downhill Runaway
67	67	67	67	Vehicle Went Airborne
68	68	68	68	Cross Centerline
69 70	69 70	69 70	69 70	Re-Entering Highway
70	70 71	70 71	70 71	Jackknife (Non-Harmful)
 72	71 72	71 72	71 72	End Departure Cargo/Equipment Loss or Shift (Harmful To This Vehicle)
12		72 73	72 73	Cargo/Equipment Loss or Shift (Harmful To This Vehicle) Object Fell From Motor Vehicle In-Transport
		/3 	73 79	Ran Off Roadway – Direction Unknown
98			7 9	Not Reported (2010 Only)
99	99	99	99	Unknown
33	55	55	55	Olimbuil

C18 Vehicle Number (Other Vehicle)

Definition: This data element identifies the "Vehicle Number" (VEH_NO) of the other motor vehicle, if any, in this event.

Additional Information: This is the vehicle contacted by the motor vehicle in-transport recorded in "Vehicle Number (This Vehicle)." Another vehicle must have been involved in this event for this data element to be a valid vehicle number (i.e., "Sequence of Events" for this event must be 12, 14, 45, 54, or 55).

Prior to 2015, this data element's Locator Code or Data Element Number was C17.

SAS Name: VNUMBER2

Attribute Codes

1-999	Vehicle Number
5555	Non-Harmful Event
9999	Not a Motor Vehicle

C18 Area of Impact (Other Vehicle)

Definition: This data element identifies the impact point on the other motor vehicle, if any, in this event.

Additional Information: This is the impact area of the vehicle recorded in "Vehicle Number (Other Vehicle)." Another vehicle must have been involved in this event for this data element to be a valid impact location (i.e., "Sequence of Events" for this event must be 12, 14, 45, 54, or 55).

Prior to 2015, this data element's Locator Code or Data Element Number was C17.

SAS Name: AOI2
Attribute Codes

2010	2011	2012	2013-	
			Later	
00	00	00	00	Non-Collision
01-12	01-12	01-12	01-12	Clock Points
13	13	13	13	Тор
14	14	14	14	Undercarriage
18	18			Set-In-Motion (Not a Clock Point)
		18		Set-In-Motion (Not a Clock Value)
			18	Cargo/Vehicle Parts Set-In-Motion
			19	Other Objects Set-In-Motion
55	55	55	55	Non-Harmful Event
61	61	61	61	Left
62	62			Left-Front Half
		62	62	Left-Front Side
63	63			Left-Back Half
		63	63	Left-Back Side
	77	77	77	Not a Motor Vehicle
81	81	81	81	Right
82	82			Right-Front Half
		82	82	Right-Front Side
83	83			Right-Back Half
		83	83	Right-Back Side
98	98	98	98	Not Reported
99	99	99	99	Unknown

The VSOE Data File

The Vsoe data file includes harmful and non-harmful events for each in-transport motor vehicle. It contains the data elements ST_CASE, STATE, VEVENTNUM, and VEH_NO, which are described in the beginning of the Data Element Definitions and Codes section. The Vsoe data file also contains the data elements on the following pages.

ST_CASE, VEH_NO, and VEVENTNUM are the unique identifiers for each record. ST_CASE and VEH_NO should be used to merge the Vsoe data file with the Vehicle data file.

C18 Area of Impact Associated with the Event

Definition: This data element identifies the impact point, if any, on this in-transport motor vehicle that produced property damage or personal injury in this event.

Additional Information: This is the impact area of the vehicle recorded in "Vehicle Number (This Vehicle)" and described in "Sequence of Events."

Prior to 2015, this data element's Locator Code or Data Element Number was C17.

SAS Name: AOI
Attribute Codes

2010-		2013-	
2011	2012	Later	
00	00	00	Non-Collision
01-12	01-12	01-12	Clock Points
13	13	13	Тор
14	14	14	Undercarriage
18			Set-In-Motion (Not a Clock Point)
	18		Set-In-Motion (Not a Clock Value)
		18	Cargo/Vehicle Parts Set-In-Motion
		19	Other Objects Set-In-Motion
55	55	55	Non-Harmful Event
61	61	61	Left
62			Left-Front Half
	62	62	Left-Front Side
63			Left-Back Half
	63	63	Left-Back Side
81	81	81	Right
82			Right-Front Half
	82	82	Right-Front Side
83			Right-Back Half
	83	83	Right-Back Side
98	98	98	Not Reported
99	99	99	Unknown

V31 Sequence of Events

Definition: This data element describes this event. A motor vehicle traffic crash is a series of events resulting from an unstabilized situation. This series of harmful and non-harmful events is recorded in chronological order based on the PAR narrative and diagram.

Additional Information: From 2004 to 2009, Sequence of Events was collected at the vehicle level and up to six events (SEQ1-SEQ6) were stored in the Vehicle data file.

"First Harmful Event," "Most Harmful Event," and the "Sequence of Events" data elements have the same harmful event attributes. The harmful event attributes were modified to be consistent. "Sequence of Events" also has non-harmful event attributes.

SAS Name: SOE Attribute Codes

2010- 2011	2012	2013	2014- Later	
_	_			Dallace and Occasion
1	1	1	1	Rollover/Overturn
2 3	2	2	2	Fire/Explosion
				Immersion
	3	3	3	Immersion or Partial Immersion
4	4	4	4	Gas Inhalation
5	5	5	5	Fell/Jumped from Vehicle
6 7	6 7	6 7	6 7	Injured in Vehicle (Non-Collision)
				Other Non-Collision
8 9	8 9	8 9	8	Pedestrian Pedelevelist
9 10	9 10		9	Pedalcyclist
10	10	10 11	10 11	Railway Vehicle Live Animal
12	12	12	12	
12 14				Motor Vehicle in Transport
14 15	14 15	14 15	14 15	Parked Motor Vehicle
	15 16	15 16	15 16	Non-Motorist on Personal Conveyance
16 17	16	16	16	Thrown or Falling Object
	17	17	17	Boulder
18 19	18	18	18	Other Object (Not Fixed)
	19	19	19	Building
20	20	20	20	Impact Attenuator/Crash Cushion
21	21	21	21	Bridge Pier or Support
23	23	23	23	Bridge Rail (Includes Parapet) Guardrail Face
24	24	24	24	
25	25	25	25	Concrete Traffic Barrier
26	26	26	26	Other Traffic Barrier
30	30	30	30	Utility Pole/Light Support
31	31	31	31	Other Post, Other Pole, or Other Support
32	32	32	32	Culvert
33	33	33	33	Curb
34	34	34	34	Ditch

V31 Sequence of Events (continued)

Attribute Codes				
2010-			2014-	
2011	2012	2013	Later	
35	35	35	35	Embankment
38	38	38	38	Fence
39	39	39	39	Wall
40	40	40	40	Fire Hydrant
41	41	41	41	Shrubbery
42	42	42	42	Tree (Standing Only)
43	43	43	43	Other Fixed Object
44	44	44	44	Pavement Surface Irregularity (Ruts, Potholes, Grates, etc.)
45	45	45	45	Working Motor Vehicle
46	46	46	46	Traffic Signal Support
48	48	48	48	Snow Bank
49	49	49	49	Ridden Animal or Animal-Drawn Conveyance
50	50	50	50	Bridge Overhead Structure
51	51	51	51	Jackknife (Harmful to This Vehicle)
52	52	52	52	Guardrail End
53	53	53	53	Mail Box
54	54	54	54	Motor Vehicle In-Transport Strikes or is Struck by Cargo, Persons or Objects Set-in-Motion from/by Another Motor Vehicle In-Transport
55	55	55	55	Motor Vehicle in Motion Outside the Trafficway
57	57	57	57	Cable Barrier
58	58	58	58	Ground
59	59	59	59	Traffic Sign Support
60	60	60	60	Cargo/Equipment Loss or Shift (Non-Harmful)
61	61	61	61	Equipment Failure (Blown Tire, Brake Failure, etc.)
62	62	62	62	Separation of Units
63	63	63	63	Ran Off Road – Right
64	64	64	64	Ran Off Road – Left
65	65	65	65	Cross Median
66	66	66	66	Downhill Runaway
67	67	67	67	Vehicle Went Airborne
68	68	68	68	Cross Centerline
69	69	69	69	Re-Entering Highway
70	70	70	70	Jackknife (Non-Harmful)
	71	71	71	End Departure
72	72	72	72	Cargo/Equipment Loss or Shift (Harmful To This Vehicle)
		73	73	Object Fell From Motor Vehicle In-Transport
			79	Ran Off Roadway – Direction Unknown
98				Not Reported (2010 Only)
99	99	99	99	Unknown

The DAMAGE Data File

The Damage data file identifies each area of damage (as a separate record). It contains the data elements ST_CASE, STATE, and VEH_NO, which are described in the beginning of the Data Element Definitions and Codes section. The Damage data file also contains the data elements on the following pages.

ST_CASE and VEH_NO are the unique identifiers for each record. ST_CASE and VEH_NO should be used to merge the Damage data file with vehicles from the Vehicle data file.

V28B Damaged Areas

Definition: This data element identifies all the areas on this vehicle that were damaged in the crash as reflected in the case materials.

Additional Information:

SAS Name: MDAREAS

Attribute Codes

1-12	Clock points
13	Тор
14	Undercarriage
15	No Damage
99	Unknown

The DISTRACT Data File

The Distract data file identifies each driver distraction (as a separate record). It contains the data elements ST_CASE, STATE, and VEH_NO, which are described in the beginning of the Data Element Definitions and Codes section. The data file also contains MDRDSTRD which is described below.

ST_CASE, VEH_NO, and MDRDSTRD are the unique identifiers for each record. ST_CASE and VEH_NO should be used to merge the Distract data file with drivers from the Vehicle data file.

PC16 Driver Distracted By

Definition: This data element identifies the attribute(s) which best describe this driver's attention to driving prior to the driver's realization of an impending critical event or just prior to impact if realization of an impending critical event does not occur.

Additional Information: Distraction from the primary task of driving occurs when drivers divert their attention from the driving task to some other activity. Also, driving while daydreaming or lost in thought is identified as distracted driving by NHTSA. Physical conditions/impairments (fatigue, alcohol, medical condition, etc.) or psychological states (anger, emotional, depressed, etc.) are not identified as distractions by NHTSA.

SAS Name: MDRDSTRD

Attribute Codes

2010- 2011	2012- Later	
00	00	Not Distracted
01	01	Looked But Did Not See
03	03	By Other Occupant(s)
04	04	By a Moving Object in Vehicle
05	05	While Talking or Listening to Cellular Phone
06	06	While Manipulating Cellular Phone
07	07	While Adjusting Audio or Climate Controls
09	09	While Using Other Component/Controls Integral to Vehicle
10	10	While Using or Reaching For Device/Object Brought Into Vehicle
12	12	Distracted by Outside Person, Object or Event
13	13	Eating or Drinking
14	14	Smoking Related
15	15	Other Cellular Phone Related
16	16	No Driver Present/Unknown if Driver Present
	17	Distraction/Inattention
	18	Distraction/Careless
	19	Careless/Inattentive
92		Distraction/Inattention, Details Unknown
	92	Distraction (Distracted), Details Unknown
	93	Inattention (Inattentive), Details Unknown
96	96	Not Reported
97		Inattentive or Lost in Thought
	97	Lost In Thought/Day Dreaming
98	98	Other Distraction
99	99	Unknown if Distracted

The DRIMPAIR Data File

The Drimpair data file identifies each driver impairment (as a separate record). It contains the data elements ST_CASE, STATE, and VEH_NO, which are described in the beginning of the Data Element Definitions and Codes section. The data file also contains DRIMPAIR which is described below.

ST_CASE, VEH_NO, and DRIMPAIR are the unique identifiers for each record. ST_CASE and VEH_NO should be used to merge the Drimpair data file with drivers from the Vehicle data file.

D23 Condition (Impairment) at Time of Crash- Driver

Definition: This data element identifies physical impairments to this driver that may have contributed to the crash as identified by law enforcement.

Additional Information: This data element attempts to identify physical impairments to this driver which may have contributed to the cause of the crash. These impairments can appear anywhere in the case materials--in the narrative section, in the violations section, in a column entitled "Contributing Factors" or "Driver Action," etc.

Some information that had been collected under "Related Factors- Driver Level" is now captured under this new data element.

SAS Name: DRIMPAIR

Attribute Codes

2010	2011- 2013	2014- Later	
0	0	0	None/Apparently Normal
1	1	1	III, Blackout
2	2	2	Asleep or Fatigued
3	3		Walking with a Cane or Crutches
		3	Walking with a Cane or Crutches, etc.
4	4	4	Paraplegic or Restricted to Wheelchair
5	5	5	Impaired Due to Previous Injury
6	6	6	Deaf
7	7	7	Blind
8	8	8	Emotional (Depressed, Angry, Disturbed, etc.)
9	9	9	Under the Influence of Alcohol, Drugs or Medication
10	10	10	Physical Impairment – No Details
	95	95	No Driver Present/Unknown if Driver Present
96	96	96	Other Physical Impairment
98	98	98	Not Reported
99	99	99	Unknown if Impaired

The FACTOR Data File

The Factor data file identifies each vehicle factor (as a separate record). It contains the data elements ST_CASE, STATE, and VEH_NO, which are described in the beginning of the Data Element Definitions and Codes section. The data file also contains MFACTOR which is described below.

ST_CASE, VEH_NO, and MFACTOR are the unique identifiers for each record. ST_CASE and VEH_NO should be used to merge the Factor data file with the Vehicle data file.

PC4 Contributing Circumstances, Motor Vehicle

Definition: This data element describes this vehicle's possible pre-existing defects or maintenance conditions that may have contributed to the crash.

Additional Information: Most of these data elements can be found in Related Factor- Vehicle Level (SAS names VEH_CF1 and VEH_CF2 in the Vehicle data file in 2009 and prior, and VEH_SC1-VEH_SC2 in 2010).

SAS Name: MFACTOR

Attribute Codes

- 00 None
- 01 Tires
- 02 Brake System
- 03 Steering
- 04 Suspension
- 05 Power Train
- 06 Exhaust System
- 07 Head Lights
- 08 Signal Lights
- 09 Other Lights
- 10 Wipers
- 11 Wheels
- 12 Mirrors
- 13 Windows/Windshield
- 14 Body, Doors
- 15 Truck Coupling / Trailer Hitch / Safety Chains
- 16 Safety Systems
- 17 Vehicle Contributing Factors No Details
- 97 Other
- 98 Not Reported
- 99 Unknown

The MANEUVER Data File

The Maneuver data file identifies each avoidance attempt (as a separate record). It contains the data elements ST_CASE, STATE, and VEH_NO, which are described in the beginning of the Data Element Definitions and Codes section. The data file also contains MDRMANAV which is described below.

ST_CASE, VEH_NO, and MDRMANAV are the unique identifiers for each record. ST_CASE and VEH_NO should be used to merge the Maneuver data file with the Vehicle data file.

PC15 Driver Maneuvered to Avoid

Definition: This data element identifies the thing(s) this driver attempted to avoid while the vehicle was on the road portion of the trafficway, just prior to the first harmful event for this vehicle.

Additional Information:

SAS Name: MDRMANAV

Attribute Codes

- 00 Driver Did Not Maneuver To Avoid
- 01 Object
- 02 Poor Road Conditions (Puddle, Ice, Pothole, etc.)
- 03 Live Animal
- 04 Motor Vehicle
- 05 Pedestrian, Pedalcyclist or Other Non-Motorist
- 92 Phantom/Non-Contact Motor Vehicle
- 95 No Driver Present/Unknown if Driver Present
- 98 Not Reported
- 99 Unknown

The VIOLATN Data File

The Violatn data file identifies each violation (as a separate record). It contains the data elements ST_CASE, STATE, and VEH_NO, which are described in the beginning of the Data Element Definitions and Codes section. The data file also contains MVIOLATN which is described below.

ST_CASE, VEH_NO, and MVIOLATN are the unique identifiers for each record. ST_CASE and VEH_NO should be used to merge the Violatn data file with the Vehicle data file.

D21 Violations Charged

Definition: This data element identifies all violations charged to this driver.

Additional Information: Prior to 2010, this data element was in the Vehicle data file. In 2010, this data element changed to identify all violations charged in the crash and was therefore moved here to its own data file.

SAS Name: MVIOLATN

Attribute Codes

2010-Later

00 None

RECKLESS/CARELESS/HIT-AND-RUN OFFENSES

- 01 Manslaughter or Homicide
- 02 Willful Reckless Driving; Driving to Endanger; Negligent Driving
- 03 Unsafe Reckless (Not Willful, Wanton Reckless) Driving
- 04 Inattentive, Careless, Improper Driving
- 05 Fleeing or Eluding Police
- 06 Fail to Obey Police, Fireman, Authorized Person Directing Traffic
- 07 Hit-and-Run, Fail to Stop After Crash
- 08 Fail to Give Aid, Information, Wait for Police after Crash
- 09 Serious Violation Resulting in Death
- 10 Use of Telecommunications Device (Since 2015)

IMPAIRMENT OFFENSES

- 11 Driving While Intoxicated (Alcohol or Drugs) or BAC above Limit (Any Detectable BAC for CDLs)
- 12 Driving While Impaired
- 13 Driving under Influence of Substance not intended to intoxicate
- 14 Drinking While Operating
- 15 Illegal Possession of Alcohol or Drugs
- 16 Driving With Detectable Alcohol
- 18 Refusal to Submit to Chemical Test
- 19 Alcohol, Drug, or Impairment Violations Generally

SPEED-RELATED OFFENSES

- 21 Racing
- 22 Speeding (Above the Speed Limit)
- 23 Speed Greater Than Reasonable and Prudent (Not Necessarily Over the Limit)
- 24 Exceeding Special Speed Limit (e.g., for Trucks, Buses, Cycles, or on Bridge, in School Zone, etc.)
- 25 Energy Speed (Exceeding 55 mph, Non-Pointable)
- 26 Driving Too Slowly
- 29 Speed-Related Violations Generally

RULES OF THE ROAD - TRAFFIC SIGN & SIGNALS

- 31 Fail to Stop for Red Signal
- 32 Fail to Stop for Flashing Red
- 33 Violation of Turn on Red (Fail to Stop & Yield, Yield to Pedestrians before Turning)

D21 Violations Charged (continued)

2010-Later

- 34 Fail to Obey Flashing Signal (Yellow or Red)
- 35 Fail to Obey Signal Generally
- 36 Violate RR Grade Crossing Device/Regulations
- 37 Fail to Obey Stop Sign
- 38 Fail to Obey Yield Sign
- 39 Fail to Obey Traffic Control Device Generally

RULES OF THE ROAD - TURNING, YIELDING, SIGNALING

- Turn in Violation of Traffic Control (Disobey Signs, Turn Arrow or Pavement Markings; this is not a Right-on-Red violation)
- 42 Improper Method & Position of Turn (Too Wide, Wrong Lane)
- 43 Fail to Signal for Turn or Stop
- 45 Fail to Yield to Emergency Vehicle
- 46 Fail to Yield Generally
- 48 Enter Intersection When Space Insufficient
- 49 Turn, Yield, Signaling Violations Generally

RULES OF THE ROAD - WRONG SIDE, PASSING & FOLLOWING

- 51 Driving Wrong Way on One-Way Road
- 52 Driving on Left, Wrong Side of Road Generally
- 53 Improper, Unsafe Passing
- 54 Pass on Right (Drive off Pavement to Pass)
- 55 Pass Stopped School Bus
- 56 Fail to Give Way When Overtaken
- 58 Following Too Closely
- 59 Wrong Side, Passing, Following Violations Generally

RULES OF THE ROAD - LANE USAGE

- 61 Unsafe or Prohibited Lane Change
- 62 Improper Use of Lane (Enter of 3-Lane Road, HOV Designated Lane)
- 63 Certain Traffic to Use Right Lane (Trucks, Slow Moving, etc.)
- 66 Motorcycle Lane Violations (More than two per Lane, Riding Between Lanes, etc.)
- 67 Motorcyclist Attached to another Vehicle
- 69 Lane Violations Generally

NON-MOVING - LICENSE & REGISTRATION VIOLATIONS

- 71 Driving While License Withdrawn (Including Violation of Provisions of Work Permit) (2010-2013)
- 71 Driving While License Withdrawn (Since 2014)
- 72 Other Driver License Violations
- 73 Commercial Driver Violations
- 74 Vehicle Registration Violations
- 75 Fail to Carry Insurance Card
- 76 Driving Uninsured Vehicle
- 79 Non-Moving Violations Generally

D21 Violations Charged (continued)

2010-Later

EQUIPMENT

- 81 Lamp Violations
- 82 Brake Violations
- 83 Failure to Require Restraint Use (By Self or Passenger)
- 84 Motorcycle Equipment Violations (Helmet, Special Equipment)
- 85 Violation of Hazardous Cargo Regulations
- 86 Size, Weight, Load Violations
- 89 Equipment Violations Generally

LICENSE, REGISTRATION & OTHER VIOLATIONS

- 91 Parking
- 92 Theft, Unauthorized Use of Motor Vehicle
- 93 Driving Where Prohibited (Sidewalk, Limited Access, Off Truck Route)
- 95 No Driver Present/Unknown if Driver Present
- 97 Not Reported
- 98 Other Moving Violation
- 99 Unknown Violation(s)

The VISION Data File

The Vision data file identifies each visual obstruction (as a separate record). It contains the data elements ST_CASE, STATE, and VEH_NO, which are described in the beginning of the Data Element Definitions and Codes section. The data file also contains MVISOBSC which is described below.

ST_CASE, VEH_NO, and MVISOBSC are the unique identifiers for each record. ST_CASE and VEH_NO should be used to merge the Vision data file with the Vehicle data file.

PC14 Driver's Vision Obscured by

Definition: This data element records impediments to this driver's visual field that were noted in the case materials.

Additional Information: Most of these data elements can be found in "Related Factor – Driver Level" from 1982 to 2008. This data element was added to the Vehicle data file in 2009. In 2010, the data element was changed to identify all that apply in the crash and was therefore moved here to its own data file.

SAS Name: MVISOBSC

Attribute Codes

- 00 No Obstruction Noted
- 01 Rain, Snow, Fog, Smoke, Sand, Dust
- 02 Reflected Glare, Bright Sunlight, Headlights
- 03 Curve, Hill, or Other Roadway Design Features
- 04 Building, Billboard, or Other Structure
- 05 Trees, Crops, Vegetation
- 06 In-Transport Motor Vehicle (Including Load)
- 07 Not-in-Transport Motor Vehicle (Parked, Working)
- 08 Splash or Spray of Passing Vehicle
- 09 Inadequate Defrost or Defog System
- 10 Inadequate Vehicle Lighting System
- 11 Obstructing Interior to the Vehicle
- 12 External Mirrors
- 13 Broken or Improperly Cleaned Windshield
- 14 Obstructing Angles on Vehicle
- 95 No Driver Present/Unknown if Driver Present
- 97 Vision Obscured No Details
- 98 Other Visual Obstruction
- 99 Unknown

The NMCRASH Data File

The Nmcrash data file identifies each non-motorist action or circumstance that may have contributed to the crash (as a separate record). It contains the data elements ST_CASE, STATE, VEH_NO, and PER_NO, which are described in the beginning of the Data Element Definitions and Codes section. The data file also contains MTM_CRSH which is described below.

ST_CASE, PER_NO, and MTM_CRSH are the unique identifiers for each record. ST_CASE, VEH_NO, and PER_NO should be used to merge the Nmcrash data file with non-motorists from the Person data file.

NM12 Non-Motorist Contributing Circumstances

Definition: This data element describes the action(s) and/or circumstances of this non-motorist that law enforcement indicated may have contributed to the crash.

Additional Information: Some information that had been collected under Person Level Related Factors are now captured under this new data element. Please note the "non-motorist" may include people in not-in-transport motor vehicles, however this data element is only collected for people who are not occupants of motor vehicles. Prior to 2014 this data element was called "Non-Motorist Action/Circumstances at Time of Crash".

SAS Name: MTM_CRSH

Attribute Codes

2010- 2013	2014- Later	
0		No Improper Action
	0	None Noted
1		Dart/Dash
	1	Dart-Out
2	2	Failure to Yield Right-Of-Way
3	3	Failure to Obey Traffic Signs, Signals or Officer
4	4	In Roadway Improperly (Standing, Lying, Working, Playing)
5		Entering/Exiting Vehicle
	5	Entering/Exiting Parked or Stopped Vehicle
6	6	Inattentive (Talking, Eating, etc.)
7	7	Improper Turn/Merge
8	8	Improper Passing
9	9	Wrong-Way Riding or Walking
10		Driving on Wrong Side of Road
	10	Riding on Wrong Side of Road
	11	Dash
12	12	Improper Crossing of Roadway or Intersection (Jaywalking)
13	13	Failing to Have Lights on When Required
14	14	Operating Without Required Equipment
15	15	Improper or Erratic Lane Changing
16	16	Failure to Keep in Proper Lane or Running Off Road
17	17	Making Improper Entry to or Exit from Trafficway
18		Operating the Vehicle in Other Erratic, Reckless, Careless or Negligent Manner
	18	Operating in Other Erratic, Reckless, Careless or Negligent Manner
19	19	Not Visible (Dark Clothing, No Lighting, etc.)
20	20	Passing with Insufficient Distance or Inadequate Visibility or Failing to Yield to Overtaking Vehicle
21	21	Other
98		Not Reported
99	99	Unknown

The NMIMPAIR Data File

The Nmimpair data file identifies each non-motorist impairment (as a separate record). It contains the data elements ST_CASE, STATE, VEH_NO, and PER_NO, which are described in the beginning of the Data Element Definitions and Codes section. The data file also contains NMIMPAIR which is described below.

ST_CASE, PER_NO, and NMIMPAIR are the unique identifiers for each record. ST_CASE, VEH_NO, and PER_NO should be used to merge the Nmimpair data file with non-motorists from the Person data file.

NM14 Condition (Impairment) at Time of Crash- Non-Motorist

Definition: This data element identifies physical impairments to this non-motorist that may have contributed to the crash as identified by law enforcement.

Additional Information: This data element attempts to identify physical impairments to this non-motorist which may have contributed to the cause of the crash. These impairments can appear anywhere in the case materials--in the narrative section, in the violations section, in a column entitled "Contributing Factors" or "Driver Action," etc.

Some information that had been collected under "Related Factors- Person Level" is now captured under this new data element.

SAS Name: NMIMPAIR

Attribute Codes

2010- 2013		
0	0	None/Apparently Normal
1	1	III, Blackout
2	2	Asleep or Fatigued
	3	Walking with a Cane or Crutches
3		Walking with a Cane or Crutches, etc.
4	4	Paraplegic or Restricted to Wheelchair
5	5	Impaired Due to Previous Injury
6	6	Deaf
7	7	Blind
8	8	Emotional (Depressed, Angry, Disturbed, etc.)
9	9	Under the Influence of Alcohol, Drugs or Medication
10	10	Physical Impairment – No Details
96	96	Other Physical Impairment
98	98	Not Reported
99	99	Unknown if Impaired

The NMPRIOR Data File

The Nmprior data file identifies each non-motorist action at the time of their involvement in the crash (as a separate record). It contains the data elements ST_CASE, STATE, VEH_NO, and PER_NO, which are described in the beginning of the Data Element Definitions and Codes section. The data file also contains MPR_ACT which is described below.

ST_CASE, PER_NO, and MPR_ACT are the unique identifiers for each record. ST_CASE, VEH_NO, and PER_NO should be used to merge the Nmprior data file with non-motorists from the Person data file.

NM11 Non-Motorist Action/Circumstances

Definition: This data element describes the action(s) of the non-motorist immediately prior to their involvement in the crash.

Additional Information: Some information that had been collected under Person Level Related Factors are now captured under this new data element. Please note the "non-motorist" may include people in not-in-transport motor vehicles, however this data element is only collected for people who are not occupants of motor vehicles. Prior to 2014 this data element was called "Non-Motorist Action/Circumstances Prior to Crash".

SAS Name: MPR_ACT

Attribute Codes

2010- 2013	2014- Later	
1	1	Going to or from School (K-12)
2	2	Waiting to Cross Roadway
3	3	Crossing Roadway
4	4	Jogging/Running
5	5	Movement Along Roadway with Traffic (In or Adjacent to Travel Lane)
6	6	Movement Along Roadway Against Traffic (In or Adjacent to Travel Lane)
7		Movement on Sidewalk
8	8	In Roadway-Other (Working, Playing, etc.)
9	9	Adjacent to Roadway (e.g., Shoulder, Median)
10	10	Working in Trafficway (Incident Response)
11		Entering/Exiting a Vehicle
	11	Entering/Exiting a Parked or Stopped Vehicle
12	12	Disabled Vehicle Related (Working on, Pushing, Leaving/Approaching)
14	14	Other
15		None
16	16	Movement Along Roadway – Direction Unknown (Since 2012)
98	98	Not Reported
99	99	Unknown

The SAFETYEQ Data File

The Safetyeq data file identifies each item of safety equipment (as a separate record). It contains the data elements ST_CASE, STATE, VEH_NO, and PER_NO, which are described in the beginning of the Data Element Definitions and Codes section. The data file also contains MSAFEQMT which is described below.

ST_CASE, PER_NO, and MSAFEQMT are the unique identifiers for each record. ST_CASE, VEH_NO, and PER_NO should be used to merge the Safetyeq data file with non-motorists from the Person data file.

NM13 Non-Motorist Safety Equipment Use

Definition: This data element indicates the safety equipment that was used by this non-motorist involved in the crash.

Additional Information: There can be one or more safety equipment responses for each non-motorist.

SAS Name: MSAFEQMT

Attribute Codes

2010- 2014	2015- Later	
1	1	None Used
2	2	Helmet
3		Reflective Equipment/Clothing (Jacket, Backpack, etc.)
	3	Reflective Clothing (Jacket, Backpack, etc.)
4	4	Protective Pads (Elbows, Knees, Shins, etc.)
5	5	Lighting
7	7	Other Safety Equipment
8	8	Not Reported
9	9	Unknown if Used

The VINDECODE Data File

The Vindecode data file provides vehicle specification data for all vehicle types, mainly passenger vehicles, trucks and motorcycles. It contains the data elements ST_CASE, STATE, and VEH_NO, which are described in the beginning of the Data Element Definitions and Codes section. ST_CASE and VEH_NO are the unique identifiers for each record. ST_CASE and VEH_NO should be used to merge the Vindecode data file with the Vehicle or Parkwork data file.

The Vindecode data file contains 81 data elements derived from the VIN using the RL Polk VIN verification and decoding program, VINtelligence. Descriptions of the data elements and their contents can be found in the Polk VINtelligence Deluxe Package and Field Descriptions documentation in *Appendix G: Changes to the FARS VIN Decoded Data Elements*.

Appendices

Appendix A: PC23 Crash Type Diagram

Appendix B: Rules for Derived Data Elements

Appendix C: Additional Data Element Information


Appendix D: Changes in FARS Data Elements by SAS Data File and Year

Appendix E: Summary of 2010 and 2011 FARS Changes

Appendix F: Pedestrian and Bicyclist Data Availability Change

Appendix G: Changes to the FARS VIN Decoded Data Elements

Appendix A: PC23 Crash Type Diagram



Appendix B: Rules for Derived Data Elements

Several derived data elements are included in the data files. A derived data element is any element that is not coded (i.e., data directly entered into the system) but translated from existing data. Derived data elements include:

- translations from coded data elements (e.g., "Driver Drinking")
- records counted from vehicle and person levels as crash level counters (e.g., "Number of Parked/Working Vehicles"),
- data extracted across several records (e.g., "First Harmful Event"), and
- element combinations (e.g., "Motor Carrier Issuing Authority and ID Number").

The derived data elements are provided to facilitate analyses and as a common platform for presenting findings. These elements and the translations used to derive them are described in this Appendix.

Crash Level Counts

Number of Motor Vehicles in Transport (MVIT)

Accident. VE_FORMS

(also provided as Vehicle.VE_FORMS, Parkwork.PVE_FORMS, Person.VE_FORMS)

Logic of Derivation

All Vehicle records linked to the crash are used. This data element is derived as the count of all vehicles in the crash where "Unit Type" = 1. It is the number of records in the Vehicle data file.

Number of Parked/Working Vehicles

Accident. PVH INVL

Logic of Derivation

All Vehicle records linked to the crash are used. This data element is derived as the count of all vehicles in the crash where "Unit Type" is in (2, 3 or 4). It is the number of records in the Parkwork data file.

Number of Persons in Motor Vehicles in Transport (MVIT)

Accident. PERMVIT

Logic of Derivation

All Person records linked to the crash are used. This data element is derived as the count of all persons in the crash where "Person Type" is in (1, 2 or 9).

Number of Persons Not in Motor Vehicles in Transport (MVIT)

Accident. PERNOTMVIT

Logic of Derivation

All Person records linked to the crash are used. This data element is derived as the count of all persons in the crash where "Person Type" is in (3, 4, 5, 6, 7, 8, 10 or 19).

Crash and Vehicle Level Derived Data Elements

Fatalities

Accident.FATALS

Logic of Derivation

All Person records linked to the crash are used. This data element records the number of fatally injured persons in the crash and is derived by counting all persons with "Injury Severity" of 4 in the crash.

Fatalities in Vehicle

Vehicle.DEATHS

Logic of Derivation

All Person records linked to the vehicle are used. This data element records the number of fatally injured persons in the vehicle and is derived by counting all persons with "Injury Severity" of 4 in the vehicle.

Drunk Drivers

Accident.DRUNK_DR

Attribute Labels	1988- Later
No Drunk Drivers Involved in the Crash	0
Number of Drunk Drivers Involved in the Crash	Х

Logic of Derivation

All Person records linked to the crash are used. The data element is derived as the sum of drivers in a crash that have (1) police-reported alcohol involvement, or (2) a positive alcohol test result. That is, it is the sum of records where "Person Type" equals 1 (Driver of a Motor Vehicle In Transport), and "Police Reported Alcohol Involvement" equals 1 (Yes, Alcohol Involved) or "Alcohol Test Result" greater than 0 and less than 95.

Driver Drinking

Vehicle.DR DRINK

Attribute Labels	1975- 1981	1982- Later
No Drinking	0	0
Drinking	1	1
Unknown	9	

Logic of Derivation

All Person records linked to the vehicle are used. Driver Drinking is derived as drivers that have (1) police-reported alcohol involvement, or (2) a positive alcohol test result. That is, if it is a vehicle where "Person Type" equals 1 (Driver of a Motor Vehicle In Transport), and "Police Reported Alcohol Involvement" equals 1 (Yes, Alcohol Involved) or "Alcohol Test Result" is greater than 0 and less than 95, then 1 (Drinking), otherwise 0 (No Drinking).

Atmospheric Conditions

Accident.WEATHER

Attribute Labels	1988-2009	2010-2012	2013-Later
No Additional Atmospheric Conditions	1	0	0
Clear		1	1
Cloudy		10	10
Rain	2	2	2
Sleet, Hail (Freezing Rain or Drizzle)	3	3	
Sleet or Hail			3
Freezing Rain or Drizzle			12
Snow	4	4	4
Blowing Snow	5	11	11
Rain and Fog	6		
Sleet and Fog	7		
Fog, Smog, Smoke		5	5
Severe Crosswinds		6	6
Blowing Sand, Soil, Dirt		7	7
Other	8	8	8
Not Reported		98	98
Unknown	9	99	99

Logic of Derivation

This data element is derived from the coded data elements, Accident.WEATHER1 and Accident.WEATHER2. To derive WEATHER from these two data elements, the priority ranking of each attribute is as follows:

- Snow
- Blowing Snow
- Sleet or Hail
- Freezing Rain or Drizzle
- Rain
- Fog, Smog, Smoke
- Severe Crosswinds
- Blowing Sand, Soil, Dirt
- Other
- Cloudy

- Clear
- Not Reported
- Unknown
- No Additional Atmospheric Conditions

First Harmful Event

Accident.HARM EV

(also provided as Vehicle.HARM_EV, Parkwork.PHARM_EV, Person.HARM_EV)

Logic of Derivation

Since 2010, this data element is derived from the set of all crash events. Each event in a crash is recorded in chronological order. The data element that records the event is "Sequence of Events" and includes both harmful and non-harmful events. First Harmful Event, therefore, is the first "Sequence of Events" value that is not between codes 60 and 71 (non-harmful events).

Initial Contact Point

Vehicle. IMPACT1, Parkwork.PIMPACT1 (also provided as Person.IMPACT1)

Logic of Derivation

Since 2010, this data element is derived from the set of all crash events for a vehicle. Each event in a crash is recorded in chronological order. The data element that records each impact for a vehicle is "Area of Impact (This Vehicle)") for "This Vehicle" or "Area of Impact (Other Vehicle)" for the "Other Vehicle". The area of impact is only coded for harmful events, that is "Sequence of Events" values that are not between codes 60 and 71. Initial Contact Point, therefore, is the vehicle's first recorded Area of Impact value for a harmful event. Note that the vehicle may be "This Vehicle" or the "Other Vehicle" in the crash event.

Make Model Combined

Vehicle. MAK_MOD, Parkwork. PMAK_MOD (also provided as Person. MAK_MOD)

Logic of Derivation

This 5-digit data element is the combination of two data elements, the 2-digit "Vehicle Make" code followed by the 3-digit "Vehicle Model" code.

Motor Carrier Identification Number

Vehicle. MCARR_ID, Parkwork. PMCARR_ID

Logic of Derivation

This 11-character data element is the combination of two data elements, the 2-digit "Motor Carrier Issuing Authority" code followed by the 9-character "Identification Number".

Appendix C: Additional Data Element Information

Date of Crash

Time of Day/Day of Week

Classification	Data Year and Code		
	1975-Later		
Time of Day	HOUR (Military)		
Daytime (6:00 a.m. – 5:59 p.m.)	6-17		
Nighttime (6:00 p.m. – 5:59 a.m.)	0-5, 18-24*		
Unknown	99		
Day of Week	DAY_WEEK w/ HOUR		
Weekday 6 a.m. Monday thru 5:59 p.m. Friday	(DAY_WEEK=2 and 6<=HOUR<=23) or (DAY_WEEK in (3,4,5)) or (DAY_WEEK=6 and (0<= HOUR <=17 or HOUR=24*))		
Weekend 6 p.m. Friday thru 5:59 a.m. Monday	(DAY_WEEK=6 and 18<= HOUR <=23) or (DAY_WEEK in (1,7)) or (DAY_WEEK=2 and (0<= HOUR <=5 or HOUR=24*))		
Unknown	(DAY_WEEK =9) or (DAY_WEEK in (2,6) and HOUR =99)		

^{*} Hour 24 is the beginning of the day. In 2009 attribute 24 was dropped since 0 means the same thing.

Holidays

The length of a "FARS holiday" depends on the day on which the holiday occurs. NHTSA uses the following times for holiday analysis:

DAY OF HOLIDAY TIME PERIOD USED FOR ANALYSIS

Sunday or Monday

Tuesday

6 p.m. Friday to 5:59 a.m. Tuesday

6 p.m. Friday to 5:59 a.m. Wednesday

Wednesday

6 p.m. Tuesday to 5:59 a.m. Thursday

Thursday

6 p.m. Wednesday to 5:59 a.m. Monday

Friday or Saturday

6 p.m. Thursday to 5:59 a.m. Monday

HOLIDAY DESCRIPTIONS AND CALENDARS

The following table gives a detailed description of the time periods included within the following major holidays: New Year's, Memorial Day, Fourth of July, Labor Day, Thanksgiving and Christmas. The number of whole days in the holiday period is shown in parentheses. Since the holiday period data retrieval is associated with the alcohol related data, the holiday periods are given from 1982 onwards to match with the BAC data.

Note: When using the Alcohol data files, the New Year's Day holiday period for 1982 will be incomplete since no Alcohol data files exist prior to 1982.

Date of Crash (continued)

HOLIDAY CALENDAR

	Nam Vasula		HOLIDAT CAL		The substantial succession of	Obsistance
Year	New Year's Day	Memorial Day	Fourth of July	Labor Day	Thanksgiving Day	Christmas Day
1982	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Thu.
	12/31/1981 to	05/28/1982 to	07/02/1982 to	09/03/1982 to	11/24/1982 to	12/23/1982 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/04/1982 (3)	06/01/1982 (3)	07/06/1982 (3)	09/07/1982 (3)	11/29/1982 (4)	12/27/1982 (3)
1983	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/30/1982 to	05/27/1983 to	07/01/1983 to	09/02/1983 to	11/23/1983 to	12/23/1983 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.
	01/03/1983 (3)	05/31/1983 (3)	07/05/1983 (3)	09/06/1983 (3)	11/28/1983 (4)	12/27/1983 (3)
1984	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Tue.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/30/1983 to	05/25/1984 to	07/03/1984 to	08/31/1984 to	11/21/1984 to	12/21/1984 to
	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Thu.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Wed.
	01/03/1984 (3)	05/29/1984 (3)	07/05/1984 (1)	09/04/1984 (3)	11/26/1984 (4)	12/26/1984 (4)
1985	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Tue.
	12/28/1984 to	05/24/1985 to	07/03/1985 to	08/30/1985 to	11/27/1985 to	12/24/1985 to
	5:59 AM Wed.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Thu.
	01/02/1985 (4)	05/28/1985 (3)	07/08/1985 (4)	09/03/1985 (3)	12/02/1985 (4)	12/26/1985 (1)
1986	6:00 PM Tue.	6:00 PM Fri.	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Wed.
	12/31/1985 to	05/23/1986 to	07/03/1986 to	08/29/1986 to	11/26/1986 to	12/24/1986 to
	5:59 AM Thu.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/02/1986 (1)	05/27/1986 (3)	07/07/1986 (3)	09/02/1986 (3)	12/01/1986 (4)	12/29/1986 (4)
1987	6:00 PM Wed.	6:00 PM Fri.	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Thu.
	12/31/1986 to	05/22/1987 to	07/02/1987 to	09/04/1987 to	11/25/1987 to	12/24/1987 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/05/1987 (4)	05/26/1987 (3)	07/06/1987 (3)	09/08/1987 (3)	11/30/1987 (4)	12/28/1987 (3)
1988	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/31/1987 to	05/27/1988 to	07/01/1988 to	09/02/1988 to	11/23/1988 to	12/23/1988 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.
	01/04/1988 (3)	05/31/1988 (3)	07/05/1988 (3)	09/06/1988 (3)	11/28/1988 (4)	12/27/1988 (3)
1989	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/30/1988 to	05/26/1989 to	06/30/1989 to	09/01/1989 to	11/22/1989 to	12/22/1989 to
	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Wed.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.
	01/03/1989 (3)	05/30/1989 (3)	07/05/1989 (4)	09/05/1989 (3)	11/27/1989 (4)	12/26/1989 (3)
1990	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Tue.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/29/1989 to	05/25/1990 to	07/03/1990 to	08/31/1990 to	11/21/1990 to	12/21/1990 to
	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Thu.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Wed.
	01/02/1990 (3)	05/29/1990 (3)	07/05/1990 (1)	09/04/1990 (3)	11/26/1990 (4)	12/26/1990 (4)
1991	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Tue.
	12/28/1990 to	05/24/1991 to	07/03/1991 to	08/30/1991 to	11/27/1991 to	12/24/1991 to
	5:59 AM Wed.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Thu.
	01/02/1991 (4)	05/28/1991 (3)	07/08/1991 (4)	09/03/1991 (3)	12/02/1991 (4)	12/26/1991 (1)
1992	6:00 PM Tue.	6:00 PM Fri.	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Thu.
	12/31/1991 to	05/22/1992 to	07/02/1992 to	09/04/1992 to	11/25/1992 to	12/24/1992 to
	5:59 AM Thu.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/02/1992 (1)	05/26/1992 (3)	07/06/1992 (3)	09/08/1992 (3)	11/30/1992 (4)	12/28/1992 (3)

Date of Crash (continued)

HOLIDAY CALENDAR

	N. V. J.		HOLIDAT CAL			01 11
Year	New Year's Day	Memorial Day	Fourth of July	Labor Day	Thanksgiving Day	Christmas Day
1993	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Thu.
	12/31/1992 to	05/28/1993 to	07/02/1993 to	09/03/1993 to	11/24/1993 to	12/23/1993 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/04/1993 (3)	06/01/1993 (3)	07/06/1993 (3)	09/07/1993 (3)	11/29/1993 (4)	12/27/1993 (3)
1994	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/30/1993 to	05/27/1994 to	07/01/1994 to	09/02/1994 to	11/23/1994 to	12/23/1994 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.
	01/03/1994 (3)	05/31/1994 (3)	07/05/1994 (3)	09/06/1994 (3)	11/28/1994 (4)	12/27/1994 (3)
1995	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/30/1994 to	05/26/1995 to	06/30/1995 to	09/01/1995 to	11/22/1995 to	12/22/1995 to
	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Wed.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.
	01/03/1995 (3)	05/30/1995 (3)	07/05/1995 (4)	09/05/1995 (3)	11/27/1995 (4)	12/26/1995 (3)
1996	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Tue.
	12/29/1995 to	05/24/1996 to	07/03/1996 to	08/30/1996 to	11/27/1996 to	12/24/1996 to
	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Thu.
	01/02/1996 (3)	05/28/1996 (3)	07/08/1996 (4)	09/03/1996 (3)	12/02/1996 (4)	12/26/1996 (1)
1997	6:00 PM Tue.	6:00 PM Fri.	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Wed.
	12/31/1996 to	05/23/1997 to	07/03/1997 to	08/29/1997 to	11/26/1997 to	12/24/1997 to
	5:59 AM Thu.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/02/1997 (1)	05/27/1997 (3)	07/07/1997 (3)	09/02/1997 (3)	12/01/1997 (4)	12/29/1997 (4)
1998	6:00 PM Wed.	6:00 PM Fri.	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Thu.
	12/31/1997 to	05/22/1998 to	07/02/1998 to	09/04/1998 to	11/25/1998 to	12/24/1998 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/05/1998 (4)	05/26/1998 (3)	07/06/1998 (3)	09/08/1998 (3)	11/30/1998 (4)	12/28/1998 (3)
1999	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Thu.
	12/31/1998 to	05/28/1999 to	07/02/1999 to	09/03/1999 to	11/24/1999 to	12/23/1999 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/04/1999 (3)	06/01/1999 (3)	07/06/1999 (3)	09/07/1999 (3)	11/29/1999 (4)	12/27/1999 (3)
2000	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/30/1999 to	05/26/2000 to	06/30/2000 to	09/01/2000 to	11/22/2000 to	12/22/2000 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Wed.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.
	01/03/2000 (3)	05/30/2000 (3)	07/05/2000 (4)	09/05/2000 (3)	11/27/2000 (4)	12/26/2000 (3)
2001	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Tue.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/29/2000 to	05/25/2001 to	07/03/2001 to	08/31/2001 to	11/21/2001 to	12/21/2001 to
	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Thu.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Wed.
	01/02/2001 (3)	05/29/2001 (3)	07/05/2001 (1)	09/04/2001 (3)	11/26/2001 (4)	12/26/2001 (4)
2002	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Tue.
	12/28/2001 to	05/24/2002 to	07/03/2002 to	08/30/2002 to	11/27/2002 to	12/24/2002 to
	5:59 AM Wed.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Thu.
	01/02/2002 (4)	05/28/2002 (3)	07/08/2002 (4)	09/03/2002 (3)	12/02/2002 (4)	12/26/2002 (1)
2003	6:00 PM Tue.	6:00 PM Fri.	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Wed.
	12/31/2002 to	05/23/2003 to	07/03/2003 to	08/29/2003 to	11/26/2003 to	12/24/2003 to
	5:59 AM Thu.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/02/2003 (1)	05/27/2003 (3)	07/07/2003 (3)	09/02/2003 (3)	12/01/2003 (4)	12/29/2003 (4)

Date of Crash (continued)

HOLIDAY CALENDAR

Year	New Year's Day	Memorial Day	Fourth of July	Labor Day	Thanksgiving Day	Christmas Day
2004	6:00 PM Wed.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Thu.
	12/31/2003 to	05/28/2004 to	07/02/2004 to	09/03/2004 to	11/24/2004 to	12/23/2004 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/05/2004 (4)	06/01/2004 (3)	07/06/2004 (3)	09/07/2004 (3)	11/29/2004 (4)	12/27/2004 (3)
2005	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/30/2004 to	05/27/2005 to	07/01/2005 to	09/02/2005 to	11/23/2005 to	12/23/2005 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.
	01/03/2005 (3)	05/31/2005 (3)	07/05/2005 (3)	09/06/2005 (3)	11/28/2005 (4)	12/27/2005 (3)
2006	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/30/2005 to	05/26/2006 to	06/30/2006 to	09/01/2006 to	11/22/2006 to	12/22/2006 to
	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Wed.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.
	01/03/2006 (3)	05/30/2006 (3)	07/05/2006 (4)	09/05/2006 (3)	11/27/2006 (4)	12/26/2006 (3)
2007	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Tue.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/29/2006 to	05/25/2007 to	07/03/2007 to	08/31/2007 to	11/21/2007 to	12/21/2007 to
	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Thu.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Wed.
	01/02/2007 (3)	05/29/2007 (3)	07/05/2007 (1)	09/04/2007 (3)	11/26/2007 (4)	12/26/2007 (4)
2008	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Wed.
	12/28/2007 to	05/23/2008 to	07/03/2008 to	08/29/2008 to	11/26/2008 to	12/24/2008 to
	5:59 AM Wed.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/02/2008 (4)	05/27/2008 (3)	07/07/2008 (3)	09/02/2008 (3)	12/01/2008 (4)	12/29/2008 (4)
2009	6:00 PM Wed.	6:00 PM Fri.	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Thu.
	12/31/2008 to	05/22/2009 to	07/02/2009 to	09/04/2009 to	11/25/2009 to	12/24/2009 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/05/2009 (4)	05/26/2009 (3)	07/06/2009 (3)	09/08/2009 (3)	11/30/2009 (4)	12/28/2009 (3)
2010	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Thu.
	12/31/2009 to	05/28/2010 to	07/02/2010 to	09/03/2010 to	11/24/2010 to	12/23/2010 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/04/2010 (3)	06/01/2010 (3)	07/06/2010 (3)	09/07/2010 (3)	11/29/2010 (4)	12/27/2010 (3)
2011	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/30/2010 to	05/27/2011 to	07/01/2011 to	09/02/2011 to	11/23/2011 to	12/23/2011 to
	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.
	01/03/2011 (3)	05/31/2011 (3)	07/05/2011 (3)	09/06/2011 (3)	11/28/2011 (4)	12/27/2011 (3)
2012	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Tue.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.
	12/30/2011 to	05/25/2012 to	07/03/2012 to	08/31/2012 to	11/21/2012 to	12/21/2012 to
	5:59 AM Tue.	5:59 AM Tue.	5:59 AM Thu.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Wed.
	01/03/2012 (3)	05/29/2012 (3)	07/05/2012 (1)	09/04/2012 (3)	11/26/2012 (4)	12/26/2012 (4)
2013	6:00 PM Fri.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Tue.
	12/28/2012 to	05/24/2013 to	07/03/2013 to	08/30/2013 to	11/27/2013 to	12/24/2013 to
	5:59 AM Wed.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Thu.
	01/02/2013 (4)	05/28/2013 (3)	07/08/2013 (4)	09/03/2013 (3)	12/02/2013 (4)	12/26/2013 (1)
2014	6:00 PM Tue.	6:00 PM Fri.	6:00 PM Thu.	6:00 PM Fri.	6:00 PM Wed.	6:00 PM Wed.
	12/31/2013 to	05/23/2014 to	07/03/2014 to	08/29/2014 to	11/26/2014 to	12/24/2014 to
	5:59 AM Thu.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Tue.	5:59 AM Mon.	5:59 AM Mon.
	01/02/2014 (1)	05/27/2014 (3)	07/07/2014 (3)	09/02/2014 (3)	12/01/2014 (4)	12/29/2014 (4)

Note: The number of whole days in the holiday period is shown in parenthesis.

Manner of Collision

Note: From 1975 to 2001, the manner of collision is totally dependent on the directions of travel of the vehicles involved. The direction of travel of the vehicles is often misunderstood. The direction of a vehicle is determined by the precrash condition direction of travel, just before the vehicle goes out of control. Example (1): Assume two vehicles are heading toward each other on the same roadway, one going north and the other going south. If the southbound vehicle skids on a patch of ice and turns 180° and immediately is struck in the rear by the vehicle going north, then the manner of collision is "Head-On," not "Rear-End." Example (2): Had the vehicle going north sideswiped the southbound vehicle, which after the ice skid was pointed north, the manner of collision would be "Sideswipe Opposite Direction," even though both vehicles are pointed north at the time of the sideswipe. The precrash condition directions of travel, for both vehicles, determine the outcome. These examples involve a rotation of a vehicle just before the crash and can account for 20 to 30 percent of the coded cases. See *Impact* also in this Appendix.

Starting in 2002 and later, the manner of collision is dependent on the geometry of the points of impact. That is, Example (1) above is now coded 01, Front-to-Rear (includes Rear-End) and Example (2), is now coded 07 Sideswipe, Same Direction. This is a major change in the MAN_COLL data element. Care must be taken when using this data element over a time period that spans 2001 to 2002.


NHTSA'S Manner Of Collision Convention						
Classification (MAN, COLL)		Data Year and Code				
Classification (MAN_COLL)	1975-1977	1978-2001	2002-Later			
Not Collision with Motor Vehicle in Transport	0	0	00			
Rear-End	1	1	01			
Head-On	2	2	02			
Angle	4	4	03-06			
Sideswipe	7	5, 6	07-08			
Other	3	3	09-11			
Unknown	9	9	99, *98 (2010)			


Since 2002, this data element has been based on the impact location (front, side, or rear) and vehicle orientation (facing in the same or opposite directions) of the contact vehicles in the First Harmful Event. The use of "direction of force" will no longer be used in determining this data element. Prior to 2002, the "direction of force" immediately preceding the collision was allowed to be considered, especially in head-on collisions.


Notes: Refers only to crashes in which the "First Harmful Event" is a collision between two motor vehicles in-transport (codes 12 and 13).

Manner of Collision (continued)

Use the Diagrams below to help determine Manner of Collision codes 01-05, 07-08







School Bus Related

School Bus – refers to a motor vehicle which satisfies the following criteria:

- externally identifiable to other traffic units as a school/pupil transport vehicle;
- operated or owned by a public school or private school;
- where the institution's students may range from pre-school through high school;
- whose occupants, if any, are associated with the institution; and,
- the vehicle is in operations at the time of the crash to and from the school or on a school-sponsored activity or trip.

Also check the data element SPEC_USE in the Vehicle data file. When the data element SPEC_USE is set to the value 2 then the vehicle is used as a school bus.

This code applies to crashes in which a vehicle functioning as a school bus was directly or indirectly involved. The "school bus" does not have to be a traffic unit in the crash, but it must have been involved in some school-related activity (e.g., children boarding or alighting from the bus; bus stopping at or pulling from a location of such activity, etc.)

If school-bus-related is yes, then the crash and all fatalities in that crash are school-bus-related.

Additional explanation – inclusions:

- A collision involving a motor vehicle in-transport in which one or more than one school bus strikes or is struck by another road vehicle (directly involved).
- A collision involving a pedestrian in which a child approaching or leaving a school bus, stopped and with its red lights flashing, is struck and injured by a motor vehicle (indirectly involved).
- A collision crash or non-collision crash involving a motor vehicle in-transport passing a school bus stopped and with its red lights flashing (the school bus is a non-contact vehicle indirectly involved).
- A collision crash in which a child approaching or leaving a school bus, stopped and with its red light flashing, is struck and injured by a pedalcyclist (school bus indirectly involved).

Additional explanation – exclusions:

 A collision crash or non-collision crash involving a motor vehicle which is normally used as a school bus, but is carrying only senior citizens when the collision occurs.

Relation to Trafficway

Note: Two-way continuous left-turn lane was captured under Median prior to 2001.

Trafficway with frontage road


Road with Shoulders

Trafficway with frontage road

Road with Road without Shoulders


Trafficway with multiple roadways in the same direction


Trafficway





Relation to Trafficway (continued)

Gore Radius of 60 Meters (About 200 Feet)









Roadway Function Class and Land Use

NHTSA'S Roadway Function Class Convention				
Classification (DOAD ENC)	Data Year	and Code		
Classification (ROAD_FNC)	1981-1986	1987-Later		
Interstate, principal arterial	1	01, 11		
Freeway and expressway, principal arterial	2	12		
Principal arterial, other	3	02, 13		
Minor arterial	4	03, 14		
Collector	5, 6, 7	04, 05, 15		
Local	8	06, 16		
Unknown	9	09, 19, 99		

NHTSA'S Land Use (Rural/Urban) Convention					
Data Year and Code					
Classification	1981-1986 1987-Lat (LAND_USE) (ROAD_FI				
Rural	2	01-06, 09			
Urban	1 11-16, 19				
Unknown 9 99					

NHTSA'S Interstate and Non-Interstate Convention							
	Data Year and Code						
Classification	1975-1980 1981-1986 1987- (CL_TWAY) (ROAD_FNC) (ROAD						
Interstate	1	1	01, 11				
Non-Interstate	2-8	2-8	02-06, 12-16				
Unknown	9 9 09, 19, 99						

Trafficway Identifier

If "Route Signing" is 1 (Interstate), then "I-" is in the first two spaces of "Trafficway Identifier"

If "Route Signing" is 2 (US Highway), then "US-" is in the first three spaces of "Trafficway Identifier"

If "Route Signing" is 3 (State Highway), then "SR-" is in the first three spaces of "Trafficway Identifier"

If Route Signing is 4 (County Road), then "CR-" is in the first three spaces of Trafficway Identifier followed by the route number OR name if there is no number.

If Route Signing is other than 1, 2, 3 or 4, the route name or identifier is left-justified.

Immediately after the route designation (I-, US- or SR-), the corresponding highway number appears. For example, Interstate 70 should be coded as "I-70" and US 66 should be coded as "US-66." A dash is used in the highway designation between the capital letters and the number.

If one trafficway is both a State Highway and an Interstate Highway, "Route Signing" must always be coded "1-Interstate."

- (a) If the "Trafficway Identifier" and "Milepoint" are available for only the State Highway then the "Route Signing" is coded as "1-Interstate." "I-" is in the first two spaces of "Trafficway Identifier" followed by the full State Highway Identifier as normal (including any letters.) If California business loop (CA215) is also Interstate 15, then "Trafficway Identifier" is code as "I-SR215" or "I-CA215."
- (b) If the "Trafficway Identifier" and "Milepoint" are available for both the State Highway and the Interstate Highway, then "I-" appears in the first two spaces of "Trafficway Identifier" followed by the Interstate number. The Interstate "Milepoint" is coded. E.g., "I-15" (SR215) or "I-15" (CA215).

Similarly, if a State Highway is also a U.S. Highway, then the "Route Signing" is coded as "2-US Highway."

- (a) If the "Trafficway Identifier" and "Milepoint" are available only for the State Highway, then the "Route Signing" is coded as "2-US Highway." "US-" appears in the first three spaces of "Trafficway Identifier" followed by the full State Highway Identifier as normal (including any letters). The State Highway "Milepoint" is coded. E.g.; If Florida Route 25 is also US Route 27, then code "US-SR25" or "US-FL25."
- (b) If the "Trafficway Identifier" and "Milepoint" are available for both the U.S. Highway and the State Highway, then "US-" is in the first three spaces of "Trafficway Identifier" followed by the U.S. route number. The State Highway Identifier appears anywhere after the US route number. The US Route "Milepoint" is coded. E.g. "US-27" (SR25) or "US-27" (FL25).

Vehicle (Body Type) Classification

BODY_TYP by NHTSA vehicle category

NHTSA has precise definitions for several vehicle categories, such as passenger cars, pickups, buses, etc. For some categories, one will also need the data element TOW_VEH.

NHTSA's Vehicle Body Type Classification					
Classification	ion Data Year and Code				
(BODY_TYP)	1975-1981	1982-1990	1991-Later		
Passenger Cars	01-09	01-11, 67	01-11, 17 (since 2010)		
Light Trucks & Vans	43, 50-52, or (60 and tow_veh=0)	12, 40, 41, 48-51, 53-56, 58, 59, 68, 69, or (79 and tow_veh=0 or 9)	14-22, 24 ^(1,6) , 25 ^(2,6) , 28-41, 45-49, or (79 and tow_veh =0 or 9)		
Large Trucks	53-59, or (60 and tow_veh=1)	70-72, 74-76, 78, or (79 and tow_veh in 1-5 ⁽⁸⁾)	60-64, 66, 67 ⁽⁵⁾ , 71, 72, 78, or (79 and tow_veh ⁽⁷⁾ in 1-4)		
Motorcycles	15-18	20-29	80-89		
Buses	25-29	30-39	50-59 (55 van-based >10k lbs since 2011)		
Other/Unknown Vehicles	35-42, 44, 45, 99	13, 14, 42, 52, 73, 77, 80, 81, 82, 83, 88, 89, 90, 99	12, 13, 23 ⁽⁶⁾ , 42, 65, 73, 90, 91, 92, 93, 94 ⁽³⁾ , 95 (since 2012), 97, 99 Also, since 2004 (79 and tow_veh ⁽⁷⁾ =5 or 6) or 98 (since 2010)		
Passenger Vehicles	01-09, 43, 50-52, or (60 and tow_veh=0)	01-12, 40, 41, 48-51, 53- 56, 58, 59, 67-69, or (79 and tow_veh-0 or 9)	01-11, 14-22, 24 ⁽¹⁾ , 25 ⁽²⁾ , 28- 41, 45-49, or (79 and tow_veh=0 or 9) , or 17 (since 2010)		
Utility Vehicles (a.k.a. On/Off Road)	43	12, 56, 68	14-16, 19		
Pickups	50	50, 51	30-39		
Vans	51	40, 41, 48, 49	20-22, 24 ^(1,6) , 25 ^(2,6) , 28, 29		
Medium Trucks	53, 54, 56	70, 71, 75, 78	60-62, 64, 67 ⁽⁵⁾ , 71		
Heavy Trucks	55, 57-59, or (60 and tow_veh=1)	72, 74, 76, or (79 and tow_veh in 1-5 ⁽⁸⁾)	63, 66, 72, 78, or (79 and tow_veh ⁽⁷⁾ in 1-4)		
Combination Trucks	((53-56, 60) and tow_veh=1) or 57-59	((70-72, 75, 76, 78, 79) and tow_veh in 1-5 ⁽⁸⁾) or 74	((60-64, 71, 72, 78, 79) and tow_veh ⁽⁷⁾ in 1-4) or 66		
Single Unit Trucks	(53-56, 60) and tow_veh =0	(70-72, 75, 76, 78, 79) and tow_veh in (0,9)	(60-62,63,64,67,71,72,78,79) and tow_veh in (0,5,6 ⁽⁷⁾ ,9)		

Body type code 24 (van-based school bus) was added in 1993. When solely defining School Buses be sure to include body type code 24.

Body type code 25 (van-based transit bus) was added in 1993. When solely defining Transit Buses be sure to include body type code 25.

⁽³⁾ Body type coded 94 (motorized wheelchair) was added in 1997 and deleted in 1998.

^{(4) &}quot;Light Trucks & Vans" is frequently referred to as just "Light Trucks."

Vehicle (Body Type) Classification (continued)

- (5) Body type code 67 (medium/heavy pickup (Ford Super Duty 450/550)) was added in 2001. For the purposes of medium and heavy truck classifications, this body type will be considered a medium truck.
- (6) Van-based bus (24, 25) and van-based motor home (23) body type codes were deleted in 2003.
 - These attributes were removed because a review of the FARS Analyst coding revealed that they were rarely capturing them.
- (7) New code was added in 2004 for Vehicle Trailing (tow_veh) 5 (vehicle towing another motor vehicle). In 2009 the attribute was split into two to distinguish between fixed and non-fixed linkages (5 and 6). This attribute is not a part of the selection criteria for Light, Large, Heavy, or Combination Truck classifications. Beginning with 2004, an unknown truck type (light/medium/heavy) that was towing another vehicle (BODY_TYP=79 and TOW_VEH=5,6) should be classified as Other/Unknown. This classification is subject to change.
- (8) From 1982 to 1990, Vehicle Trailing (TOW_VEH) attribute value 5 (yes, two or more trailing units) existed in 1982 only. Including "5" in the range from 1982 to 1990 does not affect the classification.

Driver License Type Compliance

NHTSA'S Driver License Type Compliance							
	Data Year and Code						
Classification	1982-1986 1987-1992 1993-Later (L_CL_VEH) (L_COMPL) (L_COMPL)						
Valid	0, 2, 4	1, 3	1, 3				
Invalid	1, 3, 5	0, 2	0, 2				
Unknown	9	9	6 (since 2011), 7 (2010-2011), 8, 9				

Return

Driver License Status/Type

		NHTSA'S Driver License Status & Non-CDL Status					
Classification			Data Year and Code				
(L_STATUS)	1975-1981	1982-1986	1987-1992 1993-2003 2004-2010 2011-Later				
Valid	0, 3, 7	0, 2, 7-8	5-8	6-8	6	6	
Invalid	1-2, 4-6	1, 3-6	0-4	0-4	0-4	0-4	
Unknown	9	9	9 9 9 7,9				

Speeding

A fatal crash is "speeding" related if any of the following applies:

- At least one driver involved in the crash had a speeding related "Related Factor-Driver Level." Note that in 2009 the "Related Factor-Driver Level" attributes associated with speeding related were deleted and a new data element, "Speed Related," was introduced to capture this information. The element name was changed in 2013 to "Speeding Related."
- 2. At least one driver involved in the crash had a speeding related "Violations Charged."

Note: This definition was revised in 2002. The previous definition for "speeding" only looked at "Related Factor-Driver Level." By expanding the definition to include "Violations Charged," "speeding" fatal crashes and fatalities increase by less than one percent.

Fatal speeding-related crashes are not captured prior to 1982 using this scheme because "Violations Charged" did not identify speeding violations prior to 1982. This method only applies to 1982 through 2008 data.

NHTSA's Speeding Convention	Data Year and Codes			
Mirrox's Speeding Convention	1982-1996	1997	1998-2007	2008
1. Related Factor- Driver Level	DR_CF1, DR_C	F2, DR_CF3, D	R_CF4 (DR_CF4	added in 1997)
Driving too fast for conditions or in excess of the posted maximum		44		
Driving too fast for conditions		-		43
Driving in Excess of Posted Maximum		-		44
Racing	- 46			6
2. Violations Charged	VIOL_CHG VIOLCHG1, \ VIOLCHG3 (sta			
Speeding	2		-	
Alcohol or drugs and speeding	3 -		-	
Racing	-		2	1
Speeding (above the speed limit)	-		2	2
Speed greater than reasonable and prudent (not necessarily over the limit)	- 23		3	
Exceeding special speed limit (e.g.: for trucks, buses, cycles, or on bridge, in school zone, etc.)	- 2		4	
Energy speed (exceeding 55 mph, non-pointable)	- 2		5	
Speed related violations generally	-		2	9

Speeding (continued)

A "Speeding Related" data element was added to the Vehicle file in 2009. A crash is "speeding" related if at least one driver involved in the crash was "Speeding Related" Yes. Only the "Speed Related" data element needs to be considered for 2009 and later data.

NHTSA's Speeding Convention	Data Year and Codes 2009-2012	Classification
No	0	Not Speeding
Yes (includes the following): • Speed greater than reasonable or prudent (not necessarily over the limit) • Driving too fast for conditions • Speeding (above the speed limit) • Exceeding special limit (e.g.; for trucks, buses, cycles, on bridge, at night, in school zone, etc.) • Racing	1	Speeding
No Driver Present/Unknown if Driver Present	8 (2011-2012)	Not Speeding
Unknown	9	Unknown

The "Speeding Related" data element was expanded in 2013.

NHTSA's Speeding Convention	Data Year and Codes 2013-Later	Classification
No	0	Not Speeding
Yes, Racing	2	
Yes, Exceeded Speed Limit	3	Speeding
Yes, Too Fast for Conditions	4	Speeding
Yes, Specifics Unknown	5	
Unknown	9	Unknown

Impact


	Data Year and Code					
FARS Description IMPACT1 and IMPACT2 (and MDAREAS*)	Initial/Principal Point of Impact		Areas of Impact – Initial/Most Damaged	Initial Contact Point/ Damaged Areas	Classification	
	1975-1993	1994-2009	2010-2011	2012-Later		
Non-Collision	0	0	00	00	Non-Collision	
1 o'clock	0	1	01	01*		
11 o'clock	1	1	11	11*	Front	
12 o'clock	1	2	12	12*		
2 o'clock	0	2	02	02*		
3 o'clock	0	3	03	03*		
4 o'clock	0	4	04	04*	Right Side /	
Right		-	81	81	Side	
Right-Front Half/Side	-		82	82		
Right-Back Half/Side	-		83	83		
8 o'clock	08		08	08*		
9 o'clock	0	9	09	09*		
10 o'clock	10		10	10*	Left Side /	
Left		-	61	61	Side	
Left-Front Half/Side		-	62	62		
Left-Back Half/Side		-	63	63		
5 o'clock	0	5	05	05*		
6 o'clock	0	6	06	06*	Rear	
7 o'clock	0	7	07	07*		
Тор	1	3	13	13*		
Undercarriage	1	4	14	14*		
Underride	15 (since 1980)	-	-	-		
Override	16 (since 1982)	-	-	-	Other	
Special Condition:	18			18		
This vehicle set something in motion causing injury of damage (not a clock value)	-	(since 2004)	18	19 (since 2013)		
Not Reported	- 98 98			Linknaum		
Unknown	99*				Unknown	

Impact (continued)

Note: In 2010, "Initial Point of Impact" and "Principal Point of Impact" became "Area of Impact-Initial Damaged Area" and "Area of Impact-Most Damaged Area". In 2012, "Area of Impact-Initial Damaged Area" became "Initial Contact Point" and "Area of Impact-Most Damaged Area" was discontinued. It was replaced with Damaged Areas which records all damaged areas to the vehicle in the Damage data file. The applicable attributes for this element are marked with an asterisk in the table (*).

2010-Later

Areas of Impact- Initial/Most Damaged (2010-2011) Initial Contact Point (2012-Later)




Impact (continued)

1975-2009

Initial Impact Point and Principal Impact Point


CLOCKPOINT DIAGRAM




Impact (continued)

1975-Later

Impact Points




Right Side





Source: FARS Coding Manual

Impact (continued)

Data element 13 Examples







VIN Weight- Auto

FARS collects information on the weight of cars involved in fatal crashes. Vehicle weight is not generally available for light trucks, however, the weight data element, WGTCD_TR, is. NHTSA often partitions car weight into six classes. This has been done in *An Analysis of Fires in Passenger Cars, Light Trucks, and Vans*, Tessmer, DOT HS 808 208, 1994; *Passenger Car Weight and Injury Severity in Single-Vehicle Nonrollover Crashes*, Partyka and Boehly, 1989; ESV Report 89-2b-O-005 and *Development of Databases in Support of an Analysis of Fire Incidence Using the Fatal Accident Reporting System*, Walz and Klein, September 14, 1993. The partition is defined as:

	Car Weight Classes
Class	Weight Range in Pounds
Class 1	Car Weight < 1,950
Class 2	1,950 ≤ Car Weight < 2,450
Class 3	2,450 ≤ Car Weight < 2,950
Class 4	2,950 ≤ Car Weight < 3,450
Class 5	3,450 ≤ Car Weight < 3,950
Class 6	3,950 ≤ Car Weight

Note: If you are going to use this data element as a continuous data element, consider defining a new data element, say AUTO_WT as AUTO_WT = VIN_WT/1000. That is, AUTO_WT is the weight of the car in 1,000s of lbs. Its coefficient is less likely to be zero.

Vehicle Identification Number (VIN)

Data elements = VIN_1 ... VIN_12 The 1st to 12th character of the vehicle identification number

The first character of the VIN usually identifies the country or Nation of Origin; the most common are:

```
VIN_1 =
            1
                   U.S.
            2
                   Canada
             3
                   Mexico
            J
                   Japan
            Κ
                   Korea
            L
                   Taiwan
             S
                   England
            VF
                   France (V for Europe, F for France)
                   West Germany
            W
            Υ
                   Sweden
            Ζ
                   Italy
```

1981-Later

The second and third characters of the VIN, more or less, identify the make of the vehicle; the most common AUTOMOBILE makes are:

 $VIN_2|VIN_3 =$

2A - AVANTI A3 - MITSUBISHI AB - ISUZU AJ - JAGUAR AM - MASERATI (IF VIN_1 = Z) AM - AMERICAN MOTORS (IF VIN_1 = 1) AR - ALPHA ROMEO AW - AUDI AX - STERLING B3 - DODGE BA - BMW BB - BERTONE C3 - CHRYSLER CA - ROLLS ROYCE CC - LOTUS CE - DELOREAN CF - ASTON MARTIN	G6 - CADILLAC G8 - SATURN H4 - ACURA HM - HONDA JC - JEEP LN - LINCOLN M1 - MAZDA ME - MERCURY MH - HYUNDAI N1 - NISSAN P3 - PLYMOUTH PO - PORSCHE S3 - SAAB S3 - SUZUKI

Vehicle Identification Number (VIN) (continued)

1981-Later

The 10th letter or number of the VIN tells you the model year of the vehicle. Note that this may be different from when it was manufactured, as many automobile manufacturers start to produce next year's model this year. Find the model year by matching the 10th digit of your VIN to the table below:

VIN_10 =

A = 1980 A = 2010 B = 1981 B = 2011 C = 1982 C = 2012 D = 1983 D = 2013 E = 1984 E = 2014 F = 1985 F = 2015 G = 1986 G = 2016 H = 1987 H = 2017 J = 1988 J = 2018 K = 1989 K = 2019 L = 1990 L = 2020 M = 1991 M = 2021 N = 1992 N = 2022 P = 1993 P = 2023 R = 1994 R = 2024 S = 1995 S = 2025 T = 1996 T = 2026 V = 1997 V = 2027 W = 1998 X = 2029 X = 1999 X = 2029
C = 1982 D = 1983 D = 2013 E = 1984 F = 1985 G = 1986 H = 1987 J = 1988 K = 1989 L = 1990 M = 1991 N = 1992 N = 1992 P = 1993 R = 1994 S = 1995 T = 1996 V = 1997 W = 1998 X = 1999 C = 2012 D = 2013 E = 2014 F = 2015 G = 2016 H = 2017 J = 2018 K = 2019 L = 2020 M = 2021 N = 2022 N = 2022 N = 2022 N = 2023 R = 2024 S = 2025 T = 1996 V = 2027 V = 2027 V = 2028 X = 1999 X = 2028
D = 1983 E = 1984 F = 1985 G = 1986 H = 1987 J = 1988 K = 1989 L = 1990 M = 1991 N = 1992 P = 1993 R = 1994 S = 1995 T = 1996 V = 1997 W = 1998 X = 1998 X = 1998 X = 1999 X = 2028 X = 1999 X = 2029
$\begin{array}{llllllllllllllllllllllllllllllllllll$
F = 1985 G = 1986 G = 1987 H = 2017 J = 1988 K = 1989 L = 1990 L = 2020 M = 1991 N = 1992 N = 2022 P = 1993 R = 1994 S = 1995 T = 1996 V = 1997 W = 1998 X = 2029 Y = 2028 X = 1999 X = 2028 X = 1999 X = 2029
G = 1986 H = 1987 H = 2017 J = 1988 K = 1989 L = 1990 M = 1991 N = 1992 P = 1993 R = 1994 S = 1995 T = 1996 V = 1997 W = 1998 X = 1998 X = 1999 X = 2028 X = 2029
H = 1987 J = 1988 K = 1989 L = 1990 M = 1991 N = 1992 P = 1993 R = 1994 S = 1995 T = 1996 V = 1997 W = 1998 X = 2029 H = 2017 H = 2018 K = 2019 L = 2020 M = 2021 N = 2022 R = 2023 R = 2024 S = 2025 T = 1996 V = 2027 V = 2027 V = 2027 V = 2028 X = 1999 X = 2029
$\begin{array}{llllllllllllllllllllllllllllllllllll$
K = 1989 K = 2019 L = 1990 L = 2020 M = 1991 M = 2021 N = 1992 N = 2022 P = 1993 P = 2023 R = 1994 R = 2024 S = 1995 S = 2025 T = 1996 T = 2026 V = 1997 V = 2027 W = 1998 W = 2028 X = 1999 X = 2029
$\begin{array}{llllllllllllllllllllllllllllllllllll$
M = 1991
N = 1992 N = 2022 P = 1993 P = 2023 R = 1994 R = 2024 S = 1995 S = 2025 T = 1996 T = 2026 V = 1997 V = 2027 W = 1998 W = 2028 X = 1999 X = 2029
P = 1993 R = 1994 R = 2024 S = 1995 S = 2025 T = 1996 V = 1997 V = 2027 W = 1998 X = 1999 X = 2029
R = 1994 R = 2024 S = 1995 S = 2025 T = 1996 T = 2026 V = 1997 V = 2027 W = 1998 W = 2028 X = 1999 X = 2029
S = 1995 $S = 2025T = 1996$ $T = 2026V = 1997$ $V = 2027W = 1998$ $W = 2028X = 1999$ $X = 2029$
T = 1996 $T = 2026V = 1997$ $V = 2027W = 1998$ $W = 2028X = 1999$ $X = 2029$
V = 1997 $V = 2027$ $W = 1998$ $W = 2028$ $X = 1999$ $X = 2029$
W = 1998 $W = 2028$ $X = 1999$ $X = 2029$
X = 1999 $X = 2029$
\/ 0000
Y = 2000 $Y = 2030$
1 = 2001 1 = 2031
2 = 2002 $2 = 2032$
3 = 2003 3 = 2033
4 = 2004 $4 = 2034$
5 = 2005 5 = 2035
6 = 2006 6 = 2036
7 = 2007 7 = 2037
8 = 2008 8 = 2038
9 = 2009 9 = 2039

As shown, each letter or number has been assigned to two different years. To find out which one applies, compare it to the 7th letter or number in the VIN. If the 7th VIN position is a letter, then the vehicle is made in 2010 through 2039. If the 7th VIN position is a number, then the vehicle is made prior to 2010.

Police Pursuits

A pursuit is an event that is initiated when a law enforcement officer, operating an authorized emergency vehicle, gives notice to stop (either through the use of visual or audible emergency signals or a combination of emergency devices) to a motorist who the officer is attempting to apprehend and that motorist fails to comply with the signal by either maintaining his/her speed, increasing speed or taking other evasive action to allude the officer's continued attempts to stop the motorist.

Ро											
Classification		Data Year and Codes									
Ciassification	1982-1993	2010-Later									
Related Factor- Accident Level CF1, CF2, CF3											
Police Pursuit Involved	-	20									
Related Factor- Driver Level DR_CF1, DR_CF2, DR_CF3 (1982-2009) DR_CF4 (1997-2009) DR_SF1, DR_SF2, DR_SF3, DR_SF4 (2010-Later)											
High Speed Chase with Police in Pursuit	37	37	-								
Police Pursuing this Driver or Police Officer in Pursuit	-	-	37								

FARS 1982-1993

If at least one driver in a crash has a "Related Factor-Driver Level" of *High Speed Chase with Police in Pursuit* (37) then that crash is considered a "police pursuit" crash and all fatalities in that crash are considered "fatalities in crashes involving police in pursuit."

(DR_CF1=37) or (DR_CF2=37) or (DR_CF3=37)

Specific fatality types in a "police pursuit" crash can be identified as follows:

- 1. occupant of police vehicle all occupants (PER_TYP IN (1,2,9)) of special use vehicle police (SPEC_USE=5)
- 2. occupant of chased vehicle all occupants (PER_TYP IN (1,2,9)) of vehicle with a driver having a "driver related factor" of high speed chase with police in pursuit (DR_CF1=37 OR DR_CF2=37 OR DR_CF3=37)
- 3. *occupant of other vehicle* all other occupants (*PER_TYP IN (1,2,9)*) excludes occupant of police vehicle and chased vehicle
- 4. *non-occupant* pedestrians, pedalcyclists, and other non-occupants (*PER_TYP IN (3,4,5,6,7,8)*)

Police Pursuits (continued)

FARS 1994 and later

If a crash has a "Related Factor- Accident Level" of *Police Pursuit Involved* (20) or a driver in the crash has a "Related Factor-Driver Level" of *High Speed Chase with Police in Pursuit* (37), then that crash is considered a "police pursuit crash" and all fatalities in that crash are considered "fatalities in crashes involving police in pursuit."

(CF1=20) or (CF2=20) or (CF3=20) or (DR_CF1=37) or (DR_CF2=37) or (DR_CF3=37) (or (DR_CF4=37) since 1997)

Note that data elements DR_CF1-DR_CF4 were renamed to DR_SF1-DR_SF4 in 2010.

Specific fatality types can be identified as follows:

- 1. occupant of police vehicle all occupants (PER_TYP IN (1,2,9)) of special use vehicle police (SPEC_USE=5)
- 2. occupant of chased vehicle all occupants (PER_TYP IN (1,2,9)) of vehicle with a driver having a driver related factor of high speed chase with police in pursuit (DR_CF1=37 or DR_CF2=37 or DR_CF3=37 (or (DR_CF4=37) since 1997)).
- 3. *occupant of other vehicle* all other occupants (*PER_TYP IN (1,2,9)*) excludes occupant of police vehicle and chased vehicle
- 4. *non-occupant* pedestrians, pedalcyclists, and other non-occupants (*PER_TYP IN* (3,4,5,6,7,8,10,19))
- 5. *unknown* (*PER_TYP=99*), this code existed for one year 1996

Alcohol

References:

Subramanian, R. (2002) *Transitioning to Multiple Imputation: A New Method to Estimate Missing BAC in FARS*, Report DOT-HS-809-403, National Highway Traffic Safety Administration, Department of Transportation.

http://www-nrd.nhtsa.dot.gov/pdf/nrd-30/NCSA/Rpts/2002/809-403.pdf)

(This report has detailed tabulations of the extent of alcohol involvement from 1982 to 2000 using estimates generated with both the old and new methods. Alcohol Involvement is reported according to various categories of interest (age, sex, time of day, day of week, etc.)

Rubin, D.B., Schafer, J.L., and Subramanian, R. (1998) *Multiple Imputation of Missing Blood Alcohol Concentration (BAC) values in FARS*, Report DOT-HS-808-816, National Highway Traffic Safety Administration, Department of Transportation.

(This report presents an in-depth technical view of the Multiple Imputation process and its implementation in the FARS. Detailed specifications of the statistical models used to estimate missing BACs are provided. Examples are also given of how the new data can be analyzed and used in models.)

Alcohol Test Result

MAPPING OF BAC VALUES

In 2015, the Alcohol Test Results element changed from a 2-digit field to a 3-digit field. Prior to 2015, the 3rd digit was truncated – not rounded. The following table shows the translation for the 3-digit 2015 BAC values to the previously reported 2-digit BAC values:

BAC	2014 Code	2015 Code	BAC	2014 Code	2015 Code	BAC	2014 Code	2015 Code
BAC .00	0	000-009	BAC .32	32	320-329	BAC .64	64	640-649
BAC .01	1	010-019	BAC .33	33	330-339	BAC .65	65	650-659
BAC .02	2	020-029	BAC .34	34	340-349	BAC .66	66	660-669
BAC .03	3	030-039	BAC .35	35	350-359	BAC .67	67	670-679
BAC .04	4	040-049	BAC .36	36	360-369	BAC .68	68	680-689
BAC .05	5	050-059	BAC .37	37	370-379	BAC .69	69	690-699
BAC .06	6	060-069	BAC .38	38	380-389	BAC .70	70	700-709
BAC .07	7	070-079	BAC .39	39	390-399	BAC .71	71	710-719
BAC .08	8	080-089	BAC .40	40	400-409	BAC .72	72	720-729
BAC .09	9	090-099	BAC .41	41	410-419	BAC .73	73	730-739
BAC .10	10	100-109	BAC .42	42	420-429	BAC .74	74	740-749
BAC .11	11	110-119	BAC .43	43	430-439	BAC .75	75	750-759
BAC .12	12	120-129	BAC .44	44	440-449	BAC .76	76	760-769
BAC .13	13	130-139	BAC .45	45	450-459	BAC .77	77	770-779
BAC .14	14	140-149	BAC .46	46	460-469	BAC .78	78	780-789
BAC .15	15	150-159	BAC .47	47	470-479	BAC .79	79	790-799
BAC .16	16	160-169	BAC .48	48	480-489	BAC .80	80	800-809
BAC .17	17	170-179	BAC .49	49	490-499	BAC .81	81	810-819
BAC .18	18	180-189	BAC .50	50	500-509	BAC .82	82	820-829
BAC .19	19	190-199	BAC .51	51	510-519	BAC .83	83	830-839
BAC .20	20	200-209	BAC .52	52	520-529	BAC .84	84	840-849
BAC .21	21	210-219	BAC .53	53	530-539	BAC .85	85	850-859
BAC .22	22	220-229	BAC .54	54	540-549	BAC .86	86	860-869
BAC .23	23	230-239	BAC .55	55	550-559	BAC .87	87	870-879
BAC .24	24	240-249	BAC .56	56	560-569	BAC .88	88	880-889
BAC .25	25	250-259	BAC .57	57	570-579	BAC .89	89	890-899
BAC .26	26	260-269	BAC .58	58	580-589	BAC .90	90	900-909
BAC .27	27	270-279	BAC .59	59	590-599	BAC .91	91	910-919
BAC .28	28	280-289	BAC .60	60	600-609	BAC .92	92	920-929
BAC .29	29	290-299	BAC .61	61	610-619	BAC .93	93	930-939
BAC .30	30	300-309	BAC .62	62	620-629	BAC .94+	94	940
BAC .31	31	310-319	BAC .63	63	630-639			

Alcohol Test Result (contd.)	2014 code	2015 code		
Not Reported	95	995		
Test Not Given	96	996		
AC Test Performed, Results Unknown	97	997		
Positive Reading with No Actual Value	98	998		
Unknown if Tested	99	999		

Ejection

NHTSA'S Ejection											
Classification (F IECTION)	Data Year a	nd Data element									
Classification (EJECTION)	1975-2006	2007-Later									
Not Ejected	0	0, 8									
Ejected	1, 2	1, 2, 3									
Unknown	9	9, 7 (since in 2010)									

Person Type

EADS Description		Data	Year and	Code			
FARS Description (PER_TYP)	1975- 1981	1982- 1993	1994- 2004	2005- 2006	2007- Later	Classification	
Occupants							
Driver of a motor vehicle intransport	1	1	01	01	01	Driver	
Passenger of a motor vehicle intransport	2	2	02	02	02	Passenger	
Unknown occupant type of a motor vehicle in-transport ⁽¹⁾	9	9	09	09	09	Passenger	
Non-occupants							
Occupant of a motor vehicle not in-transport (2)	-	3	03	03	03	Other non-occupant	
Occupant of a non-motor vehicle transport device (3)	5	4	04	04	04	Other non-occupant	
Pedestrian	3	5	05	05	05	Pedestrian	
Bicyclist	4	6	06	06	06	Pedalcyclist	
Other cyclist	4	7	07	07	07	Pedalcyclist	
Other or unknown non-occupant	8	8	-	-	-	Other/unknown non-occupant	
Other pedestrian (4)	-	-	08	-	-	Other non-occupant	
Other persons on personal conveyances/ vehicles (5)	-	-	-	08	-	Other non-occupant	
Persons on personal conveyances ⁽⁶⁾	-	-	-	-	08	Other non-occupant	
Persons in/on buildings ⁽⁶⁾	-	-	-	-	10	Other non-occupant	
Unknown type of non-occupant	-	-	19	19	19	Unknown non- occupant type	
Unknown							
Unknown person type ⁽⁷⁾	-	-	99	-	-	Unknown person type	
Not Reported*	-	-	-	-	88 (2010)		

*Not reported was introduced in 2010 although none appeared on the file in 2010. This attribute was deleted in 2011.

Person Type (continued)

Note: The early data has been modified to fit this format. For example, from 1975 to 1977 there was a value for fatal crashes involving a non-motorist in an animal drawn vehicle. This data has been reclassified into one of the values below.

- (1) Customarily, "Unknown Occupant" is placed in the "Passenger" category, unless they need to be distinguished from "Passengers".
- (2) "Occupant of motor vehicle not in-transport" refers to occupants of parked motor vehicles (any motor vehicle stopped off the roadway). In 2005, this definition was expanded to include parked/stopped off roadway/working motor vehicles and occupants of motor vehicles in motion outside the trafficway boundaries. Prior to 2005, occupants of working motor vehicles (working highway maintenance vehicles, cherry pickers, etc.) were coded "08." At that time, code "08" was labeled "Other Pedestrians."
- (3) "Occupant of non-motor vehicle transport device" refers to persons riding in an animal-drawn conveyance, on an animal, or injured occupants of railway trains, etc.
- (4) The code for "other pedestrians (08)" was created in FARS in 1994. This code was the result of further detailing the previous coding of "other or unknown non-occupant (8)" as 1) other pedestrians and 2) unknown non-occupant. Since it is not possible to differentiate "other pedestrians" from "unknown non-occupants" prior to 1994, we have kept them in the "other non-occupant" category for consistency across data years. "Other pedestrians" is used for occupant of a transport device used as equipment (working highway maintenance trucks, cherry pickers, etc.), pedestrians using conveyances, and people in buildings. Examples of pedestrian conveyances are skateboard riders, people in wheelchairs, people on roller skates, and sled riders.
- (5) Prior to 2005, code "08" was labeled "Other Pedestrians" and also included occupants of motor vehicles used as equipment (working highway maintenance vehicles, cherry pickers, etc.). For occupants of working motor vehicles, see code "03."
- (6) Prior to 2007, code "08" included persons in buildings. For persons in buildings, see code "10 Persons In/On Buildings."
- (7) "Unknown person type" existed in data years 1995 and 1996 only. It was found that this attribute did not add any value to the data element.

Restraint System/Helmet Use

	Data Year and Code										
FARS Description	1975-1990	1991-1993	1994-2007	2008-2009	2010-2012	2013-Later	Classi- fication				
	(MAN_REST) (REST_USE)										
None used (vehicle occupant) or Not applicable (non-occupant)	0	0	00	00	-	-					
Not Applicable – no restraint available in seat position of occupant (ex. sleeper cab or exterior)	-	-	-	-	00	00	Not Used				
None Used – vehicle occupant	-	-	-	-	07	07					
Helmets used improperly	-	-	15	15	(5, 16) and *REST_MIS =1	(5, 16, 19) and *REST_MIS =1					
No helmet	-	-	-	-	17	17					
Shoulder belt	1	1	01	01	01	01					
Lap belt	2	2	02	02	02	02					
Lap and shoulder belt	3	3	03	03	03	03					
Child safety seat	4	4	04	-	-	-					
Child Safety/ Booster Seat – Type Unknown/ Not Reported	-	-	-	04	04	04					
Child Safety Seat – Forward Facing	-	-	-	10	10	10					
Child Safety Seat – Rear Facing	-	-	-	11	11	11					
Booster Seat (with lap/shoulder belt used properly)	-	-	-	12	12	12	Used				
Motorcycle helmet	5	5	05	05	-	-					
DOT-Compliant motorcycle helmet					05 and *REST_MIS =0	05 and *REST_MIS =0					
Other Helmet					16 and *REST_MIS =0	(16, 19) and *REST_MIS =0					
Restraint used - type unknown or other including other helmet	8	8	08	08	08	08					

Restraint System/Helmet Use (continued)

	Data Year and Code										
FARS Description	1975-1990	1991-1993	1994-2007	2008-2009	2010-2012	2013-Later	Classi- fication				
	(MAN_REST)			(REST_USE)							
Safety belt used improperly	-		13	13	-	-					
Child safety seat/booster seat used improperly	-		14	14	-	-					
Bicycle Helmet	-		06	06	-	-					
Other	-		-	-	97	97					
Unknown if used	9	9	99	99	99	99					
Unknown if helmet worn						29	Unknown				
Not Reported					98	98					

^{*}Improperly used helmets are classified as "Not Used." In 2010, the Restraint/Helmet Mis-Use (REST_MIS) data element was introduced and "Improperly Used" attributes were removed from the Restraint Use (REST_USE) data element.


Historically, *child safety seat used improperly* was classified as "Not Used" in FARS. In June of 2003, this attribute was re-classified as USED. All other *improperly used* restraint systems were placed in categories as appropriate.

The majority of restraint usage analysis focuses on 1) child safety seat or belt use for <u>passenger vehicle</u> occupants or; 2) helmet use for <u>motorcyclists</u>. Be sure to include the appropriate body types in your selection criteria - see the section on <u>Vehicle (Body Type) Classification</u>.

Seating Position

Starting in 2003 Person Level Forms are submitted for uninjured occupants of van-based buses.

1982-Later



^{*} For van-based buses, use the actual seating position if known, or use data element 51 for the second, third, and fourth rows, if actual seating position is not known.

The tables below show each year a change was made to a data element. Elements are shown within the data set in which they can be found. Elements that appear in more than one data set are shown within the primary data set to which they belong. For example, MOD_YEAR is a Vehicle level element (V12. Vehicle Model Year) but it is also provided in the Person data file as a courtesy. Therefore, changes to this data element can be found in the Vehicle table below.

This is a note for how to read the tables below:

The first row in which the letter "A" appears is the first year that data element was coded. If the letter "A" appears through the column there have been no significant changes in the way in which the data element has been coded. If the letter "B" appears in a column, there has been a significant change in the way the data element has been coded. The first row, which contains the letter "B," indicates which year the first change was made. The letter "C" indicates the year the second change was made, and so on.

Accident Data Set

Year	ALIGNMNT	ARR_HOUR	ARR_MIN	C_M_ZONE	CF1, CF2, CF3	СІТУ	CL_TWAY	COUNTY	DAY	DAY_WEEK	DRUNK_DR	FATALS	FED_AID	FUNC_SYS
1975	Α	Α	Α	-	Α	Α	Α	Α	Α	Α	Α	Α	-	-
1976	Α	Α	Α	-	Α	Α	Α	Α	Α	Α	Α	Α	-	-
1977	Α	Α	Α	-	Α	Α	Α	Α	Α	Α	Α	Α	-	-
1978	Α	Α	Α	-	Α	Α	Α	Α	Α	Α	Α	Α	-	-
1979	Α	Α	Α	-	В	Α	Α	Α	Α	Α	Α	Α	-	-
1980	Α	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	Α	-	-
1981	Α	Α	Α	Α	В	Α	-	Α	Α	Α	Α	Α	-	-
1982	Α	Α	Α	В	С	Α	В	Α	Α	Α	Α	Α	Α	-
1983	Α	Α	Α	В	D	Α	В	Α	Α	Α	Α	Α	Α	-
1984	Α	Α	Α	В	D	Α	В	Α	Α	Α	Α	Α	Α	-
1985	Α	Α	Α	В	D	Α	В	Α	Α	Α	Α	Α	Α	-
1986	Α	Α	Α	В	D	Α	В	Α	Α	Α	Α	Α	Α	-
1987	Α	Α	Α	В	D	Α	-	Α	Α	Α	Α	Α	В	-
1988	Α	Α	Α	В	Е	Α	-	Α	Α	Α	Α	Α	В	-
1989	Α	Α	Α	В	F	Α	-	Α	Α	Α	Α	Α	В	-
1990	Α	Α	Α	В	F	Α	-	Α	Α	Α	Α	Α	В	-
1991	Α	Α	Α	В	F	Α	-	Α	Α	Α	Α	Α	В	-
1992	Α	Α	Α	В	F	Α	-	Α	Α	Α	Α	Α	В	-
1993	Α	Α	Α	В	F	Α	-	Α	Α	Α	Α	Α	В	-
1994	Α	Α	Α	В	G	Α	-	Α	Α	Α	Α	Α	-	-
1995	Α	Α	Α	В	Н	Α	-	Α	Α	Α	Α	Α	-	-
1996	Α	Α	Α	В	Н	Α	-	Α	Α	Α	Α	Α	-	-
1997	Α	Α	Α	В	Н	Α	-	Α	Α	Α	Α	Α	-	-
1998	Α	Α	Α	В	Н	Α	-	Α	Α	Α	Α	Α	-	-
1999	Α	В	В	В	I	Α	-	Α	Α	Α	Α	Α	-	-
2000	Α	В	В	В	I	Α	-	Α	Α	Α	Α	Α	-	-
2001	Α	В	В	В	I	Α	-	Α	Α	Α	Α	Α	-	-
2002	Α	В	В	В	J	Α	-	Α	Α	Α	Α	Α	-	-
2003	Α	В	В	В	J	Α	-	Α	Α	Α	Α	Α	-	-
2004	Α	В	В	В	J	Α	-	Α	Α	Α	Α	Α	-	-
2005	Α	В	В	В	K	Α	-	Α	Α	Α	Α	Α	-	-
2006	Α	В	В	В	L	Α	-	Α	Α	Α	Α	Α	-	-
2007	Α	В	В	В	L	Α	-	Α	Α	Α	Α	Α	-	-
2008	Α	В	В	В	М	Α	-	Α	Α	Α	Α	Α	-	-
2009	Α	С	С	-	М	Α	-	Α	Α	Α	Α	Α	-	-
2010	-	С	С	-	М	В	-	В	В	В	Α	Α	-	-
2011	-	С	С	-	М	В	-	В	В	В	Α	Α	-	-
2012	-	С	С	-	N	В	-	В	В	В	Α	Α	-	-
2013	-	С	С	-	0	В	-	В	В	В	Α	Α	-	-
2014	-	С	С	-	0	В	-	В	В	В	Α	Α	-	-
2015	-	С	С	-	0	В	-	В	В	В	Α	Α	-	Α

1975 A																
1976	Year	HARM_EV	HIT_RUN	HOSP_HR	HOSP_MIN	HOUR	LAND_USE	LATTITUDE	LGT_COND	LONGITUD	MAN_COLL	MILEPT	MINUTE	MONTH	NHS	NO_LANES
1977				-	-			-		-		-			-	
1978				-	-			-		-		-			-	
1979				-	-					-		-				
1980																
1981 B																
1982 C																
1983 C																
1984 C																
1985 C C A A B B A A A A B B B A A A A B B B A A A A A B B																
1986 C C C C A A A C B C B A A A A C B 1987 C C A A A A C B B C B A A A A C B 1988 C C A A A A C C B B A A A A C B 1989 C C A A A A C C B B A A A A C B 1990 C C A A A A C C B B A A A A C B 1991 C C A A A A C C B B A A A A C B 1992 C C A A A A C C B B A A A A C B 1993 D C A A A A C C B B A A A A C B 1994 E C A A A A C C B B A A A A A B 1995 E C A A A A C C B B A A A A A B 1996 E C A A A A C C B B A A A A A B 1997 F C A A A A C C B B A A A A A B 1998 F C A A A A C C B B A A A A A B 2000 F C B B A A A A A A B 2001 F C B B A A A A A A B 2002 F D B B A A A A A A B 2003 F E B B A C A A A A A B 2004 G F B B A C A A A A A B 2005 H G B B A C A A A A A B 2006 H G B B A C A A A A A B 2007 H H B B A C A A A A A B 2008 I H B B A C A A A A A B 2009 I C C C C C C C B D B E B C B A C 2010 L C C C C C C C B D B E B C B A C 2011 L C C C C C C C B D B E B C B A C 2011 L C C C C C C C B D B E B C B A C 2011 L C C C C C C C C C				-	-			-		-					-	
1988 C				-	-			-		-					-	
1989 C		С	С	Α	Α	Α	-	-	В	-	В	Α		Α	-	В
1990	1988	С	С	Α	Α	Α	-	-	В	-	В	Α	Α	Α	-	В
1991							-	-		-		Α			-	
1992 C C A A A - - B - B A A A - B 1993 D C A A A - - B - B A A A - B - B A A A - B B A </th <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>-</th> <th>-</th> <th></th> <th>-</th> <th></th> <th></th> <th></th> <th></th> <th>-</th> <th></th>							-	-		-					-	
1993 D C A A A - - B - B A A A - B - B A A A - B - B A A A A A B B - B A A A A A B B B A							-	-		-					-	
1994 E C A A A - - B - B A A A A B B A A A A A B B A A A A A A B B A A A A A B B A A A A A B B A A A A A B B A A A A A B B A A A A A B B A A A A A A A A A A A A A A B B A							-	-		-					-	
1995 E C A A A - - B - B A A A A B 1996 E C A A A - - B - B A A A A A B B A A A A A A B B A </th <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>-</th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>							-									
1996 E C A A A - - B - B A A A A B B A A A A A B B A A A A B B A A A A A A B B A A A A A A B B A																
1997 F C A A A - - B - B A A A A B B A A A A A B B A A A A A B B A A A A A A B B A																
1998 F C A A A - - B - B A A A A B A																
1999 F C B B A - A B A B A A A A A A B A																
2000 F C B B A - A B A B A A A A A A A B 2001 F C B B A - A B A B A A A A A A A A B B A - A B A C A A A A A B B B A - A B A C A A A A A B B A - A B A C A A A A A B B A - A B A C A A A A A B B A C A A A A A B B B A D A </th <th></th>																
2001 F C B B A - A B A B A A A A A A A B 2002 F D B B A - A B A C A A A A B 2003 F E B B A - A B A C A A A A A B 2004 G F B B A - A B A C A A A A B 2005 H G B B A - A B A D A A A A A B 2006 H G B B A - A B A D A A A A A																
2002 F D B B A - A B A C A A A A B 2003 F E B B A - A B A C A A A A B 2004 G F B B A - A B A C A A A A A B 2005 H G B B A - A B A D A A A A B 2006 H G B B A - A B A D A A A A A B 2007 H H B B A - A B A D A A A A A A A A							-									
2004 G F B B A - A B A C A A A A B 2005 H G B B A - A B A D A A A A B 2006 H G B B A - A B A D A A A A B 2007 H H B B A - A B A D A A A A A B 2008 I H B B A - A B A D A A A A A B B A A A A A B B A B B A A A A A A B B B	2002						-	Α								
2005 H G B B A - A B A D A A A A B 2006 H G B B A - A B A D A A A A B 2007 H H B B A - A B A D A A A A A B 2008 I H B B A - A B A D A A A A A B 2009 I - C C B - A C A D A A A A B B A B B B B A - A B B B A - A A A A A B	2003	F	Е	В	В	Α	-	Α	В	Α	С	Α	Α	Α	Α	В
2006 H G B B A - A B A D A A A A B 2007 H H B B A - A B A D A A A A B 2008 I H B B A - A B A D A A A A A B 2009 I - C C B - A C A D A A A A A B 2010 J - C C C C B D B E B C B A - 2011 K - C C C C C B D B E B C B A - 2011					В	Α	-	Α	В	Α		Α	Α	Α	Α	В
2007 H H B B A - A B A D A A A A B 2008 I H B B A - A B A D A A A A B 2009 I - C C B - A C A D A B B A B 2010 J - C C C - B D B E B C B A - 2011 K - C C C - B D B E B C B A - 2012 L - C C C - B D B E B C B A -							-									
2008 I H B B A - A B A D A A A A B 2009 I - C C B - A C A D A B B A B 2010 J - C C C - B D B E B C B A - 2011 K - C C C B D B E B C B A - 2012 L - C C C B D B E B C B A -							-									
2009 I - C C B - A C A D A B B A B 2010 J - C C C - B D B E B C B A - 2011 K - C C C - B D B E B C B A - 2012 L - C C C B D B E B C B A -							-									
2010 J - C C C - B D B E B C B A - 2011 K - C C C - B D B E B C B A - 2012 L - C C C - B D B E B C B A -																
2011 K - C C C - B D B E B C B A - 2012 L - C C C - B D B E B C B A -																
2012 L - C C C - B D B E B C B A -																
																-
	2012	M	-	C	C	С	-	В	D	В	E	В	С	В	A	-
2014 M - C C C - B D B E B C B A -																
2015 M - C C C - B D B E B C B A -			-													_

Year	NOT_HOUR	NOT_MIN	PAVE_TYP	PEDS	PERMVIT	PERNOMVIT	PERSONS	PROFILE	PVH_INVL	RAIL	RD_OWNER	REL_JUNC	RELJCT1	RELJCT2	REL_ROAD
1975	Α	Α	Α	-	-	-	Α	Α	-	-	-	Α	-	-	Α
1976	Α	Α	Α	-	-	-	Α	Α	-	-	-	Α	-	-	Α
1977	Α	A	Α	-	-	-	A	A	-	-	-	A	-	-	A
1978 1979	A	A	A	-	-	-	A	A	-	- ^	-	В	-	-	A
1979	A A	A A	A A	-	-	-	A A	A	-	A A	-	C D	-	-	A B
1981	A	A	A	-	-	-	A	A	-	A	-	D	-	-	В
1982	A	A	A	-	_	-	В	В	_	Α	-	D	_	_	С
1983	Α	Α	Α	-	-	-	В	В	-	Α	-	D	-	-	C
1984	Α	Α	Α	-	-	-	В	В	-	Α	-	D	-	-	С
1985	Α	Α	Α	•	-	-	В	В	-	Α	-	D	-	-	С
1986	Α	Α	Α	-	-	-	В	В	-	Α	-	D	-	-	С
1987	Α	Α	Α	-	-	-	В	В	-	Α	-	D	-	-	С
1988	Α	Α	Α	-	-	-	В	В	-	Α	-	D	-	-	С
1989	Α	A	Α	-	-	-	В	В	-	A	-	D	-	-	С
1990 1991	A	A	A	-	-	-	В	В	-	A	-	D	-	-	С
1991	A A	A A	A A	A A	-	-	B B	B B	-	A A	-	E E	-	-	C C
1993	A	A	A	A		-	В	В		A	_	E		_	С
1994	Α	A	Α	A	_	-	В	В	_	Α	-	E	_	_	С
1995	Α	Α	Α	Α	-	-	В	В	-	Α	-	E	-	-	C
1996	Α	Α	Α	Α	-	-	В	В	-	Α	-	Е	-	-	С
1997	Α	Α	Α	Α	-	-	В	В	-	Α	-	Е	-	-	С
1998	Α	Α	Α	Α	-	-	В	В	-	Α	-	Е	-	-	D
1999	В	В	Α	Α	-	-	В	В	-	Α	-	Е	-	-	D
2000	В	В	Α	Α	-	-	В	В	-	Α	-	E	-	-	D
2001 2002	В	В	A	A	-	-	В	В	-	A	-	E	-	-	E
2002	B B	B B	A A	A A	-	-	B B	B B	-	A A	-	E F	-	-	E E
2003	В	В	A	A	-	-	В	В	-	A	-	F	-	-	E
2005	В	В	A	A	-	-	В	В	-	A	-	F	-	-	E
2006	В	В	A	A	-	-	В	В	-	Α	-	F	-	-	E
2007	В	В	Α	Α	-	-	В	В	-	Α	-	F	-	-	F
2008	В	В	Α	Α	-	-	В	В	-	Α	-	F	-	-	F
2009	С	С	Α	Α	-	-	С	В	-	Α	-	F	-	-	F
2010	С	С	-	Α	-	-	С	-	-	Α	-	-	Α	Α	G
2011	С	С	-	В	Α	Α	С	-	Α	Α	-	-	A	Α	G
2012	С	С	-	В	A	A	С	-	A	A	-	-	A	A	G
2013	С	C	-	В	A	A	C	-	A	A	-	-	A	В	G
2014 2015	C C	C C	-	B B	A	A	C C	-	A	A A	-	-	A A	C C	G G
2013	U	U	-	Ď	А	А	U	-	Α	А	Α	-	H	U	G

Year	ROAD_FLO	ROAD_FNC	ROUTE	RUR_URB	SCH_BUS	SP_JUR	SP_LIMIT	ST_CASE	STATE	SUR_COND	T_CONT_F	TA_1_CL	TRA_CONT	TRAF_FLO	TWAY_FLO
1975	Α	-	-	-	-	Α	Α	Α	Α	Α	-	-	Α	-	-
1976	Α	-	-	-	-	В	Α	Α	Α	Α	-	-	Α	-	-
1977	A	-	-	-	Α	С	В	A	A	A	-	-	A	-	-
1978	A	-	-	-	A	C C	B C	A	A A	A	-	A	A	-	-
1979 1980	A A	-	-	-	A A	С	D	A A	A	A A	-	A A	A A	-	-
1981	A	- A	-	-	A	С	D	A	A	A	-	A	A	-	-
1982	-	A	-	-	A	С	D	A	A	Α	Α	-	В	-	Α
1983	-	Α	-	-	Α	С	D	Α	Α	Α	Α	-	В	-	Α
1984	-	Α	-	1	Α	С	D	Α	Α	Α	Α	-	В	-	Α
1985	-	Α	-	•	Α	С	D	Α	Α	Α	Α	-	В	-	Α
1986	-	Α	-	-	Α	С	D	Α	Α	Α	Α	-	В	-	Α
1987	-	В	Α	-	Α	С	D	Α	Α	Α	Α	-	В	Α	-
1988	-	В	A	-	A	С	D	A	A	A	A	-	В	Α	-
1989 1990	-	B B	A A	-	A A	C C	D D	A	A A	A A	A A	-	B B	A A	-
1991	-	В	A	-	A	С	D	A A	A	A	A	-	В	A	-
1992	-	В	A	-	A	С	D	A	A	Α	Α	-	В	A	-
1993	-	В	Α	-	Α	С	D	Α	Α	Α	Α	-	В	Α	-
1994	-	В	Α	-	Α	С	D	Α	Α	Α	Α	-	В	Α	-
1995	-	В	Α	-	Α	С	D	Α	Α	Α	Α	-	В	Α	-
1996	-	В	Α	-	Α	С	D	Α	Α	Α	Α	-	В	Α	-
1997	-	В	Α	-	Α	С	D	Α	Α	Α	Α	-	В	Α	-
1998	-	В	A	-	A	С	D	A	A	A	A	-	В	A	-
1999 2000	-	B B	A A	-	A A	C C	D D	A A	A A	A A	A A	-	B B	A A	-
2001	-	В	A	-	A	С	D	A	A	A	A	-	В	В	-
2002	-	В	A	-	A	С	D	A	A	A	A	-	С	В	-
2003	-	В	Α	-	Α	С	D	Α	Α	Α	Α	-	С	С	-
2004	-	В	Α	1	Α	С	D	Α	В	Α	Α	-	С	С	-
2005	-	В	Α	-	Α	С	D	Α	В	Α	Α	-	С	С	-
2006	-	В	Α	-	Α	С	D	Α	В	Α	Α	-	С	С	-
2007	-	В	Α	-	Α	С	D	Α	В	В	Α	-	С	С	-
2008	-	В	A	-	A	D	D	A	В	В	A	-	С	С	-
2009 2010	-	B B	A A	-	A B	D D	D	A A	B B	В	A	-	С	С	-
2010	-	В	A	-	В	D	-	A	В	-	-	-	-	-	-
2012	-	В	A	-	В	D	-	A	В	-	-	-	-	-	-
2013	-	В	A	-	С	D	-	A	В	-	-	-	-	-	-
2014	-	В	Α	-	С	D	-	Α	В	-	-	-	-	-	-
2015	-	-	Α	Α	С	D	-	Α	В	-	-	-	-	-	-

Year	TWAY_ID	TWAY_ID2	TYP_INT	VE_FORMS	VE_TOTAL	VEHICLES	WEATHER	WEATHER1, WEATHER2	WRK_ZONE	YEAR
1975	-	-	-	-	-	-	Α	-	-	Α
1976	-	-	-	Α	-	Α	Α	-	-	Α
1977	-	-	-	Α	-	Α	Α	-	-	Α
1978	-	-	-	A	-	A	A	-	-	Α
1979	-	-	-	A	-	A	A	-	-	A
1980 1981	-	-	-	A A	-	A A	B B	-	-	A A
1982	A	-	-	В	-	-	С	-	-	A
1983	A	-	-	В	-	-	С	-	_	A
1984	Α	-	-	В	-	-	С	-	-	Α
1985	Α	-	-	В	-	-	С	-	-	Α
1986	Α	-	-	В	-	-	С	-	-	Α
1987	Α	-	-	В	-	-	С	-	-	Α
1988	Α	-	-	В	-	-	С	-	-	Α
1989	Α	-	-	В	-	-	С	-	-	Α
1990	Α	-	-	В	-	-	С	-	-	Α
1991	Α	-	-	В	-	-	С	-	-	Α
1992 1993	A	-	-	В	-	-	С	-	-	A
1993	A A	-	-	B B	-	-	C	-	-	A A
1995	A	-	-	В	-	-	С	-	-	A
1996	A	-	-	В	-	-	С	-	-	A
1997	Α	-	-	В	-	-	С	-	-	A
1998	В	-	-	В	-	-	С	-	-	В
1999	В	-	-	В	-	-	С	-	-	В
2000	В	-	-	В	-	-	С	-	-	В
2001	В	-	-	В	-	-	С	-	-	В
2002	В	-	-	В	-	-	С	-	-	В
2003	В	-	-	В	-	-	С	-	-	В
2004	В	Α	-	В	-	-	С	-	-	В
2005	В	A	-	В	A	-	С	-	-	В
2006	B B	A	-	В	A	-	С	-	-	В
2007	В	A A	-	B B	A	-	D D	A A	-	B B
2009	В	A	-	С	В	-	D	A	A	В
2010	В	A	Α	С	В	-	E	В	В	В
2011	В	Α	Α	С	В	-	E	В	В	В
2012	С	В	Α	С	В	-	Е	В	С	В
2013	С	В	В	С	В	-	F	С	С	В
2014	С	В	В	С	В	-	F	С	С	В
2015	С	В	В	С	В	-	F	С	С	В

Vehicle Data Set

Year	ACC_TYPE	AVOID	AXLES	BODY_TYP	BUS_USE	CARBUR	CARGO_BT	CDL_STAT	CHAS_TR	CYLINDER	D_VISION1, D_VISION2, D_VISION3	DEATHS	DEFORMED	DISPLACE
1975	-	-	-	Α	-	-	-	-	Α	-	-	Α	-	-
1976	-	-	-	Α	-	-	-	-	Α	-	-	Α	-	-
1977	-	-	-	A	-	-	-	-	A	-	-	A	-	-
1978 1979	-	-	-	A	-	-	-	-	A	-	-	A	A	-
1979	-	-	-	A B	-	-	-	-	A A	-	-	A A	A A	-
1981	-	-	-	В	-	-	-	-	A	-	-	A	A	-
1982	-	_	-	С	-		-	-	-	-	_	A	A	-
1983	_	-	-	С	-	_	_	-	-	-	_	A	A	_
1984	-	-	-	С	-	-	-	-	-	-	-	A	A	-
1985	-	-	-	С	-	-	-	-	-	-	-	Α	Α	-
1986	-	-	-	С	-	-	-	-	-	-	-	Α	Α	-
1987	-	-	-	С	-	-	-	-	-	-	-	Α	Α	-
1988	-	-	-	С	-	-	-	-	-	-	-	Α	Α	-
1989	-	-	-	С	-	-	-	-	-	-	-	Α	Α	-
1990	-	-	-	С	-	-	-	-	-	-	-	Α	Α	-
1991	-	Α	Α	D	-	-	Α	Α	-	-	-	Α	Α	-
1992	-	Α	Α	D	-	-	Α	A	-	-	-	Α	Α	-
1993	-	A	A	E	-	-	A	В	-	-	-	Α	A	-
1994 1995	-	A	A	F F	-	-	A	В	-	-	-	A	A	-
1995	-	A A	B B	F	-	-	B B	B B	-	-	-	A A	A A	-
1997	-	A	В	G	-	-	В	В	-	-	-	A	A	-
1998	-	A	В	Н	-	-	В	В	-	_	_	A	A	_
1999	-	A	В	Н	-	-	В	В	-	-	-	A	A	-
2000		Α	В	Н	-		В	В	-			Α	Α	
2001	-	Α	В	I	Α	-	С	В	-	-	-	Α	Α	-
2002	-	Α	В	I	Α	-	С	В	-	-	-	Α	Α	-
2003	-	Α	В	J	Α	-	С	В	-	-	-	Α	Α	-
2004	-	Α	В	K	Α	-	С	В	-	-	-	Α	Α	-
2005	-	Α	В	K	Α	-	С	В	-	-	-	Α	Α	-
2006	-	Α	В	K	Α	-	С	В	-	-	-	Α	Α	-
2007	-	A	В	K	A	-	D	В	-	-	-	A	A	-
2008	-	A	-	L	A	-	D	В	-	-	-	A	A	-
2009	-	Α	-	L	A	-	E F	B C	-	-	Α	A	B C	-
2010 2011	A A	-	-	M N	B B	- А	F	D	-	-	-	A A	С	- A
2011	A	-	-	0	В	A	F	E	-	A A	-	A	С	A
2012	В	-	-	P	В	-	G	E	_	-	_	A	С	-
2014	В	-	-	P	В	-	G	E	-	-	-	A	С	-
2015	В	-	-	P	В	-	G	E	-	-	-	A	C	-

Year	DR_CF1, DR_CF2, DR_CF3	DR_CF4	DR_DRINK	DR_HGT	DR_PRES	DR_SF1 - DR_SF4	DR_TRAIN	DR_WGT	DR_ZIP	EMER_USE	FIRE_EXP	FIRST_MO	FIRST_YR
1975	Α	-	Α	-	Α	-	Α	-	-	-	Α	Α	Α
1976	Α	-	Α	-	Α	-	Α	-	-	-	Α	Α	Α
1977	A	-	A	-	В	-	Α	-	-	Α	Α	Α	Α
1978	В	-	A	-	В	-	A	-	-	A	A	A	A
1979	С	-	A	-	В	-	A	-	-	A	A	A	A
1980 1981	C C	-	A A	-	B B	-	A A	-	-	A A	A A	A	A A
1981	D	-	B	-	В	-	A	-	-	A	A	A	A
1982	D	-	<u>В</u>	-	В	-	A	-	-	A	A	A	A
1984	D	_	В	-	В	-	A	-	-	A	A	A	A
1985	D	-	В	-	В	-	A	-	-	A	A	A	A
1986	E	-	В	-	В	-	A	-	-	Α	Α	A	Α
1987	Е	-	В	-	В	-	-	-	Α	Α	Α	Α	Α
1988	Е	-	В	-	В	-	-	-	Α	Α	Α	Α	Α
1989	Е	-	В	-	В	-	-	-	Α	Α	Α	Α	Α
1990	Е	-	В	-	В	-	ı	-	Α	Α	Α	Α	Α
1991	F	-	В	-	В	-	-	-	Α	Α	Α	Α	Α
1992	F	-	В	-	В	-	-	-	Α	Α	Α	Α	Α
1993	F	-	В	-	В	-	-	-	Α	Α	Α	Α	Α
1994	G	-	В	-	В	-		-	Α	Α	Α	Α	Α
1995	Н	-	В	-	В	-	-	-	Α	Α	Α	Α	Α
1996	H	-	В	-	В	-	-	-	A	A	A	A	A
1997 1998	H	A S	B B	-	B B	-	•	-	A A	A A	A A	A	A B
1998	l	S	<u>в</u> В	A A	<u>в</u> В	-	-	A A	A	A	A	A	В
2000	J	C	В	A	В	-	-	A	A	A	A	A	В
2001	K	D	В	A	В	-	-	A	A	A	A	A	В
2002	L	E	В	A	В	-	-	A	A	A	A	A	В
2003	M	F	B	Α	В	-	-	Α	Α	Α	Α	A	В
2004	N	Ğ	В	Α	В	-	-	Α	Α	Α	Α	Α	В
2005	0	Н	В	Α	С	-	-	Α	Α	Α	Α	Α	В
2006	Р	I	В	Α	С	-	•	Α	Α	Α	Α	Α	В
2007	Р	I	В	Α	С	-	-	Α	Α	Α	Α	Α	В
2008	Q	J	В	Α	D	-	-	Α	Α	Α	В	Α	В
2009	R	K	В	В	Е	-	-	Α	Α	Α	С	Α	В
2010	-	-	В	С	Е	Α	-	Α	Α	В	С	Α	В
2011	-	-	В	D	E	A	-	В	В	В	С	В	С
2012	-	-	<u>B</u>	D	E	В	-	В	В	В	С	В	С
2013	-	-	В	D	E	В	-	В	В	С	С	В	С
2014	-	-	В	D	E	С	-	В	В	D	С	В	С
2015	-	-	В	D	Е	D	-	В	В	D	С	С	D

Year	FLDCD_TR	FUELCODE	GWVR	HAZ_CARG	HAZ_CNO	HAZ_ID	HAZ_INV	HAZ_PLAC	HAZ_REL	HIT_RUN	IMPACT1	IMPACT2	IMPACTS	J_KNIFE
1975	Α	-	-	-	-	-	-	-	-	Α	Α	Α	Α	-
1976	Α	-	-	-	-	-	-	-	-	Α	Α	Α	Α	-
1977	Α	-	-	-	-	-	-	-	-	В	Α	Α	Α	-
1978	Α	-	-	-	-	-	-	-	-	B	Α	Α	Α	-
1979	A	-	-	-	-	-	-	-	-	В	A	A	A	
1980	<u>A</u>	-	-	-	-	-	-	-	-	В	В	В	A	A
1981 1982	A	-	-	- А	-	-	-	-	-	B C	B C	B C	A A	A B
1982	A A	-	-	A	-	-	-	-	-	С	С	С	A	В
1984	A	-	-	A	-	-	-	-	-	С	С	С	A	В
1985	A	_	-	A	_		-	-	-	С	С	С	A	В
1986	A	-	_	A	-	_	-	_	-	С	С	С	Α	В
1987	Α	-	-	Α	-	-	-	-	-	С	С	С	Α	В
1988	Α	-	-	Α	-	-	-	-	-	С	С	С	Α	В
1989	Α	-	-	Α	-	-	-	-	-	С	С	С	Α	В
1990	Α	-	-	Α	-	-	-	-	-	С	С	С	Α	В
1991	Α	-	-	В	-	-	-	-	-	С	С	С	Α	В
1992	Α	-	-	В	-	-	-	-	-	С	С	С	Α	В
1993	Α	-	-	В	-	-	-	-	-	С	С	С	Α	В
1994	Α	-	-	В	-	-	-	-	-	С	D	D	Α	В
1995	A	-	-	В	-	-	-	-	-	С	D	D	Α	В
1996	Α	-	-	В	-	-	-	-	-	C	D	D	A	В
1997 1998	A A	-	-	B B	-	-	-	-	-	С	D D	D D	A A	B B
1999	A	-	-	В	-		-	-	-	С	D	D	A	В
2000	A	-	-	В	-		-	-	-	С	D	D	A	В
2001	A	-	Α	В	-	-	-	-	-	С	D	D	Α	В
2002	Α	-	В	В	-	-	-	-	-	D	D	D	Α	В
2003	Α	-	В	В	-	-	-	-	-	Е	D	D	Α	В
2004	Α	-	В	В	-	-	-	-	-	F	Е	Е	Α	В
2005	Α	-	В	В	-	-	-	-	-	G	Е	Е	Α	В
2006	Α	-	В	В	-	-	-	-	-	G	Е	Е	Α	В
2007	Α	-	В	-	Α	Α	Α	Α	Α	Н	E	Е	Α	В
2008	Α	-	В	-	В	Α	Α	Α	Α	H	E	E	Α	В
2009	Α	-	В	-	В	Α	Α	Α	Α		E	E -	Α	В
2010	-	A	В	-	В	A	A	A	A	J	F	F	-	В
2011	-	A	В	-	В	A	A	A	A	J	F	F	-	В
2012	-	Α	В	-	В	Α	A	A	A	K	G	-	-	В
2013 2014	-	-	B B	-	B B	A A	A A	A	A A	K K	H H	-	-	B B
2014		-	В	-	В	A	A	A	A	K	Н	-	-	В

Year	L_CL_VEH	L_COMPL	L_ENDORS	L_RESTRI	L_STATE	L_STATUS	L_TYPE	LAST_MO	LAST_YR	M_HARM	MAK_MOD	MAKE	MCARR_11,	MCARR_ID
1975	-	-	-	Α	Α	Α	-	Α	Α	-	Α	Α	-	-
1976	-	-	-	A	A	A	-	A	A	-	A	A	-	-
1977 1978	-	-	-	A	A	A	-	A A	A	-	A	A	-	-
1979	-	-	-	A A	A A	A A	-	A	A A	- А	A A	A A	-	-
1980	-	-	-	A	A	A	-	A	A	A	A	A	-	-
1981	-	-	-	Α	Α	Α	-	Α	Α	Α	Α	Α	-	-
1982	Α	-	-	Α	Α	В	-	Α	Α	В	В	В	-	-
1983	Α	-	-	Α	Α	В	-	Α	Α	В	В	В	-	-
1984	Α	-	-	Α	Α	В	-	Α	Α	В	В	В	-	-
1985	A	-	-	A	A	В	-	A	A	В	В	В	-	-
1986 1987	A -	- A	-	A A	A A	B C	-	A A	A A	B B	B C	B C	-	-
1988		A	-	A	A	С	-	A	A	В	С	D	-	-
1989	-	A	-	Α	A	С	-	Α	A	В	С	D	-	-
1990	-	Α	-	Α	Α	С	-	Α	Α	В	С	D	-	-
1991	-	Α	Α	Α	Α	С	-	Α	Α	В	D	Е	-	-
1992	-	Α	Α	Α	Α	С	-	Α	Α	В	D	Е	-	-
1993	-	В	Α	Α	Α	D	-	Α	Α	С	D	E -	-	-
1994 1995	-	В	A	A	A	D	-	A	A	D	D	E	-	-
1995	-	B B	A A	A A	A A	D D	-	A A	A A	D D	D D	E E	-	-
1997	-	В	A	A	A	D	-	A	A	E	D	E	-	-
1998	-	В	Α	Α	Α	D	-	Α	В	F	D	E	-	Α
1999	-	В	Α	Α	Α	D	-	Α	В	F	D	Е	-	Α
2000	-	В	Α	Α	Α	D	-	Α	В	F	D	Е	-	Α
2001	-	В	Α	Α	Α	D	-	Α	В	F	D	E	-	Α
2002	-	В	A	A	A	D	-	A	В	F	D	E	-	A
2003 2004		B B	A A	A A	A B	D E	- А	A A	B B	F G	D D	E	-	A A
2005	_	В	A	A	В	E	A	A	В	Н	D	E	_	A
2006	-	В	A	A	В	E	A	A	В	Н	D	E	-	Α
2007	-	В	Α	Α	С	Е	Α	Α	В	Н	D	Е	Α	Α
2008	-	В	Α	Α	С	Е	Α	Α	В	I	D	Е	Α	Α
2009	-	В	Α	Α	D	Е	Α	Α	В	J	D	Е	Α	Α
2010	-	С	В	В	E	F	A	A	В	K	D	F	В	В
2011	-	D	С	С	E	G	В	В	С	L	D	G	В	В
2012 2013	-	E E	D D	D D	E E	G G	B B	B B	C C	M N	D D	H	B B	B B
2013	-	E	D D	D	E	G	В	В	С	N	D	I	В	В
2015	-	E	D	D	E	G	В	С	D	N	D	ı	В	В

Year	MCYCL_CY	MCYCL_DS	MCYCL_TY	MCYCL_WT	MOD_YEAR	MODEL	NUMOCCS	OCUPANTS	OWNER	P_CRASH1	P_CRASH2	P_CRASH3	PCRASH4	PCRASH5
1975	-	Α	Α	-	Α	Α	-	Α	-	-	-	-	-	-
1976	-	Α	Α	-	Α	Α	-	Α	-	-	-	-	-	-
1977 1978	-	A A	A A	-	A	A	-	A A	-	-	-	-	-	-
1979	-	A	A	-	A A	A A	-	A	-	-	-	-	-	-
1980	-	A	A	-	A	A	-	A	-	-	-	-	-	-
1981	-	Α	Α	-	Α	Α	-	Α	-	-	-	-	-	-
1982	-	Α	-	-	Α	В	-	Α	-	-	-	-	-	-
1983	-	Α	-	-	Α	В	-	Α	-	-	-	-	-	-
1984	-	Α	-	-	Α	В	-	Α	-	-	-	-	-	-
1985	-	A	-	-	A	В	-	A	-	-	-	-	-	-
1986 1987	-	A A	-	-	A A	B C	-	A A	-	-	-	-	-	-
1988	-	A	-	-	A	С	-	A	-	-	-	-	_	-
1989	-	A	-	-	A	С	-	A	-	-	-	-	-	-
1990	-	Α	-	-	Α	С	-	Α	-	-	-	-	-	-
1991	-	Α	-	-	Α	D	-	Α	Α	-	-	-	-	-
1992	-	Α	-	-	Α	D	-	Α	Α	-	-	-	-	-
1993	-	Α	-	-	Α	D	-	Α	Α	-	-	-	-	-
1994 1995	-	A	-	-	A	D	-	A	A	-	-	-	-	-
1995	-	A A	-	-	A A	D D	-	A A	A A	-	-	-	-	-
1997	-	A	-	-	A	D	-	A	A	-	-	-	-	-
1998	-	Α	-	-	В	D	-	Α	Α	-	-	-	-	-
1999	-	Α	-	-	В	D	-	Α	Α	-	-	-	-	-
2000		Α	-		В	D	-	Α	Α	-	-	-	-	-
2001	-	Α	-	-	В	D	-	Α	Α	-	-	-	-	-
2002	-	Α	-	-	В	D	-	Α	A	-	-	-	-	-
2003	-	A A	-	-	B B	D D	-	A A	A A	-	-	-	-	-
2004	-	A	-	-	В	D	-	A	A	-	-	-	-	-
2006	-	Α	-	-	В	D	-	A	A	-	-	-	-	-
2007	-	Α	-	-	В	D	-	Α	Α	-	-	-	-	-
2008	-	Α	-	-	В	D	-	Α	В	-	-	-	-	-
2009	-	Α	-	-	В	D	Α	-	В	-	-	-	-	-
2010	-	Α	-	-	С	D	Α	-	В	A	A	Α	Α	Α
2011	A	A	-	A	С	D	A	-	В	В	В	A	A	A
2012 2013	A -	A -	-	A	C C	D D	Α	-	B B	B C	B B	A	A B	A B
2013	-	-	-	-	С	D	A A	-	В	С	В	B B	В	В
2015	-	-	-	-	С	D	A	-	В	С	С	В	В	В

Year	PREV_ACC	PREV_DWI	PREV_OTH	PREV_SPD	PREV_SUS	REG_STAT	ROLINLOC	ROLLOVER	SEQ1, SEQ2, SEQ3, SEQ4, SEQ5, SEQ6	SER_TR	SPEC_USE	SPEEDREL	TIRE_SZE
1975	Α	Α	Α	Α	Α	Α	-	-	-	Α	Α	-	-
1976	A	A	Α	Α	Α	Α	-	-	-	A	A	-	-
1977 1978	A A	A A	A A	A A	A A	A A	-	- A	-	A A	A A	-	-
1979	A	A	A	A	A	A	-	A	_	A	A	-	-
1980	A	Α	A	A	A	A	-	A	-	A	Α	-	-
1981	Α	Α	Α	Α	Α	Α	-	Α	-	Α	Α	-	-
1982	Α	Α	Α	Α	Α	Α	-	Α	-	Α	Α	-	-
1983	Α	Α	Α	Α	Α	Α	-	Α	-	Α	Α	-	-
1984	Α	Α	Α	Α	Α	Α	-	Α	-	Α	Α	-	-
1985 1986	Α	A	A	A	A	A	-	A	-	Α	A	-	-
1987	A A	A A	A A	A A	A A	A A	-	A A	-	A A	A A	-	-
1988	A	A	A	A	A	A	-	A	-	A	A	-	-
1989	Α	Α	Α	Α	Α	Α	-	Α	-	Α	Α	-	-
1990	Α	Α	Α	Α	Α	Α	-	Α	-	Α	Α	-	-
1991	Α	Α	Α	Α	Α	Α	-	Α	-	Α	Α	-	-
1992	Α	Α	Α	Α	Α	Α	-	Α	-	Α	Α	-	-
1993	<u>A</u>	A	A	A	A	A	-	A	-	Α	A	-	-
1994 1995	B B	B B	B B	B B	B B	A A	-	A A	-	A	A A	-	-
1996	В	В	В	В	В	A	-	A	-	A	A	-	-
1997	В	В	В	В	В	В	-	A	-	A	A	-	-
1998	В	В	В	В	В	В	-	Α	-	Α	Α	-	-
1999	В	В	В	В	В	В	-	Α	-	Α	Α	-	-
2000	В	В	В	В	В	В	-	Α	-	Α	Α	-	-
2001	В	В	В	В	В	В	-	Α	-	Α	Α	-	-
2002	В	В	В	В	В	В	-	A	-	A	A	-	-
2003 2004	B B	B B	B B	B B	B B	B C	-	A A	- A	A	A A	-	-
2004	В	В	В	В	В	С	-	A	В	A	A	-	-
2006	В	В	В	В	В	С	-	A	В	A	A	-	-
2007	В	В	В	В	В	С	-	Α	В	Α	Α	-	-
2008	В	В	В	В	В	D	-	Α	С	Α	Α	-	-
2009	В	В	В	В	В	D	Α	В	С	Α	В	Α	-
2010	В	В	В	В	В	E	A	В	-	A	С	A	-
2011	C C	C C	C	C C	C C	E E	B B	B B	-	A A	C D	B B	A A
2012	C	С	С	C	С	E	В	В	-		E	С	- A
2013	С	С	С	С	С	E	В	В	-	-	E	С	-
2015	D	D	D	D	D	E	В	В	-	-	E	C	-

Year	TON_RAT	TOW_VEH	TOWAWAY	томер	TRAV_SP	TRK_WT	UNDERIDE	UNITTYPE	V_CONFIG	VALIGN	VEH_CF1, VEH_CF2	VEH_MAN	VEH_NO	VEH_SC1, VEH_SC2
1975	-	Α	Α	-	Α	-	-	-	-	-	Α	-	Α	-
1976	-	A	В	-	A	-	-	-	-	-	A	-	A	-
1977 1978	-	A A	B B	-	A	-	-	-	-	-	A A	-	A A	-
1979	-	A	В	-	A A	-	-	-	-	-	A	-	A	-
1980		A	В	-	-	-	-	_	-		Α	-	A	-
1981	-	A	В	-	-	-	-	-	-	-	Α	-	A	-
1982	-	В	В	-	Α	-	-	-	-	-	В	Α	Α	-
1983	-	С	В	-	Α	-	-	-	-	-	В	Α	Α	-
1984	-	С	В	-	Α	-	-	-	-	-	В	Α	Α	-
1985	-	С	В	-	Α	-	-	-	-	-	В	Α	Α	-
1986	-	С	В	-	Α	-	-	-	-	-	В	Α	Α	-
1987	-	С	В	-	Α	-	-	-	-	-	В	A	A	-
1988	-	С	В	-	A	-	-	-	-	-	В	A	A	-
1989 1990	-	C C	B B	-	A A	-	-	-	-	-	B B	A A	A A	-
1991	-	С	В	-	A	-	-	-	- А	-	В	A	A	-
1992	_	С	В	_	A	_	-	-	A	_	В	A	A	_
1993	-	C	В	-	A	-	-	-	Α	-	В	A	A	-
1994	-	С	В	-	Α	-	Α	-	Α	-	В	Α	Α	-
1995	-	С	В	-	Α	-	Α	-	В	-	С	Α	Α	-
1996	-	С	В	-	Α	-	Α	-	В	-	С	Α	Α	-
1997	-	С	В	-	Α	-	Α	-	В	-	С	Α	Α	-
1998	-	С	В	-	Α	-	Α	-	В	-	D	Α	Α	-
1999	-	С	В	-	Α	-	A	-	В	-	E	A	A	-
2000 2001	-	С	В	-	A	-	A	-	В	-	F	A	A	-
2001	-	C C	B B	-	A A	-	A A	-	C C	-	G H	A A	A A	-
2002	-	С	В	-	A	-	A	-	С	-	H	A	A	-
2004	-	D	В	-	A	_	A	-	C	-	1	A	Α	-
2005	-	D	В	-	Α	-	Α	Α	C	-	J	Α	Α	-
2006	-	D	В	-	Α	-	Α	Α	С	-	J	Α	Α	-
2007	-	D	В	-	Α	-	Α	Α	D	-	K	Α	Α	-
2008	-	D	В	-	Α	-	Α	В	D	-	L	Α	Α	-
2009	-	Е	-	Α	В	-	Α	В	D	-	М	Α	В	-
2010	-	E	-	В	В	-	Α	В	E	A	-	-	В	A
2011	A	E	-	В	В	A	A	В	E	A	-	-	В	Α
2012 2013	Α	E E	-	C D	B B	A -	A A	B B	E F	A B	-	-	B B	A A
2013	-	E	-	D	В	-	A	В	F	В	-	-	В	A
2015	-	E	-	D	В	-	A	В	F	В	-	-	В	A

Year	NI >	VIN_1 - VIN_10	VIN_11 - VIN_12	VIN_BT	VIN_LNGT	VIN_REST	VIN_WGT	VINA_MOD	VINMAKE	VINMODYR	VINTYPE	VIOL_CHG	VIOLCHG1 VIOLCHG2 VIOLCHG3
1975	Α	Α	-	-	Α	-	Α	Α	-	-	-	Α	-
1976	Α	Α	-	-	Α	-	Α	Α	-	-	-	Α	-
1977	Α	Α	-	-	Α	-	Α	Α	-	-	-	Α	-
1978	Α	A	-	-	A	-	A	A	-	-	-	A	-
1979	Α	A	-	-	A	-	A	A	-	-	-	A	-
1980 1981	A A	A A	-	-	A A	-	A A	A A	-	-	-	A A	-
1982	A	A	-	- A	A	-	A	A	-	-	-	В	-
1983	A	A	-	A	A	-	A	A	-	-	-	В	-
1984	A	A	-	A	A	-	A	A	-	-	-	В	-
1985	A	A	_	A	Α	_	Α	Α	_	_	_	В	-
1986	A	A	-	A	Α	-	Α	Α	-	-	-	В	-
1987	Α	Α	-	Α	Α	-	Α	Α	-	-	-	В	-
1988	Α	Α	-	Α	Α	-	Α	Α	-	-	-	В	-
1989	Α	Α	-	Α	Α	-	Α	Α	-	-	-	В	-
1990	Α	Α	-	Α	Α	-	Α	Α	-	-	-	В	-
1991	Α	Α	-	Α	Α	-	Α	Α	-	-	-	В	-
1992	Α	Α	-	Α	Α	-	Α	Α	-	-	-	В	-
1993	Α	Α	-	Α	Α	-	Α	Α	-	-	-	В	-
1994	В	Α	Α	Α	Α	-	Α	Α	-	-	-	В	-
1995	В	A	A	A	A	-	A	A	-	-	-	В	-
1996 1997	B B	A A	A A	A A	A A	-	A A	A A	-	-	-	В	-
1997	В	A	A	A	A	-	A	A	-	-	-	-	A A
1999	В	A	A	A	A	-	A	A	-	-	-	-	A
2000	В	A	A	A	A	-	A	A	_	-	-	-	A
2001	В	A	Α	A	Α	_	Α	Α	_	_	_	-	A
2002	В	Α	Α	Α	Α	-	Α	Α	-	-	-	-	Α
2003	В	Α	Α	Α	Α	-	Α	Α	-	-	-	-	Α
2004	В	Α	Α	Α	Α	-	Α	Α	-	-	-	-	Α
2005	В	Α	Α	Α	Α	-	Α	Α	-	-	-	-	Α
2006	В	Α	Α	Α	Α	-	Α	Α	-	-	-	-	Α
2007	В	Α	Α	Α	Α	-	Α	Α	-	-	-	-	Α
2008	В	A	A	Α	Α	-	Α	Α	-	-	-	-	Α
2009	С	В	В	A	A	-	A	A	-	-	-	-	Α
2010	D	В	В	В	A	-	A	A	A	A	A	-	-
2011	D	В	В	В	A	A	A	A	Α	A	A	-	-
2012	D D	B B	B B	<u>В</u>	A -	A -	A -	- -	A -	A -	A -	-	-
2013	D	В	В		-	-	-	-	-	-	-	-	-
2014	D	В	В		-	-	-	-	-	-	-	-	-

Year	VNUM_LAN	VPAVETYP	VPROFILE	VSPD_LIM	VSURCOND	VTCONT_F	VTRAFCON	VTRAFWAY	WGTCD_TR	WHLBS_LG	WHLBS_SH	WHLDRWHL
1975	-	-	-	-	-	-	-	-	Α	Α	Α	-
1976	-	-	-	-	-	-	-	-	Α	Α	Α	-
1977	-	-	-	-	-	-	-	-	Α	Α	Α	-
1978	-	-	-	-	-	-	-	-	A	A	A	-
1979	-	-	-	-	-	-	-	-	A	A	A	-
1980 1981	-	-	-	-	-	-	-	-	A A	A A	A A	-
1982	-	-	-	-	-	-	-	-	A	A	A	-
1983		-	-	-	-	-	-	-	A	A	A	-
1984		-	-	-	-	-	-	-	A	A	A	-
1985	-	-	-	-	-	-	-		A	A	A	-
1986	_	-	-	-	_	_	-	-	A	A	Α	-
1987	-	-	-	-	-	-	-	-	Α	Α	Α	-
1988	-	-	-	-	-	-	-	-	Α	Α	Α	-
1989	-	-	-	-	-	-	-	-	Α	Α	Α	-
1990	-	-	-	-	-	-	-	-	Α	Α	Α	-
1991	-	-	-	-	-	-	-	-	Α	Α	Α	-
1992	-	-	-	-	-	-	-	-	Α	Α	Α	-
1993	-	-	-	-	-	-	-	-	Α	Α	Α	-
1994	-	-	-	-	-	-	-	-	Α	Α	Α	-
1995	-	-	-	-	-	-	-	-	Α	Α	Α	-
1996	-	-	-	-	-	-	-	-	Α	Α	Α	-
1997	-	-	-	-	-	-	-	-	Α	Α	Α	-
1998	-	-	-	-	-	-	-	-	A	A	A	-
1999 2000	-	-	-	-	-	-	-	-	A	A	A	-
2000	-	-	-	-	-	-	-	-	A A	A A	A A	-
2001		-	-	-	-	-	-	-	A	A	A	-
2002	_	-	_	-	_	-	-	_	A	A	A	-
2004	-	-	-	-	_	-	-	-	Α	Α	A	-
2005	-	-	-	-	-	-	-	-	Α	Α	Α	-
2006	-	-	-	-	-	-	-	-	Α	Α	Α	-
2007	-	-	-	-	-	-	-	-	Α	Α	Α	-
2008	-	-	-	-	-	-	-	-	Α	Α	Α	-
2009	-	-	-	-	-	-	-	-	Α	Α	Α	-
2010	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	-
2011	Α	Α	Α	В	Α	Α	В	Α	Α	Α	Α	Α
2012	Α	Α	Α	В	Α	Α	В	Α	Α	Α	Α	Α
2013	В	В	В	С	Α	Α	В	В	-	-	-	-
2014	<u>B</u>	В	В	С	Α	Α	В	В	-	-	-	-
2015	В	В	В	С	Α	Α	В	В	-	-	-	-

Person Data Set

Year	AGE	ACL_RES	ACL_STATUS	AIR_BAG	ALC_DET	ATST_TYP	AUT_REST	CERT_NO	DEATH_DA	DEATH_HR	DEATH_MN	DEATH_MO	DEATH_TM	DEATH_YR	DOA
1975		-	-	-	-	-	Α	-	Α	Α	Α	А	А	Α	-
1976		-	-	-	-	-	Α	-	Α	Α	Α	Α	Α	Α	-
1977	Α	-	-	-	-	-	В	-	Α	Α	Α	Α	Α	Α	-
1978	A	-	-	-	-	-	В	-	A	A	A	A	A	A	-
1979 1980	A A	-	-	-	-	-	B C	-	A A	A A	A A	A A	A A	A A	-
1981	A	-	_	-	-	-	С	-	A	A	A	A	A	A	-
1982	Α	-	-	-	-	-	C	-	Α	Α	Α	Α	Α	Α	-
1983	Α	-	-	-	-	-	С	-	Α	Α	Α	Α	Α	Α	-
1984	Α	-	-	-	-	-	С	-	Α	Α	Α	Α	Α	Α	-
1985	Α	-	-	-	-	-	С	-	Α	Α	Α	Α	Α	Α	-
1986	A	-	-	-	-	-	С	-	A	A	A	A	A	A	-
1987 1988	A A	-	-	-	A A	-	C C	-	A A	A A	A A	A A	A A	A A	-
1989	A	-	-	-	A	-	С	-	A	A	A	A	A	A	-
1990	Α	-	-	-	A	-	D	-	A	Α	Α	Α	A	Α	-
1991	Α	Α	-	Α	Α	-	-	Α	Α	Α	Α	Α	Α	Α	-
1992	Α	Α	-	Α	Α	-	-	Α	Α	Α	Α	Α	Α	Α	-
1993	Α	Α	-	Α	Α	-	-	Α	Α	Α	Α	Α	Α	Α	-
1994	Α	A	-	Α	Α	-	-	Α	Α	Α	Α	A	Α	Α	-
1995 1996	A	В	-	A	A	-	-	A	A	A	A	A	A	A	-
1996	A A	B B	-	A A	A A	-	-	A A	A A	A A	A A	A A	A A	A A	-
1998	A	В	-	В	A	Α	-	A	A	A	A	A	A	В	-
1999	Α	В	-	В	Α	Α	-	Α	Α	Α	Α	Α	Α	В	-
2000	Α	В	-	В	Α	Α	-	Α	Α	Α	Α	Α	Α	В	-
2001	Α	В	-	В	Α	В	-	Α	Α	Α	Α	Α	Α	В	Α
2002	Α	B	-	В	Α	В	-	Α	Α	Α	Α	Α	Α	B	Α
2003	A	B C	-	B B	A	B C	-	A	A A	A A	A	A	A	B B	A A
2004	A A	С	-	С	A A	С	-	A A	A	A	A A	A A	A A	В	A
2006	A	С	_	C	A	D	-	A	A	A	A	A	A	В	A
2007	Α	C	-	D	Α	D	-	Α	Α	Α	Α	Α	Α	В	Α
2008	Α	С	-	D	Α	D	-	Α	В	Α	Α	Α	Α	В	Α
2009	В	D	Α	Е	Α	Е	-	Α	С	В	В	В	В	С	Α
2010	С	E	В	F	Α	F	-	Α	С	В	В	С	В	С	Α
2011	С	E	В	F	A	F	-	A	С	В	В	С	В	С	Α
2012	C C	E E	B B	F F	A A	F F	-	A A	C	B B	B B	C	B B	C	A A
2013	С	E	В	F	A	F	-	A	C	В	В	С	В	С	A
2015	С	F	В	F	A	G	-	A	С	В	В	С	В	С	A

Person Data Set (continued)

Year	DRINKING	DRUG_DET	DRUG_RES	DRUGRES1, DRUGRES2, DRUGRES3	DRUGS	DRUGTEST	DRUGTST1, DRUGTST2, DRUGTST3	DSTATUS	ЕЈ_РАТН	EJECTION	EXTRICAT	HISPANIC	HOSPITAL	INJ_SEV	LAG_HRS
1975	Α	-	-	-	-	-	-	-	-	Α	Α	-	-	Α	Α
1976	A	-	-	-	-	-	-	-	-	A	A	-	-	A	A
1977 1978	A A	-	-	-	-	-	-		-	A A	A A	-	A A	A A	A A
1979	A	-	-	-		-	-		-	A	A	-	A	A	A
1980	A	-	-	-	-	-	-	-	-	Α	A	-	Α	A	A
1981	Α	-	-	-	-	-	-	-	-	Α	Α	-	Α	Α	Α
1982	Α	-	-	-	-	-	-	-	-	Α	Α	-	Α	Α	Α
1983	Α	-	-	-	-	-	-	-	-	Α	Α	-	Α	Α	Α
1984	A	-	-	-	-	-	-	-	-	A	A	-	A	A	A
1985 1986	A A	-	-	-		-	-		-	A A	A	-	A A	A A	A A
1987	A	-	-	-	-	-	-		-	A	A	-	A	A	A
1988	Α	-	-	-	-	-	-	-	-	Α	Α	-	Α	Α	Α
1989	Α	-	-	-	-	-	-	-	-	Α	Α	-	Α	Α	Α
1990	Α	-	-	-	-	-	-	-	-	Α	Α	-	Α	Α	Α
1991	Α	A	Α	-	Α	Α	-	-	Α	Α	Α	-	Α	A	Α
1992 1993	A	A	Α	-	A	Α	-	-	A	A	A	-	A	A	A
1993	A A	A A	-	A A	A A	-	A A	-	A A	A A	A A	-	A A	A A	A A
1995	A	A	-	A	A	-	A		A	A	A	-	A	A	A
1996	Α	Α	-	Α	Α	-	Α	-	Α	Α	Α	-	Α	Α	Α
1997	Α	Α	-	Α	Α	-	Α	-	Α	Α	Α	-	Α	Α	Α
1998	Α	Α	-	Α	Α	-	Α	-	Α	Α	Α	-	Α	Α	Α
1999	Α	Α	-	A	Α	-	A	-	Α	Α	Α	A	В	A	A
2000 2001	A A	A A	-	A A	A A	-	A A	-	A A	A A	A A	B C	B C	A A	A A
2002	A	A	-	A	A	-	A		A	A	A	С	С	A	A
2003	Α	Α	-	A	Α	-	Α	-	Α	Α	Α	С	С	Α	Α
2004	Α	Α	-	Α	Α	-	Α	-	Α	Α	Α	С	С	Α	Α
2005	Α	Α	-	Α	Α	-	Α	-	Α	Α	Α	С	С	Α	Α
2006	A	A	-	A	A	-	A	-	A	A	A	С	С	A	A
2007 2008	Α	Α	-	A	Α	-	A	-	Α	B C	A	C	D	Α	Α
2008	A	A A	-	A A	A A	-	A B	- A	A A	D	A A	С	D D	A B	A B
2010	A	A	-	В	A	-	В	 B	A	E	A	С	E	С	В
2011	Α	Α	-	В	Α	-	В	В	Α	E	Α	С	E	С	В
2012	Α	Α	-	В	Α	-	В	В	Α	Е	Α	С	Е	С	В
2013	Α	Α	-	В	Α	-	В	В	Α	Е	Α	С	Е	D	В
2014	A	A	-	В	Α	-	В	В	A	E	A	С	E	D	В
2015	Α	Α	-	В	Α	-	В	В	В	Е	Α	С	E	D	

Person Data Set (continued)

Year	LAG_MINS	LOCATION	MAN_REST	N_MOT_NO	P_CF1 – P_CF3	P_SF1 – P_SF3	PER_NO	PER_TYP	RACE	REST_MIS	REST_USE	SEAT_POS	SEX	TEST_RES	TOXCLGY	WORK_INJ
1975	Α	Α	Α	-	Α	-	Α	Α	-	-	-	Α	Α	Α	-	-
1976	A	A	A	-	В	-	A	A	-	-	-	A	A	Α	-	-
1977 1978	A A	A A	A A	-	B B	-	A A	A A	-	-	-	A A	A A	A A	-	-
1979	A	A	A	-	В	-	A	A	-	-	-	A	A	A	_	-
1980	Α	В	Α	-	В	-	Α	Α	-	-	-	Α	Α	Α	-	-
1981	Α	В	Α	-	В	-	Α	Α	-	-	-	Α	Α	Α	-	-
1982	Α	С	Α	Α	С	-	Α	В	-	-	-	В	Α	Α	-	-
1983	Α	С	Α	Α	С	-	Α	В	-	-	-	В	Α	Α	-	-
1984	A	С	Α	A	С	-	A	В	-	-	-	В	A	A	-	-
1985 1986	A	C C	Α	A	C C	-	A	B B	-	-	-	B B	A A	Α	-	-
1987	A A	С	A A	A A	С	-	A A	В	-	-	-	В	A	A A	- А	- A
1988	A	С	Α	A	С	-	A	В	-	-	-	В	A	A	Α	Α
1989	Α	С	Α	Α	С	-	Α	В	-	-	-	В	Α	Α	Α	Α
1990	Α	С	Α	Α	С	-	Α	В	-	-	-	В	Α	Α	Α	Α
1991	Α	С	-	Α	С	-	Α	В	-	-	Α	В	Α	-	-	Α
1992	Α	С	-	Α	С	-	Α	В	-	-	Α	В	Α	-	-	Α
1993	A	С	-	A	С	-	A	В	-	-	A	В	A	-	-	A
1994 1995	A A	C C	-	A	C D	-	A A	C C	-	-	В	B B	A A	-	-	A
1996	A	С	-	A	D	-	A	С	-	-	B B	В	A	-	-	A
1997	Α	С	-	Α	E	-	A	С	-	-	В	В	A	-	-	A
1998	Α	С	-	Α	Е	-	Α	С	-	-	В	В	Α	-	-	Α
1999	Α	С	-	Α	Е	-	Α	С	Α	-	В	В	Α	-	-	Α
2000	Α	С	-	Α	F	-	Α	С	В	-	В	В	Α	-	-	Α
2001	Α	С	-	Α	G	-	Α	С	С	-	В	В	Α	-	-	Α
2002	A	С	-	A	H	-	A	С	С	-	В	С	A	-	-	A
2003 2004	A A	C C	-	A A	J	-	A A	C C	C	-	B B	C	A A	-	-	A
2005	A	С	_	A	K	-	A	С	С	-	С	D	A	-	_	A
2006	Α	D	-	Α	K	-	Α	С	С	-	С	D	Α	-	-	Α
2007	Α	D	-	Α	L	-	Α	D	С	-	С	D	Α	-	-	Α
2008	Α	D	-	Α	М	-	Α	D	С	-	D	D	Α	-	-	Α
2009	Α	D	-	В	М	-	В	D	С	-	D	Е	Α	-	-	Α
2010	Α	E	-	В	-	A	В	E	С	Α	E	F	В	-	-	Α
2011	A	E	-	-	-	В	В	F	С	A	E	F	В	-	-	A
2012 2013	A A	E E	-	-	-	B C	B B	F F	C	Α	E F	F F	B B	-	-	Α
2013	A	F	-	-	-	С	В	F	С	A A	F	F	В	-	-	A
2014	A	F	-	-	-	D	В	F	С	A	F	F	В	-	-	A

Vehnit Data Set

Year	AVOID	AXLES	BODY_TYP	BUS_USE	CARGO_BT	CDL_STAT	D_VISION1, D_VISION2, D_VISION3	DEATHS	DEFORMED	DR_CF1, DR_CF2, DR_CF3	DR_CF4	DR_DRINK	DR_HGT	DR_PRES
2005	Α	Α	Α	Α	Α	Α	-	Α	Α	Α	Α	Α	Α	Α
2006	Α	Α	Α	Α	Α	Α	-	Α	Α	В	В	Α	Α	Α
2007	Α	Α	Α	Α	В	Α	-	Α	Α	В	В	Α	Α	Α
2008	Α	-	В	Α	В	Α	-	Α	Α	С	С	Α	Α	В
2009	Α	-	В	Α	С	Α	Α	Α	В	D	D	Α	В	С

Vehnit Data Set (continued)

Year	DR_WGT	DR_ZIP	EMER_USE	FIRE_EXP	FIRST_MO	FIRST_YR	FLDCD_TR	GWVR	HAZ_CARG	HAZ_CNO	HAZ_ID	HAZ_INV	HAZ_PLAC	HAZ_REL	HIT_RUN
2005	Α	Α	Α	Α	Α	Α	Α	Α	Α	-	-	-	-	-	Α
2006	Α	Α	Α	Α	Α	Α	Α	Α	Α	-	-	-	-	-	Α
2007	Α	Α	Α	Α	Α	Α	Α	Α	-	Α	Α	Α	Α	Α	В
2008	Α	Α	Α	В	Α	Α	Α	Α	-	В	Α	Α	Α	Α	В
2009	Α	Α	Α	С	Α	Α	Α	Α	-	В	Α	Α	Α	Α	С

Year	IMPACT1	IMPACT2	IMPACTS	J_KNIFE	L_COMPL	L_ENDORS	L_RESTRI	L_STATE	L_STATUS	L_TYPE	LAST_MO	LAST_YR	M_HARM	MAK_MOD	MAKE
2005	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
2006	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
2007	Α	Α	Α	Α	Α	Α	Α	В	Α	Α	Α	Α	Α	Α	Α
2008	Α	Α	Α	Α	Α	Α	Α	В	Α	Α	Α	Α	В	Α	Α
2009	Α	Α	Α	Α	Α	Α	Α	С	Α	Α	Α	Α	С	Α	Α

Vehnit Data Set (continued)

Year	MAN_COLL	MCARR_I1, MCARR_I2	MCARR_ID	MCYCL_DS	MOD_YEAR	MODEL	NUMOCCS	OCUPANTS	OWNER	PREV_ACC	PREV_DWI	PREV_OTH	PREV_SPD	PREV_SUS	REG_STAT
2005	Α	-	Α	Α	Α	Α	-	Α	Α	Α	Α	Α	Α	Α	Α
2006	Α	-	Α	Α	Α	Α	-	Α	Α	Α	Α	Α	Α	Α	Α
2007	Α	Α	Α	Α	Α	Α	-	Α	Α	Α	Α	Α	Α	Α	Α
2008	Α	Α	Α	Α	Α	Α	-	Α	В	Α	Α	Α	Α	Α	В
2009	Α	Α	Α	Α	Α	Α	Α	-	В	Α	Α	Α	Α	Α	В

Vehnit Data Set (continued)

Year	ROLINLOC	ROLLOVER	SEQ1, SEQ2, SEQ3, SEQ4, SEQ5, SEQ6	SER_TR	SPEC_USE	SPEEDREL	TOW_VEH	TOWAWAY	TOWED	TRAV_SP	UNDERIDE	UNITTYPE	V_CONFIG	VEH_CF1, VEH_CF2
2005	-	Α	Α	Α	Α	-	Α	Α	-	Α	Α	Α	Α	Α
2006	-	Α	Α	Α	Α	-	Α	Α	-	Α	Α	Α	Α	Α
2007	-	Α	Α	Α	Α	-	Α	Α	-	Α	Α	Α	В	В
2008	-	Α	В	Α	Α	-	Α	Α	-	Α	Α	В	В	С
2009	Α	В	В	Α	В	Α	В	-	Α	В	Α	В	В	D

Year	VEH_MAN	VEH_NO	NIN	VIN_1 - VIN_12	VIN_BT	VIN_LNGT	VIN_WGT	VINA_MOD	VIOLCHG1 VIOLCHG2 VIOLCHG3	WGTCD_TR	WHLBS_LG	WHLBS_SH
2005	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
2006	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
2007	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
2008	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
2009	Α	В	В	В	Α	Α	Α	Α	Α	Α	Α	Α

Changes in FARS Data Elements by SAS Data File and Year

Parkwork Data Set

Year	РВОДУТУР	PBUS_USE	PCARGTYP	PMINUTE	PCARBUR	PCYLINDER	PDAY	PDEATHS	PDISPLACE	PEM_USE	PFIRE	PFUECODE	PGVWR	PHARM_EV	PHOUR
2010	Α	Α	Α	Α	-	-	Α	Α	-	Α	Α	Α	Α	Α	Α
2011	В	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	В	Α
2012	С	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	С	Α
2013	D	Α	В	Α	-	-	Α	Α	-	В	Α	-	Α	D	Α
2014	D	Α	В	Α	-	-	Α	Α	-	С	Α	-	Α	D	Α
2015	D	Α	В	Α	-	-	Α	Α	-	С	Α	-	Α	D	Α

Parkwork Data Set (continued)

Year	PHAZ_CNO	PHAZ_ID	PHAZ_INV	PHAZ_REL	PHAZPLAC	PHIT_RUN	PIMPACT1	PIMPACT2	PM_HARM	PMAKE	PMAK_MOD	PMAN_COLL	PMCARR_11, PMCARR_12	PMCARR_ID	PMCYCL_DS
2010	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
2011	Α	Α	Α	Α	Α	Α	Α	Α	В	В	Α	Α	Α	Α	Α
2012	Α	Α	Α	Α	Α	В	В	-	С	С	Α	Α	Α	Α	Α
2013	Α	Α	Α	Α	Α	В	С	-	D	D	Α	Α	Α	Α	-
2014	Α	Α	Α	Α	Α	В	С	-	D	D	Α	Α	Α	Α	-
2015	Α	Α	Α	Α	Α	В	С	-	D	D	Α	Α	Α	Α	-

Parkwork Data Set (continued)

Year	PMCYCL_CY	PMCYCL_WT	PMINUTE	PMODEL	PMODYEAR	PMONTH	PNUMOCCS	POWNER	PREG_STAT	PSER_TR	PSP_USE	PTIRE_SZE	PTOWED	PTON_RAT	PTRAILER
2010	-	-	Α	Α	Α	Α	Α	Α	Α	Α	Α	-	Α	-	Α
2011	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
2012	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	В	Α	Α	Α	Α
2013	-	-	Α	Α	Α	Α	Α	Α	Α	-	С	-	Α	-	Α
2014	-	-	Α	Α	Α	Α	Α	Α	Α	-	С	-	Α	-	Α
2015	-	-	Α	Α	Α	Α	Α	Α	Α	-	С	-	Α	-	Α

Changes in FARS Data Elements by SAS Data File and Year

Parkwork Data Set (continued)

Year	PTRK_WT	PTRKWTVAR	PUNDERIDE	PTTYPE	PV_CONFIG	PVE_FORMS	PVEH_SEV	PVEH_SC1, PVEH_SC2	PVIN	PVINA_MOD	PVIN_1 - PVIN_12	PVIN_BT	PVIN_LNGT	PVIN_REST	PVINMAKE
2010	-	ı	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	-	Α
2011	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
2012	Α	Α	В	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α
2013	-	-	В	Α	В	Α	Α	Α	Α	Α	Α	Α	-	-	-
2014	-	-	В	Α	В	Α	Α	В	Α	Α	Α	Α	-	-	-
2015	-	-	В	Α	В	Α	Α	В	Α	Α	Α	Α	-	-	-

Parkwork Data Set (continued)

			_				
Year	PVINMODYR	PVINTYPE	PVIN_WGT	PWGTCD_TR	PWHLBS_LG	PWHLBS_SH	PWHLDRWHL
2010	Α	Α	Α	Α	Α	Α	-
2011	Α	Α	Α	Α	Α	Α	Α
2012	Α	Α	Α	Α	Α	Α	Α
2013	-	-	-	-	-	-	-
2014	-	-	-	-	-	-	-
2015	-	-	-	-	-	-	-

Cevent Data Set

Year	VNUMBER1	AO11	SOE	VNUMBER2	AOI2
2010	Α	Α	Α	Α	Α
2011	Α	В	Α	Α	В
2012	Α	С	В	Α	С
2013	Α	D	С	Α	D
2014	Α	D	D	Α	D
2015	Α	D	D	Α	D

Vevent Data Set

Year	VNUMBER1	AO11	SOE	VNUMBER2	AOI2
2010	Α	Α	Α	Α	Α
2011	Α	В	Α	Α	В
2012	Α	С	В	Α	С
2013	Α	D	С	Α	D
2014	Α	D	D	Α	D
2015	Α	D	D	Α	D

Vsoe Data Set

Year	AOI	SOE
2010	Α	Α
2011	В	Α
2012	С	В
2013	D	С
2014	D	D
2015	D	D

Distr	act
Data	Set

Year	MDRDSTRD
2010	Α
2011	Α
2012	В
2013	В
	В
2014	_

Drimpair Data Set

Data Set						
Year	DRIMPAIR					
2010	Α					
2011	В					
2012	В					
2013	В					
2014	С					
2015	С					

Factor Data Set

Year	MFACTOR
2010	Α
2011	Α
2012	Α
2013	Α
2014	Α
2017	

Maneuver Data Set

Year	MDRMANAV
2010	Α
2011	Α
2012	Α
2013	Α
2014	Α
2015	

Violatn Data Set

Year	MVIOLATN
2010	Α
2011	Α
2012	Α
2013	A
2014	В
2015	С

Vision Data Set

Year	MVISIOBSC
2010	Α
2011	Α
2012	Α
2013	Α
2014	Α
2015	Α

Nmcrash Data Set

Data Set		
Year	MTM_CRSH	
2010	Α	
2011	Α	
2012	Α	
2013	Α	
2014	В	
2015	В	

Nmimpair Data Set

Year	NMIMPAIR
2010	Α
2011	Α
2012	Α
2013	Α
2014	С
2015	С

Nmprior Data Set

Year	MPR_ACT
2010	Α
2011	Α
2012	Α
2013	Α
2014	В
2015	В

Safetyeq Data Set

Year	MSAFEQMT
2010	Α
2011	A
2012	Α
2013	Α
2014	Α
2015	Α

Damage Data Set

Year	MDAREAS
2012	Α
2013	Α
2014	Α
2015	Α

Appendix E: Summary of 2010 and 2011 FARS Changes

2010 FARS/NASS GES Standardization

The purpose of this document is to inform users of NHTSA's Fatality Analysis Reporting System (FARS) and National Automotive Sampling System General Estimates System (NASS GES) data about some of the more significant changes to the 2010 data as a result of the standardization of the data elements between the two systems. In addition to the changes outlined below, a listing of all specific data element changes can be found in the following table:

Variables with Changes in Definitions and Attributes

The FARS/NASS GES Standardization began in 2006, with the second phase being implemented in the 2010 data collection year. The definition and element attribute changes introduced in 2010 are the most substantive and most numerous changes in one year in the reconciliation of the FARS and NASS GES data systems. In the 2011 data collection year – the third and final planned phase of the FARS/NASS GES Standardization – nearly all remaining data element attribute and file structure differences will be addressed. As a single, unified data entry system, FARS/NASS GES will be compatible with the Model Minimum Uniform Crash Criteria (MMUCC), the guideline used by nearly all States to develop and revise their crash forms and databases. Once complete, the FARS/NASS GES Standardization will simplify crash data coding and analysis as well as reduce costs and errors.

Probably the most notable changes were the introduction of precrash information in FARS (already collected in NASS GES) and a change to case structure or how the groups of related data elements are organized. For example, in 2009 a FARS case consisted of Crash, Vehicle, Driver and Person coding forms. In 2010, the Person level form was split into Motor Vehicle Occupant and Non-Motor Vehicle Occupant forms, and the Precrash form was added (new to FARS, though not to NASS GES).

These structure changes also include changes to how the data are now stored and made available. For example, for FARS, there are now 16 data tables rather than 4. This results from the changes in the number of coding forms and from changes in specific data elements. Several data elements that used to allow only a specified number of responses now have a "select-all-that-apply" format. There is a separate data table for each of these data elements.

At the Crash level, a Crash Events Table was added to FARS (and modified in NASS GES). In NASS GES, Non-Harmful Events were added to the Crash Events Table.

The precrash information represents not only a new coding form, but more importantly, largely a new concept for FARS, attempting to collect data about the conditions, events and driver actions that preceded and may have contributed to the crash. Precrash data is intended to improve crash avoidance research and has been included in NASS GES since 1992.

The new FARS Precrash form information consists of 23 data elements, 9 of which were previously coded at the Crash level, 3 each at the Vehicle and Driver levels, and 8 new elements. Nine trafficway descriptor data elements were moved from the crash level to the new precrash level. These elements provide details about the characteristics of the trafficway selected for each vehicle.

A Pedestrian/Bicycle crash typing software application was added to the Non-Motor Vehicle Occupant form for both systems to help identify the precrash actions for parties involved in certain non-motorist-related crashes. (Please see *Appendix F: Pedestrian and Bicyclist Data Availability Change* for updates.)

Type of Intersection was added to both systems. Bus Use and Vehicle Configuration were two Vehicle level elements that are new to NASS GES in 2010 and modified for FARS (element attributes were consolidated and redefined). Condition at Time of Crash was added at the Driver and the Non-Motor Vehicle Occupant levels for both systems. For motor vehicle occupants, there is now an Indication of Misuse of Restraint System or Helmet Use in both systems.

Some of the information that had been collected under FARS Related Factors was redistributed to new data elements. For example, some Person Related Factors have been removed and are now captured in two new Non-Motor Vehicle Occupant elements; Non-Motorist Action/Circumstances Prior to Crash and Non-Motorist Action/Circumstances at Time of Crash. Some Vehicle Related Factors are now captured under the new Precrash elements, Contributing Circumstances, Motor Vehicle and Driver Distracted By. The Driver Level element, Violations Charged, is now a "Select-all-That-Apply" element.

Multiple data elements that are part of the Model Minimum Uniform Crash Criteria (MMUCC) had the attribute "Not Reported" added in 2010 to account for information missing from the case source materials.

To ensure that data quality was not compromised as a result of the standardization, NHTSA refined and enhanced its quality control processes. These enhancements enable the identification of coding discrepancies and development of training tailored to eliminate or reduce these discrepancies.

The final phase of the FARS/NASS GES standardization will occur during the 2011 data collection year, at which point FARS and NASS GES, while remaining separate data systems, will share a single data entry system and uniform set of data elements.

New in 2010 FARS

There were many changes to the 2010 FARS, most of which are the result of NHTSA's efforts to standardize variables in FARS and the National Automotive Sampling System's (NASS) General Estimates System (GES). Additions, deletions, and changes are listed below.

2010 Data Elements with Changes in Definitions and Attributes

Below is a list of FARS data elements that had substantial changes for 2010.

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
C6	County	х	Х	 Added new attribute 998 – Not Reported. Added new remarks.
C7	City	х	Х	 Added new attribute 9898 – Not Reported. Added new remarks.
C8	Crash Date	Х	Х	 Added GES element information. Added new GES Special Instructions. UPDATE - Deleted attribute 98 - Not Reported for both Month and Day
C9	Crash Time	Х	Х	 Added GES element information. Added new GES Special Instructions. <u>UPDATE - Deleted attribute 9998 - Not Reported.</u>
C13	Trafficway Identifier		Х	Updated remarks section. Added new GES Special Instructions.
C14	Milepoint	х	Х	 Added new attribute 99998 – Not Reported. Added new remarks.
C15	Global Position	х	Х	 Added new attribute 7s – Not Reported. Added new remarks.
C17	Crash Events	Х	Х	 Filled in by MDE. Added new attributes. Added new remarks. GES and FARS Special Instruction Sections.

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
Old C17 New C18	First Harmful Event	X	X	 Added new attributes: 58 – Ground, 59 – Traffic Sign Support and 98 – Not Reported. Updated attributes 01 – Rollover/Overturn, 09 – Pedalcyclist, 10 – Railway Train Vehicle, 12 – Motor Vehicle In-Transport On Same Readway, 14 – Parked Motor Vehicle—of Motor Vehicle Stepped Off Readway, 51 – Jackknife (harmful to this vehicle), 45 – Working Motor Vehicle (Construction, Maintenance or Utility Vehicle), 21 – Bridge Pier or Abutment Support, 23 – Bridge Rail (Includes Parapet), 30 – Utility Pole/Light Support, 35 – Embankment—Earth, 42 – Tree (Standing Tree Only), 46 – Traffic Signal Support/Signal, 72 – Cargo/Equipment Loss or Shift (harmful to this vehicle). Deleted attributes: 13 – Motor Vehicle In-Transport on Different Readway, 22 – Bridge Parapet End, 27 – Highway/Traffic Sign Post/Sign, 28 – Overhead Sign Support/Sign, 29 – Luminaire/Light Support, 36 – Embankment – Rock, Stone, or Concrete, 37 – Embankment – Material Type Unknown, 47 – Vehicle Occupant Struck or Run Over by Own Vehicle. Updated/Added new remarks.
Old C18 New C19	Manner of Collision	X	X	 Added new attribute 98 – Not Reported. Updated attributes: 00 – Not a Collision with a Motor Vehicle In-Transport, 01 – Front-to-Rear (includes Rear-End), 02 – Front-to-Front (includes Head-On), 06 – Frent-te-Side/Angle — Direction Not Specified, 11 – Other (End-Swipes and Others)*. Deleted attributes: 03 – Front-te-Side, Same Direction, 04 – Front-te-Side, Opposite Direction, 05 – Front-te-Side, Right Angle (includes Breadside). Updated/Added new remarks.

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
Old C19 New <i>C20</i>	Relation to Junction	X	X	 Divided element into two data entries (a) Within Interchange Area and (b) Specific Location. Format change from 1 numeric, to 2 numeric and 1 numeric one time. Added new attributes: 16 - Shared-Use Path or Trail, 17 - Acceleration/Deceleration Lane, 18 - Through Roadway, 98 - Not Reported. Updated attributes: 15-19 - Unknown, Interchange Area Other Location With Interchange Area, 09 - Unknown, Non-Interchange. Deleted attributes: 10 - Intersection, 11 - Intersection Related, 12 - Driveway Access, 13 - Entrance/Exit Ramp Related, 14 - Crossover-Related. Updated/Added new Remarks.
New C21	Type of Intersection	X	Х	 Added new element. Added new attributes: 1 – Not an Intersection, 2 – Four-Way Intersection, 3 – T-Intersection, 4 – Y-Intersection, 5 – Traffic Circle, 6 – Roundabout, 7 – Five Point, or More, 8 – Not Reported, 9 – Unknown. Added new remarks and diagram.
Old C20 New C22	Relation to Trafficway	Х	Х	 Added new attribute 98 – Not Reported. Updated attributes: 02 – On Shoulder, 03 – On Median, 04 – On Roadside, 05 – Outside Trafficway/Outside Rightef-Way, 11 – Two-way Continuous Left-Turn Lane. Updated/Added new remarks.
Old C28 New C23	Work Zone	Х	Х	 Added new attribute 8 – Not Reported. Added new remarks.
Old C31 New C24	Light Condition	Х	Х	 Added new attribute 8 – Not Reported. Added new remarks.

ELEMENT	ELEMENT	NEW/ REVISED	NEW/ REVISED	COMMENTS
#	NAME	VALUES	REMARKS	
Old C32 New C25	Atmospheric Conditions	X	X	 Format change from 1 numeric to 2 numeric. Added new attributes: 10 – Cloudy, 11 – Blowing Snow, 98 – Not Reported Updated attributes: 00 – No Additional Atmospheric Conditions, 01 – Clear/Cleudy (No Adverse Conditions), 02 – Rain, 03 – Sleet, Hail (Freezing Rain or Drizzle), 04 – Snow or Blowing Snow, 05 – Fog, Smog, Smoke, 06 – Severe Crosswinds, 07 – Blowing Sand, Soil, Dirt, 08 – Other, 99 – Unknown. Added new remarks.
Old C33 New C 26	School Bus Related	Х	Х	 Added new attribute 8 – Not Reported. Added new remarks. Added ANSI Definition for bus.
V3	Vehicle Number	х	Х	 Deleted attribute 000 - Persons Not in Motor Vehicles. Updated remarks. Added GES Special Instructions.
V4	Number of Occupants	х	Х	 Added new attribute 98 – Not Reported. Updated/Added new remarks. Added GES Special Instructions.
Old V37 New V6	Hit-and-Run	Х	Х	 Added new attribute 8 – Not Reported. Updated/Added new remarks.
Old V8 New V9	Vehicle Make	Х	Х	 Added new attributes: 78 – Other Make Moped, 79 – Other Make Motored Cycle, 97 – Not Reported Update/Added new remarks. Added GES Special Instructions.
Old V9 New V10	Vehicle Model	Х	Х	 Added new attribute 997 – Not Reported. Updated/Added new remarks. Added GES Special Instructions

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
Old V10 New V11	Body Type	Х	Х	 Added <i>new</i> attributes: 17 – 3-door coupe, 98 – Not Reported. Updated/Added new remarks.
Old V11 New V12	Model Year	Х	Х	 Added new attribute 9998 – Not Reported. Updated/Added new remarks.
Old V12 New V13	Vehicle Identification Number	Х	Х	 Added new attribute 888888888888888888888888888888888888
Old V27 New V16	Motor Carrier Identification Number	Х	Х	 Added new attribute to Issuing Authority and Identification Number: 77 – Not Reported, 777777777 – Not Reported Updated/Added new remarks. Added GES Special Instructions.
Old V30 New <i>V17</i>	GVWR/GCWR	Х	Х	 Added new attribute 8 – Not Reported. Updated/Added new remarks.
Old V28 New V18	Vehicle Configuration	X	X	 Added new attributes: 10 – Vehicle 10,000 pounds or less placarded for Hazardous Materials, 98 – Not Reported. Deleted attributes: 03 – Single-Unit Truck (unknown number of axlos, tiros), 70 – Light Truck (van, minivan, panel, pickup, sport utility vehicle displaying a hazardous materials placard), 80 – Passenger Car (only when displaying a hazardous materials placards). Updated attributes: 00 – Not Applicable, not a medium/heavy truck, bus or vehicle displaying a hazardous material placard, 01 – Single-Unit Truck (two axles, 6 tiros & GVWR of more than 10,000 pounds), 04 – Truck Pulling Trailer(s), 06 – Tractor/Semi-Trailer (one trailer), 07 – Truck Tractor/Doubles (two trailors), 08 – Truck Tractor/Triples (three trailors), 19 – Medium/Heavy Truck more than 10,000 lbs, cannot classify, 20 – Bus (seats for 9-15 people occupants,

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				including driver), 21 – Bus (seats for 46 er -more than 15 people occupants, including driver), 99 – Unknown If Light er Medium/Heavy Truck/Bus . • Added new remarks.
Old V31 New V19	Cargo Body Type	Х	Х	 Added new attribute 28 – Not Reported. Added new remarks.
Old V13 New V21	Bus Use	X	X	 Format change from 1 numeric to 2 numeric. Added new attribute 98 – Not Reported. Deleted attributes: 01 – Not Used as a Bus, 02 – Used as a Private School Bus, 03 – Used as a School Bus, Public or Private Unknown Updated attributes: 00 – Not Used as a Bus, 01 – Used as a Public School Bus, 04 – Used as Scheduled Service Bus Intercity, 05 – Used as a Tour Bus Charter/Tour, 06 – Used as a Commuter Bus Transit/Commuter, 07 – Used as a Shuttle Bus, 99 – Unknown Bus Use Added new remarks
Old V14 New V22	Special Use	Х	Х	 Format change from 1 numeric to 2 numeric. Added new attribute 98 – Not Reported. Added new remarks
Old V15 New <i>V23</i>	Emergency Use	Х	Х	 Added new attribute 8 – Not Reported. Added new remarks
Old V16 New V24	Travel Speed	Х	Х	 Added new attribute 998 – Not Reported. Added new remarks.
V17	Vehicle Maneuver			Deleted Element

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
V18	Crash Avoidance Maneuver			Deleted Element
V28	Vehicle Role			Deleted Element
Old V22 New V28	Impact Points - Initial/ Principal changed to Areas of Impact - Initial Damaged /Most Damaged	X	X	 Added new attributes: 61 – Left, 62 – Left-Front Half, 63 – Left-Back Half, 81 – Right, 82 – Right-Front Half, 83 – Right-Back Half, 98 – Not Reported. Updated attribute 18 – This Vehicle Set Semething in Metion Causing Injury er Damage (Net a Clock Point) Set-In- Motion (Not a Clock Point). Added new remarks and examples. Added new diagram.
Old V25 New V29	Extent of Damage	Х	Х	 Added new attribute 8 – Not Reported. Added new remarks.
Old V26 New <i>V30</i>	Vehicle Removal	Х	Х	 Added new attribute 8 – Not Reported. Added new remarks.
Old V33 New V31	Sequence of Events	X	X	 Added new attributes: 58 – Ground, 59 Traffic Sign Support, 68 – Cross Centerline, 69 – Re-entering Highway, 70 – Jackknife (non-harmful), 72 – Cargo/Equipment (harmful to this vehicle), 98 – Not Reported. Updated attributes: 01 - Overturn/Rollover Rollover/Overturn, 02 – Fire/Explosion (Always code if present), 06 – Injured in Vehicle (Non-Collision), 09 – Pedal Cycle Pedalcyclist, 10 – Railway Train Vehicle, 12 – Motor Vehicle In-Transport en Same Readway, 14 – Parked Motor Vehicle-er Meter Vehicle Stepped Off Readway, 21 – Bridge Pier or Abutment Support, 23 – Bridge Rail (Includes Parapet), 30 – Utility Pole/Light Support, 35 – Embankment – Earth, 42 – Tree (Standing Tree Only), 44 - Pavement Surface Irregularity (Pothole, Groeved, Grates) (Ruts, Potholes, Grates, etc.), 45 – Abutment Support, 25 – Embankment Earth, 42 – Tree (Standing Tree Only), 44 - Pavement Surface Irregularity (Pothole, Groeved, Grates) (Ruts, Potholes, Grates, etc.), 45 – Parked Motor Vehicles, Grates, etc.) (Pothole, Grates, etc.)

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				Working Motor Vehicle (Construction, Maintenance or Utility Vehicle), 51 – Jackknife (harmful to this vehicle), 46 – Traffic Signal Support/Signal, 60 – Cargo/Equipment Loss or Shift (non-harmful), 65 – Cross Median/Centerline. • Deleted attributes: 13 – Motor Vehicle In-Transport on Different Roadway, 22 – Bridge Parapet End, 27 – Highway/Traffic Sign Post/Sign, 28 – Overhead Sign Support/Sign, 29 – Luminaire/Light Support, 36 – Embankment – Rock, Stone, or Concrete, 37 – Embankment – Material Type Unknown, 47 – Vehicle Occupant Struck or Run Over by Own Vehicle. • Added new remarks. • Updated remarks and examples.
Old V34 New V32	Most Harmful Event	X	X	 Added new attributes: 58 – Ground, 59 – Traffic Sign Support, 98 – Not Reported Updated attributes: 01 - Overturn/Rollover Rollover/Overturn, 02 – Fire/Explosion (Always code if present), 06 – Injured in Vehicle (Non-Collision), 09 – Pedal Cycle Pedalcyclist, 10 – Railway Train Vehicle, 12 – Motor Vehicle InTransport en Same Roadway, 14 – Parked Motor Vehicle-er Motor Vehicle Stepped Off Readway, 21 – Bridge Pier or Abutment Support, 23 – Bridge Rail (Includes Parapet), 30 – Utility Pole/Light Support, 35 – Embankment – Earth, 42 – Tree (Standing Tree Only), 44 - Pavement Surface Irregularity (Pethole, Groeved, Grates) (Ruts, Potholes, Grates, etc.), 45 – Working Motor Vehicle (Construction, Maintenance or Utility Vehicle), 51 – Jackknife (harmful to this vehicle, 46 – Traffic Signal Support/Signal, 72 – Cargo/Equipment Loss or Shift (harmful), 65 – Cross Median/Conterline. Deleted attributes: 13 – Motor Vehicle

				Γ
ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				In-Transport on Different Roadway, 22 - Bridge Parapet End, 27 - Highway/Traffic Sign Post/Sign, 28 - Overhead Sign Support/Sign, 29 - Luminaire/Light Support, 36 - Embankment - Rock, Stone, or Concrete, 37 - Embankment - Material Type Unknown, 47 - Vehicle Occupant Struck or Run Over by Own Vehicle. • Added new remarks.
Old V35 New V33	Related Factors – Vehicle Level	X		■ Deleted attributes: 01 – Tires, 02 – Brake System, 03 – Steering System, 04 – Suspension, 05 – Power Train, 06 – Exhaust System, 07 – Headlights, 08 – Signal Lights, 09 – Other Lights, 10 – Horn, 11 – Mirrors, 12 – Wipers, 13 – Driver Seating and Centrel, 14 – Bedy, Deers, Heed and Other, 15 – Trailer Hitch, 16 – Wheels, 17 – Air Bag, 18 – Other Vehicle Defects, 19 – Safety Belts.
D5	Driver's License State	Х	Х	 Added new attributes: 00 – No Driver Present, 98 – Not Reported. Added new remarks.
D6	Driver's Zip Code	Х	Х	 Added new attribute 99998 – No Driver Present. Added new remarks. Added new GES Special Instructions.
D8	Commercial Motor Vehicle License Status	Х	Х	 Format change from 1 numeric to 2 numeric. Added new attribute 98 – Not Reported. Updated attribute – 99 – Unknown. Added new remarks.
D9	Compliance with License Endorsements changed to Complianc e	Х	Х	 Added new attribute 8 – Not Reported. Added new remarks.

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
	with CDL Endorsements			
D10	License Compliance with Class of Vehicle	Х	Х	 Added new attribute 7 – Not Reported. Updated reference table. Added new remarks.
D11	Compliance with License Restrictions	х	Х	 Added new attribute 8 – Not Reported. Added new remarks.
D21	Violations Charged	Х	Х	 Format change from 2 numeric, 3 times to select all that apply. Added new attribute 97 – Not Reported. Added new remarks.
New D23 New NM14	Condition (Impairment) at Time of Crash	X	X	 Add new element which is located on two forms. Format – select all that apply. New attributes: 00 – None/Apparently Normal, 01 – III, Blackout, 02 – Asleep or Fatigued, 03 – Walking with a Cane or Crutches, 04 – Paraplegic Or Restricted To A Wheelchair, 05 – Impaired Due To Previous Injury, 06 – Deaf, 07 – Blind, 08 – Emotional (depressed, angry, disturbed, etc.), 09 – Under the Influence of Alcohol, Drugs or Medication, 10 – Physical Impairment – No Details, 96 – Other Physical Impairment, 98 – Not Reported, 99 – Unknown If Physically Impaired. New remarks.
D24	Related Factors – Driver Level	Х		■ Deleted attributes: 91 - Drewsy, Sleepy, Asleep Fatigued, 92 - III, Passed Out/Blackout, 93 - Emetional (e.g., Depression, Angry, Disturbed), 95 - Under the Influence of Alcohol, Drugs or Medication, 97 - Restricted to Wheelchair, 96 - Operating the Vehicle in Careless or Inattentive Thought In, 99 - Impaired Due to Previous Injury, 11 - Other Physical

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				Impairment, 93 — Cellular Telephone Present in Vehicle, 94 — Cellular Telephone in Use in Vehicle, 95 — Computer/Fax Machines/Printers, 96 — Onboard Navigation System, 97 — Two-way Radio, 98 — Head-up Display.
New <i>PC4</i>	Contributing Circumstances, Motor Vehicle	X	X	 Added new element. Format – 2 digits Added new attributes: 00 – None, 01 – Tires, 02 – Brake System, 03 – Steering, 04 – Suspension, 05 – Power Train, 06 – Exhaust System, 07 – Head Lights, 08 – Signal Lights, 09 – Other Lights, 10 – Wipers, 11 – Wheels, 12 – Mirrors, 13 – Windows/Windshield, 14 – Body, Doors, 15 – Truck Coupling / Trailer Hitch / Safety Chains, 16 – Safety Systems, 17 – Vehicle Contributing Factors – No Details, 97 – Other, 98 – Not Reported, 99 – Unknown. Added new remarks.
Old C21 New <i>PC5</i>	Trafficway Flow change to Trafficway Description	X	X	 Element moved from Crash Level to Precrash (Vehicle/Driver) Level. Added new attributes: 0 – Non-Trafficway Area, 8 – Not Reported. Updated attributes: 1 – Not Physically Divided (Two-Way, Traffieway Not Divided), 5 – Not Physically Divided (With Two-Way, Not Divided with a Continuous Left-Turn Lane), 2 – Divided Highway, Median Strip (Without Traffic Barrier) Two-Way, Divided, Unprotected (Painted > 4 Feet) Median, 3 – Divided Highway, Median Strip (With Traffic Barrier) Two-Way, Divided, Positive Median Barrier. Added new remarks.
Old C22 New PC6	Number of Travel Lanes changed to Total Lanes in	Х	Х	 Element moved from Crash Level to Precrash (Vehicle/Driver) Level. Added new attributes: 0 – Non- Trafficway Area, 8 – Not Reported.

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
	Roadway			Added new remarks.
Old C23 New <i>PC7</i>	Speed Limit	Х	Х	 Element moved from Crash Level to Precrash (Vehicle/Driver) Level. Added new attribute 98 – Not Reported. Updated remark 00 – No Statutory Limit/Non-Trafficway Area. Added new remarks.
Old C24 New <i>PC8</i>	Roadway Alignment	X	Х	 Element moved from Crash Level to Precrash (Vehicle/Driver) Level. Added new attributes: 0 – Non- Trafficway Area, 3 – Curve Left, 4 – Curve – Unknown Direction, 8 – Not Reported. Updated attribute 2 – Curve Right.
Old C25 New <i>PC9</i>	Roadway Profile changed to Roadway Grade	Х	Х	 Element moved from Crash Level to Precrash (Vehicle/Driver) Level. Added new attributes: 0 – Non-Trafficway Area, 5 – Uphill, 6 – Downhill, 8 – Not Reported. Updated attributes: 2 – Grade, Unknown Slope, 4 – Sag (Bottom). Added new remarks. Added new diagram.
Old C26 New PC10	Roadway Surface Type	X	Х	 Element moved from Crash Level to Precrash (Vehicle/Driver) Level. Added new attributes: 0 – Non-Trafficway Area, 8 – Not Reported. Updated attribute 7 & – Other. Added new remarks.
Old C27 New PC11	Roadway Surface Conditions	Х	X	 Element moved from Crash Level to Precrash (Vehicle/Driver) Level. Format change from 1 numeric to 2 numeric. Added new attributes: 00 - Non-Trafficway Area, 10 - Slush, 11 - Mud, Dirt or Gravel, 98 - Not Reported. Updated attributes: 03 - Snow ex Slush, 05 - Sand, Dirt, Mud, Gravel,

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				99 – Unknown.Added new remarks.
Old C29 New <i>PC12</i>	Traffic Control Device	X	X	 Element moved from Crash Level to Precrash (Vehicle/Driver) Level. Added new attributes: 32 – School Zone Sign/Device, 65 – Railway Crossing Device, 97 – Not Reported. Updated attributes: 29 – Unknown Type-Regulatory Sign, 50 – Officer, crossing guard, flagman, etc. Person. Deleted attributes: 05 – Flashing beason, 06 – Flashing highway traffic signal, type unknown or other than traffic control or beason, 30 – School speed limit sign, 31 – School advance or crossing sign, 38 – Other school related sign, 39 – Unknown type school zone sign, 41 – Electric Warning Sign, 60 – Gates, 61 – Flashing Lights, 62 – Traffic Control Signal, 63 – Wigwags, 64 – Bells, 68 – Other train activated device, 69 – Active device, type unknown, 70 – Cross bucks, 71 – Stop sign, 72 – Other railroad crossing sign, 73 – Special warning device – watchman, flagged by crow, 78 – Other passive device, 79 – Passive device, type unknown, 80 – Grade crossing controlled, type unknown. Added new remarks.
Old C30 New PC13	Traffic Control Device Functioning changed to Device Functioning	X	X	Element moved from Crash Level to Precrash (Vehicle/Driver) Level. Added new attribute 8 – Not Reported. Attribute change to element values "00 – Not Applicable-Occupant of a Motor Vehicle In-Transport or Not In-Transport (Including Motor Vehicle Parked/Stopped Off Roadway/Working/In Motion Outside the Traffieway) to 000 - Not Applicable-Occupant of a Motor Vehicle In-Transport or Not In-Transport (Including Motor Vehicle Parked/Stopped Off Roadway/Working/In Motion Outside

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				the Trafficway).Updated/Added new remarks.
New PC14	Driver Distracted By	X	Х	 Moved from Driver level to Precrash Level. Format change from 2 numeric to select all that apply. Add new attribute 95 – No Driver Present. Update/Added new remarks.
New PC15	Driver Maneuvered to Avoid	X	X	 Added new attributes: 00 – Driver Did Not Maneuver To Avoid, 01 – Object, 02 – Poor Road Conditions (Puddle, Ice, Pothole, etc.), 03 – Live Animal, 04 – Motor Vehicle, 05 – Pedestrian, Pedalcyclist or Other Non-Motorist, 92 – Phantom/Non-contact Motor Vehicle, 95 – No Driver Present, 98 – Not Reported, 99 – Unknown. Format – select all that apply. Added new remarks.
New PC16	Driver's Vision Obscured By	X	X	 Added new attributes: 00 – Not Distracted, 01 – Looked But Did Not See, 03 – By Other Occupant(s), 04 – By Moving Object in Vehicle, 05 – While Talking or Listening to Cellular Phone, 06 – While Dialing Cellular Phone, 07 – Adjusting Audio And/or Climate Controls, 09 – While Using Other Device/Controls Integral to Vehicle, 10 – While Using or Reaching For Device/Object Brought Into Vehicle, 12 – Distracted by Outside Person, Object or Event, 13 – Eating or Drinking, 14 – Smoking Related, 15 – Other Cellular Phone Related, 16 – No Driver Present, 92 – Distraction/ Inattention, Details Unknown, 96 – Not Reported, 97 – Inattentive or Lost in Thought, 98 – Other Distraction, 99 – Unknown if Distracted. Format – select all that apply. Added new remarks.

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
New PC17	Pre-Event Movement (Prior to Recognition of Critical Event)	X	X	 Added new attributes: 00 – No Driver Present, 01 – Going Straight, 02 – Decelerating in Traffic Lane, 03 – Accelerating in Traffic Lane, 04 – Starting in Traffic Lane, 05 – Stopped in Traffic Lane, 06 – Passing or Overtaking Another Vehicle, 07 – Disabled or Parked in Travel Lane, 08 – Leaving a Parking Position, 09 – Entering a Parking Position, 10 – Turning Right, 11 – Turning Left, 12 – Making a U-Turn, 13 – Backing Up (other than for Parking Position), 14 – Negotiating a Curve, 15 – Changing Lanes, 16 – Merging, 17 – Successful Avoidance to a Previous Critical Event, 98 – Other (specify:), 99 – Unknown. Format – 2 numeric. Added new remarks.
New PC18	Critical Event – Precrash (Category)	X	X	 Added new attributes: 1 – This Vehicle Loss of Control Due To:, 2 – This Vehicle Traveling. 3 – Other Motor Vehicle in Lane, 4 – Other Motor Vehicle Encroaching into Lane, 5 – Pedestrian or Pedalcyclist or Other Non-Motorist, 6 – Object or Animal, 7 – Other (specify:), 9 – Unknown. Format – 1 numeric. Added new remarks.
New PC19	Critical Event – Precrash (Event)	X	X	Added new attributes: 01 – This Vehicle Loss Of Control Due To: Blow out/flat tire, 02 – This Vehicle Loss Of Control Due To: Stalled Engine, 03 – This Vehicle Loss Of Control Due To: Disabling vehicle failure (e.g., wheel fell off) (specify:), 04 – This Vehicle Loss Of Control Due To: Non-disabling vehicle problem (e.g., hood flew up)(specify:), 05 – This Vehicle Loss Of Control Due To: Poor road conditions (puddle, pothole, ice, etc.) (specify:), 06 – This Vehicle Loss Of Control Due To: Traveling too fast for conditions, 08 – This Vehicle Loss Of

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				Control Due To: Other cause of control loss (specify:), 09 – This Vehicle Loss Of Control Due To: Unknown cause of control loss, 10 – This Vehicle Traveling: Over the lane line on left side of travel lane, 11 – This Vehicle Traveling: Over the lane line on right side of travel lane, 12 – This Vehicle Traveling: Off the edge of the road on the left side, 13 – This Vehicle Traveling: Off the edge of the road on the right side, 14 – This Vehicle Traveling: End departure, 15 – This Vehicle Traveling: End departure, 15 – This Vehicle Traveling: Turning left at intersection, 16 – This Vehicle Traveling: Traveling: Turning right at intersection, 17 – This Vehicle Traveling: Traveling: This Vehicle Traveling: This Vehicle Traveling: This Vehicle Traveling: This Vehicle decelerating, 19 – This Vehicle Traveling: Unknown travel direction, 50 – Other Motor Vehicle in Lane: Traveling in same direction with lower steady speed, 52 – Other Motor Vehicle in Lane: Traveling in same direction with lower steady speed, 52 – Other Motor Vehicle in Lane: Traveling in same direction with higher speed, 54 – Other Motor Vehicle in Lane: Traveling in same direction with higher speed, 54 – Other Motor Vehicle in Lane: In crossover, 56 – Other Motor Vehicle in Lane: In crossover, 56 – Other Motor Vehicle in Lane: From adjacent lane (same direction) over left lane line, 61 – Other Motor Vehicle Encroaching into Lane: From adjacent lane (same direction) over right lane line, 62 – Other Motor Vehicle Encroaching into Lane: From opposite direction over left lane line, 63 – Other Motor Vehicle Encroaching into Lane: From opposite direction over left lane line, 62 – Other Motor Vehicle Encroaching into Lane: From opposite direction over right lane line, 62 – Other Motor Vehicle Encroaching into Lane: From opposite direction over right lane line, 63 – Other Motor Vehicle Encroaching into Lane: From opposite direction over right lane line, 63 – Other Motor Vehicle Encroaching into Lane: From opposite direction over right lane

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				line, 64 – Other Motor Vehicle Encroaching into Lane: From parking lane, median, shoulder, roadside, 65 – Other Motor Vehicle Encroaching into Lane: From crossing street, turning into same direction, 66 – Other Motor Vehicle Encroaching into Lane: From crossing street, across path, 67 – Other Motor Vehicle Encroaching into Lane: From crossing street, turning into opposite direction, 68 – Other Motor Vehicle Encroaching into Lane: From crossing street, intended path not known, 70 – Other Motor Vehicle Encroaching into Lane: From driveway, turning into same direction, 71 – Other Motor Vehicle Encroaching into Lane: From driveway, across path, 72 – Other Motor Vehicle Encroaching into Lane: From driveway, turning into opposite direction, 73 – Other Motor Vehicle Encroaching into Lane: From driveway, intended path not known, 74 – Other Motor Vehicle Encroaching into Lane: From entrance to limited access highway, 78 – Other Motor Vehicle Encroaching into Lane: Encroaching into Lane: Encroaching into Lane: Encroaching into Lane: Pedestrian, Pedalcyclist Or Other Non-Motorist: Pedestrian approaching roadway, 81 – Pedestrian, Pedalcyclist Or Other Non-Motorist: Pedestrian approaching roadway, 82 – Pedestrian, Pedalcyclist Or Other Non-Motorist: Pedestrian Pedalcyclist Or Other Non-Motorist: Pedalcyclist or other non-motorist in roadway (specify:), 84 – Pedestrian, Pedalcyclist or other non-motorist Pedalcyclist or other non-motorist Pedalcyclist or other non-motorist Pedalcyclist or other non-motorist approaching roadway (specify:), 85 – Pedestrian, Pedalcyclist or other non-motorist: Pedalcyclist or other non-motorist: Pedalcyclist or other non-motorist unknown location (specify:), 87 – Object or Animal:

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				Animal in roadway, 88 – Object or Animal: Animal approaching roadway, 89 – Object or Animal: Animal -unknown location, 90 – Object or Animal: Object in roadway, 91 – Object or Animal: Object approaching roadway, 92 – Object or Animal: Object unknown location, 98 – Other critical precrash event (specify:), 99 – Unknown. • Format – 2 numeric. • Added new remarks.
New PC20	Attempted Avoidance Maneuver	X	X	 Added new attributes: 00 – No Driver Present, 01 – No Avoidance Maneuver, 02 – Braking (no lockup), 03 – Braking (lockup), 04 – Braking (lockup unknown), 05 – Releasing brakes, 06 – Steering left, 07 – Steering right, 08 – Braking and steering left, 09 – Braking and steering right, 10 – Accelerating, 11 – Accelerating and steering left, 12 – Accelerating and steering right, 98 – Other Action (specify:), 99 – Unknown. Format – 2 numeric. Added GES Special Instructions.
New PC21	Pre-Impact Stability	X	X	 Added new attributes: 0 – No Driver Present, 1 – Tracking, 2 – Skidding longitudinally — rotation less than 30 degrees, 3 – Skidding laterally — clockwise rotation, 4 – Skidding laterally — counter-clockwise rotation, 7 – Other vehicle loss-of-control (specify:), 9 – Precrash stability unknown. Format – 1 numeric. Added new remarks.
New PC22	Pre-Impact Location	Х	Х	New attributes: 0 – No Driver Present, 1 – Stayed in Original Travel Lane, 2 – Stayed on Roadway, but Left Original Travel Lane, 3 – Stayed on Roadway, not Known if Left Original Travel

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				Lane, 4 – Departed Roadway, 5 – Remained off Roadway, 6 – Returned to Roadway, 7 – Entered Roadway, 9 – Unknown. • Format – 1 numeric. • Added new remarks
New PC23	Crash Type	Х	Х	 Added new attributes: 00 – No Impact, Actual attribute 01-93, 98 – Other Crash Type, 99 – Unknown. Format – 2 numeric. Added new remarks. Added GES Special Instructions.
P3	Vehicle Number - Person Level	Х		 Deleted attribute 000 – Net a Meter Vehicle Occupant. Added GES Special Instructions.
Old P6 New P5 and NM5	Age	Х	Х	 Element located on two forms. Added new attribute 998 – Not Reported. Added new remarks.
Old P7 New P6 and NM6	Sex	Х	Х	 Element located on two forms. Added new attribute 8 – Not Reported. Added new remarks.
Old P8 New P7	Person Type	X	X	 Element was split between Occupant and Non-Motorist Person Level forms. Added attribute 88 – Not Reported. Attributes moved to Person Type NM7 - 04 – Occupant of a Non-Motor Vehicle Transport Device, 05 – Pedestrian, 06 – Bicyclist, 07 – Other Bicyclist, 08 – Person on Personal Conveyance, 10 – Persons in/On Buildings, 19 – Unknown Type of Non-Motorist. Added new remarks. Added GES Special Instructions.
Old P22 New P8 and NM8	Injury Severity	Х	Х	 Element located on two forms. Added new attribute 8 – Not Reported. Added new remarks.

ELEMENT	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
n n	NAME	VALUEO	KLWAKKO	Added GES Special Instructions.
P9	Seating Position	Х	X	 Added new attribute 98 – Not Reported. Deleted attribute 99 – Not a Motor Vehicle Occupant. Added new remarks. Added GES Special Instructions.
P10	Protection System Use changed to Restraint System/ Helmet Use	X	X	 Added new attributes: 07 – None Used-Motor Vehicle Occupant, 16 – Other Helmet, 17 – No Helmet, 97 – Other, 98 – Not Reported. Updated attributes: 00 – None Used/Not Applicable – Not a Meter Vehicle Occupant, 01 – Shoulder Belt Only Used, 02 – Lap Belt Only Used, 03 – Lap and Shoulder Shoulder and Lap Belt Used, 04 – Child Safety Seat/Booster Restraint Type Unknown/Not Reported, 05 – DOT Compliant Motorcycle Helmet, 10 – Child Safety Seat Restraint System – Forward Facing, 11 – Child Safety Seat Restraint System – Rear Facing, 12 – Booster Seat (lap and shoulder belt used properly). Deleted attributes: 06 – Bicycle Helmet, 14 – Child Safety Seat/Booster Seat Used Properly, 15 – Helmets Used Improperly. Added RARS Special Instructions. Added GES Special Instructions.
New P11	Any Indication of Mis-Use of Restraint System or Helmet Use	Х	Х	 Added new element. Added new attributes: 0 - No, 1 - Yes. Added new remarks.
Old P11 New P12	Air Bag Deployed	Х	Х	 Added new attribute 98 – Not Reported. Added new remarks. Added GES Special Instructions.

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
Old P12 <i>New P13</i>	Ejection	Х	Х	 Added new attribute 7 – Not Reported. Added new remarks.
P18 and NM17	Alcohol Test	х	Х	 Element is now located on two forms. Added new attributes: Status: 8 – Not Reported, Type: 95 – Not Reported, Result: 95 – Not Reported. Updated attributes: Status: 9 – Unknown if Tested Hot Reported, Type: 99 – Unknown if Tested Hot Reported, Result: 99 – Unknown if Tested Hot Reported. Updated/Added new remarks.
P21 and NM20	Drug Test	X	X	 Element now located on two forms. Added new attributes: Status: 8 – Not Reported, Type: 6 – Not Reported, Result: 095 – Not Reported. Updated attributes: Status: 9 – Unknown if Tested Hotel Photography. Type: 9 – Unknown if Tested Hotel Photography. Reported, Result: 999 – Unknown if Tested Hotel Photography. Updated/Added new remarks. Updated Drug Lists.
Old P23 New P22 and NM21	Transported for Treatment By changed to Transported to Medical Facility By	X	X	 Element located on two forms. Added new attributes: 5 – EMS Ground, 6 – Other, 8 – Not Reported Updated attributes: 1 – ¥es, EMS Air, 2 – Yes, Law Enforcement, 3 – Yes, Other EMS Unknown Mode, 4 – Yes, Transported by Unknown Source. Added new remarks. Added GES Special Instructions.
Old P27 New P26	Related Factors - Person Level changed to Related Factors - (Motor Vehicle Occupant) Person Level			 Deleted attributes: 01 — Not Visible, 02 Darting, Running or Stumbling Inte Roadway, 03 — Improper Crossing of Roadway or Intersection, 04 — Walking/Riding With or Against Traffic, Playing, Working, Sitting, Lying, Standing, etc., in Roadway, 06 Ill, Passed Out/Blackout, 07 — Emotional (e.g., Depression, Angry, Disturbed), 10 — Inattentive, 11 —

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				Walking with Cane or Crutches, 12— Restricted to Wheelchair, 13— Meterized Wheelchair Rider, 14— Impaired Due to Previous Injury, 15— Under the Influence of Alcehol, Drugs or Medication, 16—Blind, 17—Other Physical Impairment, 19—Pedestrian Jogging, 23—Failure to Dim Lights or Have Lights on When Required, 24—Operating Without Required Equipment, 27—Improper or Erratic Lane Changing, 30—Making Improper Entry to or Exit from Trafficway, 34—Passing on Wrong Side, 35—Passing with Insufficient Distance or Inadequate Visibility or Failing to Yield to Overtaking Vehicle, 36—Operating the Vehicle in an Erratic, Reckless, Careless or Negligent Manner, 38—Failure to Yield the Right of Way, 39—Failure to Obey Actual Traffic Sign, 48—Making Other Improper Turn, 49—Driving Wrong Way on One Way Trafficway, 50—Driving on Wrong Side of Road, 53—Stopped in Readway (Vehicle Not Abandoned), 55—Getting Off/Out of or On/In to a Transport Vehicle, 79—Live Animals in Road, 90—Non-Motorist Pushing a Vehicle.
Old P5 New NM4	Non-Occupant Striking Vehicle Number changed to Number of Motor Vehicle Striking Non- Motorist	X	X	 Element moved to Non-Motorist Person Level form. Deleted attribute 000 - Not Applicable - Occupant of a Motor Vehicle In-Transport or Not In-Transport (Including Parked/Stopped Off Roadway/Working/In Motion Outside In-Trafficway). Added new remarks. Added GES Special Instructions.
NM7	Person Type	Х	Х	 Add new attribute: 88 – Not Reported. Moved attributes from P7 – Person Type: 04 – Occupant of a Non-Motor Vehicle Transport Device, 05 – Pedestrian, 06 – Bicyclist, 07 – Other

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				Cyclist, 08 – Person on Personal Conveyance, 10 – Person In/On Buildings, 88 – Not Reported, 19 – Unknown Type of Non-Motorist. • Added new remarks.
NM9	Pedestrian/ Bike Typing	Х	Х	Added new element. Format – Element entered in MDE system. Remarks added by headquarters
Old P15 New NM10	Non-Occupant Location changed to Non-Motorist Location at Time of Crash			 Element moved to Non-Motorist Person Level form. Added attributes: 14 - Parking Lane Zone, 20 - Shoulder/Roadside, 21 - Sidewalk, 22 - Median/Crossing Island, 23 - Driveway Access, 24 - Shared-Use Path/Trail, 25 - Non-Trafficway Area, 28 - Other, 98 - Not Reported. Deleted attributes: 00 - No Applicable - Occupant of a Motor Vehicle In-Transport or Not In-Transport (Including Motor Vehicles Parked/Stopped Off Roadway/Working/In Motion Outside the Trafficway) and Injured Railway Train Occupants, 04 - Intersection - On Roadway, Crosswalk Availability Unknown, 05 - Intersection - Not on Roadway, Crosswalk not Availability Unknown, 05 - Intersection - On Roadway, Crosswalk not Available, 15 - Non-Intersection - On Roadway, 12 - Non-Intersection - On Roadway, 19 - Non-Intersection - Unknown. Updated to attributes: 01 - Intersection - Unknown. Updated to attributes: 01 - Intersection - Unknown. Updated to attributes: 01 - Intersection - On Roadway, 19 - Non-Intersection - Unknown Location, 10 - Non-Intersection - Unknown Location, 10 - Non-Intersection - Unknown Location, 10 - Non-Intersection - Unknown Location - In Parking Lane/Zone, 16 - Non-Intersection - Bike Path*

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				Bicycle Lane, 99 – Unknown Location. • Added new remarks.
New NM11	Non-Motorist Action/Circums tances Prior to Crash	X	X	 Added new element. Added attributes: 01 - Going To or From School (K-12), 02 - Waiting to Cross Roadway, 03 - Crossing Roadway, 04 - Jogging/Running, 05 - Movement Along Roadway with Traffic (In or Adjacent to Travel Lane), 06 - Movement Along Roadway Against Traffic (In or Adjacent to Travel Lane, 07 - Movement on Sidewalk, 08 - In Roadway - Other (Working, Playing, Etc.), 09 - Adjacent to Roadway (e.g., Shoulder, Median), 10 - Working in Trafficway (Incident Response), 11 - Entering/Exiting a Vehicle, 12 - Disabled Vehicle Related (Working on, Pushing, Leaving/ Approaching), 14 - Other, 15 - None, 98 - Not Reported, 99 - Unknown. Format: select all that apply. Added new remarks.
New NM12	Non-Motorist Action/Circums tances at Time of Crash	X	X	 Added new element. Added new attributes: 00 – No Improper Action, 01 – Dart/Dash, 02 – Failure to Yield Right-Of-Way, 3 – Failure to Obey Traffic Signs, Signals or Officer, 04 – In Roadway Improperly (Standing, Lying, Working, Playing), 05 – Entering/Exiting a Vehicle, 06 – Inattentive (Talking, Eating, Etc.), 07 – Improper Turn/Merge, 08 – Improper Passing, 09 – Wrong-Way Riding or Walking, 10 – Driving on Wrong Side of Road, 12 – Improper Crossing of Roadway or Intersection (Jaywalking), 13 – Failing to Have Lights on When Required, 14 – Operating Without Required Equipment, 15 – Improper or Erratic Lane Changing, 16 – Failure to Keep in Proper Lane or Running Off Road, 17 – Making Improper Entry to or Exit from

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				Trafficway, 18 – Operating the Vehicle in other Erratic, Reckless, Careless or Negligent Manner, 19 – Not Visible (Dark clothing, No Lighting, etc.), 20 – Passing with Insufficient Distance or Inadequate Visibility or Failing to Yield to Overtaking Vehicle, 21 – Other, 98 – Not Reported, 99 – Unknown. • Format: select all that apply. • Added new remarks.
New NM13	Non-Motorist Safety Equipment	X	X	 Added new element. Added new attributes: 0 - Not Applicable, 1 - None Used, 2 - Helmet, 4 - Protective Pads Used (elbows, knees, shins, etc.), 3 - Reflective Equipment/Clothing (jacket, backpack, etc.), 5 - Lighting, 7 - Other Safety Equipment, 8 - Not Reported, 9 - Unknown if Used. Format: select all that apply. Added new remarks.
New NM25	Related Factors - Person Level (Not a Motor Vehicle Occupant)	X	X	 Added new element to form. Carry over from Related Factors – Person Level. Deleted attributes: 91 – Not Visible, 92 – Darting, Running or Stumbling Into Roadway, 03 – Improper Crossing of Roadway or Intersection, 04 – Walking/Riding With or Against Traffic, 05 – Interfering With Driver, 06 – Ill, Passed Out/Blackout, 07 – Emotional (e.g., Depression, Angry, Disturbed), 10 – Inattentive, 11 – Walking with Cane or Crutches, 12 – Rostricted to Whoolchair, 14 – Impaired Due to Previous Injury, 15 – Under the Influence of Alcohol, Drugs or Medication, 16 – Blind, 17 – Other Physical Impairment, 19 – Pedestrian Jogging, 23 – Failure to Dim Lights or Have Lights on When Required, 24 – Operating Without Required Equipment, 27 – Improper or Erratic Lane Changing, 28 – Failure to Keep in Proper Lane, 29 – Illegal Driving on Road Shoulder, in Ditch, on Sidewalk

ELEMENT #	ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
				or on Median, 30 – Making Improper Entry to or Exit from Trafficway, 32 – Opening Vehicle Closure into Moving Traffic or While Vehicle is in Metion, 33 – Passing Where Prohibited by Posted Signs, Pavement Markings, Hill or Curve, or School Bus Displaying Warning Not to Pass Line, 34 – Passing on Wrong Side, 35 – Passing with Insufficient Distance or Inadequate Visibility or Failing to Yield to Overtaking Vehicle, 36 – Operating the Vehicle in an Erratic, Reckless, Careless or Negligent Manner, 38 – Failure to Yield the Right of Way, 39 – Failure to Obey Actual Traffic Sign, 44 – Driving Too Fast for Conditions or in Excess of Posted Maximum, 45 – Driving Less Than Posted Minimum, 47 – Making Right Turn from Left Turn Lane, Left Turn from Right-Turn Lane, 48 – Making Other Improper Turn, 49 – Driving Wreng Way on One Way Trafficway, 50 – Driving on Wrong Side of Read, 53 – Unfamiliar with Readway, 55 – Getting Off/Out of or On/In to a Transport Vehicle, 59 – Overcorrecting, 79 – Live Animals in Read, 87 – Pelice or Law Enfercement Officer, 88 – Seat Back Not in Normal Upright Position, Seat Back Reclined. • Added new remarks.

New SAS Data Files in 2010

Locator Code	2009 SAS Name	New 2010 SAS Names	Data Element Name
C17	N/A	Cevent.AOI1	Area of Impact (this)
C17	N/A	Cevent.AOI2	Area of Impact (other)
C17	N/A	Cevent.EVENTNUM	Event Number
C17	N/A	Cevent.SOE	Sequence of Event
C2/V2/D2/P C2/P2/NM2	N/A	Cevent.ST_CASE	Consecutive Number
C1/V1/D1/P C1/P1/NM1	N/A	Cevent.STATE	State Number
C17	N/A	Cevent.VNUMBER1	Vehicle Number (this)
C17	N/A	Cevent.VNUMBER2	Vehicle Number (other)
C17	N/A	Vevent.AOI1	Area of Impact (this)
C17	N/A	Vevent.AOI2	Area of Impact (other)
C17	N/A	Vevent.EVENTNUM	The number of the first event in the crash in which this vehicle is involved (could be this vehicle or the other vehicle in the SAS event data file).
C17	N/A	Vevent.SOE	Sequence of Event
C2/V2/D2/P C2/P2/NM2	N/A	Vevent.ST_CASE	Consecutive Number
C1/V1/D1/P C1/P1/NM1	N/A	Vevent.STATE	State Number
C17	N/A	Vevent.VNUMBER1	Vehicle Number (this)
C17	N/A	Vevent.VNUMBER2	Vehicle Number (other)
V3/D3/PC3/ P3	N/A	Vevent.VEH_NO	Vehicle Number
New id data element	N/A	Vevent.VEVENTNUM	The number of event sequentially ordered for each vehicle.
C2/V2/D2/P C2/P2/NM2	N/A	Vsoe.ST_CASE	Consecutive Number
C1/V1/D1/P C1/P1/NM1	N/A	Vsoe.STATE	State Number
C17	N/A	Vsoe.SOE	Sequence of Event
C17	N/A	Vsoe.AOI	Area of Impact associated with the event
New id data element	N/A	Vsoe.VEVENTNUM	The number of event sequentially ordered for each vehicle.
V3/D3/PC3/ P3	N/A	Vsoe.VEH_NO	Vehicle Number

Locator	2009	New 2010	Data Element Name
Code	SAS Name	SAS Names	Data Element Name
V3/D3/PC3/ P3	N/A	Parkwork.VEH_NO	Vehicle Number & Unit Type
V5	N/A	Parkwork.PTYPE	Unit Type
V9	N/A	Parkwork.PMAKE	Vehicle Make
V10	N/A	Parkwork.PMODEL	Vehicle Model
V11	N/A	Parkwork.PBODYTYP	Body Type
V12	N/A	Parkwork.PMODYEAR	Model Year
V13	N/A	Parkwork.PVIN	VIN
V7	N/A	Parkwork.PREG_STAT	Registration State
V22	N/A	Parkwork.PSP_USE	Special Use
V23	N/A	Parkwork.PEM_USE	Emergency use
V4	N/A	Parkwork.PNUMOCCS	Number of Occupants
V14	N/A	Parkwork.PTRAILER	Vehicle trailing
V34	N/A	Parkwork.PFIRE	Fire Occurrence
V29	N/A	Parkwork.PVEH_SEV	Extent of damage
V30	N/A	Parkwork.PTOWED	Vehicle Removal
V28	N/A	Parkwork.PIMPACT1	Area of Impact- Initial Damaged
V28	N/A	Parkwork.PIMPACT2	Area of Impact- Most Damaged
V19	N/A	Parkwork.Pcargtyp	Cargo body type
V20 - HM1	N/A	Parkwork.PHAZ_INV	Hazardous Material Involvement/Placard - Involvement
V20 - HM2	N/A	Parkwork.PHAZPLAC	Hazardous Material Involvement/Placard - Placard
V20 - HM3	N/A	Parkwork.PHAZ_ID	Hazardous Material Involvement/Placard - Identification Number
V20 - HM4	N/A	Parkwork.PHAZ_CNO	Hazardous Material Involvement/Placard - Class Number
V20 - HM5	N/A	Parkwork.PHAZ_REL	Hazardous Material Involvement/Placard - Released
V100	N/A	Parkwork.MAK_MOD	Make Model
V21	N/A	Parkwork.PBUS_USE	Bus Use
C8	N/A	Parkwork.PDAY	Day
V150	N/A	Parkwork.PDEATHS	Fatals in Vehicle

Locator Code	2009 SAS Name	New 2010 SAS Names	Data Element Name
V121	N/A	Parkwork.PFUECODE	Fuel Code
V17	N/A	Parkwork.PGVWR	GVWR
C18	N/A	Parkwork.PHARM_EV	First Harmful Event
V6	N/A	Parkwork.PHIT_RUN	Hit and Run
C9	N/A	Parkwork.PHOUR	Crash Time (HOUR)
V124	N/A	Parkwork.PMCYCL_DS	Motorcycle Engine Displacement (CC)
V16A	N/A	Parkwork.PMCARR_I1	MCID Issuing Authority
V16	N/A	Parkwork.PMCARR_I2	MCID Identification Number
V16B	N/A	Parkwork.PMCARR_ID	Motor Carrier Identification Number
V32	N/A	Parkwork.PM_HARM	Most Harmful Event
C19	N/A	Parkwork.PMAN_COLL	Manner of Collision
C9	N/A	Parkwork.PMINUTE	Crash Time (MINUTE)
C8	N/A	Parkwork.PMONTH	Crash Date (Month)
V8	N/A	Parkwork.POWNER	Registered Vehicle Owner
V122	N/A	Parkwork.PSER_TR	VIN Truck Series
V25	N/A	Parkwork.PUNDERIDE	Underride/Override
C4AA	N/A	Parkwork.PVE_FORMS	Number of Vehicle Forms Submitted for MV In Transport
V13	N/A	Parkwork.PVIN	Vehicle Identification Number
V101	N/A	Parkwork.PVIN_1	VIN Character 1
V102	N/A	Parkwork.PVIN_2	VIN Character 2
V103	N/A	Parkwork.PVIN_3	VIN Character 3
V104	N/A	Parkwork.PVIN_4	VIN Character 4
V105	N/A	Parkwork.PVIN_5	VIN Character 5
V106	N/A	Parkwork.PVIN_6	VIN Character 6
V107	N/A	Parkwork.PVIN_7	VIN Character 7
V108	N/A	Parkwork.PVIN_8	VIN Character 8
V109	N/A	Parkwork.PVIN_9	VIN Character 9

Locator Code	2009 SAS Name	New 2010 SAS Names	Data Element Name
V110	N/A	Parkwork.PVIN_10	VIN Character 10
V111	N/A	Parkwork.PVIN_11	VIN Character 11
V112	N/A	Parkwork.PVIN_12	VIN Character 12
V115	N/A	Parkwork.PVINA_MOD	VIN Model
V114	N/A	Parkwork.PVINMAKE	VIN Make
V117	N/A	Parkwork.PVINMODYR	VIN Model Year
V113	N/A	Parkwork.PVINTYPE	VIN Vehicle Type
V116	N/A	Parkwork.PVIN_BT	VIN Body Type
V125	N/A	Parkwork.PVIN_LNGT	VIN Length
V118	N/A	Parkwork.PVIN_WGT	Curb Weight
V18	N/A	Parkwork.PV_CONFIG	Vehicle Configuration
V33	N/A	Parkwork.PVEH_SC1	Related Factors -1
V33	N/A	Parkwork.PVEH_SC2	Related Factors -2
V123	N/A	Parkwork.PWGTCD_TR	Truck Weight Rating
V120	N/A	Parkwork.PWHLBS_LG	Wheelbase Long
V119	N/A	Parkwork.PWHLBS_SH	Wheelbase Short
C1/V1/D1/P C1/P1/NM1	N/A	Parkwork.STATE	State Number
C2/V2/D2/P C2/P2/NM2	N/A	Parkwork.ST_CASE	Consecutive Number
V3/D3/PC3/ P3	N/A	Parkwork.VEH_NO	Vehicle Number
PC16	N/A	Distract.MDRDSTRD	Driver Distracted By
C2/V2/D2/P C2/P2/NM2	N/A	Distract.ST_CASE	Consecutive Number
C1/V1/D1/P C1/P1/NM1	N/A	Distract.STATE	State Number
V3/D3/PC3/ P3	N/A	Distract.VEH_NO	Vehicle Number
PC4	N/A	Factor.MFACTOR	Contributing Circumstances, Motor Vehicle
C2/V2/D2/P C2/P2/NM2	N/A	Factor.ST_CASE	Consecutive Number
C1/V1/D1/P C1/P1/NM1	N/A	Factor.STATE	State Number

Locator Code	2009 SAS Name	New 2010 SAS Names	Data Element Name
V3/D3/PC3/ P3	N/A	Factor.VEH_NO	Vehicle Number
D23	N/A	Drimpair.DRIMPAIR	Condition (Impairment) at Time of Crash
C2/V2/D2/P C2/P2/NM2	N/A	Drimpair.ST_CASE	Consecutive Number
C1/V1/D1/P C1/P1/NM1	N/A	Drimpair.STATE	State Number
V3/D3/PC3/ P3	N/A	Drimpair.VEH_NO	Vehicle Number
NM14	N/A	Nmimpair.NMIMPAIR	Condition (Impairment) at Time of Crash
C2/V2/D2/P C2/P2/NM2	N/A	Nmimpair.ST_CASE	Consecutive Number
C1/V1/D1/P C1/P1/NM1	N/A	Nmimpair.STATE	State Number
V3/D3/PC3/ P3	N/A	Nmimpair.VEH_NO	Vehicle Number
P4/NM4	N/A	Nmimpair.PER_NO	Person Number
PC15	AVOID	Maneuver.MDRMANAV	Driver Maneuvered to Avoid
C2/V2/D2/P C2/P2/NM2	N/A	Maneuver.ST_CASE	Consecutive Number
C1/V1/D1/P C1/P1/NM1	N/A	Maneuver.STATE	State Number
V3/D3/PC3/ P3	N/A	Maneuver.VEH_NO	Vehicle Number
NM12	N/A	Nmcrash.MTM_CRSH	Non Motorists Action/Circumstance at Time of Crash
C2/V2/D2/P C2/P2/NM2	N/A	Nmcrash.ST_CASE	Consecutive Number
C1/V1/D1/P C1/P1/NM1	N/A	Nmcrash.STATE	State Number
P4/NM4	N/A	Nmcrash.PER_NO	Person Number
V3/D3/PC3/ P3	N/A	Nmcrash.VEH_NO	Vehicle Number
NM11	N/A	Nmprior.MPR_ACT	Non Motorists Action/Circumstance Prior to Crash
C2/V2/D2/P C2/P2/NM2	N/A	Nmprior.ST_CASE	Consecutive Number
C1/V1/D1/P C1/P1/NM1	N/A	Nmprior.STATE	State Number
P4/NM4	N/A	Nmprior.PER_NO	Person Number
V3/D3/PC3/ P3	N/A	Nmprior.VEH_NO	Vehicle Number
NM13	N/A	Safetyeq.MSAFEQMT	Non Motorists Safety Equipment
C2/V2/D2/P C2/P2/NM2	N/A	Safetyeq.ST_CASE	Consecutive Number

Locator Code	2009 SAS Name	New 2010 SAS Names	Data Element Name
C1/V1/D1/P C1/P1/NM1	N/A	Safetyeq.STATE	State Number
P4/NM4	N/A	Safetyeq.PER_NO	Person Number
V3/D3/PC3/ P3	N/A	Safetyeq.VEH_NO	Vehicle Number
D21	N/A	Violatn.MVIOLATN	Violations Charged
C2/V2/D2/P C2/P2/NM2	N/A	Violatn.ST_CASE	Consecutive Number
C1/V1/D1/P C1/P1/NM1	N/A	Violatn.STATE	State Number
V3/D3/PC3/ P3	N/A	Violatn.VEH_NO	Vehicle Number
PC14	D_VISION1, D_VISION2, D_VISION3	Vision.MVISOBSC	Driver's Vision Obscured By
C2/V2/D2/P C2/P2/NM2	N/A	Vision.ST_CASE	Consecutive Number
C1/V1/D1/P C1/P1/NM1	N/A	Vision.STATE	State Number
V3/D3/PC3/ P3	N/A	Vision.VEH_NO	Vehicle Number

Summary of the SAS Naming Changes in 2010

Locator Code	2009 SAS Name	New 2010 SAS Name	Data Element Name
C20a	N/A	RELJCT1	Relation to Junction - Within Interchange Area
C20b	REL_JUNC	RELJCT2	Relation to Junction - Specific Location
PC5	TRAF_FLO	VTRAFWAY	Trafficway Description
PC6	NO_LANES	VNUM_LAN	Total Lanes in Roadway
PC7	SP_LIMIT	VSPD_LIM	Speed Limit
PC8	ALIGNMNT	VALIGN	Roadway Alignment
PC9	PROFILE	VPROFILE	Roadway Grade
PC10	PAVE_TYP	VPAVETYP	Roadway Surface Type
PC11	SUR_COND	VSURCOND	Roadway Surface Condition
PC12	TRA_CONT	VTRAFCON	Traffic Control Device
PC13	T_CONT_F	VTCONT_F	Traffic Control Device Functioning
C21	N/A	TYP_INT	Type of Intersection
V113	N/A	VINTYPE	VIN Vehicle Type
V114	N/A	VINMAKE	VIN Make
V117	N/A	VINMODYR	VIN Model Year
PC23	N/A	ACC_TYPE	Accident Type
V121	N/A	FUELCODE	Fuel Code
V126	N/A	TIRE_SZE	Original Tire Size
V127	N/A	DISPLACE	Cubic Inch Displacement
V128	N/A	CYLINDER	Number of Cylinders
V129	N/A	CARBUR	Carburetion
V130	N/A	WHLDRWHL	Number of wheels/driver wheels
V131	N/A	TON_RAT	Ton Rating
V132	N/A	TRK_WT	Shipping Weight
V133	N/A	TRKWTVAR	Shipping Weight Variance

Locator Code	2009 SAS Name	New 2010 SAS Name	Data Element Name
V134	N/A	VIN_REST	VIN Restraint Type
V135	N/A	MCYCL_WT	Dry Weight
V136	N/A	MCYCL_CY	Number of Engine Cycles
P11	N/A	REST_MIS	Any Indication of Mis-Use of Restraint System/Helmet Use

The data elements in RED are new to 2010 FARS. The data elements in BLUE are changed in 2010 FARS.

Trafficway Descriptor Data Elements in 2010

As part of the data standardization effort to harmonize the data in FARS and NASS GES and align both data systems with the data elements recommended in MMUCC, nine data elements were moved from the Crash Level in FARS to the a new Precrash Level method of collection. Some data elements also had title changes as a result. The changes are identified below with **bold/italics**. Those data elements are:

2009 Crash Level Data elements	2010 Precrash Level Data elements
C21 Trafficway Flow (TRAF_FLO)	PC5 Trafficway Description (VTRAFWAY)
C22 Number of Travel Lanes (NO_LANES)	PC6 Total Lanes in Roadway (VNUM_LAN)
C23 Speed Limit (SP_LIMIT)	PC7 Speed Limit (VSPD_LIM)
C24 Roadway Alignment (ALIGNMNT)	PC8 Roadway Alignment (VALIGN)
C25 Roadway Profile (PROFILE)	PC9 Roadway Grade (VPROFILE)
C26 Roadway Surface Type (PAVE_TYP)	PC10 Roadway Surface Type (VPAVETYP)
C27 Roadway Surface Condition (SUR_COND)	PC11 Roadway Surface Condition (VSURCOND)
C29 Traffic Control Device (TRAF_CON)	PC12 Traffic Control Device (VTRAFCON)
C30 Traffic Control Device Functioning (T_CONT_F)	PC13 Traffic Control Device Functioning (VTCONT_F)

In the FARS data collection years 2009 and prior, the set of data elements above-left (C21-C27) provided details about the characteristics of the trafficway to which the crash had been assigned. Crashes were assigned to the trafficway on which the First Harmful Event occurred. If the First Harmful Event occurred outside the boundaries of a trafficway (e.g. private property), the crash was assigned to the trafficway on which the vehicle was traveling when the Unstabilized Situation began.

In at-intersection crashes, assignment was to the highest function class of trafficway at the intersection. If the vehicles were traveling on two different trafficways of equal function class prior to an at-intersection crash, it was assigned to the trafficway on which the motor vehicle precipitating the crash was traveling.

The data elements C29 Traffic Control Device and C30 Traffic Control Device Functioning were coded with respect to the control most applicable to the crash. If more than one device was present, the highest device (lowest number on the attribute list) most related to the crash was selected.

In the FARS data collection years starting in 2010, this set of data elements above-right (PC5-PC13) provide details about the characteristics of the trafficway that each in-transport motor vehicle was traveling on just prior to its Critical Precrash Event. The Critical Precrash Event is the event which made the crash imminent (i.e., something occurred which made the collision possible). For vehicles departing the trafficway prior to their critical precrash events, the trafficway selected for classification is the one the vehicle departed. If this vehicle is in a junction just prior to its critical precrash event, the trafficway selected for classification is the one it is on before entering the junction.

While these data elements were still collecting the same general information in 2010, there are some important differences to note. First, by being collected for each vehicle, different trafficway characteristics could be recorded for each vehicle in the crash. Second, in some circumstances the procedural change to being recorded for each vehicle based on its precrash location rather than the location of the first harmful event resulted in different data being provided than would have been in the same crash in prior years.

The types of crashes most affected by the change were those that occur in junction. For example, in a crash where two vehicles were traveling on the same trafficway in opposite directions (e.g. North-South) that have an at-intersection crash in the junction of a higher function class trafficway, the characteristics of the lower class trafficway that each of the vehicles were traveling on before entering the intersection area are recorded in the data elements PC5-PC13 for each vehicle. In prior years, the characteristics of the higher functional class trafficway would have appeared on the Crash Level. Also note that in such a case, on the Crash Level this crash would still be recoded to the higher functional class trafficway in the data elements C10 National Highway System, C11 Roadway Function Class, C12 Route Signing, and C13 Trafficway Identifier and none of the vehicle level characteristics can be attributed to this trafficway.

New in 2011 FARS

2011 Data Elements with Changes in Definitions and Attributes

Below is a list of FARS data elements that have substantial changes for 2011.

DATA ELEMENT #	DATA ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
С3	Number of Forms Submitted for Persons Not in Motor Vehicles	Х		■ Update Range to: <u>00</u> -99.
C14	Milepoint	X	Х	 Changed format from 5 alphanumeric to 5 numeric. Updated element attributes with the addition of the decimal point.
C17	Crash Events- Sequence of Events		Х	■ Delete attribute 98 – Not Reported
C18	First Harmful Event	Х	Х	■ Delete attribute 98 – Not Reported
C30	EMS Time at Hospital	Х	Х	■ Added new attribute 9996 – Transport Terminated.
V4	Number of Occupants	Х	Х	■ Delete attribute 98 - Not Reported
V9	Vehicle Make	Х	Х	Added new Make 66 - Mahindra
V10	Vehicle Model	Х		■ Add new attribute 598 – Low Speed Vehicle (LSV) / Neighborhood Electric Vehicle (NEV) and 870 – Medium/Heavy Van-Based Vehicle.

				Γ
DATA ELEMENT #	DATA ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
V10	Body Type	X	X	■ Added new attributes: 55 – Van-Based Bus GVWR > 10,000 lbs. and 94 – Low Speed Vehicle (LSV) / Neighborhood Electric Vehicle (NEV) ■ Updated attributes: 61 – Single-unit straight truck or Cab-Chassis (10,000 lbs. < GVWR < or = 19,500 lbs.), 62 – Single-unit straight truck or Cab-Chassis (19,500 lbs. < GVWR < or = 26,000 lbs.), 63 – Single-unit straight truck or Cab-Chassis (GVWR > 26,000 lbs.), 64 – Single-unit straight truck or Cab-Chassis (GVWR unknown).
V27	Location of Rollover	Х	Х	■ Add new attribute: 7 – In Parking Lane/Zone
V31	Sequence of Events	Х	Х	■ Removal of attribute 98 - Not Reported
V32	Most Harmful Event		Х	■ Added new remarks. ■ Removal of attribute 98 - Not Reported
D5	Driver's License State	Х	Х	■ Delete attribute 99 - No Driver Present
D6	Driver's Zip Code	Х	Х	■ Delete attribute 99997 - No Driver Present
D23/ NM14	Condition (Impairment) at Time of Crash	Х	Х	■ Updated attribute 99 – Unknown If Physically Impaired.
D24	Related Factors- Driver Level		Х	■ Updated attribute 12 – Mother of Dead Fetus/ <i>Mother of Infant Born Post Crash</i>
PC7	Speed Limit	Х	Х	■ Change attribute range from 01-95 to 05-80 (in 5 mph increments).
PC12	Traffic Control Device	Х	Х	■ Updated attributes: 32 23 – School Zone

			_	r-
DATA ELEMENT #	DATA ELEMENT NAME	NEW/ REVISED VALUES	NEW/ REVISED REMARKS	COMMENTS
PC14	Driver Vision Obscured By	Х	Х	Updated attribute: 95 - No Driver Present / Unknown if Driver Present
PC15	Driver Maneuvered to Avoid	Х	Х	■ Updated attribute: 95 - No Driver Present / Unknown if Driver Present
PC16	Driver Distracted By	Х	Х	■ Updated attribute: 16 - No Driver Present / Unknown if Driver Present
PC17	Pre-Event Movement (Prior to Recognition of Critical Event)	Х	Х	■ Updated attributes: 02 – Decelerating in Road way, 03 – Accelerating in Road way, 04 – Starting in Road way, 05 – Stopped in Traffic Lane in Road way. 07 – Disabled or " Parked " in Travel Lane
PC19	Critical Event- Precrash (Event)	X	X	■ Updated attributes: 15 – Turning left at traffieway junction, 16 – Turning right at traffieway junction, 80 – Pedestrian in readway road, 81 – Pedestrian approaching readway road, 83 – Pedalcyclist or other non-motorist in readway road (specify:), 84 – Pedalcyclist or other non-motorist approaching readway road (specify:), 85 – Pedalcyclist or other non-motorist unknown location (specifiy:), 87 – Animal in readway road, 88 – Animal approaching readway road, 90 – Object in readway road, 91 – Object approaching readway road
P7/NM7	Person Type	Х	Х	■ Deleted attribute: 88 - Not Reported .
P8/NM8	Injury Severity		Х	■ Deleted attribute: 8 Net Reperted
P26/NM25	Related Factors- Person Level (Motor Vehicle Occupant)	Х	Х	■ Updated attributes: 18 – Mother of Dead Fetus/ <i>Mother of Infant Born Post Crash</i>

Summary of the SAS Naming Changes in 2011

Locator Code	2010 SAS Name	New 2011 SAS Name	Data Element Name
СЗА	N/A	PERNOTMVIT	Number of Persons Not in Motor Vehicles in Transport (MVIT)
C4B	N/A	PVH_INVL	Number of Parked/Working Vehicles Involved
C5A	N/A	PERMVIT	Number of Persons in Motor Vehicles in Transport (MVIT)
V126	N/A	TIRE_SZE	Original Tire Size
V127	N/A	DISPLACE	Cubic Inch Displacement
V128	N/A	CYLINDER	Number of Cylinders
V129	N/A	CARBUR	Carburetion
V130	N/A	WHLDRWHL	Number of Wheels/Drive Wheels
V131	N/A	TON_RAT	Ton Rating
V132	N/A	TRK_WT	Shipping Weight
V133	N/A	TRKWTVAR	Shipping Weight Variance
V134	N/A	VIN_REST	VIN Restraint Type
V135	N/A	MCYCL_WT	Dry Weight
V136	N/A	MCYCL_CY	Number of Engine Cycles
NM4	N_MOT_NO	STR_VEH	Number of Motor Vehicle Striking Non-Motorist

The data elements in RED are new to 2011 FARS. The data elements in BLUE are changed in 2011 FARS.

Appendix F: Pedestrian and Bicyclist Data Availability Change

In 2010, the National Highway Traffic Safety Administration (NHTSA) adopted parts of a standalone crash typing application called Pedestrian and Bicycle Crash Analysis Tool (PBCAT) into its two records based data collection systems, the Fatality Analysis Reporting System (FARS) and the National Automotive Sampling System (NASS) General Estimates System (GES). PBCAT was developed by the Federal Highway Administration's (FHWA) contractor, the University of North Carolina Highway Safety Research Center (UNC-HSRC). These data are intended for countermeasure research and development. As part of the integration, NHTSA performed extensive quality control checks and analysis using the 2010 and 2011 data. The results of the analysis highlighted definitional differences between the PBCAT application and the coded data elements already included in FARS and NASS GES.

As a result, NHTSA removed the Pbtype data file from the 2010 and 2011 FARS and NASS GES while research was conducted on how improvements could be made. Throughout the 2012 and 2013 data collection years, NHTSA continued to collect the pedestrian and bicycle data for internal use so that it could be monitored for consistency and stability. During this period NHTSA and FHWA worked collaboratively to identify issues and implement improvements. Following this period of research and evaluation, NHTSA began capturing new and improved pedestrian and bicyclist data beginning with the 2014 data collection year resulting in the following Pbtype data elements being reinstated:

- PB30 Crash Type Pedestrian
- PB31 Crash Type Location Pedestrian
- PB32 Pedestrian Position
- PB33 Pedestrian Initial Direction of Travel
- PB34 Motorist Direction
- PB35 Motorist Maneuver
- PB36 Intersection Leg
- PB37 Pedestrian Scenario
- PB38 Crash Group Pedestrian
- PB30B Crash Type Bicycle
- PB31B Crash Location Bicycle
- PB32B Bicyclist Position
- PB33B Bicyclist Direction
- PB38B Crash Group Bicyclist

Appendix G: Changes to the FARS VIN Decoded Data Elements

FARS implemented a new structure for its VIN decoded data elements in 2013. This was warranted due to the renovation of the RL Polk VIN verification and decoding program. RL Polk upgraded their PC VINA VIN validation and decoding program to their new VINtelligence application, and no longer supports PC VINA. The FARS data collection software was therefore retooled to work with the VINtelligence application. The output is now stored in the Vindecode data file. The data file contains 100 VIN decoded data elements. Descriptions of these data elements are provided below from the Polk VINtelligence Deluxe Package and Field Descriptions documentation.

Note: The twelve characters of the VIN are still provided as individual data elements (V101-V112) in the Vehicle and Parkwork data files. The 24 VIN decoded data elements that used to be on the Vehicle, Parkwork and Person data files were discontinued in 2013. These data elements can still be found in the discontinued sections of the Vehicle and Parkwork data files in this Manual.

Element Identifier	SAS Name	Field Description
V200	ABS	(Brakes- ABS Code) A code that describes whether a vehicle has or does not have anti-lock brakes, and what kind of brakes they are. (Not coded for heavy truck). This is based on the series code that is assigned the vehicle from VINA.
V201	ABS_T	(Brakes- ABS Code) description
V202	BATKWRTG	The measure of total battery power expressed in kilowatts. For example: 71KW, 85KW, 75KW, 67KW.
V203	BATTYP	A value that identifies the kind of battery in the vehicle. For example: PbA- Lead Acid, NMH- Nickel Metal Hydride.
V204	BATTYP_T	The description of the Polk assigned code for the Battery Type Code. For example: PbA- Lead Acid, NMH- Nickel Metal Hydride.
V205	BATVOLT	The voltage rating of the battery as provided by the manufacturer.
V206	BLOCKTYPE	(Block Type) Description
V207	BODYSTYL	A Polk assigned code that describes the body style of the vehicle. For example, CP=Coupe.
V208	BODYSTYL_T	The description of the Polk assigned code Body Style Code For example: Coupe
V209	CARBBRLS	The number of barrels on a carbureted engine.
V210	CARBTYPE	Carburetion types include "Carburetor", "Fuel Injection", N/A
V211	CARBTYPE_T	The description of the Polk assigned code which identifies the vehicle carburetion type. For example Carburetor, Fuel Injection, Unknown or Electric.
V212	CYCLES	(Cycle Count) Refers to the cycle or stroke of an engine. 2-strokes are lightweight and simpler, but they burn oil, by design. Few cars on the road in North America are two-strokes, the last one offered was a 1967 Saab.
V213	CYLNDRS	Contains a code that represents the number of cylinders a vehicle's combustion engine can have.
V214	DISPCLMT	(Displacement Liters) displacement in rounded Liters, where 1,000 cubic centimeters = 1 liter. Even domestic makes will advertise displacement in terms of liters (e.g. 5.0 liter mustang, which equates to a 302 CID or 4967 cc displacement).
V215	DISPLCC	(Displacement CC) displacement in cubic centimeters. We intend to use this as the definitive, exact displacement value, i.e. 4967 cc.
V216	DISPLCI	(Displacement CID) displacement in cubic inches. This is a rounded, marketing

Element Identifier	SAS Name	Field Description	
		value, like 302 cubic inches, instead of 4967 cc.	
V217	DOORS	The number of doors the vehicle has	
V218	DRIVETYP	(Drive Type) This element describes type of driving configuration for cars and trucks such as FWD, AWD, RWD.	
V219	DRIVETYP_T	(Drive Type) description	
V220	DRIVWHLS	Number of wheels driven by the power train. For example in a 6x4 configuration this would be the 4.	
V221	DRL	(Daytime Running Lights)A Polk assigned code that identifies whether or not the vehicle has daytime running lights.	
V222	DRL_T	(Daytime Running Lights) description	
V223	ENGHEAD	(Head Configuration) Describes the cylinder head's camshaft/valve configuration.	
V224	ENGHEAD_T	(Head Configuration) description	
V225	ENGMFG	(Mfr.) A Polk assigned code given to the original equipment manufacture of the within a vehicle	
V226	ENGMFG_T	(Mfr.) description	
V227	ENGMODEL	(Model) description	
V228	ENGVINCD	(Code) Code derived from the VIN (not the secondary VIN for a motorcycle). Usually a single character, some manufactures give full positions 4-8 and engine information from that; they do not break it down any further.	
V229	ENGVVT	Used to determine if a car has Variable Valve Timing	
V230	FUEL	(Fuel) What an internal combustion burns to move a piston in a cylinder	
V231	FUEL_T	(Fuel) description	
V232	FUELINJ	The type of fuel injection	
V233	FUELINJ_T	The type of fuel injection used by a vehicle. For example, Direct, Throttle body	
V234	GVWRANGE	Contains a code that identifies the Polk standard groupings of gross vehicle weights to which a vehicle may belong. This information is typically captured only for trucks.	
V235	GVWRANGE_T	The description for the manufacturers assigned Gross Vehicle Weight (GVW) for trucks. This rating may or may not equal the actual GVW.	
V236	INCOMPLT	Indicator that signifies whether the vehicle is consider "incomplete" (Y/N)	
V237	MCYUSAGE	A further breakdown of body style for motorcycles to indicate if is it On-Road or Off-Road.	
V238	MCYUSAGE_T	A further breakdown of body style for motorcycles to indicate if is it On-Road or Off-Road.	
V239	MFG	(Vehicle Manufacturer Name) Standard abbreviation of the name of the vehicle manufacturer, i.e. General Motors, as defined by the National Crime Information Center	
V240	MFG_T	(Vehicle Manufacturer Name) The name of the vehicle manufacturer, i.e. General Motors, as defined by the National Crime Information Center	
V241	MSRP	Contains the base price of the vehicle as designated by the OEM's specifications. BASE PRICE includes only the price for the base model of the vehicle, excluding any optional equipment that may have been added as a result of the vehicle's TRIM LEVEL.	
V242	NCICMAKE	Contains the Polk standardized abbreviation for the OEM's vehicle make. The vehicle make generally contains what the general public usually considers to be a vehicle brand name, for example, Chrysler, Dodge, Ford, Mercury, Toyota,	

Element Identifier	SAS Name	Field Description	
		GMC, Chevy, etc.	
V243	ORIGIN	(Origin) A code that indicates the origin of a vehicle.	
V244	ORIGIN_T	(Origin) description	
V245	PLANT	(Plant Code) Plant code where vehicle was manufactured.	
V246	PLNTCITY	(City) This is the city where the plant is located.	
V247	PLNTCTRY	A code representing the country the plant is in.	
V248	PLNTCTRY_T	(Country) This is the country where the plant is located. Example values are USA, Canada and Japan.	
V249	PLNTSTAT	A code representing the state or province the plant is in.	
V250	PLNTSTAT_T	(State or Province) This is the state or province (Canada) location of the plant.	
V251	PSI_F	(Front Tire Pressure) Vehicle Mfr. recommendation for tire pressure, in pounds/sq. in.	
V252	PSI_R	(Rear Tire Pressure) Vehicle Mfr. recommendation for tire pressure, in pounds/sq. in.	
V253	REARSIZE	The size of the rear tires. example "17R245"	
V254	REARSIZE_T	(Rear Tire Size Description) As in "17R245"	
V255	RSTRNT	(Restraint Type) A Polk assigned code that identifies the type of restraints that a vehicle has based on VIN.	
V256	RSTRNT_T	(Restraint Type) description	
V257	SALECTRY	(Country Sold / Specific Market) Country where the vehicle is planned to be sold (may have different emissions standards).	
V258	SALECTRY_T	(Country Sold / Specific Market) description	
V259	SECURITY	(Security Type) Describes the security system (if any) installed on this model.	
V260	SECURITY_T	(Security Type) description	
V261	SEGMNT	The Polk standard segmentation code	
V262	SEGMNT_T	Description of SEGMENTATION_CODE that represents the Polk Standard Segmentation applied.	
V263	SHIPWEIGHT	Contains the base weight of the vehicle, rounded to the nearest one hundred pounds, as defined in the OEM's specifications. The base weight of a vehicle is the empty weight of the base model of the vehicle (i.e., the stripped down version of the vehicle)	
V264	SUPCHRGR	Indicates if the engine has a supercharger or not.	
V265	SUPCHRGR_T	Indicates if the engine has a supercharger or not. Yes, No or Unknown.	
V266	TIREDESC_F	(Front Tire) More specific tire description (ex. Michelin Eagle P245/40ZR)"	
V267	TIREDESC_R	(Rear Tire) More specific tire description (ex. Michelin Eagle P245/40ZR)"	
V268	TIRESZ_F	Describes the size of the front tire. For example "17R245"	
V269	TIRESZ_F_T	(Front Tire Size Description) As in "17R245"	
V270	TKAXLEF	(Axle- Type, Front Axle) The location of the front axle of a truck tractor. Set forward increases stability on the highway, Setback increases maneuverability in tight spaces.	
V271	TKAXLEF_T	(Axle- Type, Front Axle) short description	
V272	TKAXLER	(Axle- Type, Rear Axle) Represents rear axle configuration on a truck tractor. Tandem axles increase load bearing capability.	
V273	TKAXLER_T	(Axle- Type, Rear Axle) short description	

Element Identifier	SAS Name	Field Description
V274	TKBEDL	(Bed Length) Code representing the manufacturer's description of the relative size of the cargo area of a pickup truck or van. A "long" Ford Ranger bed (compact pickup) may well be shorter than a "short" bed on an F350 (large industrial pickup).
V275	TKBEDL_T	(Bed Length) description
V276	TKBRAK	(Brake Type) The type of brakes on the Vehicle (currently commercial truck only). Truck VIN determines this currently
V277	TKBRAK_T	(Brake Type) description
V278	TKCAB	(Cab Configuration) Cab Type describes the physical configuration of a truck's cabin.
V279	TKCAB_T	(Cab Configuration) medium description
V280	TKDUTY	(Duty Type) A Polk assigned code that represents the duty type of a truck engine, based on manufacturer information.
V281	TKDUTY_T	(Duty Type) medium description
V282	TONRATING	(Tonnage Rating) description
V283	TURBO	Indicates if the engine has a turbocharger.
V284	TURBO_T	Indicates if the engine has a turbocharger. Yes, No or Unknown.
V285	VEHTYPE	A Polk assigned code that defines the type of a vehicle represented by a specific VIN. For example: M,P,C or T.
V286	VEHTYPE_T	The description of the Polk assigned code for the vehicle type code. For example: passenger, truck, motorcycle, commercial trailer.
V287	VINMAKE_T	(Make- Name) Full name of the make (i.e. Chevrolet)
V288	VINMODEL_T	(Model Code) description
V289	VINTRIM_T	The Trim of the vehicle
V290	VINTRIM1_T	The trim of the vehicle. This field is used when a VIN Pattern could have more than 1 trim assigned.
V291	VINTRIM2_T	The trim of the vehicle. This field is used when a VIN Pattern could have more than 2 trims assigned.
V292	VINTRIM3_T	The trim of the vehicle. This field is used when a VIN Pattern could have more than 3 trims assigned.
V293	VINTRIM4_T	The trim of the vehicle. This field is used when a VIN Pattern could have more than 4 trims assigned.
V294	VINYEAR	The marketing year defined by the OEM within which the vehicle was produced. The value contained in this attribute may not always match the calendar year in which the vehicle was actually manufactured. Many OEMs release models prior to calendar year.
V295	VLVCLNDR	(Valves Per Cylinder) Number of intake/exhaust valves per cylinder.
V296	VLVTOTAL	(Valves Total) Total number of intake/exhaust valves.
V297	WHEELS	The number of wheel ends on the vehicle. For example in a 6x4 configuration this would be the 6.
V298	WHLBLG	Contains the longest distance between the front and rear axles of a vehicle in inches for a particular series of that vehicle.
V299	WHLBSH	Contains the distance between the front and rear axles of a vehicle in inches of the base model of the vehicle.



