ICD-10 GEMs FY2013 Version Update

Update Summary

The updated FY2013 General Equivalence Mappings (GEMs) are posted for public comment. All changes to date resulting from public comment and internal review have been incorporated into the FY2013 GEMs. The types of changes made include

- Entries for new FY2013 codes added
- Cluster translations expanded for completeness
- Entries revised to better meet inclusion criteria

All changes meeting inclusion criteria were included in the updated files. Updated documentation for general and technical users of the GEMs is posted with the GEMs files. In particular, the GEMs Documentation for Technical Users

- Specifies GEMs entry inclusion criteria and provides examples
- Discusses GEMs flags in detail and provides examples
- Answers other frequently asked technical questions
- Discusses translation rules for obstetrics and angioplasty

Examples of updated GEMs entries are provided in the following pages.

New codes: ICD-10-CM to ICD-9-CM GEM entry for expanded "Pseudoexfoliation glaucoma" codes

New 2013 entry	Comment
Example H40.1413 Capsular glaucoma with pseudoexfoliation of lens, right eye, severe stage (20 codes)	The 20 ICD-10-CM glaucoma codes are new for FY2013.
To 365.52 Pseudoexfoliation glaucoma AND To 365.73 Severe stage glaucoma	

New codes:

ICD-10-CM to ICD-9-CM GEM entry for revised "Residual open angle glaucoma" codes

New 2013 entry	Comment
Example	The four ICD-10-CM codes are
H40.15[1-3,9] Residual stage of open-angle glaucoma (4 codes)	new for FY2013. The 7 th
To 365.15 Residual stage of open angle glaucoma	character extension for stage is no longer applied to this sub-
	category.

New codes:

ICD-9-CM to ICD-10-PCS GEM entry for "Injection or infusion of glucarpidase"

New 2013 entry	Comment
00.95 Injection or infusion of glucarpidase	The ICD-9-CM code and the two
	ICD-10-PCS codes are new for
To 3E033GQ Introduction of Glucarpidase into Peripheral Vein,	FY2013. The new ICD-10-PCS
Percutaneous Approach	codes are mapped to 00.95 in
OR	the ICD-10-PCS to ICD-9-CM
To 3E043GQ Introduction of Glucarpidase into Central Vein,	GEM.
Percutaneous Approach	

Public comment: ICD-10-PCS to ICD-9-CM GEM entry for "excision of supernumerary breast"

2012 entry	Updated 2013 entry	Comment
0HBYXZZ Excision of	0HBYXZZ Excision of	The updated entry is a closer
Supernumerary Breast, External	Supernumerary Breast, External	match. The ICD-9-CM index
Approach	Approach	entries Excision > breast >
		supernumerary and
To 85.21 Local excision of lesion	To 85.24 Excision of ectopic	Excision > supernumerary >
of breast	breast tissue	breast refer to code 85.24. The
		change is also consistent with
		similar PCS GEMs entries in the
		range 0HB[0,3,7,8]ZZ.

Public comment: ICD-9-CM to ICD-10-PCS GEM entry for "cardiac resynchronization, total system"

2012 entry	Updated 2013 entry	Comment
Example	Example	Codes specifying the insertion
00.50 Implantation of cardiac	00.50 Implantation of cardiac	of lead into the coronary vein
resynchronization pacemaker	resynchronization pacemaker without	and right atrium were added
without mention of	mention of defibrillation, total system	to the cluster translation of the
defibrillation, total system	[CRT-P]	ICD-9-CM code for
[CRT-P]		completeness.
	Choice List 1	
Choice List 1	To 0JH[6,8][0,3]7Z Insertion of	
To 0JH[6,8][0,3]7Z Insertion of	Cardiac Resynchronization Pacemaker	
Cardiac Resynchronization	Pulse Generator into Subcutaneous	
Pacemaker Pulse Generator	Tissue and Fascia (4 codes)	
into Subcutaneous Tissue and	AND	
Fascia (4 codes)	Choice List 2	
AND	To 02H[K,L][0,3,4]JZ Insertion of	
Choice List 2	Pacemaker Lead into Ventricle (6	
To 02H[K,L][0,3,4]JZ Insertion	codes)	
of Pacemaker Lead into	AND	
Ventricle (6 codes)	Choice List 3	
	To 02H4[0,3,4]JZ Insertion of	
	Pacemaker Lead into Coronary Vein (3	
	codes)	
	AND	
	Choice List 4	
	To 02H6[0,3,4]JZ Insertion of	
	Pacemaker Lead into Right Atrium (3	
	codes)	
	60063/	

Public comment:

ICD-9-CM to ICD-10-PCS GEM entry for "forceps operation with episiotomy"

2012 entry	Updated 2013 entry	Comment
Example	Example	The GEMs entries for codes
72.1 Low forceps operation with	72.1 Low forceps operation with	specifying forceps operations
episiotomy	episiotomy	with episiotomy do not need to
		include the repair of perineum in
Choice List 1	Choice List 1	the target cluster. According to
To 0W8NXZZ Division of Female	To 0W8NXZZ Division of Female	ICD-10-PCS guideline B3.1b,
Perineum, External Approach	Perineum, External Approach	procedural steps necessary to
AND	AND	close the operative site are not
Choice List 2	Choice List 2	coded separately.
To 10D07Z3 Extraction of	To 10D07Z3 Extraction of	
Products of Conception, Low	Products of Conception, Low	
Forceps, Via Natural or Artificial	Forceps, Via Natural or Artificial	
Opening	Opening	
AND		
Choice List 3		
To 0WQNXZZ Repair Female		
Perineum, External Approach		

Public comment:

ICD-9-CM to ICD-10-PCS GEM entry for "replacement interspinous process device"

2012 entry	Updated 2013 entry	Comment
Example Scenario 1 84.80 Insertion or replacement of interspinous process device(s) Choice List 1 To 0RP[0,1,4,6,A][0,3,4]4Z Removal of Internal Fixation Device from Upper Vertebral Joint (18 codes) OR 0RS[0,3][0,3,4]4Z Removal of Internal Fixation Device from Lumbar/ Lumbosacral Vertebral Joint (6 codes) AND Choice List 2 To 0RH[0,1,4,6,A][0,3,4]BZ Insertion of Interspinous Process Spinal Stabilization Device into Occipital-cervical Joint (18 codes) OR 0SH[0,3][0,3,4]BZ Insertion of Interspinous Process Spinal Stabilization Device into Lumbar/ Lumbosacral Vertebral Joint (18 codes)	Example Scenario 1 84.80 Insertion or replacement of interspinous process device(s) Choice List 1 To 0RP0[0,3,4]4Z Removal of Internal Fixation Device from Occipital-cervical Joint (4 codes) AND Choice List 2 To 0RH0[0,3,4]BZ Insertion of Interspinous Process Spinal Stabilization Device into Occipital-cervical Joint (3 codes)	The target clusters of the combination entry were organized into separate scenarios so the spinal levels match within a scenario.

Public comment: ICD-9-CM to ICD-10-CM GEM entry for "2009 H1N1 influenza with other respiratory manifestations"

2012 entry	Updated 2013 entry	Comment
488.12 Influenza due to identified	488.12 Influenza due to identified	The updated entry is a closer
2009 H1N1 influenza virus with	2009 H1N1 influenza virus with	match. The ICD-10-CM index
other respiratory manifestations	other respiratory manifestations	entry Influenza (bronchial)
		(epidemic) (respiratory (upper))
To J09.X2 Influenza due to identified novel influenza A virus with other respiratory manifestations	To J10.1 Influenza due to other identified influenza virus with other respiratory manifestations	(unidentified influenza virus) > novel (2009) H1N1 influenza refers to J10.1. The entry has also been added to the ICD-10-CM to ICD-9-CM GEM.

Public comment:

ICD-10-CM to ICD-9-CM GEM entry for "Mediastinal large B-cell lymphoma"

ieb ie ein e ieb e ein ezin entry ier mediaetinar large b een tymphema		
2012 entry	Updated 2013 entry	Comment
C85.2[0-9] Mediastinal (thymic) large B-cell lymphoma (10 codes)	C85.2[0-9] Mediastinal (thymic) large B-cell lymphoma (10 codes)	Typographical error.
To 202.7[0-8) Peripheral T cell lymphoma (9 codes)	To 200.7[0-8) Large cell lymphoma (9 codes)	

Public comment:

ICD-9-CM to ICD-10-CM GEM entry for "Fetus-to-fetus placental transfusion syndrome"

2012 entry	Updated 2013 entry	Comment
O43.02[1-3] Fetus-to-fetus placental transfusion syndrome (3 codes)	O43.02[1-3] Fetus-to-fetus placental transfusion syndrome (3 codes)	The updated entry is a closer match for the condition specified in the ICD-10-CM code.
To 656.0[1,3] Fetal-maternal hemorrhage (2 codes)	To 656.7[0,1,3] Other placental conditions, affecting management of mother (3 codes)	