

**Public Use
Data File
Documentation**

2012 Cohort Linked Birth/Infant Death Data Set

DEPARTMENT OF HEALTH AND HUMAN SERVICES
Centers for Disease Control and Prevention
National Center for Health Statistics
Division of Vital Statistics

2012 Cohort Linked Birth/Infant Death Data Set

Contents

Introduction, Methodology, and Classification of Data

Record layout and definition of items and codes

Titles and codes for the 130 cause-of death list

Documentation tables 1-4

External Links

[User guide for the 2012 Period Linked Birth/Infant Death Data Set](#)

[User's Guide for the 2012 Natality File](#)

[Deaths: Final Data for 2012](#) (see Technical Notes)

Introduction

This documentation is for the 2012 birth cohort linked birth/infant death data set (linked file). Previous birth cohort linked files were released for data years 1983-91. Beginning with 1995 data, the linked file was released in two different formats - period data and birth cohort data.

Period data - The numerator for the 2012 period linked file consists of all infant deaths occurring in 2012 linked to their corresponding birth certificates, whether the birth occurred in 2011 or 2012. The denominator for this data set is all births occurring in 2012.

Birth cohort data - The numerator of the 2012 birth cohort linked file consists of deaths to infants born in 2012 linked to their corresponding birth certificates, whether the death occurred in 2012 or 2013. The denominator for this data set is all births occurring in 2012.

For most purposes, differences between the birth cohort and period linked files are negligible. However, birth cohort files are preferred for multivariate and some other types of detailed analysis because they follow a given cohort of births for an entire year to ascertain their mortality experience. This is generally considered to be a more robust methodology than the period file, which is essentially cross-sectional in nature.

The 2012 birth cohort linked file includes two data files. The first file includes linked birth and death certificate data for all US infants born in 2012 who died before their first birthday - referred to as the numerator file. The second file is the 2012 NCHS natality file for the US with a few minor modifications - referred to as the denominator-plus file.

For the denominator-plus file, selected variables from the numerator file have been added to the denominator file to facilitate processing. These variables include age at death (and recodes), underlying cause of death (and the 130-cause recode), manner of death, method of disposition, place of injury, autopsy, and record weight. These variables are the most widely used variables from the numerator file. When the number of variables required from the numerator file is limited, the denominator-plus file may be used by itself for ease of programming. Infant death identification numbers are also included, so that the same infant can be uniquely identified and matched between the numerator and denominator-plus files.

1989 and 2003 Revisions of the U.S. Standard Certificate of Live Birth and Certificate of Death

This data file includes birth data based on both the 1989 Revision of the U.S. Standard Certificate of Live Birth (unrevised) and the 2003 revision of the U.S. Standard Certificate of Live Birth (revised). The 2003 revision is described in detail elsewhere. (See the 2003 Revision website at: http://www.cdc.gov/nchs/nvss/vital_certificate_revisions.htm).

Where comparable, revised data are combined with data from the remaining reporting areas. (Revised data are denoted by "R;" unrevised data are denoted by "U" in the "Rev"

column of the documentation.) Where data for the 1989 and 2003 certificate revisions are not comparable (e.g., educational attainment of the mother), unrevised and revised data are given in separate fields in the data file.

Most of the variables from the death certificate in this file are comparable despite changes to item wording and format in the 2003 revision. See more about the 2003 Revision at: http://www.cdc.gov/nchs/nvss/vital_certificate_revisions.htm .

Incomplete National Reporting - Using Reporting Flags

As a result of the delayed, phased transition to the 2003 U.S. Standard Certificate of Live Birth, the 2012 cohort linked file includes data for reporting areas that use the 2003 revision of the U.S. Standard Certificate of Live Birth (revised) and data for reporting areas that use the 1989 Standard Certificate of Live Birth (unrevised) (see the [2012 Natality User Guide](#)). Although many data items are comparable across certificate revisions and are available for the entire United States, many items have more limited reporting areas. Also, birth data are collected by place of occurrence but are typically tabulated by mother's place of residence. Reporting flags were developed to help the user more readily identify reporting areas for items with less than national reporting. Reporting flags are included in the file to assist in accurately excluding records from areas that do not report items when tabulating data by mother's place of residence. Reporting flags are available for most items on the file. Positions for reporting flags are noted along with each data item in the file layout. Reporting flags must be invoked to generate accurate numbers by residence for items which are not reported by all states. Reporting flag codes are 0 (item reported in neither the current or previous year), 1 (item reported in both current and previous year), 2 (item reported in the previous but not in the current year), and 3 (item reported in the current but not in the previous year). When using these data, select reporting flag=1 to get valid and complete data for an item (see SAS code examples below).

Translating "blanks" - In the cohort linked file, for data items which are not common or comparable across certificate revisions, events to residents of a revised state occurring in an unrevised state, and events to residents in an unrevised state occurring in a revised state, are represented by "blanks." Blanks should be treated as "unknowns" for tabulations.

The correct use of reporting flags and translation of blanks will result in an accurate tally of births and infant deaths for items with incomplete national reporting.

Example of SAS code using reporting flags (and translating blanks)

An example of SAS code that may be used to incorporate the correct use of reporting flags and the translation of blanks is shown below. This example is for the revised prenatal care item. Prenatal care data based on the revised certificate are not considered comparable with data based on the unrevised certificate. Accordingly, use of the reporting

flag for this item will produce 2012 cohort data for the month prenatal care began for the states that implemented the revised birth certificate by January 1st 2012.

Sample SAS program

```
01 DATA work;
02     INFILE 'C:\VS12LKBC.USNUMPUB' LRECL=1259;
03     INPUT
04         restatus 138
05         precare 245-246
06         f_mpcb 668;
07
08     /*Exclude foreign residents*/
09     IF restatus NE 4;
10     /*Select reporting area*/
11     IF f_mpcb=1;
12     /*Convert blanks to unknown*/
13     IF precare=. THEN precare=99;
14
15 PROC FREQ;
16     TABLE precare;
17 RUN;
```

In this example, “restatus” is used to exclude births to foreign residents (this is standard practice for all NCHS tabulations). Also in this example, blanks are represented by numeric values SAS code = (.). However, for some items in the file, e.g., obstetric procedures, blanks are represented by character values for which the SAS code is empty single quotes (' ').

Alternatives to the use of reporting flags - The use of reporting flags provides a relatively quick, accurate way to select records for all areas reporting comparable data for a given item in a particular year. However, should a limited reporting area be needed, specific state(s) of residence may also be selected, or unselected. This approach may be useful, for example, in trend analysis where reporting areas have changed over time. This approach may also be used to limit the reporting area to only states reporting multiple or single race data (see multiple race section below).

Example of SAS code using state of residence (and translating blanks)

```
01 DATA work;
02     INFILE 'C:\VS12LKBC.USNUMPUB ' LRECL=1259;
03     INPUT
04         restatus 138
05         xmrstate $ 107-108
06         precare 245-246;
07
08     /*Exclude foreign residents*/
09     IF restatus NE 4;
```

```

10      /*Select reporting area*/
11      IF xmrstate in ('ID','KY','NY','PA','SC','TN','WA');
12      /*Convert blanks to unknown*/
13      IF precare=. THEN precare=99;
14
15  PROC FREQ;
16      TABLE precare;
17  RUN;

```

Single, Multiple, and Bridged Race

In 1997, the Office of Management and Budget (OMB) issued revised standards requiring Federal collection programs to allow respondents to select *one or more race categories*. In order to provide uniformity and comparability of the data before all or most of the data are available in the new multiple-race format, it was necessary to “bridge” the responses of those for whom more than one race was reported (multiple race) to one, single race. See the “Technical Notes” of [Births: Final Data for 2012](#) and [Deaths: Final Data for 2012](#).

Weighting

Beginning with the 1995 linked file, a weight was added to the linked numerator file to correct in part for biases in percent of records linked by major characteristics (see section below on Percent of records linked). The number of infant deaths in the linked file are weighted to equal the sum of the linked plus unlinked infant deaths by age at death and state. The formula for computing the weights is as follows:

$$\frac{\text{number of linked infant deaths} + \text{number of unlinked infant deaths}}{\text{number of linked infant deaths}}$$

A separate weight is computed for each state of residence of birth and each age at death category (<7 days, 7-27 days, 28 days-1 year). Thus, weights are 1.0 for states which link all of their infant deaths. The denominator file is not weighted.

Methodology

The methodology used to create the national file of linked birth and infant death records takes advantage of two existing data sources:

1. State linked files for the identification of linked birth and infant death certificates; and
2. NCHS natality and mortality computerized statistical files, the source of computer records for the two linked certificates.

States routinely link infant death certificates to their corresponding birth certificates for legal and statistical purposes. When the birth and death of an infant occur in different states, copies of the records are exchanged by the state of death and state of birth in

order to effect a link. In addition, if a third state is identified as the state of residence at the time of birth or death, that state is also sent a copy of the appropriate certificate by the state where the birth or death occurred.

The NCHS natality and mortality files, produced annually, include statistical data from birth and death certificates that are provided to NCHS by states under the Vital Statistics Cooperative Program (VSCP). The data have been coded according to uniform coding specifications, have passed rigid quality control standards, have been edited and reviewed, and are the basis for official U.S. birth and death statistics.

To initiate processing, NCHS obtained matching birth certificate numbers from states for all infant deaths that occurred in their jurisdiction. We used this information to extract final, edited mortality and natality data from the NCHS natality and mortality statistical files. Individual birth and death records were selected from their respective files and linked into a single statistical record, thereby establishing a national linked record file.

After the initial linkage, NCHS provides computer lists of unlinked records to the states where the death occurred, to facilitate follow-up linking. If the birth occurred in a state different from the state of death, the state of birth identified on the death certificate was contacted to obtain the linking birth certificate. State additions and corrections were incorporated, and a final, national linked file was produced. Characteristics of the natality and mortality data from which the linked file is constructed are described in detail in the User Guide and Final Reports linked in this document.

Percent of Records Linked

The 2012 cohort linked file for the 50 States and D.C. includes 23,401 linked infant death records and 217 unlinked infant death records, a 99.1% linkage. Twenty-four states linked 100% of their infant death records. The linked file is weighted to the sum of linked plus unlinked records, thus the total number of weighted infant deaths by place of occurrence is 23,618.

Confidentiality

To minimize the risk of disclosure of individual or institutional information NCHS public-use data files do not contain the actual day of the birth or the dates of birth of the mother or father. Also, for public-use files from 2005 forward, no U.S. geographic detail is identified.

Resources

The documents listed below describe in detail the procedures employed for demographic classification on both the birth and death records and medical classification on death records. These documents, while not absolutely essential to the proper interpretation of the data for a number of general applications, should nevertheless be studied carefully prior to any detailed analysis of demographic or medical variables. In particular, there are

a number of details about multiple cause-of-death coding which, if not understood and analyzed properly, may result in faulty analysis of the data. Volumes 1, 2 and 3 of the ICD-10 may be purchased from the World Health Organization (WHO) Publication Center USA, see <http://www.cdc.gov/nchs/icd/icd10.htm>. Many of the instruction manuals listed below are available electronically on the NCHS website. The User Guide for natality and the mortality final report for 2012 linked in this document also provide information on the source of data, coding procedures, quality of the data, etc.

- A. National Center for Health Statistics. Vital statistics, Instructions for Classifying the Underlying Cause-of-Death, ICD-10, 2014. NCHS Instruction Manual, Part 2a. Hyattsville, Maryland: Public Health Service.
- B. National Center for Health Statistics. Vital statistics, Instructions for Classifying Multiple Cause-of-Death, ICD-10, 2014. NCHS Instruction Manual, Part 2b. Hyattsville, Maryland: Public Health Service.
- C. National Center for Health Statistics. Vital statistics, ICD-10 ACME Decision Tables for Classifying Underlying Causes-of-Death, 2014. NCHS Instruction Manual, Part 2c. Hyattsville, Maryland: Public Health Service.
- D. National Center for Health Statistics. Specifications for U.S. Standard Certificate of Birth – 2003 Revision. NCHS Instruction manual, Part 3A. Hyattsville, Maryland: Public Health Service.
- E. National Center for Health Statistics. Specifications for U.S. Standard Certificate of Death – 2003 Revision. NCHS Instruction manual, Part 4. Hyattsville, Maryland: Public Health Service.
- F. National Center for Health Statistics. Vital statistics, Computer Edits for Natality Data, Effective 1993. NCHS Instruction Manual Part 12. Hyattsville, Maryland: Public Health Service.
- G. National Center for Health Statistics. Vital statistics, Computer Edits for Mortality Data, Effective 2012. NCHS Instruction Manual Part 11. Hyattsville, Maryland: Public Health Service.

Instruction manuals are available at:

http://www.cdc.gov/nchs/nvss/instruction_manuals.htm

Also see: http://www.cdc.gov/nchs/nvss/vital_certificate_revisions.htm for the most recent information about revised certificates.

Underlying Cause of Death Data

Mortality statistics by cause of death are compiled from entries on the medical certification portion of the death certificate. Causes of death include “all those diseases, morbid

conditions or injuries which either resulted in or contributed to death and the circumstances of the accident or violence which produced these injuries”. The medical certification of death is divided into two sections. In Part I, the physician is asked to provide the causal chain of morbid conditions that led to death, beginning with the condition most proximate to death on line (a) and working backwards to the initiating condition. Part I of the medical certification is designed to facilitate the selection of the underlying cause of death when two or more causes are recorded on the certificate. The underlying cause of death is defined by the WHO in the ICD-10 as “(a) the disease or injury which initiated the chain of morbid events leading directly to death, or (b) the circumstances of the accident or violence that produced the fatal injury” and is generally considered the most useful cause from a public health standpoint. Part II of the cause-of-death section of the death certificate solicits other conditions that the certifier believed contributed to death, but were not in the causal chain. While some details of the death certificate vary by state, all states use the same general format for medical certification outlined in the U.S. Standard Certificate. The U.S. Standard Certificate, in turn, closely follows the format recommended by the WHO.

For a given death, the underlying cause is selected from the condition or conditions recorded by the certifier in the cause-of-death section of the death certificate. NCHS is bound by international agreement to make the selection of the underlying cause through the use of the ICD-10 classification structure, and the selection and modification rules contained in this revision of the ICD. Additional information on the underlying cause of death can be found at <http://www.cdc.gov/nchs/data/dvs/mort99doc.pdf> .

In addition to changes due to the implementation of a new ICD revision, rules for coding a cause of death may occasionally require modification at other times, when evidence suggests that such modifications will improve the quality of cause-of-death data. These changes may affect comparability of data between years for select causes of death.

Multiple Cause of Death Data

The limitations of the underlying cause concept and the need for more comprehensive data suggested the need for coding and tabulating all conditions listed on the death certificate. Coding all listed conditions on the death certificate was designed with two objectives in mind. First, to facilitate studies of the relationships among conditions reported on the death certificate, which require presenting each condition and its location on the death certificate in the exact manner given by the certifier. Secondly, the coding needed to be carried out in a manner by which the underlying cause-of-death could be assigned using the WHO coding rules. Thus, the approach in developing multiple cause data was to provide two fields: 1) entity axis and 2) record axis. For entity axis, NCHS suspends the provisions of the ICD that create linkages between conditions for the purpose of coding each individual condition, or entity, with minimum regard to other conditions present on the death certificate.

Record axis is designed for the generation of person-based multiple cause statistics. Person-based analysis requires that each condition be coded within the context of every

other condition on the same death certificate and modified or linked to such conditions as provided by ICD-10. By definition, the entity data cannot meet this requirement since the linkage provisions modify the character and placement of the information originally recorded by the certifier. Essentially, the axis of the classification has been converted from an entity basis to a record (or person) basis. The record axis codes are assigned in terms of the set of codes that best describe the overall medical certification portion of the death certificate. Additional information on multiple cause data processing can be found at <http://www.cdc.gov/nchs/data/dvs/mort99doc.pdf> .

Entity Axis Codes

The original conditions coded for selection of the underlying cause-of-death are reformatted and edited prior to creating the public-use data file. The following paragraphs describe the format and application of entity axis data.

1. Format. Each entity-axis code is displayed as an overall seven byte code with subcomponents as follows:

1. Line indicator: The first byte represents the line of the death certificate on which the code appears. Six lines (1-6) are allowable with the fourth and fifth denoting one or two written in “due to”s beyond the three lines provided in Part I of the U.S. standard death certificate. Line “6” represents Part II of the death certificate.
2. Position indicator: The next byte indicates the position of the code on the line, i.e., it is the first (1), second (2), third (3) eighth (8) code on the line.
3. Cause category: The next four bytes represent the ICD-10 cause code.
4. The last byte is blank.

A maximum of 20 of these seven byte codes are captured on a record for multiple cause purposes. This may consist of a maximum of 8 codes on any given line with up to 20 codes distributed across three or more lines depending on where the subject conditions are located on the certificate. Codes may be omitted from one or more lines, e.g., line 1 with one or more codes, line 2 with no codes, line 3 with one or more codes.

In writing out these codes, they are ordered as follows: line 1 first code, line 1 second code, etc. ----- line 2 first code, line 2 second code, etc. ----- line 3 ---- line 4 ----- line 5 ----- line 6. Any space remaining in the field is left blank. The specifics of locations are contained in the record layout given later in this document.

2. Edit. The original conditions are edited to remove invalid codes, reverify the coding of certain rare causes of death, and assure age/cause and sex/cause compatibility. Detailed information relating to the edit criteria and the sets of cause codes which are valid to

underlying cause coding and multiple cause coding are provided in NCHS Instruction Manual Part 11.

3. Entity Axis Applications. The entity axis multiple cause data file is appropriate for analyses that require that each condition be coded as a stand alone entity without linkage to other conditions and/or require information on the placement of such conditions on the death certificate. Within this framework, the entity data are appropriate to examine relationships among conditions and the validity of traditional assumptions in underlying cause selection. Additionally, the entity data provide in certain categories a more detailed code assignment that could be excluded in creating record axis data. Where such detail is needed for a study, the user should use entity data. Finally, the researcher may not wish to be bound by the assumptions used in the axis translation process.

The main limitation of entity axis data is that it does not necessarily reflect the best code for a condition when considered within the context of the medical certification as a whole. As a result, certain entity codes can be misleading or even contradict other codes in the record. For example, category K80.2 is titled "Calculus of gallbladder without cholecystitis." Within the framework of entity codes this is interpreted to mean that the codable entity itself contained no mention of cholecystitis rather than that cholecystitis was not mentioned anywhere on the record. Tabulation of records with a "K80.2" as a count of persons having Calculus of gallbladder without cholecystitis would therefore be erroneous. This illustrates the fact that under entity coding the ICD-10 titles cannot be taken literally. The user should study the rules for entity coding as they relate to his/her research prior to use of entity data. The user is further cautioned that the inclusion notes in ICD-10 that relate to modifying and combining categories are seldom applicable to entity coding (except where provided in NCHS Instruction Manual Part 2b).

In tabulating the entity axis data, one may count codes with an individual code representing the number of times the condition(s) appears in the file. In this kind of tabulation of morbid conditions, the counts among categories may be added together to produce counts for groups of codes. Alternatively, subject to the limitations given above, one may count persons having mention of the disease represented by a code or codes. In this instance it is not correct to add counts for individual codes to create person counts for groups of codes. Since more than one code in the researcher's interest may appear together on the certificate, totaling must account for higher order interactions among codes. Up to 20 codes may be assigned on a record; therefore, a 20-way interaction is theoretically possible. All totaling must be based on mention of one or more of the categories under investigation.

Record Axis Codes

The following paragraphs describe the format and application of record-axis data. Part 2f of the Instruction Manual Series (ICD-10 TRANSAX Disease Reference Tables for classifying Multiple Causes-of-Death) describes the TRANSAX process for creating record axis data from entity axis data.

1. Format. Each record (or person) axis code is displayed in five bytes. Location information is not relevant. The Code consists of the following components:

1. Cause category: The first four bytes represent the ICD-10 cause code.
2. The last byte is blank.

Again, a maximum of 20 codes are captured on a record for multiple cause purposes. The codes are written in a 100-byte field in ascending code number (5 bytes) order with any unused bytes left blank.

2. Edit. The record axis codes are edited for rare causes and age/cause and sex/cause compatibility. Likewise, individual code validity is checked. The valid code set for record axis coding is the same as that for entity coding.

3. Record Axis Applications. The record axis multiple cause data are the basis for NCHS core multiple cause tabulations. Location of codes is not relevant to this data, and conditions have been linked into the most meaningful categories for the certification. The most immediate consequence for the user is that the codes on the record already represent mention of a disease assignable to that particular ICD-10 category. This is in contrast to the entity code which is assigned each time such a disease is reported on different lines of the certification. Secondly, the linkage implies that within the constraints of ICD-10 the most meaningful code has been assigned. The translation process creates for the user a data file that is edited for contradictions, duplicate codes, and imprecisions. In contrast to entity axis data, record axis data are classified in a manner comparable to underlying cause of death classification thereby facilitating joint analysis of these variables. A potential disadvantage of record axis data is that some detail is sacrificed in a number of the linkages.

The user can take the record axis codes as literally representing the information conveyed in ICD-10 category titles. While knowledge of the rules for combining and linking and coding conditions is useful, it is not a prerequisite to meaningful analysis of the data as long as one is willing to accept the assumptions of the axis translation process. The user is cautioned, however, that due to special rules in mortality coding, not all linkage notes in ICD-10 are used. (NCHS Instruction Manual Part 2f).

The user should proceed with caution in using record axis data to count conditions as opposed to people with conditions, since linkages have been invoked and duplicate codes have been eliminated. As with entity data, person-based tabulations that combine individual cause categories must take into account the possible interaction of up to 20 codes on a single certificate.

Additional Information

In using the NCHS multiple cause data files, the user is urged to review the information in this document and its references. The instructional material does change from year to

year and ICD revision to ICD revision. The user is cautioned that coding of specific ICD-10 categories should be checked in the appropriate instruction manual. What may appear on the surface to be the correct code by ICD-10 may in fact not be correct as given in the instruction manuals.

If on the surface, it is not obvious whether entity axis or record axis data should be employed in a given application, detailed examination of NCHS Instruction Manual Part 2f and its attachments will probably provide the necessary information to make a decision. It allows the user to determine the extent of the trade-offs between the two sets of data in terms of specific categories and the assumption of axis translation. In certain situations, a combination of entity and record axis data may be the more appropriate alternative.

2012 Cohort Linked File Public Use Layout

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
1-6	6	FILLER01	Filler				
7	1	VERSION	Version		U,R	R U	State used the 2003 version of the US Standard Birth Certificate (Revised) State used the 1989 version of the US Standard Birth Certificate (Unrevised)
8	1	FILLER02	Filler				
9	1	LATEREC	Late Record Flag		U,R	0 1	Not late record Late record
10-14	5	SEQNUM	Infant Death Number This number uniquely identifies the same infant in the numerator and denominator-plus files.			00001-nnnnn	
15-18	4	DOB_YY	Birth Year		U,R	2012	2012
19-20	2	DOB_MM	Birth Month		U,R	01 02 03 04 05 06 07 08 09 10 11 12	January February March April May June July August September October November December
21-24	4	FILLER03	Filler				
25-28	4	DOB_TT	Birth Time	c571	R	0000-2359 9999	Time of Birth Not Stated
29	1	DOB_WK	Weekday		U,R	1 2 3 4	Sunday Monday Tuesday Wednesday

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						5	Thursday
						6	Friday
						7	Saturday
30-31	2	OSTATE	Occurrence Territory (This item is available in the territory file only, geographic codes are not available in the U.S. public use file.)		U,R		
			<u>Territories</u>			GU	Guam
						PR	Puerto Rico
						VI	Virgin Islands
32-36	5	FILLER04	Filler				
37-39	3	OCNTYFIPS	Occurrence FIPS County (This item is available in the territory file only, geographic codes are not available in the U.S. public use file.)		U,R	000-999	County of Occurrence
40	1	OCNTYPOP	Occurrence County Pop (This item is available in the territory file only, geographic codes are not available in the U.S. public use file.)		U,R	0 1 2 9	County of 1,000,000 or more County of 500,000 to 1,000,000 County of 250,000 to 500,000 County less than 250,000
41	1	BFACIL	Birth Place (Revised)	676	R	1 2 3 4 5 6 7 9	Hospital Freestanding Birth Center Home (intended) Home (not intended) Home (unknown if intended) Clinic / Doctor's Office Other Unknown
42	1	UBFACIL	Birth Place		U,R	1 2 3 4 5 9	Hospital Freestanding Birthing Center Clinic / Doctor's Office Residence Other Unknown

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
43-58	16	FILLER05	Filler				
59	1	BFACIL3	Birth Place Recode		U,R	1 2 3	In Hospital Not in Hospital Unknown or Not Stated
60-86	27	FILLER06	Filler				
87	1	MAGE_IMPFLG	Mother's Age Imputed		U,R	Blank 1	Age not imputed Age imputed
88	1	MAGE_REPFLG	Reported Age of Mother Flag		U,R	Blank 1	Reported age not used Reported age used
89-90	2	MAGER	Mother's Age Recode 41		U,R	12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36	10 – 12 years 13 years 14 years 15 years 16 years 17 years 18 years 19 years 20 years 21 years 22 years 23 years 24 years 25 years 26 years 27 years 28 years 29 years 30 years 31 years 32 years 33 years 34 years 35 years 36 years

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						37	37 years
						38	38 years
						39	39 years
						40	40 years
						41	41 years
						42	42 years
						43	43 years
						44	44 years
						45	45 years
						46	46 years
						47	47 years
						48	48 years
						49	49 years
						50	50 -64 years
91-92	2	MAGER14	Mother's Age Recode 14		U,R	01	Under 15 Years
						03	15 years
						04	16 years
						05	17 years
						06	18 years
						07	19 years
						08	20-24 years
						09	25-29 years
						10	30-34 years
						11	35-39 years
						12	40-44 years
						13	45-49 years
						14	50-64 years
93	1	MAGER9	Mother's Age Recode 9		U,R	1	Under 15 years
						2	15-19 years
						3	20-24 years
						4	25-29 years
						5	30-34 years
						6	35-39 years
						7	40-44 years
						8	45-49 years
						9	50-64 years
94-95	2	MBCNTRY	Mother's Birth Country		R,u	AA-ZZ	See Geographic Documentation
	* For the Version column (Ver) the following codes apply:						
	R	2003 Version of US Standard Birth Certificate					
	U	1989 Version of US Standard Birth Certificate					
	u	1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards					
	c	Item is sharing flag with a comparable reporting area because a unique flag did not already exist.					

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
			(This item is available in the territory file only, geographic codes are not available in the U.S. file.)				
96-108	13	FILLER07	Filler				
109-110	2	MRSTATEPSTL	Mother's Residence Postal State (This item is available in the territory file only, geographic codes are not available in the U.S. public use file.)		U,R	GU PR VI CC CU MX US XX ZZ	Guam Puerto Rico Virgin Islands Canada Cuba Mexico United States Not Applicable Not Classifiable
111-113	3	FILLER08	Filler				
114-116	3	MRCNTY	Mother's County of Residence (This item is available in the territory file only, geographic codes are not available in the U.S. public use file.)		R,u	001-999 000	See Geographic Tables Foreign
117-131	15	FILLER09	Filler				
132	1	RCNTY_POP	Population of Residence County (This item is available in the territory file only, geographic codes are not available in the U.S. public use file.)		U,R	0 1 2 9 Z	County of 1,000,000 or more County of 500,000 to 1,000,000 County of 250,000 to 500,000 County less than 250,000 Foreign resident
133-136	4	FILLER10	Filler				
137	1	RECTYPE	Record Type (This item is available in the territory file only, geographic codes are not available in the U.S. public use file.)		U,R	1 2	RESIDENT: State and county of occurrence and residence NONRESIDENT: State and county of occurrence and residence are different.
138	1	RESTATUS	Residence Status <u>United States</u>		U,R	1	RESIDENT: State and county of occurrence and residence

* For the Version column (Ver) the following codes apply:

- R 2003 Version of US Standard Birth Certificate
- U 1989 Version of US Standard Birth Certificate
- u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards
- c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
							are the same.
						2	INTRASTATE NONRESIDENT: State of occurrence and residence are the same but county is different.
						3	INTERSTATE NONRESIDENT: State of occurrence and residence are different but both are one of the 50 US states or District of Columbia.
						4	FOREIGN RESIDENT: The state of residence is not one of the 50 US states or District of Columbia.
			<u>Territories</u>			1	RESIDENT: State and county of occurrence and residence are the same. (Unique to Guam, all US residents are considered residents of Guam and thus are assigned 1.)
						2	INTRATERRITORY NONRESIDENT: Territory of occurrence and residence are the same but county is different.
						3	INTERTERRITORY RESIDENT: Territory of occurrence and residence are different but both are US Territories.
						4	FOREIGN RESIDENT: The residence is not a US Territory.
139-140	2	MBRACE	Mother's Bridged Race <u>United States and non Puerto Rican Territories</u> Includes only states reporting multiple race. Codes 01-14 used for individuals reporting only one race. Codes 21-24 used for individuals reporting more than one race that have been bridged to a single race. Code 24 also used for individuals reporting more than one Asian/Pacific Islander group.		R**	01	White – single race
						02	Black – single race
						03	American Indian – single race
						04	Asian Indian – single race
						05	Chinese – single race
						06	Filipino – single race
						07	Japanese – single race
						08	Korean – single race
						09	Vietnamese – single race
						10	Other Asian – single race
						11	Hawaiian – single race
						12	Guamanian – single race
						13	Samoan – single race
						14	Other Pacific Islander – single race
						21	White – bridged multiple race
						22	Black – bridged multiple race
						23	American Indian & Alaskan Native – bridged multiple race
						24	Asian / Pacific Islander – bridged multiple race
						Blank	Not on certificate
			<u>Puerto Rico</u>			01	White
						02	Black

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						00	Other
141-142	2	MRACE	Mother's Race	650 (API groups)	U		
			<u>United States</u>			01	White
						02	Black
						03	American Indian or Alaskan Natives
						04	Chinese
						05	Japanese
						06	Hawaiian (includes part Hawaiian)
						07	Filipino
						18	Asian Indian
						28	Korean
						38	Samoan
						48	Vietnamese
						58	Guamanian
						68	Other Asian or Pacific Islander in areas reporting codes 18-58.
						78	Combined other Asian or Pacific Islander, includes 18-68 for areas that do not report them separately.
			<u>Puerto Rico</u>			01	White
						02	Black
						00	Other races
			<u>Guam</u>			01	White
						02	Black
						03	American Indian or Alaskan Natives
						04	Chinese
						05	Japanese
						06	Hawaiian (includes part Hawaiian)
						07	Filipino
						08	Other Asian or Pacific Islander
						58	Guamanian
			<u>All other Territories</u>			01	White
						02	Black
						03	American Indian or Alaskan Natives
						04	Chinese
						05	Japanese

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						06	Hawaiian (includes part Hawaiian)
						07	Filipino
						08	Other Asian or Pacific Islander
143	1	MRACEREC	Mother's Race Recode		U,R		
			<u>United States and non-Puerto Rican Territories</u>			1	White
						2	Black
						3	American Indian / Alaskan Native
						4	Asian / Pacific Islander
			<u>Puerto Rico</u>			1	White
						2	Black
						0	Other (not classified as White or Black)
144	1	MRACEIMP	Mother's Race Imputed		U,R	Blank	Mother's race not imputed
						1	Unknown race imputed
						2	All other races, formerly coded 09, imputed.
145-147	3	FILLER11	Filler				
148	1	UMHISP	Mother's Hispanic Origin	569	U,R	0	Non-Hispanic
						1	Mexican
						2	Puerto Rican
						3	Cuban
						4	Central or South American
						5	Other and Unknown Hispanic
						9	Origin unknown or not stated
149	1	MRACEHISP	Mother's Race/Hispanic Origin	569	U,R	1	Mexican
						2	Puerto Rican
						3	Cuban
						4	Central or South American
						5	Other and Unknown Hispanic
						6	Non-Hispanic White
						7	Non-Hispanic Black
						8	Non-Hispanic Other Races
						9	Origin unknown or not stated

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
150-151	2	FILLER12	Filler				
152	1	MAR_P	Paternity Acknowledged	653	R	Y N U X	Yes No Unknown Not Applicable
153	1	MAR	Mother's Marital Status	652	U,R		
			<u>United States & all non-Puerto Rican Territories</u>			1 2 9	Yes No Unknown or not Stated
			<u>Puerto Rico</u>			1 2 3 9	Yes Unmarried parents living together Unmarried parents not living together Unknown or not stated
154	1	MAR_IMP	Mother's Marital Status Imputed		U,R	Blank 1	Marital Status not imputed Marital Status imputed
155	1	MEDUC	Mother's Education –Revised	571	R	1 2 3 4 5 6 7 8 9	8 th grade or less 9 th through 12 th grade with no diploma High school graduate or GED completed Some college credit, but not a degree. Associate degree (AA,AS) Bachelor's degree (BA, AB, BS) Master's degree (MA, MS, MEng, MEd, MSW, MBA) Doctorate (PhD, EdD) or Professional Degree (MD, DDS, DVM, LLB, JD) Unknown
156-174	19	FILLER13	Filler				
175	1	FAGERPT_FLG	Father's Reported Age Used		U,R	Blank 1	Father's reported age not used Father's reported age used
176-181	6	FILLER14	Filler				
182-183	2	FAGECOMB	Father's Combined Age (Revised)	c571	R	09-98 99	Father's combined age in years Unknown or not stated

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
184-185	2	FILLER	Filler				
186-187	2	FAGEREC11	Father's Age Recode 11		U,R	01 02 03 04 05 06 07 08 09 10 11	Under 15 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years 50-54 years 55-98 years Not stated
188-189	2	FBRACE	Father's Bridged Race <u>United States and non Puerto Rican Territories</u> Includes only states reporting multiple race. Codes 01-14 used for individuals reporting only one race. Codes 21-24 used for individuals reporting more than one race that have been bridged to a single race. Code 24 also used for individuals reporting more than one Asian/Pacific Islander group.		R,u	01 02 03 04 05 06 07 08 09 10 11 12 13 14 21 22 23 24 99 Blank	White – single race Black – single race American Indian – single race Asian Indian – single race Chinese – single race Filipino – single race Japanese – single race Korean – single race Vietnamese – single race Other Asian – single race Hawaiian – single race Guamanian – single race Samoan – single race Other Pacific Islander – single race White – bridged multiple race Black – bridged multiple race American Indian & Alaskan Native – bridged multiple race Asian / Pacific Islander – bridged multiple race Unknown or not stated, also includes states not reporting multiple race Not on certificate
			<u>Puerto Rico</u>			01 02 00	White Black Other

* For the Version column (Ver) the following codes apply:

- R 2003 Version of US Standard Birth Certificate
- U 1989 Version of US Standard Birth Certificate
- u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards
- c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						99	Unknown or not stated
190	1	FILLER15	Filler				
191	1	FRACEREC	Father's Race Recode		U,R		
			<u>United States and non-Puerto Rican Territories</u>			1	White
						2	Black
						3	American Indian or Alaskan Native
						4	Asian or Pacific Islander
						9	Unknown or not stated
			<u>Puerto Rico</u>			1	White
						2	Black
						9	Unknown or not stated
						0	Other (not classified as White or Black)
192-194	3	FILLER16	Filler				
195	1	UFHISP	Father's Hispanic Origin	570	U,R	0	Non-Hispanic
						1	Mexican
						2	Puerto Rican
						3	Cuban
						4	Central or South American
						5	Other and Unknown Hispanic
						9	Origin unknown or not stated
196	1	FRACEHISP	Father's Race/Hispanic Origin	570	U,R	1	Mexican
						2	Puerto Rican
						3	Cuban
						4	Central or South American
						5	Other and Unknown Hispanic
						6	Non-Hispanic White
						7	Non-Hispanic Black
						8	Non-Hispanic Other Races
						9	Origin unknown or not stated
197	1	FEDUC	Father's Education	572	R	1	8 th grade or less
						2	9 th through 12 th grade with no diploma
						3	High school graduate or GED completed
						4	Some college credit, but not a degree.

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						5	Associate degree (AA,AS)
						6	Bachelor's degree (BA, AB, BS)
						7	Master's degree (MA, MS, MEng, MEd, MSW, MBA)
						8	Doctorate (PhD, EdD) or Professional Degree (MD, DDS, DVM, LLB, JD)
						9	Unknown
198	1	FILLER17	Filler				
199-200	2	UFACE	Father's Race (Unrevised)		U		
			<u>United States</u>			01	White
						02	Black
						03	American Indian & Alaskan Natives
						04	Chinese
						05	Japanese
						06	Hawaiian (includes part Hawaiian)
						07	Filipino
						18	Asian Indian
						28	Korean
						38	Samoan
						48	Vietnamese
						58	Guamanian
						68	Other Asian or Pacific Islander in areas reporting codes 18-58.
						78	Combined other Asian or Pacific Islander, includes 18-68 for areas that do not report them separately.
						99	Unknown or not stated
			<u>Puerto Rico</u>			01	White
						03	Black
						00	Other races not classified white or black
						99	Unknown or not stated
			<u>Guam</u>			01	White
						02	Black
						03	American Indian & Alaskan Natives
						04	Chinese
						05	Japanese
						06	Hawaiian (includes part Hawaiian)

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						07	Filipino
						08	Other Asian or Pacific Islander
						58	Guamanian
						99	Unknown or not stated
			<u>All other Territories</u>			01	White
						02	Black
						03	American Indian & Alaskan Natives
						04	Chinese
						05	Japanese
						06	Hawaiian (includes part Hawaiian)
						07	Filipino
						08	Other Asian or Pacific Islander
						99	Unknown or not stated
201-207	7	FILLER18	Filler				
208-209	2	PRIORTERM	Prior Other Terminations		U,R	00-30	Number other terminations
						99	Unknown or not stated
210-211	2	FILLER19	Filler				
212	1	LBO_REC	Live Birth Order Recode		U,R	1-7	Number of live birth order.
						8	8 or more live births
						9	Unknown or not stated
213-216	4	FILLER20	Filler				
217	1	TBO_REC	Total Birth Order Recode		U,R	1-7	Number of total birth order.
						8	8 or more total births
						9	Unknown or not stated
218-244	27	FILLER21	Filler				
245-246	2	PRECARE	Month Prenatal Care Began (Revised)				
			668		R	00	No prenatal care
						01-10	Month prenatal care began
						99	Unknown or not stated
247	1	PRECARE_REC	Month Prenatal Care Began Recode (Revised)				
			668		R	1	1 st to 3 rd month

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						2	4 th to 6 th month
						3	7 th to final month
						4	No prenatal care
						5	Unknown or not stated
248-269	22	FILLER22	Filler				
270-271	2	UPREVIS	Number of Prenatal Visits	671	U,R	00-49 99	Number of prenatal visits Unknown or not stated
272-273	2	PREVIS_REC	Number of Prenatal Visits Recode	671	U,R	01 02 03 04 05 06 07 08 09 10 11 12	No visits 1 to 2 visits 3 to 4 visits 5 to 6 visits 7 to 8 visits 9 to 10 visits 11 to 12 visits 13 to 14 visits 15 to 16 visits 17 to 18 visits 19 or more visits Unknown or not stated
274-275	2	FILLER23	Filler				
276-277	2	WTGAIN	Weight Gain	648	U,R	00-97 98 99	Weight gain in pounds 98 pounds and over Unknown or not stated
278	1	WTGAIN_REC	Weight Gain Recode	648	U,R	1 2 3 4 5 9	Less than 11 pounds 11 to 20 pounds 21 to 30 pounds 31 to 40 pounds 41 to 98 pounds Unknown or not stated
279	1	FILLER	Filler				
280	1	DFPC_IMP	Day of Date First Prenatal Care Imputed		R	Blank 1	Day of date first prenatal care not imputed Day of date first prenatal care imputed

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
281	1	WIC	WIC	579	R	Y N U	Yes No Unknown or not stated
282-283	2	CIG_0	Cigarettes Before Pregnancy	672	R	00-97 98 99	Number of cigarettes daily 98 or more cigarettes daily Unknown or not stated
284-285	2	CIG_1	Cigarettes 1st Trimester	575	R	00-97 98 99	Number of cigarettes daily 98 or more cigarettes daily Unknown or not stated
286-287	2	CIG_2	Cigarettes 2nd Trimester	575	R	00-97 98 99	Number of cigarettes daily 98 or more cigarettes daily Unknown or not stated
288-289	2	CIG_3	Cigarettes 3rd Trimester	575	R	00-97 98 99	Number of cigarettes daily 98 or more cigarettes daily Unknown or not stated
290-293	4	FILLER24	Filler				
294	1	CIG_REC	Cigarette Recode (Revised)	575	R	Y N U	Yes No Unknown or not stated
295-312	18	FILLER25	Filler				
313-321	9	<u>Risk Factors (Revised)</u>			R		
			The checkbox items indented below follow this code structure:			Y N U	Yes No Unknown or not stated
313	1	RF_DIAB	Prepregnancy Diabetes	582			
314	1	RF_GEST	Gestational Diabetes	583			
315	1	RF_PHYP	Prepregnancy Hypertension	584			
316	1	RF_GHYP	Gestational Hypertension	585			
317	1	RF_ECLAM	Hypertension Eclampsia	586			
318	1	RF_PPTERM	Previous Preterm Birth	587			
319	1	RF_PPOUTC	Poor Pregnancy Outcome	588			

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
320	1	FILLER26	Filler				
321	1	RF_INFTR	Infertility Treatment	590			
322	1	RF_FEDRG	Fertility Enhancing Drugs	591	R	Y N X U	Yes No Not applicable Unknown or not stated
323	1	RF_ARTEC	Asst. Reproductive Technology	592	R	Y N X U	Yes No Not applicable Unknown or not stated
324	1	RF_CESAR	Previous Cesareans	593	R	Y N U	Yes No Unknown or not stated
325-326	2	RF_CESARN	Previous Cesareans Num	594	R	00 01-30 99	None Number of previous cesareans Unknown or not stated
327-330	4	FILLER27	Filler				
331-337	7	<u>Risk Factors</u>			U,R		
			The checkbox items indented below follow this structure:			1 2 9	Yes No Unknown
331	1	URF_DIAB	Diabetes	684			
332-334	3	FILLER28	Filler				
335	1	URF_CHYPER	Cronic Hypertension	688			
336	1	URF_PHYPER	Prepregnacny Associated Hypertension	689			
337	1	URF_ECLAM	Eclampsia	690			
338-344	7	FILLER29	Filler				
345-350	6	<u>Infections Present</u>			R		
			The checkbox items indented below follow this structure:			Y N U	Yes No Unknown or not stated
345	1	IP_GONN	Gonorrhoea	595			
346	1	IP_SYPH	Syphillis	596			

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
347	1	FILLER30	Filler				
348	1	IP_CHLAM	Chlamydia	598			
349	1	IP_HEPB	Hepatitis B	599			
350	1	IP_HEPC	Hepatitis C	600			
351-354	4	<u>Obstetric Procedures (Revised)</u>			R		
		The checkbox items indented below follow this structure:				Y	Yes
						N	No
						U	Unknown or not stated
351	1	OP_CERV	Cervical Cerclage	601			
352	1	OP_TOCOL	Tocolysis	602			
353	1	OP_ECVS	Successful External Cephalic Version	603			
354	1	OP_ECVF	Failed External Cephalic Version	604			
355-356	2	FILLER31	Filler				
357-359	3	<u>Obstetric Procedures</u>			U,R		
		The checkbox items indented below follow this structure:				1	Yes
						2	No
						8	Not on certificate
						9	Unknown or not stated
357	1	UOP_INDUC	Induction of Labor	703			
358	1	FILLER32	Filler				
359	1	UOP_TOCOL	Tocolysis	705			
360-361	2	FILLER33	Filler				
362-364	3	<u>Onset of Labor</u>			R		
		The checkbox items indented below follow this structure:				Y	Yes
						N	No
						U	Unknown or not stated
362	1	ON_RUPTR	Premature Rupture of Membrane	605			
363	1	ON_PRECIP	Precipitous Labor	606			
364	1	ON_PROL	Prolonged Labor	607			
365-373	9	<u>Characteristics of Labor and Delivery (Revised)</u>			R		
		The checkbox items indented below follow this structure:				Y	Yes
						N	No
						U	Unknown or not stated
365	1	LD_INDL	Induction of Labor	608			
366	1	LD_AUGM	Augmentation of Labor	609			
367	1	FILLER34	Filler				
368	1	LD_STER	Steroids	611			
369	1	LD_ANTI	Antibiotics	612			
370	1	LD_CHOR	Chorioamnionitis	613			

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition	
371	1	LD_MECS	Meconium Staining	614				
372	1	LD_FINT	Fetal Intolerance	615				
373	1	LD_ANES	Anesthesia	616				
374	1	FILLER35	Filler					
375-384	10	<u>Complications of Labor and Delivery</u>			U,R			
		The checkbox items indented below follow this structure:					1	Yes
						2	No	
375	1	ULD_MECO	Meconium	712		8	Not on certificate	
376-380	5	FILLER36	Filler			9	Unknown or not stated	
381	1	ULD_PRECIP	Precipitous Labor	718				
382-383	2	FILLER37	Filler					
384	1	ULD_BREECH	Breech	721				
385-391	7	FILLER38	Filler					
392-394	3	<u>Method of Delivery (Revised)</u>						
392	1	ME_PREC	Fetal Presentation	619	R	1	Cephalic	
						2	Breech	
						3	Other	
						9	Unknown or not stated	
393	1	ME_ROUT	Route & Method of Delivery	620	R	1	Spontaneous	
						2	Forceps	
						3	Vacuum	
						4	Cesarean	
						9	Unknown or not stated	
394	1	ME_TRIAL	Trial of Labor Attempted	621	R	Y	Yes	
						N	No	
						X	Not applicable	
						U	Unknown or not stated	
395-398	4	FILLER39	Filler					
399-400	2	<u>Method of Delivery (Unrevised)</u>						
		The checkbox items indented below follow this structure:					1	Yes
						2	No	

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
399	1	UME_FORCP	Forceps	734	U,R	9	Unknown or not stated
400	1	UME_VAC	Vacuum	735	U,R		
401	1	RDMETH_REC	Delivery Method Recode (Revised)	679	R	1 2 3 4 5 6 9	Vaginal (excludes vaginal after previous C-section) Vaginal after previous c-section Primary C-section Repeat C-section Vaginal (unknown if previous c-section) (2003 Standard only) C-section (unknown if previous c-section) (2003 Standard Only) Not stated
402	1	FILLER40	Filler				
403	1	DMETH_REC	Delivery Method Recode Combined		U,R	1 2 9	Vaginal C-Section Unknown
404-409	6	<u>Maternal Morbidity</u>			R	Y N U	Yes No Unknown or not stated
		The checkbox items indented below follow this structure:					
404	1	MM_MTR	Maternal Transfusion	622			
405	1	MM_PLAC	Perineal Laceration	623			
406	1	MM_RUPT	Ruptured Uterus	624			
407	1	MM_UHYST	Unplanned Hysterectomy	625			
408	1	MM_ICU	Admit to Intensive Care	626			
409	1	MM_UOPER	Unplanned Operation	627			
410	1	ATTEND	Attendant		U,R	1 2 3 4 5 9	Doctor of Medicine (MD) Doctor of Osteopathy (DO) Certified Nurse Midwife (CNM) Other Midwife Other Unknown or not stated
411	1	MTRAN	Mother Transferred	c571	R	Y N	Yes No

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						U	Unknown
412	1	PAY	Payment Source	580	R	1 2 3 4 5 6 8 9	Medicaid Private Insurance Self-Pay Indian Health Service CHAMPUS/TRICARE Other Government (Federal, State, Local) Other Unknown
413	1	PAYR	Payment Recode	678	R	1 2 3 4 9	Medicade Private Insurance Self Pay Other Unknown
414	1	FILLER41	Filler				
415-416	2	APGAR5	Five Minute APGAR Score	574	U,R	00-10 99	A score of 0-10 Unknown or not stated
417	1	APGAR5R	Five Minute APGAR Recode	574	U,R	1 2 3 4 5	A score of 0-3 A score of 4-6 A score of 7-8 A score of 9-10 Unknown or not stated
418-419	2	APGAR10	Ten Minute APGAR Score	c579	R	00-10 88 99	A score of 0-10 Not applicable Unknown or not stated
420	1	APGAR10R	Ten Minute APGAR Recode	c579	R	1 2 3 4 5	A score of 0-3 A score of 4-6 A score of 7-8 A score of 9-10 Not stated / not applicable
421-422	2	FILLER42	Filler				

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
423	1	DPLURAL	Plurality Recode		U,R	1 2 3 4 5	Single Twin Triplet Quadruplet Quintuplet or higher
424	1	FILLER43	Filler				
425	1	IMP_PLUR	Plurality Imputed		U,R	Blank 1	Plurality is imputed Plurality is not imputed
426-435	10	FILLER44	Filler				
436	1	SEX	Sex of Infant		U,R	M F	Male Female
437	1	IMP_SEX	Imputed Sex		U,R	Blank 1	Infant Sex not Imputed Infant Sex is Imputed
438-439	2	DLMP_MM	Last Normal Menses Month		U,R	01 02 03 04 05 06 07 08 09 10 11 12 99	January February March April May June July August September October November December Unknown or not stated
440-441	2	FILLER45	Filler				
442-445	4	DLMP_YY	Year of Last Normal Menses Began		U,R	nnnn 9999	Year of last normal menses Unknown or not stated
446-447	2	ESTGEST	Obstetric/Clinical Gestation Est.	573	U,R	17-47 99	17 th through 47 th week of gestation Unknown or not stated

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
448-450	3	FILLER46	Filler				
451-452	2	COMBGEST	Gestation – Detail in Weeks		U,R	17-47 99	17 th through 47 th week of Gestation Unknown
453-454	2	GESTREC10	Gestation Recode 10		U,R	01 02 03 04 05 06 07 08 09 10 99	Under 20 weeks 20-27 weeks 28-31 weeks 32-33 weeks 34-36 weeks 37-38 weeks 39 weeks 40 weeks 41 weeks 42 weeks and over Unknown
455	1	GESTREC3	Gestation Recode 3		U,R	1 2 3	Under 37 weeks 37 weeks and over Not stated
456	1	OBGEST_FLG	Clinical Estimate of Gestation Used Flag		U,R	Blank 1	Clinical Estimate is not used Clinical Estimate is used
457	1	GEST_IMP	Gestation Imputed Flag		U,R	Blank 1	Gestation is not imputed Gestation is imputed
458-466	9	FILLER47	Filler				
467-470	4	BRTHWGT	Imputed Birth Weight		U,R	0227-8165 9999	Number of grams Not stated birth weight
471-472	2	BWTR14	Birth Weight Recode 14		U,R	01 02 03 04 05 06 07	227- 499 grams 500 – 749 grams 750 - 999 grams 1000 - 1249 grams 1250 – 1499 grams 1500 – 1999 grams 2000 – 2499 grams

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						08	2500 – 2999 grams
						09	3000 – 3499 grams
						10	3500 – 3999 grams
						11	4000 – 4499 grams
						12	4500 – 4999 grams
						13	5000 – 8165 grams
						14	Not Stated
473	1	BWTR4	Birth Weight Recode 4		U,R	1	227- 1499 grams
						2	1500 – 2499 grams
						3	2500 - 8165 grams
						4	Unknown or not stated
474-475	2	FILLER48	Filler				
476-482	7		<u>Abnormal Conditions of the Newborn (Revised)</u>		R		
			The checkbox items indented below follow this structure:			Y	Yes, Complication reported
						N	No Complication reported
						U	Unknown or not stated
						Blank	Not on Certificate
476	1	AB_AVEN1	Assisted Ventilation	628			
477	1	AB_AVEN6	Assisted Ventilation > 6 hrs	629			
478	1	AB_NICU	Admission to NICU	630			
479	1	AB_SURF	Surfactant	631			
480	1	AB_ANTI	Antibiotics	632			
481	1	AB_SEIZ	Seizures	633			
482	1	AB_BINJ	Birth Injury	634			
483-491	9	FILLER49	Filler				
492-503	12		<u>Congenital Anomalies of the Newborn (Revised)</u>		R		
			The checkbox items indented below follow this structure:			Y	Yes, anomaly reported
						N	No, anomaly not reported
						U	Unknown
						Blank	Not on certificate
492	1	CA_ANEN	Anencephaly	635			
493	1	CA_MNSB	Meningomyelocele / Spina Bifida	636			
494	1	CA_CCHD	Cyanotic Congenital Heart Disease	637			
495	1	CA_CDH	Congenital Diaphragmatic Hernia	638			
496	1	CA_OMP	Omphalocele	639			
497	1	CA_GAST	Gastrochisis	640			
498	1	CA_LIMB	Limb Reduction Defect	641			
499	1	CA_CLEFT	Cleft Lip w/ or w/o Cleft Palate	642			

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
	500	1	CA_CLPAL	Cleft Palate alone	643		
501	1	CA_DOWN	Downs Syndrome	644	R	C P N U Blank	Confirmed Pending No Unknown Not on certificate
502	1	CA_DISOR	Suspected Chromosomal Disorder	645	R	C P N U Blank	Confirmed Pending No Unknown Not on certificate
503	1	CA_HYPO	Hypospadias	646	R	Y N U Blank	Yes, anomaly reported No, anomaly not reported Unknown Not on certificate
504-523	20	<u>Congenital Anomalies of the Newborn</u> The checkbox items indented below follow this structure:			U,R	1 2 9 Blank	Anomaly reported Anomaly not reported Anomaly not classifiable Not on certificate
	504	1	UCA_ANEN	Anencephalus	752		
	505	1	UCA_SPINA	Spina Bifida / Meningocele	753		
	506-512	7	FILLER50	Filler			
	513	1	UCA_OMPHA	Omphalocele / Gastroschisis	760		
	514-517	4	FILLER51	Filler			
	518	1	UCA_CLFTLP	Cleft Lip / Palate	765		
	519-520	2	FILLER52	Filler			
	521	1	UCA_HERNIA	Diaphragmatic Hernia	769		
	522	1	FILLER53	Filler			
	523	1	UCA_DOWNS	Downs Syndrome	771		
524-525	2	FILLER54	Filler				
526	1	ITRAN	Infant Transferred	c571	R	Y N U	Yes No Unknown or not stated

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
527	1	ILIVE	Infant Living at Time of Report c571		R	Y N U	Yes No Unknown or not stated
528	1	BFED	Infant Being Breastfed 581		R	Y N U	Yes No Unknown or not stated
529-532	4	FILLER55	Filler				
533	1	BMI_R	Body Mass Index Recode (prepregnancy) 576		R	1 2 3 4 5 6 9	Underweight <18.5 Normal 18.5-24.9 Overweight 25.0-29.9 Obesity I 30.0-34.9 Obesity II 35.0-39.9 Extreme Obesity III ≥40 Unknown or not stated
534-536	3	ILLB_R	Interval of Last Live Birth Recode c571		R	000-003 004-300 888 999	Plural delivery Months since last live birth Not applicable / 1 st live birth Unknown or not stated
537-538	2	ILLB_R11	Interval of Last Live Birth Recode 11 c571		R	00 01 02 03 04 05 06 07 08 88 99	Zero to 3 months (plural delivery) 4-11 months 12-17 months 18-23 months 24-35 months 36-47 months 48-59 months 60-71 months 72 months and over Not applicable (1 st live birth) Unknown or not stated
539-541	3	ILOP_R	Interval of Last Other Pregnancy c571		R	000-003 004-300 888 999	Plural delivery Months since last live birth Not applicable / 1 st natality event Unknown or not stated

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
542-543	2	ILOP_R11	Interval of Last Other Pregnancy Recode 11 c571		R	00 01 02 03 04 05 06 07 08 88 99	Zero to 3 months (plural delivery) 4-11 months 12-17 months 18-23 months 24-35 months 36-47 months 48-59 months 60-71 months 72 months and over Not applicable (1 st natality event) Unknown or not stated
544-546	3	ILP	Interval of Last Pregnancy c571		R	000-003 004-300 888 999	Plural delivery Months since last live birth Not applicable / no previous pregnancy Unknown or not stated
547-548	2	ILP_R11	Interval of Last Pregnancy Recode 11 c571		R	00 01 02 03 04 05 06 07 08 88 99	Zero to 3 months (plural delivery) 4-11 months 12-17 months 18-23 months 24-35 months 36-47 months 48-59 months 60-71 months 72 months and over Not applicable (no previous pregnancy) Unknown or not stated
549-551	3	PWgt_R	Pre-pregnancy Weight Recode 577		R	075-375 999	Weight in pounds Unknown or not stated
552-554	3	DWgt_R	Delivery Weight Recode 578		R	100-400 999	Weight in pounds Unknown or not stated
555-556	2	M_Ht_In	Mother's Height in Inches 576		R	30-78 99	Height in inches Unknown or not stated
557	1	SetOrder_R	Set Order Recode c571		R	1	1 st

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						2	2 nd
						3	3 rd
						4	4 th
						5	5 th to 16 th
						9	Unknown or not stated
558-568	11	FILLER56	Filler				
569-771	203	<u>Flag File for Reporting Flags</u>					
		The reporting flags indented below follow this coding structure:				0	Not reported either year
						1	Reported both years
						2	Reported in 2008/Not reported in 2009
						3	Not reported in 2008/Reported in 2009
569	1	F_MORIGIN	Origin of Mother		U,R		
570	1	F_FORIGIN	Origin of Father		U,R		
571	1	F_MEDUC	Education of Mother		R		
572	1	F_FEDUC	Education of Father		R		
573	1	F_CLINEST	Clinical Estimate of Gestation		U,R		
574	1	F_APGAR5	Five minute APGAR		U,R		
575	1	F_TOBACO	Tobacco use		R		
576	1	F_M_HT	Mother's Height		R		
577	1	F_PWGT	Prepregnancy Weight		R		
578	1	F_DWGT	Weight at Delivery		R		
579	1	F_WIC	WIC		R		
580	1	F_PAY	Source of Payment		R		
581	1	F_BFED	Breastfed at Discharge		R		
582	1	F_RF_PDIAB	Prepregnancy Diabetes		R		
583	1	F_RF_GDIAB	Gestational Diabetes		R		
584	1	F_RF_PHYPER	Prepregnancy Hypertension		R		
585	1	F_RF_GHYPER	Gestational Hypertension		R		
586	1	F_RF_ECLAMP	Hypertension Eclampsia		R		
587	1	F_RF_PPB	Previous Preterm Birth		R		
588	1	F_RF_PPO	Poor Pregnancy outcomes		R		
589	1	FILLER57	Filler				
590	1	F_RF_INFT	Infertility Treatment		R		
591	1	F_RF_INFT_DRG	Fertility Enhance Drugs		R		
592	1	F_RF_INF_ART	Reproductive Technology		R		
593	1	F_RF_CESAR	Previous Cesarean		R		
594	1	F_RF_NCESAR	Number of Previous Cesareans		R		
595	1	F_IP_GONOR	Gonorrhea		R		

* For the Version column (Ver) the following codes apply:

- R 2003 Version of US Standard Birth Certificate
- U 1989 Version of US Standard Birth Certificate
- u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards
- c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
596	1	F_IP_SYPH	Syphilis		R		
597	1	FILLER58	Filler				
598	1	F_IP_CHLAM	Chlamydia		R		
599	1	F_IP_HEPATB	Hepatitis B		R		
600	1	F_IP_HEPATC	Hepatitis C		R		
601	1	F_OB_CERVIC	Cervical Cerclage		R		
602	1	F_OB_TOCO	Tocolysis		R		
603	1	F_OB_SUCC	Successful External Cephalic Version		R		
604	1	F_OB_FAIL	Failed External Cephalic Version		R		
605	1	F_OL_RUPTURE	Premature Rupture of the Membranes		R		
606	1	F_OL_PRECIP	Precipitous Labor		R		
607	1	F_OL_PROLONG	Prolonged Labor		R		
608	1	F_LD_INDUCT	Induction of Labor		R		
609	1	F_LD_AUGMENT	Augmentation of Labor		R		
610	1	FILLER59	Filler				
611	1	F_LD_STERIODS	Steroids		R		
612	1	F_LD_ANTIBIO	Antibiotics		R		
613	1	F_LD_CHORIO	Chorioamnionitis		R		
614	1	F_LD_MECON	Meconium Staining		R		
615	1	F_LD_FINTOL	Fetal Intolerance		R		
616	1	F_LD_ANESTH	Anesthesia		R		
617-8	2	FILLER60	Filler				
619	1	F_MD_PRESENT	Fetal Presentation		R		
620	1	F_MD_ROUTE	Final Route and Method of Delivery		R		
621	1	F_MD_TRIAL	Trial of Labor Attempted		R		
622	1	F_MM_MTRANS	Maternal Transfusion		R		
623	1	F_MM_LACER	Perineal Laceration		R		
624	1	F_MM_RUPTUR	Ruptured Uterus		R		
625	1	F_MM_UHYSTR	Unplanned Hysterectomy		R		
626	1	F_MM_ICU	Admission to Intensive Care		R		
627	1	F_MM_OR	Unplanned Operating Room Procedure		R		
628	1	F_AB_VENT	Assisted Ventilation		R		
629	1	F_AB_VENT6	Assisted Ventilation >6 hrs		R		
630	1	F_AB_NIUC	Admission to NICU		R		
631	1	F_AB_SURFAC	Surfactant		R		
632	1	F_AB_ANTIBIO	Antibiotics		R		
633	1	F_AB_SEIZ	Seizures		R		
634	1	F_AB_INJ	Birth Injury		R		
635	1	F_CA_ANEN	Anencephaly		R		
636	1	F_CA_MENIN	Meningomyelocele/Spina Bifida		R		

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
637	1	F_CA_HEART	Cyanotic Congenital Heart Disease		R		
638	1	F_CA_HERNIA	Congenital Diaphragmatic Hernia		R		
639	1	F_CA_OMPHA	Omphalocele		R		
640	1	F_CA_GASTRO	Gastroschisis		R		
641	1	F_CA_LIMB	Limb Reduction Defect		R		
642	1	F_CA_CLEFTLP	Cleft Lip with or without Cleft Palate		R		
643	1	F_CA_CLEFT	Cleft Plate Alone		R		
644	1	F_CA_DOWNS	Down Syndrome		R		
645	1	F_CA_CHROM	Suspected Chromosomal Disorder		R		
646	1	F_CA_HYPOS	Hypospadias		R		
647	1	FILLER61	Filler				
648	1	F_WTGAIN	Weight Gain		U,R		
649-651	3	FILLER62	Filler				
652	1	F_MAR_G	Mother's Marital Status		R		
653	1	F_MAR_P	Paternity Acknowledged		R		
654-667	14	FILLER63	Filler				
668	1	F_MPCB	Month Prenatal Care Began		R		
669-670	2	FILLER64	Filler				
671	1	F_TPCV	Total Number of Prenatal Visits		U,R		
672	1	F_CIGS_0	Cigarettes before Pregnancy		R		
673	1	F_CIGS_1	Cigarettes 1 st Trimester		R		
674	1	F_CIGS_2	Cigarettes 2 nd Trimester		R		
675	1	F_CIGS_3	Cigarettes 3 rd Trimester		R		
676	1	F_FACILITY	Facility		R		
677	1	FILLER65	Filler				
678	1	F_PAY_REC	Payment Recode		R		
679	1	F_RDMETH_REC	Method of Delivery		R		
680-683	4	FILLER66	Filler				
684	1	F_URF_DIABETES	Diabetes		U,R		
685-687	3	FILLER67	Filler				
688	1	F_URF_CHYPER	Chronic Hypertension		U,R		
689	1	F_URF_PHYPER	Prepregnancy Hypertension		U,R		
690	1	F_URF_ECLAMP	Eclampsia		U,R		
691-702	12	FILLER68	Filler				
703	1	F_UOB_INDUCT	Induction		U,R		
704	1	FILLER69	Filler				
705	1	F_UOB_TOCOL	Tocolysis		U,R		
706-711	6	FILLER70	Filler				
712	1	F_ULD_MECONIUM	Meconium		U,R		
713-717	5	FILLER71	Filler				

* For the Version column (Ver) the following codes apply:

- R 2003 Version of US Standard Birth Certificate
- U 1989 Version of US Standard Birth Certificate
- u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards
- c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
718	1	F_ULD_PRECIP	Precipitous Labor		U,R		
719-720	2	FILLER72	Filler				
721	1	F_ULD_BREECH	Breech		U,R		
722-733	12	FILLER74	Filler				
734	1	F_U_FORCEP	Forceps		U,R		
735	1	F_U_VACUUM	Vacuum		U,R		
736-751	16	FILLER75	Filler				
752	1	F_UCA_ANEN	Anencephalus		U,R		
753	1	F_UCA_SPINA	Spina Bifida		U,R		
754-760	7	FILLER76	Filler				
761	1	F_UCA_OMPHALO	Omphalocele/Gastroschisis		U,R		
762-765	4	FILLER77	Filler				
766	1	F_UCA_CLEFTLP	Cleft Lip/Palate		U,R		
767-768	2	FILLER78	Filler				
769	1	F_UCA_HERNIA	Hernia		U,R		
770	1	FILLER79	Filler				
771	1	F_UCA_DOWNS	Downs Syndrome		U,R		
772-867	96	FILLER80	Filler				
868	1	FLGND	Flag indicating records in both numerator and denominator file			1 Blank	Record in both files Record not in both files
869-871	3	FILLER81	Filler				
872-874	3	AGED	Age at Death in Days			000-365	Number of days
875	1	AGER5	Infant age recode 5			1 2 3 4 5	Under 1 hour 1 – 23 hours 1 – 6 days 7 – 27 days (late neonatal) 28 days and over (postneonatal)
876-877	2	AGER22	Infant age recode 22			Blank 01 02 03 04 05	Age 1 year and over or not stated Under 1 hour (includes not stated hours and minutes) 1 – 23 hours 1 day (includes not stated days) 2 days 3 days

* For the Version column (Ver) the following codes apply:

- R 2003 Version of US Standard Birth Certificate
- U 1989 Version of US Standard Birth Certificate
- u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards
- c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						06	4 days
						07	5 days
						08	6 days
						09	7 days (includes not stated weeks)
						10	14 – 20 days
						11	21 – 27 days
						12	1 month (includes not stated months)
						13	2 months
						14	3 months
						15	4 months
						16	5 months
						17	6 months
						18	7 months
						19	8 months
						20	9 months
						21	10 months
						22	11 months
878	1	MANNER	Manner of Death			1	Accident
						2	Suicide
						3	Homicide
						4	Pending investigation
						5	Could not determine
						6	Self-inflicted
						7	Natural
						Blank	Not specified
879	1	DISPO	Method of Disposition			B	Burial
						C	Cremation
						O	Other
						U	Unknown
880	1	AUTOPSY	Autopsy			Y	Yes
						N	No
						U	Unknown
881	1	FILLER82	Filler				
882	1	PLACE	Place of injury for causes W00-Y34, except Y06.- and Y07.-			0	Home
						1	Residential institution

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						2	School, other institution and public administrative area
						3	Sports and athletics area
						4	Street and highway
						5	Trade and service area
						6	Industrial and construction area
						7	Farm
						8	Other Specified Places
						9	Unspecified place
						Blank	Cause other than W00-Y34, except Y06.- and Y07.-
883	1	FILLER83	Filler				
884-891			<u>UNDERLYING CAUSE OF DEATH</u>				
884-887	4	UCOD	ICD Code (10 th Revision) See the <u>International Classification of Diseases, 1992</u> Revision, Volume I.				
888	1	FILLER84	Filler				
889-891	3	UCODR130	130 Infant Cause Recode			001-158	Code Range
892	1	FILLER85	Filler				
893-900	8	RECWT	Record Weight (no weights computed for possessions file)			1.XXXXXX	

Here ends the cohort denominator-plus file. The numerator (linked) file continues below.

901-902 2 FILLER86 **Filler**

903-1148 246 **MULTIPLE CONDITIONS**

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
903-904	2	EANUM	Number of Entity-Axis Conditions			00-20	Code range
905-1044	140	ENTITY	Entity-Axis Conditions Space has been provided for a maximum of 20 conditions. Each condition takes 7 positions in the record. The 7 th position will be blank. Records that do not have 20 conditions are blank in the unused area.				
			Position 1:	Part/line number on certificate			
			1	...	Part I, line 1 (a)		
			2	...	Part I, line 2 (b)		
			3	...	Part I, line 3 (c)		
			4	...	Part I, line 4 (d)		
			5	...	Part I, line 5 (e)		
			6	...	Part II,		
			Position 2:	Sequence of condition within part/line			
			1-7	...	Code range		
			Position 3 – 6: Condition code	See ICD-10 for a complete list of codes			
905-911	7		1 st Condition				
912-918	7		2 nd Condition				
919-925	7		3 rd Condition				
926-932	7		4 th Condition				
933-939	7		5 th Condition				
940-946	7		6 th Condition				
947-953	7		7 th Condition				
954-960	7		8 th Condition				
961-967	7		9 th Condition				
968-974	7		10 th Condition				
975-981	7		11 th Condition				
982-988	7		12 th Condition				
989-995	7		13 th Condition				
996-1002	7		14 th Condition				
1003-1009	7		15 th Condition				

* For the Version column (Ver) the following codes apply:

- R 2003 Version of US Standard Birth Certificate
- U 1989 Version of US Standard Birth Certificate
- u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards
- c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
1010-1016	7		16 th Condition				
1017-1023	7		17 th Condition				
1024-1030	7		18 th Condition				
1031-1037	7		19 th Condition				
1038-1044	7		20 th Condition				
1045-1046	2	FILLER87	Filler				
1047-1048	2	RANUM	Number of Record-Axis Conditions			00-20	Code range
1049-1148	100	RECORD	Record-Axis Conditions Space has been provided for a maximum of 20 conditions. Each condition takes 5 positions in the record. The 5 th position will be blank. Records that do not have 20 conditions are blank in the unused area. Positions 1 – 4: Condition Code See ICD-10 for a complete list of codes				
1049-1053	5		1 st Condition				
1054-1058	5		2 nd Condition				
1059-1063	5		3 rd Condition				
1064-1068	5		4 th Condition				
1069-1073	5		5 th Condition				
1074-1078	5		6 th Condition				
1079-1083	5		7 th Condition				
1084-1088	5		8 th Condition				
1089-1093	5		9 th Condition				
1094-1098	5		10 th Condition				
1099-1103	5		11 th Condition				
1104-1108	5		12 th Condition				
1109-1113	5		13 th Condition				
1114-1118	5		14 th Condition				
1119-1123	5		15 th Condition				
1124-1128	5		16 th Condition				
1129-1133	5		17 th Condition				
1134-1138	5		18 th Condition				
1139-1143	5		19 th Condition				
1144-1148	5		20 th Condition				

* For the Version column (Ver) the following codes apply:

- R 2003 Version of US Standard Birth Certificate
- U 1989 Version of US Standard Birth Certificate
- u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards
- c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
1149-1150	2	FILLER88	Filler				
1151	1	D_RESTATUS	<u>Death Resident Status</u>				
			United States Occurrence			1	RESIDENTS State and County of Occurrence and Residence are the same.
						2	INTRASTATE NONRESIDENTS State of Occurrence and Residence are the same, but County is different.
						3	INTERSTATE NONRESIDENTS State of Occurrence and Residence are different, but both are in the U.S.
						4	FOREIGN RESIDENTS State of Occurrence is one of the 50 States or the District of Columbia, but Place of Residence is outside of the U.S.
			Puerto Rico Occurrence			1	RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
						2	INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
						3	INTERTERRITORY NONRESIDENTS Territory of occurrence and residence are different, but both are a Territory.
						4	FOREIGN RESIDENTS Occurred in Puerto Rico to a resident of any other place.
			Virgin Islands Occurrence			1	RESIDENTS Territory and County-equivalent of Occurrence and Residence are the same.
						2	INTRASTATE NONRESIDENTS Territory of Occurrence and Residence are the same, but County-equivalent is different.
						3	INTERTERRITORY NONRESIDENTS Territory of occurrence and residence are different, but both are a Territory.
						4	FOREIGN RESIDENTS Occurred in Virgin Islands to a resident of any other place.

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
			Guam Occurrence			1	RESIDENTS Occurred in Guam to a resident of Guam or to a resident of the U.S.
						3	INTERTERRITORY NONRESIDENTS Territory of occurrence and residence are different, but both are a Territory.
						4	FOREIGN RESIDENTS Occurred in Guam to a resident of any place other than Guam or the U.S.
1152-1153	2	DOSTATE	<u>State of Occurrence (FIPS) of Death</u> (This item is available in the territory file only, geography codes are not available in the US file.)			PR VI GU	Puerto Rico Virgin Islands Guam
1154-1156	3	DOCNTY	<u>County of Occurrence (FIPS) of Death</u> Counties and county equivalents (independent and coextensive cities) are numbered alphabetically within each State and identify each county. (Note: To uniquely identify a county, both the state and county codes must be used.) A complete list of counties is shown in the Geographic Code Outline further back in this document. (This item is available in the territory file only, geography codes are not available in the US file.)			001-nnn	Code range
1157-1159	3	FILLER89	Filler				
1160-1161	2	DRSTATE	<u>State of Residence (FIPS)</u> (This item is available in the territory file only, geography codes are not available in the US file.)				
			Territories			PR VI GU	Puerto Rico Virgin Islands Guam
			Foreign residents			CC MX CU	Canada Mexico Cuban

* For the Version column (Ver) the following codes apply:

- R 2003 Version of US Standard Birth Certificate
- U 1989 Version of US Standard Birth Certificate
- u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards
- c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						YY	Remainder of world
			Puerto Rico Occurrence			PR US,ZZ	Puerto Rico Foreign residents
			Virgin Islands Occurrence			VI US, ZZ	Virgin Islands Foreign residents
			Guam Occurrence			GU US ZZ	Guam U.S. resident. Also considered a resident of Guam. Foreign residents
1162-1163	2	FILLER90	Filler				
1164-1165	2	DRSTCNTRY	<u>State/Country of Residence of Death Recode</u> (This item is available in the territory file only, geography codes are not available in the US file.)				
			Territorial residents			PR VI GU	Puerto Rico Virgin Islands Guam
			Foreign residents			CC MX CU YY	Canada Mexico Cuba Remainder of the world
			Puerto Rico Occurrence			PR US,ZZ	Puerto Rico Foreign residents
			Virgin Islands Occurrence			VI US,ZZ	Virgin Islands Foreign residents
			Guam Occurrence			GU US ZZ	Guam U.S. resident. Also considered a resident of Guam. Foreign residents
1166-1168	3	DRCNTY	<u>County of Residence (FIPS) of Death</u> This item is available in the territory file only, geography codes are not available in the US file.			000	Foreign residents

* For the Version column (Ver) the following codes apply:

- R 2003 Version of US Standard Birth Certificate
- U 1989 Version of US Standard Birth Certificate
- u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards
- c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						001-nnn 999	Code range County less than 250,000 population
1169-1181	13	FILLER91	Filler				
1182	1	CNTRSPPD	<u>Population Size of County of Residence of Death</u> This item is available in the territory file only, geography codes are not available in the US file.			0 1 2 9 Z	County of 1,000,000 or more County of 500,000 to 1,000,000 County of 250,000 to 500,000 County of less than 250,000 Foreign residents
1183-1185	3	FILLER92	Filler				
1186	1	HOSPD	<u>Place of Death and Decedent's Status</u>			1 2 3 4 5 6 7 9	Hospital, clinic or Medical Center – Inpatient Hospital, clinic or Medical Center – Outpatient or admitted to Emergency Room Hospital, clinic or Medical Center – Dead on Arrival Decedent's home Hospice facility Nursing home/long term care Other Place of death unknown
1187	1	WEEKDAYD	<u>Day of Week of Death</u>			1 2 3 4 5 6 7 9	Sunday Monday Tuesday Wednesday Thursday Friday Saturday Unknown
1188-1191	4	DTHYR	<u>Death Year</u>			2012 2013	2012 2013
1192-1257	66	FILLER93	Filler				
1258-1259	2	DOD_MM	<u>Month of Death</u>			01	January

* For the Version column (Ver) the following codes apply:

R 2003 Version of US Standard Birth Certificate

U 1989 Version of US Standard Birth Certificate

u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
						02	February
						03	March
						04	April
						05	May
						06	June
						07	July
						08	August
						09	September
						10	October
						11	November
						12	December

* For the Version column (Ver) the following codes apply:

- R 2003 Version of US Standard Birth Certificate
- U 1989 Version of US Standard Birth Certificate
- u 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards
- c Item is sharing flag with a comparable reporting area because a unique flag did not already exist.

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

130 S Limited

Recode T Sex Age Cause Title and ICD-10 Codes Included

001	1	Certain infectious and parasitic diseases (A00-B99)
002		Certain intestinal infectious diseases (A00-A08)
003		Diarrhea and gastroenteritis of infectious origin (A09)
004		Tuberculosis (A16-A19)
005		Tetanus (A33,A35)
006		Diphtheria (A36)
007		Whooping cough (A37)
008		Meningococcal infection (A39)
009	3	Septicemia (A40-A41)
010		Congenital syphilis (A50)
011		Gonococcal infection (A54)
012	1	Viral diseases (A80-B34)
013		Acute poliomyelitis (A80)
014		Varicella (chickenpox) (B01)
015		Measles (B05)
016		Human immunodeficiency virus (HIV) disease (B20-B24)
017		Mumps (B26)
018		Other and unspecified viral diseases (A81-B00,B02-B04,B06-B19,B25,B27-B34)
019		Candidiasis (B37)
020		Malaria (B50-B54)
021		Pneumocystosis (B59)
022		All other and unspecified infectious and parasitic diseases (A20-A32,A38,A42-A49,A51-A53,A55-A79,B35-B36,B38-B49,B55-B58,B60-B99)
023	1	Neoplasms (C00-D48)
024	1	Malignant neoplasms (C00-C97)
025		Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85)
026		Leukemia (C91-C95)
027		Other and unspecified malignant neoplasms (C00-C80,C88,C90,C96-C97)
028		In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)
029	1	Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)
030		Anemias (D50-D64)
031		Hemorrhagic conditions and other diseases of blood and blood-forming organs (D65-D76)
032		Certain disorders involving the immune mechanism (D80-D89)
033	1	Endocrine, nutritional and metabolic diseases (E00-E88)
034		Short stature, not elsewhere classified (E34.3)
035		Nutritional deficiencies (E40-E64)
036		Cystic fibrosis (E84)
037	3	Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)
038		All other endocrine, nutritional and metabolic diseases (E00-E32,E34.0-E34.2,E34.4-E34.9,E65-E83,E85,E88)
039	1	Diseases of the nervous system (G00-G98)
040		Meningitis (G00,G03)
041		Infantile spinal muscular atrophy, type I (Werdnig-Hoffman) (G12.0)
042		Infantile cerebral palsy (G80)
043		Anoxic brain damage, not elsewhere classified (G93.1)
044		Other diseases of nervous system (G04,G06-G11,G12.1-G12.9,G20-G72,G81-G92,G93.0,G93.2-G93.9,G95-G98)
045		Diseases of the ear and mastoid process (H60-H93)
046	1	Diseases of the circulatory system (I00-I99)
047		Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)
048		Pericarditis, endocarditis and myocarditis (I30,I33,I40)
049		Cardiomyopathy (I42)
050		Cardiac arrest (I46)
051		Cerebrovascular diseases (I60-I69)
052		All other diseases of circulatory system (I00-I25,I31,I34-I38,I44-I45,I47-I51, I70-I99)
053	1	Diseases of the respiratory system (J00-J98)
054		Acute upper respiratory infections (J00-J06)
055	1	Influenza and pneumonia (J10-J18)

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

130	S Limited			
Recode	T	Sex	Age	Cause Title and ICD-10 Codes Included
056				Influenza (J10-J11)
057				Pneumonia (J12-J18)
058				Acute bronchitis and acute bronchiolitis (J20-J21)
059				Bronchitis, chronic and unspecified (J40-J42)
060				Asthma (J45-J46)
061				Pneumonitis due to solids and liquids (J69)
062				Other and unspecified diseases of respiratory system (J22,J30-J39,J43-J44,J47-J68,J70-J98)
063	1			Diseases of the digestive system (K00-K92)
064				Gastritis, duodenitis, and noninfective enteritis and colitis (K29,K50-K55)
065				Hernia of abdominal cavity and intestinal obstruction without hernia (K40-K46,K56)
066				All other and unspecified diseases of digestive system (K00-K28,K30-K38,K57-K92)
067	1			Diseases of the genitourinary system (N00-N95)
068				Renal failure and other disorders of kidney (N17-N19,N25,N27)
069				Other and unspecified diseases of genitourinary system (N00-N15,N20-N23,N26,N28-N95)
070	1			Certain conditions originating in the perinatal period (P00-P96)
071	1			Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)
072				Newborn affected by maternal hypertensive disorders (P00.0)
073				Newborn affected by other maternal conditions which may be unrelated to present pregnancy (P00.1-P00.9)
074	1			Newborn affected by maternal complications of pregnancy (P01)
075				Newborn affected by incompetent cervix (P01.0)
076				Newborn affected by premature rupture of membranes (P01.1)
077				Newborn affected by multiple pregnancy (P01.5)
078				Newborn affected by other maternal complications of pregnancy (P01.2-P01.4,P01.6-P01.9)
079	1			Newborn affected by complications of placenta, cord and membranes (P02)
080				Newborn affected by complications involving placenta (P02.0-P02.3)
081				Newborn affected by complications involving cord (P02.4-P02.6)
082				Newborn affected by chorioamnionitis (P02.7)
083				Newborn affected by other and unspecified abnormalities of membranes (P02.8-P02.9)
084				Newborn affected by other complications of labor and delivery (P03)
085				Newborn affected by noxious influences transmitted via placenta or breast milk (P04)
086	1			Disorders related to length of gestation and fetal malnutrition (P05-P08)
087				Slow fetal growth and fetal malnutrition (P05)
088	1			Disorders related to short gestation and low birthweight, not elsewhere classified (P07)
089				Extremely low birthweight or extreme immaturity (P07.0,P07.2)
090				Other low birthweight or preterm (P07.1,P07.3)
091				Disorders related to long gestation and high birthweight (P08)
092				Birth trauma (P10-P15)
093	1			Intrauterine hypoxia and birth asphyxia (P20-P21)
094				Intrauterine hypoxia (P20)
095				Birth asphyxia (P21)
096				Respiratory distress of newborn (P22)
097	1			Other respiratory conditions originating in the perinatal period (P23-P28)
098				Congenital pneumonia (P23)
099				Neonatal aspiration syndromes (P24)
100				Interstitial emphysema and related conditions originating in the perinatal period (P25)
101				Pulmonary hemorrhage originating in the perinatal period (P26)
102				Chronic respiratory disease originating in the perinatal period (P27)
103				Atelectasis (P28.0-P28.1)
104				All other respiratory conditions originating in the perinatal period (P28.2-P28.9)
105	1			Infections specific to the perinatal period (P35-P39)
106				Bacterial sepsis of newborn (P36)
107				Omphalitis of newborn with or without mild hemorrhage (P38)

ST: 1 = Subtotal Limited: Sex: 1 = Males; 2 = Females
 Age: 1 = 5 and over; 2 = 10-54; 3 = 28 days and over
 4 = Under 1 year; 5 = 1-4 years; 6 = 1 year and over
 7 = 10 years and over

***** Cause Subtotals are not identified in this file *****

130	S	Limited	
Recode	T	Sex	Age Cause Title and ICD-10 Codes Included
108			All other infections specific to the perinatal period (P35,P37,P39)
109	1		Hemorrhagic and hematological disorders of newborn (P50-P61)
110			Neonatal hemorrhage (P50-P52,P54)
111			Hemorrhagic disease of newborn (P53)
112			Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice (P55-P59)
113			Hematological disorders (P60-P61)
114			Syndrome of infant of a diabetic mother and neonatal diabetes mellitus (P70.0-P70.2)
115			Necrotizing enterocolitis of newborn (P77)
116			Hydrops fetalis not due to hemolytic disease (P83.2)
117			Other perinatal conditions (P29,P70.3-P70.9,P71-P76,P78-P81,P83.0-P83.1, P83.3-P83.9,P90-P96)
118	1		Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)
119			Anencephaly and similar malformations (Q00)
120			Congenital hydrocephalus (Q03)
121			Spina bifida (Q05)
122			Other congenital malformations of nervous system (Q01-Q02,Q04,Q06-Q07)
123			Congenital malformations of heart (Q20-Q24)
124			Other congenital malformations of circulatory system (Q25-Q28)
125			Congenital malformations of respiratory system (Q30-Q34)
126			Congenital malformations of digestive system (Q35-Q45)
127			Congenital malformations of genitourinary system (Q50-Q64)
128			Congenital malformations and deformations of musculoskeletal system, limbs and integument (Q65-Q85)
129			Down's syndrome (Q90)
130			Edward's syndrome (Q91.0-Q91.3)
131			Patau's syndrome (Q91.4-Q91.7)
132			Other congenital malformations and deformations (Q10-Q18,Q86-Q89)
133			Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)
134	1		Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)
135			Sudden infant death syndrome (R95)
136			Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94,R96-R99)
137			All other diseases (Residual) (F01-F99,H00-H57,L00-M99)
138	1		External causes of mortality (*U01,V01-Y84)
139	1		Accidents (unintentional injuries) (V01-X59)
140	1		Transport accidents (V01-V99)
141			Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2, V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86, V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)
142			Other and unspecified transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3, V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9, V87.9,V88.9,V89.1,V89.3,V89.9,V90-V99)
143			Falls (W00-W19)
144			Accidental discharge of firearms (W32-W34)
145			Accidental drowning and submersion (W65-W74)
146			Accidental suffocation and strangulation in bed (W75)
147			Other accidental suffocation and strangulation (W76-W77,W81-W84)
148			Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)
149			Accidents caused by exposure to smoke, fire and flames (X00-X09)
150			Accidental poisoning and exposure to noxious substances (X40-X49)
151			Other and unspecified accidents (W20-W31,W35-W64,W85-W99,X10-X39,X50-X59)
152	1		Assault (homicide) (*U01,X85-Y09)
153			Assault (homicide) by hanging, strangulation and suffocation (X91)
154			Assault (homicide) by discharge of firearms (*U01.4,X93-X95)
155			Neglect, abandonment and other maltreatment syndromes (Y06-Y07)
156			Assault (homicide) by other and unspecified means (*U01.0-*U01.3,*U01.5-*U01.9,X85-X90,X92,X96-X99,Y00-Y05,Y08-Y09)
157			Complications of medical and surgical care (Y40-Y84)

Documentation Table 1. Live births and infant death by state of occurrence of birth and by state of residence at birth: United States, 2012 Cohort Data.

(Residence of birth is of the Mother)

State	Live Births		Infant Deaths				Infant Mortality Rate
	Occurrence	Residence	Unweighted		Weighted 1/		
			Occurrence	Residence	Occurrence	Residence	
United States	3,960,797	3,952,842	23,401	23,378	23,618	23,595	5.97
Alabama	56,941	58,448	497	506	497	506	8.66
Alaska	11,054	11,187	58	58	58	58	5.18
Arizona	87,207	86,441	491	494	495	498	5.76
Arkansas	37,342	38,347	252	273	255	276	7.20
California	504,634	503,755	2,223	2,224	2,262	2,263	4.49
Colorado	65,643	65,187	333	315	334	316	4.85
Connecticut	37,294	36,539	183	189	184	190	5.20
Delaware	11,381	11,023	86	85	86	85	7.71
Dist of Columbia	13,972	9,399	109	74	109	74	7.87
Florida	213,402	213,148	1,289	1,281	1,292	1,284	6.02
Georgia	131,921	130,280	814	806	824	816	6.26
Hawaii	18,986	18,980	90	92	91	93	4.90
Idaho	22,482	22,963	118	130	118	130	5.66
Illinois	155,813	159,160	954	1,011	956	1,013	6.36
Indiana	84,201	83,227	569	568	573	572	6.87
Iowa	38,427	38,702	180	200	180	200	5.17
Kansas	41,174	40,341	245	260	245	260	6.45
Kentucky	53,370	55,758	353	400	356	403	7.23
Louisiana	62,585	62,642	509	505	520	516	8.24
Maine	12,594	12,798	91	93	91	93	7.27
Maryland	70,417	72,883	455	470	457	472	6.48
Massachusetts	72,827	72,439	313	305	313	305	4.21
Michigan	112,159	113,091	779	781	781	783	6.92
Minnesota	68,053	68,772	349	342	349	342	4.97
Mississippi	37,787	38,669	340	365	340	365	9.44
Missouri	76,412	75,446	547	491	550	494	6.55
Montana	12,072	12,118	73	77	73	77	6.35
Nebraska	26,282	25,942	132	121	133	122	4.70
Nevada	34,622	34,911	160	163	161	164	4.70
New Hampshire	12,578	12,352	57	53	57	53	4.29
New Jersey	101,632	104,230	427	461	432	466	4.47
New Mexico	26,150	27,068	165	177	165	177	6.54
New York	119,024	121,354	627	652	635	660	5.44
New York City	123,231	119,563	541	526	541	526	4.40
North Carolina	121,138	119,831	869	854	870	855	7.14
North Dakota	11,508	10,106	67	62	67	62	6.13
Ohio	139,071	138,483	1,035	1,011	1,050	1,025	7.40
Oklahoma	51,758	52,751	401	404	403	406	7.70
Oregon	45,567	45,067	263	243	263	243	5.39
Pennsylvania	142,009	142,514	1,035	994	1,045	1,004	7.04
Rhode Island	11,652	10,926	81	71	81	71	6.50
South Carolina	54,258	57,155	396	427	397	428	7.49
South Dakota	12,713	12,104	103	98	103	98	8.10
Tennessee	85,600	80,371	672	593	675	596	7.42
Texas	389,896	382,727	2,147	2,123	2,225	2,200	5.75
Utah	52,516	51,465	262	250	262	250	4.86
Vermont	5,687	6,009	26	23	26	23	3.83
Virginia	101,412	103,013	622	643	625	646	6.27
Washington	87,358	87,463	445	451	445	451	5.16
West Virginia	21,152	20,827	149	149	149	149	7.15
Wisconsin	66,975	67,295	385	392	385	392	5.83
Wyoming	6,858	7,572	34	42	34	42	5.55
Foreign Residents	-	7,955	-	23	-	23	2.89

1/ Figures are based on weighted data rounded to the nearest infant, so categories may not add to totals

Documentation Table 2. Live births, infant deaths and infant mortality rates by race of mother, sex and birthweight of child: United States, 2012 Cohort Data.

[Rates are per 1,000 live births]

Race of mother and sex	Total	<500 grams	500-749 grams	750-999 grams	1000-1249 grams	1250-1499 grams	1500-1999 grams	2000-2499 grams	2500 grams or more	Not Stated
All races										
Both sexes										
Live births.....	3,952,842	6,568	10,333	11,435	12,948	16,045	61,627	198,155	3,635,053	678
Infant deaths.....	23,595	5,557	4,154	1,393	741	659	1,505	1,991	7,468	128
Infant Mortality Rate.....	5.97	846.07	402.01	121.82	57.23	41.07	24.42	10.05	2.05	188.79
Male										
Live births.....	2,021,435	3,365	5,132	5,962	6,630	8,156	30,087	90,615	1,871,114	374
Infant deaths.....	13,209	2,909	2,405	857	426	368	813	1,041	4,304	86
Infant Mortality Rate.....	6.53	864.49	468.63	143.74	64.25	45.12	27.02	11.49	2.30	229.95
Female										
Live births.....	1,931,407	3,203	5,201	5,473	6,318	7,889	31,540	107,540	1,763,939	304
Infant deaths.....	10,386	2,648	1,749	536	315	290	692	950	3,164	42
Infant Mortality Rate.....	5.38	826.72	336.28	97.94	49.86	36.76	21.94	8.83	1.79	138.16
Non-Hispanic White										
Both sexes										
Live births.....	2,134,044	2,398	3,920	4,901	5,832	7,474	29,692	94,994	1,984,687	146
Infant deaths.....	10,761	2,077	1,681	654	354	308	748	950	3,960	31
Infant Mortality Rate.....	5.04	866.14	428.83	133.44	60.70	41.21	25.19	10.00	2.00	212.33
Male										
Live births.....	1,094,469	1,197	1,987	2,585	2,944	3,777	14,400	43,341	1,024,157	81
Infant deaths.....	6,038	1,045	981	398	193	169	400	505	2,327	19
Infant Mortality Rate.....	5.52	873.02	493.71	153.97	65.56	44.74	27.78	11.65	2.27 *	
Female										
Live births.....	1,039,575	1,201	1,933	2,316	2,888	3,697	15,292	51,653	960,530	65
Infant deaths.....	4,723	1,032	700	255	160	138	348	445	1,632	12
Infant Mortality Rate.....	4.54	859.28	362.13	110.10	55.40	37.33	22.76	8.62	1.70	*
Non-Hispanic Black										
Both sexes										
Live births.....	583,489	2,426	3,692	3,566	3,671	4,161	14,702	45,041	506,133	97
Infant deaths.....	6,535	1,984	1,346	391	182	146	334	455	1,646	52
Infant Mortality Rate.....	11.20	817.81	364.57	109.65	49.58	35.09	22.72	10.10	3.25	536.08
Male										
Live births.....	296,354	1,264	1,812	1,801	1,843	2,051	6,930	19,899	260,693	61
Infant deaths.....	3,702	1,077	789	243	117	89	192	231	923	40
Infant Mortality Rate.....	12.49	852.06	435.43	134.93	63.48	43.39	27.71	11.61	3.54	655.74

Documentation Table 2. Live births, infant deaths and infant mortality rates by race of mother, sex and birthweight of child: United States, 2012 Cohort Data - Con.

[Rates are per 1,000 live births]

Race of mother and sex	Total	<500 grams	500-749 grams	750-999 grams	1000-1249 grams	1250-1499 grams	1500-1999 grams	2000-2499 grams	2500 grams or more	Not Stated
Female										
Live births.....	287,135	1,162	1,880	1,765	1,828	2,110	7,772	25,142	245,440	36
Infant deaths.....	2,834	907	557	148	65	57	142	223	723	12
Infant Mortality Rate.....	9.87	780.55	296.28	83.85	35.56	27.01	18.27	8.87	2.95	*
American Indian or Alaskan Native /1										
Both sexes										
Live births.....	46,093	73	117	105	153	176	697	2,198	42,569	5
Infant deaths.....	383	62	50	15	13	13	22	35	171	1
Infant Mortality Rate.....	8.31	849.32	427.35	*	*	*	31.56	15.92	4.02	*
Male										
Live births.....	23,503	32	61	59	81	78	337	1,059	21,793	3
Infant deaths.....	210	27	24	11	7	5	11	22	102	-
Infant Mortality Rate.....	8.94	843.75	393.44	*	*	*	*	20.77	4.68	-
Female										
Live births.....	22,590	41	56	46	72	98	360	1,139	20,776	2
Infant deaths.....	173	35	26	4	6	8	11	13	68	1
Infant Mortality Rate.....	7.66	853.66	464.29	*	*	*	*	*	3.27	*
Asian or Pacific Islander										
Both sexes										
Live births.....	272,803	312	474	625	728	1,003	4,224	15,088	250,312	37
Infant deaths.....	1,102	269	204	77	34	43	84	94	292	6
Infant Mortality Rate.....	4.04	862.18	430.38	123.20	46.70	42.87	19.89	6.23	1.17	*
Male										
Live births.....	140,591	158	249	330	388	540	2,136	7,090	129,682	18
Infant deaths.....	631	143	118	49	20	25	49	51	172	3
Infant Mortality Rate.....	4.49	905.06	473.90	148.48	51.55	46.30	22.94	7.19	1.33	*
Female										
Live births.....	132,212	154	225	295	340	463	2,088	7,998	120,630	19
Infant deaths.....	471	126	86	28	14	17	34	42	120	3
Infant Mortality Rate.....	3.56	818.18	382.22	94.92	*	*	16.28	5.25	0.99	*
Hispanic										
Both sexes										
Live births.....	907,677	1,263	2,063	2,194	2,556	3,179	12,063	40,102	844,218	39
Infant deaths.....	4,589	1,070	840	252	155	137	316	439	1,361	19
Infant Mortality Rate.....	5.06	847.19	407.17	114.86	60.64	43.10	26.20	10.95	1.61	*

Documentation Table 2. Live births, infant deaths and infant mortality rates by race of mother, sex and birthweight of child: United States, 2012 Cohort Data - [Rates are per 1,000 live births]

Race of mother and sex	Total	<500 grams	500-749 grams	750-999 grams	1000-1249 grams	1250-1499 grams	1500-1999 grams	2000-2499 grams	2500 grams or more	Not Stated
Male										
Live births.....	461,893	654	990	1,157	1,368	1,675	6,174	18,882	430,967	26
Infant deaths.....	2,507	558	473	152	87	71	163	224	765	14
Infant Mortality Rate.....	5.43	853.21	477.78	131.37	63.60	42.39	26.40	11.86	1.78	*
Female										
Live births.....	445,784	609	1,073	1,037	1,188	1,504	5,889	21,220	413,251	13
Infant deaths.....	2,082	511	367	100	68	66	153	215	596	5
Infant Mortality Rate.....	4.67	839.08	342.03	96.43	57.24	43.88	25.98	10.13	1.44	*

* Figure does not meet standard of reliability or precision: based on fewer than 20 deaths in the numerator

- Quantity zero

1/ Includes Aleut and Eskimos

Documentation Table 3. Live births, infant deaths, and infant mortality rates by race of mother and gestational age: United States, 2012 Cohort data

[Rates are per 1,000 live births]

Birthweight	Gestation									
	Total	<28 Weeks	28-31 Weeks	32-33 Weeks	34-36 Weeks	37-39 Weeks	40 Weeks	41 Weeks	42 Weeks or more	Not Stated
All Races										
Live births.....	3,952,842	29,014	47,028	58,673	321,204	2,161,122	772,289	337,681	221,751	4,080
Infant deaths.....	23,595	10,653	1,789	950	2,256	5,210	1,336	620	568	213
Infant Mortality Rate.....	5.97	367.17	38.04	16.19	7.02	2.41	1.73	1.84	2.56	52.21
Non-Hispanic White										
Live births.....	2,134,044	11,423	21,622	27,762	158,649	1,156,256	435,137	197,833	123,760	1,602
Infant deaths.....	10,761	4,208	848	475	1,149	2,681	694	333	305	69
Infant Mortality Rate.....	5.04	368.38	39.22	17.11	7.24	2.32	1.59	1.68	2.46	43.07
Non-Hispanic Black										
Live births.....	583,489	9,783	11,836	12,985	61,671	317,470	98,039	40,776	30,027	902
Infant deaths.....	6,535	3,586	463	216	462	1,198	302	121	111	78
Infant Mortality Rate.....	11.20	366.55	39.12	16.63	7.49	3.77	3.08	2.97	3.70	86.47
American Indian or Alaskan Native/1										
Live births.....	46,093	350	632	858	4,259	24,155	8,611	3,867	3,294	67
Infant deaths.....	383	130	25	17	51	97	21	16	22	3
Infant Mortality Rate.....	8.31	371.43	39.56 *		11.97	4.02	2.44 *		6.68	*
Asian or Pacific Islander										
Live births.....	272,803	1,411	2,546	3,376	20,347	156,375	54,751	21,400	12,431	166
Infant deaths.....	1,102	524	98	50	110	207	60	22	23	9
Infant Mortality Rate.....	4.04	371.37	38.49	14.81	5.41	1.32	1.10	1.03	1.85	*
Hispanic										
Live births.....	907,677	5,838	10,247	13,486	75,406	502,576	174,237	72,929	52,183	775
Infant deaths.....	4,589	2,075	346	185	473	990	249	126	108	36
Infant Mortality Rate.....	5.06	355.43	33.77	13.72	6.27	1.97	1.43	1.73	2.07	46.45

-/ Quality Zero

*/ Figure does not meet standard of reliability or precision: based on fewer than 20 deaths in the numerator

1/ Includes Aleuts and Eskimos

Documentation Table 4. Infant deaths and infant mortality rates by age of death for top 10 causes of infant death: United States, 2012 Cohort Data

[Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days. Postneonatal deaths are 28 days to less than 12 months. Rates are per 100,000 live births]

Cause of death and birthweight	Live Births	Total	Total	Early	Late	Post-
		Infant Deaths	Neonatal	Neonatal	Neonatal	Neonatal
All Causes	3,952,842	23,595	15,904	12,924	2,980	7,691
		596.91	402.34	326.95	75.39	194.57
Congenital malformations (Q00-Q99).....		4,988	3,562	2,754	808	1,427
		126.19	90.11	69.67	20.44	36.10
Short gestation and low birthweight nec (P07).....		4,219	4,123	4,008	115	95
		106.73	104.30	101.40	2.91	2.40
Maternal complications of pregnancy (P01).....		1,516	1,509	1,498	11	7
		38.35	38.18	37.90	*	*
Sudden infant death syndrome (R95).....		1,622	148	25	123	1,473
		41.03	3.74	0.63	3.11	37.26
Accidents (unintentional injuries) (V01-X59).....		1,112	115	30	84	998
		28.13	2.91	0.76	2.13	25.25
Complications of placenta, cord, membranes (P02).....		1,016	1,002	976	26	14
		25.70	25.35	24.69	0.66	*
Bacterial sepsis of newborn (P36).....		574	549	236	313	24
		14.52	13.89	5.97	7.92	0.61
Respiratory distress of newborn (P22).....		505	491	405	86	14
		12.78	12.42	10.25	2.18	*
Diseases of the circulatory system (I00-I99).....		482	107	65	42	375
		12.19	2.71	1.64	1.06	9.49
Neonatal hemorrhage (P50-P52, P54).....		425	408	299	109	17
		10.75	10.32	7.56	2.76	*
All other causes.....		7,136	3,889	2,628	1,261	3,247
		180.53	98.38	66.48	31.90	82.14

*/Figure does not meet standard of reliability or precision; based on fewer than 20 deaths in the numerator.

/ Quantity zero.