

NBER WORKING PAPER SERIES

QUALITY-ADJUSTED PRICES
FOR THE AMERICAN AUTOMOBILE
INDUSTRY: 1906-1940

Daniel M.G. Raff
Manuel Trajtenberg

Working Paper No. 5035

NATIONAL BUREAU OF ECONOMIC RESEARCH
1050 Massachusetts Avenue
Cambridge, MA 02138
February 1995

We are grateful to Timothy Bresnahan, Geoffrey Carliner, Martin Feldstein, Robert Gordon, Zvi Griliches, Thomas Marx, Jeanne Pryce, and Morton Raff for encouragement and practical assistance, to Thomas De Fazio, Jack Triplett, and Daniel Whitney for technical discussions, and to librarians at the Boston Public Library, the Detroit Public Library, and the Harvard Business School, the Massachusetts Institute of Technology, and, above all, the Motor Vehicle Manufacturers Association for kind access to their collections. Erik Chuang provided superb research assistance managing a complex data entry process. Even amidst a large group of able and devoted data-enterers, Irving Birmingham cannot pass unremarked. Roxanne Jones-Toler and Scott Stern were our Spartans at the pass. We had useful comments from audiences at the 1994 NBER Summer Institute. This research was supported by the National Bureau of Economic Research and the National Science Foundation. This paper is part of NBER's research program in Productivity. Any opinions expressed are those of the authors and not those of the National Bureau of Economic Research.

© 1995 by Daniel M.G. Raff and Manuel Trajtenberg. All rights reserved. Short sections of text, not to exceed two paragraphs, may be quoted without explicit permission provided that full credit, including © notice, is given to the source.

QUALITY-ADJUSTED PRICES
FOR THE AMERICAN AUTOMOBILE
INDUSTRY: 1906-1940

ABSTRACT

We push the span of hedonic price calculations for automobiles backwards towards the industry's birth. Most of the real change that occurred between 1906 and 1982 occurred between 1906 and 1940. During these years, hedonic prices fell at an average annual rate of 5%. The pace was brisker still during the first 8-12 years. Our measured declines can be decomposed into price and quality components. Our calculations suggest that 60% of the overall decline 1906-1940 was due to process innovation and only 40% to product innovation or quality change per se. Regressors representing mechanical systems matter in these calculations.

Daniel M.G. Raff
Department of Management
The Wharton School
University of Pennsylvania
Philadelphia, PA 19014-6370
and NBER

Manuel Trajtenberg
Department of Economics
Tel Aviv University
Tel Aviv 69978
ISRAEL
and NBER

**Quality-Adjusted Prices for the American Automobile Industry:
1906-1940**

1. Introduction

The empirical literature on new goods has long shown an interest in the automobile. The hedonic approach was introduced to the profession in Court's 1939 attempt to measure the evolution of automobile prices on a quality-adjusted basis. Griliches 1961, Triplett 1969, Ohta and Griliches 1974, and Gordon 1990 (Ch. 8), all leading references, continued the study of the industry. Yet each of these, only Court excepted, is focused on developments that took place in the years after the Great Depression, a period when the automobile as an innovation was clearly mature. Recent research suggests that the largest contributions of new goods to welfare changes may well come much earlier on.¹ The industry's annual model changes pose the price index question perfectly well in the post-war period. But the most salient new goods questions necessarily take us further back in time.

Straightforward facts about the history of automobile manufacturing in America support this view. In the first three decades of this century, the industry went from scarcely existing, insofar as Census of Manufactures enumerators were concerned, to being in terms of the value of products the largest industry in the economy.² Over the period we study in this paper, the most casual observer can recognize how much the product changed. Manufacturing methods evolved equally dramatically. So too did market prices. In 1906, for example, there were no new automobiles for sale at a price equal to or below the GNP per capita at the time of \$336.³ In fact, the average price in our database for that year is nearly ten times that. By 1940, where our data end, a household with a year's GNP per capita to spend (\$754) had a choice of 59 different models, and the average price of cars on the market that year was only about twice that

sum.

The industry saw tremendous changes over this period as well. Indeed, contrasted to the tight oligopoly and dull performance of the post-World War II decades, the vibrancy of these early years is almost shocking. There was an early and well-organized attempt at cartelization that failed. Entry eventually proceeded at a breakneck pace. Attracted by the palpably vast opportunities, hundreds of new firms burst onto the scene every year, the total running to well in excess of a thousand. More than 10,000 distinct models were on offer at one time or another. Intense competition in price and quality persistently pushed price-performance ratios to new lows.

The consequences were far-reaching. One advertising slogan early in the period ran "One day, one dollar; one year, one Ford". In the very beginning, automobiles were strictly playthings of the rich. But well before 1940, cars were routinely purchased by ordinary working households. The consequences of this for American economic life were themselves pervasive and profound. At the turn of the century, even private urban transportation was often powered by horses. Roads were often dusty when dry and all but impassable when wet. But by 1940, the internal combustion engine ruled the way. Road construction techniques were recognizably modern. All-weather paved roads existed all over the nation. Bedroom suburbs and even places of work and trade were located in areas where trains and trolleys did not run. The automobile was a new good with important consequences.

There is a vast literature on the industry's history.⁴ However, quite surprisingly, it contains no systematic quantitative analysis of the period in which most of the technical change happened. Price indices would be a useful start. We proceed in steps. The first is simply to complement the existing hedonic literature by pushing the span of its automobile quality-adjusted price calculations backwards to 1906, thus closing in on the birth of the industry and product. These price indices can be used for a variety of purposes. We propose a crude decomposition of the price change into product- and process-innovation components, identifying quality-constant price change with manufacturing

economies and quality change with design improvement. We also use our indices for comparisons to hedonic price indices for other industries at a comparably early stage of the product life cycle and for comparisons to hedonic price indices for this industry in the later periods previously studied. In particular, we couple our results to those of Gordon's analogous exercise for the post-World War II period to consider the industry's history in the long view. Finally, we assess several possible sources of bias in our results.

The paper proceeds in six main parts. Section 2 is a technical introduction to the product. Section 3 discusses the data. Section 4 gives preliminaries to the hedonic analysis and discusses the regressions. Section 5 presents the main results in terms of quality-adjusted price indices and puts them in the wider context. Section 6 considers the seriousness of two potential sources of bias in the index numbers. Section 7 concludes.

2. Cars: A Technical Overview

Automobiles are complex products, arguably the most complex consumer durable then as well as now. This basic fact permeates our approach to measurement and hence to data-gathering. We thus begin by recognizing that any design for a self-propelled land vehicle must confront a series of interrelated engineering problems. Any particular design (i.e. any particular vehicle a consumer might buy) represents a particular set of solutions to these.

The generic problems are simply stated. The first task is to generate power from the fuel in a sustainable fashion. Gasoline, for example, can be mixed with air and exploded in a controlled way in a confined space.⁵ If one wall of the space can move relative to the others, the kinetic energy of the explosion becomes linear motion. This can be converted into rotary motion to turn wheels, and the rotary motion will be the smoother if the mixing and explosion goes on in several sites in some staggered sequence. All the mechanical elements involved in creating and transforming the linear motions need

to be kept lubricated and relatively cool.

Since the car is heavy, at least when loaded with passengers, there is substantial inertia to be overcome in starting forward motion. Connecting the shaft that rotates to a device to gear up or down to various degrees the speed of rotation helps in accomplishing this.⁶ It is convenient to allow the operator to engage and disengage the entire gear mechanism from the engine from time to time. When this (clutch) mechanism is engaged, the rotary motion then needs to be transmitted to at least some subset of the wheels, and this in a fashion that allows the vehicle to turn.⁷ There must also be a steering mechanism to guide the turns and a braking system to slow or stop the vehicle as required. A body, with seats and upholstery, is essential to make the car useful, and there must be some system between the chassis frame and the wheels to mediate between irregularities in the road surface and irregularities in the ride. For this latter reason and others, it has also proved convenient to mount tires on the wheels.

This functional description of a car touches on all the main mechanical systems. They are many, and none is simple in itself. In choosing specific solutions to each of the individual problems, general strategies must be adopted (e.g. the gasoline engine rather than, say, the steam engine or the electric motor), as well as detailed specifications for each of them (e.g. the numbers of cylinders, their dimensions, the compression ratio, the operating temperature range, etc). Overall performance will be sensitive to each and often also to the interactions.

The potential for such system interaction is elaborate. It is not merely true, for example, that the systems making up the engine must be well-adapted to one another: elements of the design of the entire power train and chassis may also be implicated. It is unfortunately very difficult to capture these interactions in summary variables. We thus adopted the second-best procedure of identifying the most important systems (from both engineering and manufacturing perspectives) and seeking data on their attributes. Our dataset comprises roughly forty attributes to represent the state of the systems.

3. The Data

Computing quality-adjusted prices indices, even using as undemanding a method as the hedonic, requires large amounts of very detailed data. One needs prices and detailed attribute information for virtually all the different models marketed in each period.⁸ Studies such as this thus rest firmly on the breadth of their data.

The primary source of most information about the identities and systems of individual models that covers any wide range of models is the specification tables published in the contemporary trade press at the time of the annual New York Auto Show.⁹ The trade journals vary in the attributes they report.¹⁰ The attributes reported in each source also change slowly over time. The information given about some attributes is not as revealing as it might be.¹¹ The tables are nonetheless very detailed and an extremely rich data source.

Each mechanically distinct variant identified in the tables could usually be purchased with any of several different bodies. We call these pairings body models and use them as our unit of observation. We were constrained (by time and finances) to enter body-model data only for alternate years and to go back no further than 1906.¹² Table 3.1 gives some basic descriptive statistics. We have a total of over 11,000 observations (i.e. of body-models offered). The number rises sharply in the earliest years, more through entry than through model proliferation. It peaks in 1910 at 1006. There is a second surge after WWI and a third at the end of the twenties, after which the number declines considerably. There was a pronounced decline in the number of manufacturers over the period and substantial model proliferation in the thirties.

	Manufacturers	Body models per manufacturer
1910s average	153	5.1
1920s	90	7.6
1930s	30	18.4

After some research, we concluded that the attributes reported by the periodicals Automotive Industries and Motor together generally spanned the information available. We thus drew the data on attributes and prices from these periodicals.¹³ Coverage was then compared against the listings in Kimes and Clark 1985, apparently the most authoritative hobbyist source. Spot checks with other researchers and comparisons with industry histories and other such investigations covering this period, published and otherwise, have revealed no important or systemically unutilized information.¹⁴ It is important to note that our data represent only firms operating above a certain minimal economic threshold, namely they were large enough to make advertising at the major annual trade show attractive. We may have thus left out experimentalists and bespoke manufacturers so aloof from commerce that they left customers to find their own way to the factory. We have surely left out some hopeful entrepreneurs who had and possibly even announced bold plans but never in fact made any cars. But we have found no evidence that we have left out any products that were actually easy to buy, however, and this is the breadth of data that the hedonic method requires.

4. Hedonic analysis: preliminaries

The main goal of this paper is to construct price indices that would reflect as accurately as possible the vast improvements that took place in the design, manufacturing, and performance of cars during our period. Given the fact that quantity data are unavailable, the only viable approach is to estimate hedonic price regressions and compute on their basis quality-adjusted price indices. This has been the standard practice to the problem of quality adjustment since Griliches (1961).¹⁵

The hedonic approach has well-known limitations.¹⁶ The fact that the hedonic surface reflects neither utility nor supply but rather the tangency

between the two restricts the extent to which hedonic-based price indices can be thought to capture fully the effects of quality change. Hedonic methods are particularly ill-suited to periods of sharp change in the direction of technical change (as might be reflected in shifts in the distribution of brands in attribute space.) Nevertheless, hedonic quality-adjusted price indices for cars during the first half of this century can significantly improve our knowledge of the evolution of this industry during its early stages. Moreover, since similar indices for the post-WWII period are available (e.g. Gordon 1990), we can put together a series of quality-adjusted prices almost a century long for one of the most important sectors of the economy.

In this Section we examine first the evolution of automobile prices over time (the dependent variable). We then consider the selection of attributes, that is, our explanatory variables. Finally, we present and discuss the estimates of hedonic price regressions from which our index number calculations derive.

4.1 The Evolution of Automobile Prices

Since we study a relatively long period, the choice between using product prices stated in current dollars or corrected for changes in the general price level may be an important one. During our period there were two major swings in the general price level, the short but sharp inflation that followed World War I and the more familiar deflation that occurred at the onset of the Great Depression. Prices in the post-WWII period also had a complex history. Deflating raw prices by, for example, the Consumer Price Index would control for this. Each series is illuminating in its own way. We present most of our results here and later in the paper in both ways.

Figure 4.1 shows the time series of mean prices in our dataset stated in current dollars. The most striking feature is the size of the drop. Automobile prices fell by fifty-one percent, from \$3,290 in 1906 to \$1,611 in 1940. The CPI

rose during the same period by fifty-nine percent and hence inflation-adjusted car prices dropped almost seventy percent. To give a better sense perhaps of what these numbers mean, Figure 4.2 translates them into terms closer to us: in 1993 prices the average car offered in the market in 1906 sold for \$52,640; whereas by 1940 the mean had dropped to \$16,565 (not so far, incidentally, from the average nominal price of cars in 1993). This dramatic fall in prices is one of the single most important facts pertaining to the evolution of the automobile industry in its first half century, reflecting as it does both momentous technological advances and a vast expansion of the market for automobiles.

As with most developments in the history of the automobile, the price decline was far from uniform over time. The largest part of the fall in CPI-deflated prices occurred in two installments early in our period: from 1906 through 1910 and from 1914 through 1918. In the course of the latter four years, the CPI-deflated price of cars shrank by almost one-half (from over \$44,000 to \$25,000 in 1993 dollars).¹⁷ From 1918 on there was for the most part a downward trend, but the overall drop was not nearly as dramatic as that of the earlier period.

The rise in prices from 1910 to 1914 was associated with a large and widespread increase in size and power of cars. Why precisely the big 1914-1918 decline occurred remains to be established. Recalling the dramatic introduction of mass production methods at Ford at the end of calendar year 1913, it is tempting to attribute the subsequent sharp decline to Ford. Interpretive caution is in order here, however. Ford introduced mass production alone at first. There were very few different Ford models in those years. Ford cars therefore represent a tiny percentage of our sample. If we had weighted prices by sales in calculating the series, then the price drop would be much more dramatic, and a big part of it would be due to Ford. But our series was not generated in that way. It is possible that the course of the actual series owes to cross-price elasticities or to the discovery of new market niches. Tastes may also have shifted downwards in time of war. There certainly was a noteworthy downsizing

of cars on the market, but what the cause of this was we cannot yet say. The subsequent secular decline of the series presumably has something to do with the diffusion of mass production methods across establishments, but that is a complex subject of its own.¹⁸

4.2 Selection of attributes

One fundamental difficulty has beset all hedonic car studies from Court onwards. It is that of identifying a set of attributes that can be taken to be the most important performance attributes of cars and that can be measured in a consistent fashion over time. Only if quality in this sense is quite tightly controlled for can we begin to regard as reliable quality-adjusted price indices based on hedonic regressions.

Any quality adjustment method requires regressors that would in principle go directly into a consumer's utility function. "Reliability," "smoothness of ride," "safety," "comfort," etc. are presumably the sort of attributes in question. But these are extremely hard to quantify in an objective or even consistent manner. Engineering (i.e. technical) attributes are much easier to measure; but they are certainly further removed from the quality dimensions perceived by consumers.

The difficulty in identifying structural relationships between engineering attributes and utility stems from the fact, sketched in Section 2 above, that for all their pervasiveness and ease of operation, cars are extremely complex machines. Their overall performance depends in a complicated way upon the performance of each of the systems, upon trade-offs made between them, and upon the extent to which their design is well integrated. All this makes it a formidable challenge to devise variables that would even proxy the performance of individual model designs in an unambiguous and parsimonious way. We have made some progress in that respect in this study by including (apparently for the first time) actual measures for many of those systems (brakes, clutch, drive

mechanism, etc.). Whether our selection of systems and variable definitions are the most appropriate or effective only further investigation will reveal.

In the end, we decided to include three categories of attributes in the hedonic regressions: measures of vehicle size, engine power, and the technology of five major engineering systems. Size and power have been used in virtually all auto hedonics studies. They are very closely associated with price; and casual empiricism suggests that consumers do care about them. For systems, we initially attempted to cover all the major ones identified in Section 2. In particular pairs of years, however, we often had to make significant compromises in the face of data limitations of various sorts.¹⁹

For size we use wheelbase, measured in inches.²⁰ For power we have available for most years two alternative measures: rated horsepower and displacement. We opt for the latter whenever it is available because it captures more information (i.e. stroke, bore, and number of cylinders).²¹ The five systems we chose are the rear axle, clutch, brakes, drive type, and suspension. The dummy variables are defined in Table 4.1 with their names as they appear in the hedonic regression results later in the paper.²²

Each of these systems underwent dramatic changes over the period studied. Technical innovations, changes in demand, and the shifting interactions with related systems made particular designs emerge and diffuse, only to be superseded later by others. The methods of this project required us to trace and grasp the evolution of system designs over time, both in order to define the categories that eventually appeared as dummy variables in the hedonic regressions and to form priors as to the likely sign of their coefficients. In addition, we believe that the time paths followed by competing designs are of significant interest in themselves. They show vividly the contest between alternative systems and the speed of diffusion of those that emerged as dominant. We present in the Appendix a technical and graphical description of the evolution of the main systems.

If one of the types should become a virtual standard (i.e. if its share among the competing models approaches 100 percent), then it approaches

collinearity with the regressions' constant terms. The system can no longer be included in the regression. That is the case for spring type from 1928 on, for example: the half-elliptical type had been adopted by then in over ninety-five percent of all cars marketed. In other cases, though, one type became dominant but then differentiates as subvariants appear. In this case, the system can be still included: it merely requires a different dummy variable. For example, by 1928 the dominant clutch type was plate, but for a few years afterwards the market split between single plate and double plate. In the case of the drive type, the spiral bevel acquired absolute dominance by 1922; but from 1926 on it had to compete against the hypoid type. By 1940 the latter was present in eighty percent of all models.

4.3 *Estimating Hedonic Regressions*

We estimate semi-log hedonic regressions using both current and CPI-deflated prices for every pair of adjacent years and include a dummy for the later year in the pair.²³ Tables 4.2 through 4.4 show the results. Since we are interested primarily in computing quality-adjusted price indices, we content ourselves here with pointing out certain salient features of the regressions without analyzing them in comprehensive detail.

The coefficient of wheelbase is strikingly stable across most of the regressions, and strongly statistically significant throughout. The coefficient of displacement (i.e. power) is also quite steady during the 1920's, though it is less stable both before and after. The systems variables are for the most part significant; but aside a few relatively short-lived instances (e.g. CLPLATE from 1914 to 1920), their coefficients vary a great deal.²⁴

Note that the R^2 values are high and systematically increasing over time, rising from about 0.70 in the 1910's to about 0.90 in the 1930's. Likewise, the mean square error of the regressions systematically decreases over time. This

pattern may be seen more clearly in the course of the average MSE decade by decade:

Decade	Average MSE
1906-10	0.1100
1910-20	0.0974
1920-30	0.0798
1930-40	0.0594

It is thus quite evident that the fit of the hedonic regressions improves over time. It is not entirely clear why we should observe this pattern. One possible explanation is that the looser fit in the earlier years reflects greater technological heterogeneity and so a greater number of omitted aspects of quality. Subsequent convergence towards standard designs varying principally simply in size and power would by itself then lead to improving fit. It is also possible that with the increasing maturity of the market for automobiles, the preferences of consumers became increasingly well defined and the consumers themselves increasingly well informed. Both of these factors would have worked to force prices more and more into line with the observed attributes. It would be interesting to see whether the phenomenon of a tighter fit of the hedonic regression as an industry evolves from infancy to maturity is also found in other markets.

5. Quality-Adjusted Price Indices

In this Section we compute quality-adjusted price indices for automobiles, decompose them into two components corresponding to process and product innovation, and break down the entire period into more homogeneous sub-periods. We also compare them to parallel indices for computers. Finally, we couple our series to Gordon's for the post-war decades so as to see the industry's history whole.

5.1 Simple quality-adjusted price indices

On the basis of the hedonic coefficient, denoted hereafter by α , we compute a quality-adjusted percentage price change as follows.

$$\% \Delta \text{QAPrice} = \exp(\alpha) - 1$$

QA stands here for quality-adjusted, $\% \Delta$ for percentage change.²⁵ We calculate $\% \Delta \text{QAPrice}$ both for α 's estimated on the basis of current prices and for α 's estimated on the basis of CPI-deflated prices. We then construct corresponding quality-adjusted price indices with the results shown in Table 5.1.

The main findings are as follows. First, quality-adjusted prices (based on CPI-deflated prices) fell at an average rate of slightly more than five percent per year from 1906 to 1940, thus halving every thirteen years. This is by absolute standards quite a substantial pace. In constant-1993 dollar terms, it means that the average price of a car of constant quality was \$52,600 in 1906 and that this fell to just \$8,100 by 1940. To put this in perspective, if the industry would have continued to innovate at the same rate from 1944 to the present (1994), a car would cost these days just \$582 on a quality-adjusted basis.

Secondly, as is to be expected, the rate of change of quality-adjusted prices using CPI-deflated prices was generally larger in absolute value than using current prices. The exception is periods of marked deflation, during which auto prices--like the prices of many durables--dropped more slowly than the CPI.²⁶ Thirdly, we ran different variants of the hedonic regressions and constructed the corresponding indices in order to ascertain the role played by the inclusion of the variables representing the five engineering systems. The results (not shown in the tables) indicate that their inclusion does make a difference, but for the most part, it is a small one--in the range of one-half to one and a half percentage points per year in the computation of $\% \Delta \text{QAPrice}$.²⁷

5.2 Process- versus product innovation

We next compute a rate of quality change, defined as a residual:

$$\% \Delta \text{Quality} = \% \Delta \text{Price} - \% \Delta \text{QAPrice}$$

If the attributes of cars remain constant, $\% \Delta \text{Price}$ is exactly equal to $\% \Delta \text{QAPrice}$, and $\% \Delta \text{Quality}$ must take the value of zero. Suppose, on the other hand, that cars improve. Then $\% \Delta \text{QAPrice}$ is strictly less than $\% \Delta \text{Price}$. We might call the difference--that is, $\% \Delta \text{Quality}$ --pure quality change. If there is technical advance then this difference would be positive. (In this case $\% \Delta \text{QAPrice}$ would be negative, since it refers to the quality-adjusted price decline). Notice that $\% \Delta \text{Quality}$ can take negative values if quality-adjusted prices drop less or rise more than unadjusted prices. That would be the case, for example, if prices did not change but some cars displayed less of some attributes that were positively valued (or, more precisely, that show a positive coefficient in the hedonic regression)

The series is displayed in Table 5.2. The five percent average annual decline of quality-adjusted prices can be decomposed as follows. Prices by themselves (CPI-deflated) dropped at a rate of three percent per year. The residual "quality" therefore increased at a rate of two percent. If we identify quality-constant price change with manufacturing economies and quality change as we have defined it with design improvements, then these numbers suggest that sixty percent of the decline in quality-adjusted prices was due to process innovation and only forty percent to product innovation or quality change per se.

This partition of the overall quality-adjusted price decline into a product innovation and a process innovation component should be regarded cautiously.²⁸ Many modern manufacturing economies, for example, come from simplifying designs, and a reliable decomposition would therefore have to study specific innovations (see for example Whitney 1988). And prices can certainly fall for a variety of reasons, among them increased competition and lower input prices. But the identification with process innovation seems plausible because of the dramatic

economies offered by the development and diffusion of mass production methods. There can be no doubt that the set of techniques grouped under the umbrella term of mass production constituted one of the most important innovations in manufacturing methods of all time and had tremendous consequences in terms of unit costs, scale, and production capabilities. The drop from, say, the \$2,000-\$3,000 cars of the early 1910's to the sub-\$500 Ford Model T would have never been possible with the craft-like production and assembly methods that prevailed then.

It remains to be established, however, precisely how much of the industry's overall price drop could be attributed to the diffusion of mass production and what exactly the causal link was. Casual evidence suggests that the relationship was very non-linear, perhaps because of the interplay between innovation and competition. Recall that prices dropped a great deal in the immediate aftermath of Ford's introduction of mass production. Recall also that this was a period in which Ford was the only producer to operate in this fashion. We speculated above that the generalized drop was due to competitive pressures brought about by Ford's drastic price reductions. That the downward trend in prices continued along with the diffusion of mass production is certainly consistent with this explanation; but it is not clear how closely synchronized the two processes were.²⁹ It would also be interesting to see whether the steep and sustained drop in prices experienced by the automobile industry over more than three decades is typical of new industries along their trajectory towards maturity or was unique.

5.3 Quality-adjusted price changes over sub-periods

Price changes averaged over the entire period conceal significant and interesting differences across sub-periods. In this Section we present the bare facts. We leave for future work detailed examination and explanation of the differences.

As Table 5.3 reveals, one can clearly distinguish four periods in terms of $\% \Delta QAPrice$ and $\% \Delta Quality$. Note that the partition is not exactly the same for the two measures. Most of the innovation appears to have occurred very early on (i.e. 1906 through either 1914 or 1918, depending on which series one uses). Moreover, the highest rates of quality change occurred at the very beginning (1906-14). This is undoubtedly the portion of our period in which the greatest proportion of entrepreneurs were engineers or mechanics by training, knowledge spillovers were all pervasive, and design bureaucracies were shallowest. Whatever the mechanisms may have been, the pattern lends further support to the conjecture that it is indeed in the course of the emergence of a new industry that the largest strides in product innovation are made.³⁰ An important implication of this is that if one misses out those early stages in computing quality-adjusted price indices, one is bound to grossly underestimate the welfare effects of product innovation.

In order to gain some perspective on the observed rate of innovation in cars during the initial period, it is worth comparing it to what might be regarded as the parallel period for personal computers, namely 1982-88. As reported in Berndt and Griliches 1993, the average rate of quality-adjusted price decline in that industry and period was somewhere between -0.20 and -0.30 percent per year (depending on the sort of estimate used). For cars, our results show a figure of about half that size (-0.11 percent per year for 1906-18, -0.14 per year for 1906-14). This is quite remarkable considering that the case of personal computers is widely regarded as extreme in its rate of real price decline. The decline for PC's derived primarily from a long and steady series of dramatic improvements in integrated circuit--in particular, microprocessor--design and manufacturing capabilities. No major automobile component experienced such sustained dramatic price/performance declines.³¹ Yet the entire choice spectrum of cars displayed eleven to fourteen percent yearly rates of quality adjusted price drops for roughly a decade!

The biggest discrepancy between the picture presented by $\% \Delta QAPrice$ and that

As Table 5.3 reveals, one can clearly distinguish four periods in terms of $\% \Delta QAPrice$ and $\% \Delta Quality$. Note that the partition is not exactly the same for the two measures. Most of the innovation appears to have occurred very early on (i.e. 1906 through either 1914 or 1918, depending on which series one uses). Moreover, the highest rates of quality change occurred at the very beginning (1906-14). This is undoubtedly the portion of our period in which the greatest proportion of entrepreneurs were engineers or mechanics by training, knowledge spillovers were all pervasive, and design bureaucracies were shallowest. Whatever the mechanisms may have been, the pattern lends further support to the conjecture that it is indeed in the course of the emergence of a new industry that the largest strides in product innovation are made.³⁰ An important implication of this is that if one misses out those early stages in computing quality-adjusted price indices, one is bound to grossly underestimate the welfare effects of product innovation.

In order to gain some perspective on the observed rate of innovation in cars during the initial period, it is worth comparing it to what might be regarded as the parallel period for personal computers, namely 1982-88. As reported in Berndt and Griliches 1993, the average rate of quality-adjusted price decline in that industry and period was somewhere between -0.20 and -0.30 percent per year (depending on the sort of estimate used). For cars, our results show a figure of about half that size (-0.11 percent per year for 1906-18, -0.14 per year for 1906-14). This is quite remarkable considering that the case of personal computers is widely regarded as extreme in its rate of real price decline. The decline for PC's derived primarily from a long and steady series of dramatic improvements in integrated circuit--in particular, microprocessor--design and manufacturing capabilities. No major automobile component experienced such sustained dramatic price/performance declines.³¹ Yet the entire choice spectrum of cars displayed eleven to fourteen percent yearly rates of quality adjusted price drops for roughly a decade!

The biggest discrepancy between the picture presented by $\% \Delta QAPrice$ and that

drop in prices (amounting to minus thirty-three percent in CPI-deflated prices), but at the same time there was a significant downsizing of cars (i.e. both mean wheelbase and power declined a great deal). As a result, the drop in quality-adjusted prices is less than that of un-adjusted prices (-0.30 versus -0.33). If one were to exclude wheelbase and power from the regression, but include the "systems", then the quality-adjusted price decline jumps to minus fifty-four percent!

28. See also Griliches, 1961.

29. Nor can it be at this time. Surprisingly little is actually known about the diffusion of these methods on the firm- and establishment-level. See Raff 1991 and Bresnahan and Raff 1993 for a start.

30. Trajtenberg 1990 documents this pattern for the case of CT scanners.

31. T.L. DeFazio, Charles Stark Draper Laboratories, personal communication.

32. This happened again after 1975 (Gordon 1990). In that instance, the improvement in fuel economy offset the estimated value of the decline in size. It is unfortunate that no broadly based data on model fuel economy exists for the period studied in this paper.

33. His regressions do not incorporate our systems approach; but much of the explanatory power in both is carried by the common variables.

34. The break in the series is ultimately due to the cessation of automobile production during World War II.

35. On the Company's post-war troubles, see Nevins and Hill 1957.

36. In the twenties, the Ford mother plant was often said to be the largest single industrial establishment in the world.

37. This came from GM's Chevrolet (circa 1924) and the Chrysler Plymouth (1928).

38. The manufacturers were Buick, Cadillac, Chevrolet, Dodge, Ford, and Packard. See, e.g., U.S. Bureau of Labor Statistics 1929, p. 2 and Table 9.

39. For details and some drawings, see Newcomb and Spurr 1989, pp. 268-270.

40. Towards the end of our period one first begins to see the coil springs that were related to the development of independent front suspension.

economies offered by the development and diffusion of mass production methods. There can be no doubt that the set of techniques grouped under the umbrella term of mass production constituted one of the most important innovations in manufacturing methods of all time and had tremendous consequences in terms of unit costs, scale, and production capabilities. The drop from, say, the \$2,000-\$3,000 cars of the early 1910's to the sub-\$500 Ford Model T would have never been possible with the craft-like production and assembly methods that prevailed then.

It remains to be established, however, precisely how much of the industry's overall price drop could be attributed to the diffusion of mass production and what exactly the causal link was. Casual evidence suggests that the relationship was very non-linear, perhaps because of the interplay between innovation and competition. Recall that prices dropped a great deal in the immediate aftermath of Ford's introduction of mass production. Recall also that this was a period in which Ford was the only producer to operate in this fashion. We speculated above that the generalized drop was due to competitive pressures brought about by Ford's drastic price reductions. That the downward trend in prices continued along with the diffusion of mass production is certainly consistent with this explanation; but it is not clear how closely synchronized the two processes were.²⁹ It would also be interesting to see whether the steep and sustained drop in prices experienced by the automobile industry over more than three decades is typical of new industries along their trajectory towards maturity or was unique.

5.3 Quality-adjusted price changes over sub-periods

Price changes averaged over the entire period conceal significant and interesting differences across sub-periods. In this Section we present the bare facts. We leave for future work detailed examination and explanation of the differences.

from Δ Quality is in the period 1914-18. During those years prices came down steeply, but measured quality stagnated or even worsened a little. As already mentioned, those years saw a substantial downsizing of cars. In the context of hedonic measurement, this registers as quality decline. A similar phenomenon happened in 1936, when a significant price drop (of over twenty percent) was more than offset by downsizing, resulting in a measured quality change residual of minus twenty-one percent.³² However, it is doubtful that the reduction in the mean of some of the measured attributes during those episodes corresponds to welfare losses of the magnitude suggested by the hedonic computations. We discuss why this is so in Section 6 below.

Another interesting fact to notice is the dramatic changes from period to period and the pro-cyclical pattern that they follow. This could in principle be a manifestation of economies of scale in production or of competition in the product market driving profit margins. This too is a finding in want of further research and interpretation.

5.4 *A longer horizon*

It is natural to want to place the main findings of this Section in the context of a more extended history of the industry. The obvious way to do this is to link the appropriate series of ours to the recent series of Gordon running from just after the war through the early 1980s. Since Gordon's series also derives from unweighted regressions, it is in fact appropriate to link the two directly.³³ The linking can be accomplished using numbers relating 1937 and 1950 cross-sections from Griliches 1961. Table 5.4 gives the combined series.³⁴ Figure 5.1 illustrates.

It would be in the spirit of the literature to give a detailed interpretation to this Figure. But the underlying series are in terms of current prices, and the radical changes in the general price level that occurred over

this extended period suggest deflating by the CPI first. This yields the series illustrated in Figure 5.2. The explosion at the end of the series in Figure 5.1--proportionately roughly as large as the declines of the early years--is revealed to be for practical purposes entirely inflation. The overwhelming bulk of the quality-adjusted price decline in this industry came in a tremendous burst before the 20s. By the time the Depression was over, so was ninety percent of the story. Computations of growth rates averaged out over very long intervals can indeed miss the most salient details.

6. Potential Biases

The fact that our estimates are based on unweighted hedonic regressions may introduce biases in the quality-adjusted price indices, primarily in those sub-periods that experienced pronounced shifts in the structure of the market. The main concern is that our indices may understate the extent of the real price reduction associated with the introduction and diffusion of mass production methods and the concomitant ascendancy of low-end models, primarily the Ford Model T. The issues here are interesting and worth exploring.

There are two intertwined but nevertheless distinct aspects to the Model T phenomenon. First, true mass production methods were deployed in manufacturing it. These methods allowed Ford to realize vast economies of scale and concomitant cost savings which emerged in substantial part as steep price reductions. The low prices sustained the mass market. Second, the Model T was a smaller, simpler, less powerful, and less luxurious car than virtually any other car of its time. These two aspects are intimately connected.

It is quite clear that if the model T had been produced with the craft methods that were prevalent in the industry at the time, its price would have been much higher. In fact, hedonic regressions including a dummy variable for Ford in the early period show large negative coefficients on the dummy, in some

years amounting to a price discount of forty percent. That is, the Ford model T was radically cheaper than what was warranted by the mere fact that it was smaller, simpler, and less powerful than other cars in the market. This was the force of mass production.

On the other hand, it seems equally clear that introducing mass production methods in manufacturing the higher-end models of the time, even if it had been technologically feasible, would have not rendered cars nearly as low-priced as they needed to be to hit the more elastic segments of demand. In fact, the mass market revealed itself only as the price dropped to about \$500, about one-sixth of the mean price of cars in preceding years. In other words, the adoption of mass production methods could be justified only if one could indeed produce in very large quantities, and these could find a market only if the car was to be very cheap. This, in turn, necessitated the design of a small, stripped-to-the-bone type of car. Similarly, as the mass production methods spread to other manufacturers, they were applied first (and, for quite a while, only) to cars at the low end or, more precisely, to small, simple cars designed specifically with these relationships in mind.

What are the implications of these facts for the construction (and interpretation) of our price indices? There are two, one related to the fact that we do not have quantity data, the other to the inherent limitations of the hedonic methods in these circumstances. We discuss them sequentially in the remainder of this Section.

6.1 The Lack of Quantity Data: Biases and Remedies

Our lack of detailed quantity data, which obliged us to base our calculations on nothing more complex than unweighted hedonic regressions, might cause a serious underestimate of the price fall that took place as mass production methods were introduced and the Ford model T captured a large share of the total market. One can think of this as a sampling problem. As the market

composition shifted dramatically towards the low-end, we kept sampling according to the old frame in which all models received their initial--implicitly, equal--weights. How big a problem is this? To assess the extent of the bias, we bring in two additional sets of numbers. These are a separate index for Ford cars alone, which we calculated for this purpose, and the automobile component of the Producer Price Index of the period, a component which is based primarily on mass-produced cars.

The simplest way to assess the extent of the bias without resort to unavailable broadly-based quantity data is to take the lowest-priced Ford as a reasonable proxy for the mass market car of each year, create a quality-adjusted price index for Ford, and observe how it compares to our QAPrice index. Figure 6.1 does this. It was convenient to start the Ford series with a figure for 1910, so the comparison runs 1910--1940.

It is important to note that Ford sold just one basic design, with only minor variations, from the beginning of the period shown here through 1927. The first epoch in the Ford series is a long decline, punctuated only by a spike in the immediate post-war years representing the sharp but transitory post-war inflation, the Company's financial crisis, and its desperate--if in the end quite effective--measures to avoid insolvency.³⁵ During this decade and a half, Ford cars were produced with unusually capital-intensive methods.³⁶ Output exploded and economies of scale were exploited relentlessly. By 1926, the design was unchanged but the market was not. It was in this period that Ford acquired, for the first time, serious competition for the low end of the market.³⁷ The Model T clearly needed to be replaced, and the late twenties at Ford were the epoch of the more sophisticated Model A. Production ramped up and costs fell, albeit more slowly than before. By the mid-1930s, bolstered by the Depression-induced shake-out of smaller-scale producers, all three makes were moving upmarket in attribute space, and the final epoch of Ford numbers reflect this.

Figure 6.1 faithfully depicts these developments. We can see that the divergence between the unweighted series and Ford's starts in 1918 and goes on until 1930, with Ford's showing--as expected--a lower index. But it is in the

mid-twenties that the difference becomes very pronounced, with the Ford index reaching a low of less than one-half the level of the unweighted index in 1922-1924. The mechanics of this are quite simple. Our unweighted index converges back towards its 1916 level quite slowly from the post-war inflation spike. The Ford series, by contrast, positively vaults back onto the track of the scale-driven economies. It comes back up mid-decade as consumer tastes shifted towards the less spartan models the rest of the manufacturers were by then making. Two points thus emerge. First, it is when the market is experiencing dramatic changes in the composition of its output that the lack of quantity data proves most awkward for the hedonic method. Second, however, the unweighted index tells quite an accurate story over the long run of our period.

Figure 6.2 presents a similar comparison, but this time with the automobile component of the PPI. This was a quantity-weighted average of the prices of specific models of six manufacturers representing the broad sweep of the market.³⁸ This is in effect a selective quantity-weighted index uncorrected for changes in quality. The most important feature of the Figure is that the two series have the same broad qualitative features. But contrary to Gordon's findings for the post-WWII period, there is no trending bias to the PPI component here. The relative positions of our index and the PPI series change as downsizing or quality-enhancement in the ordinary sense dominate. In this, our index is surely superior. The Figure also shows our index to be off in periods of market composition change. This is just what we observed with the Ford series.

6.2 *Potential biases due to downsizing*

The second potential source of bias stems from the other aspect of mass production, namely that in the event it involved manufacturing low-end cars. In

fact, from the mid-1910s to the mid-1920s there was a pronounced downsizing trend in the mix of models offered in the market, and a concomitant reduction in prices. A second downsizing wave, less pronounced, occurred also in the late 1930's). As we have remarked, it remains to be established how precisely this relates to the advent of mass production since Ford alone introduced those methods to begin with and Ford models constituted only a tiny fraction of the population of models. Clearly, these issues can be properly dealt with if and only if extensive quantity data become available.

But the problem in this context is that the hedonic method cannot (and was never meant to) assess the trade-offs in utility between a reduction in measurable quality (for example, HP) and the price reduction. All it can do is to tell whether the prices fell on average more or less than what the reduction in quality would have warranted and to translate that measure into a price index. Is such index an accurate representation of the underlying changes in consumers' welfare as a consequence of the introduction of low-end cars? Without more information it is impossible to say, but there is good reason to suspect not.

Consider the hypothetical situation depicted in Figure 6.3. Price is measured on the vertical axis, a positively-valued attribute such as HP on the horizontal. In the base period, the hedonic function is the line $h-h$. The indifference curve $u-u$ represents consumers who buy the lowest quality-price combination but are not "satisfied" in the sense that there being a tangency between the indifference curve and the hedonic surface. (Compare their situation to that of the consumers represented by the indifference curve $v-v$.) In the second period, new low-end models appear. As a consequence, the $u-u$ type of consumers can attain a higher utility level, $u'-u'$. A hedonic quality-adjusted price index might decrease somewhat, show no change at all (as shown in Figure 6.3), or even increase. Whichever, it will be biased upwards: the distance between $U-U$ and $U'-U'$, which is a rough approximation for the welfare gain associated with the change, will always exceed the distance between the old and new hedonic curve. Indeed, the overall bias may be very large if consumers of the $U-U$ type comprise a large fraction of the market. This seems likely to have

been the case in the late 1910s and the first half of the 1920s. Without quantity data and the more demanding computational methods, however, we cannot assess the magnitude of the bias. We can only identify the periods in which this bias is likely to occur and interpret hedonic-based results for those periods as lower bounds for the true quality-adjusted price reductions.

7. Conclusion

Most of the change in quality-adjusted prices (based on CPI-deflated prices) of American automobiles between 1906 and 1983 occurred during the period studied in this paper. Between our years of 1906 and 1940, quality-adjusted prices fell at an average rate of five percent per year, thus halving every thirteen years. That is a very brisk pace. In the first eight to twelve years of the period, the pace was even brisker, about one-half the size of the best recent estimates for the personal computer industry. We find this one-half fraction intriguingly high for an industry that in its time wrought equally radical changes on society and on the feasibility of other innovations. Methodological reflections suggest that the true fraction may be even higher.

Our measured decline can be divided into price and quality components. Prices themselves (CPI-deflated) dropped at a rate of three percent, whereas quality as we measure it increased at a rate of two percent a year. This suggests that sixty percent of the decline in quality-adjusted prices was due to process innovation and only forty percent to product innovation or quality change per se.

One innovation of this study was to include much more detail of the mechanical aspects of the vehicles in the regressors. Regression results, some reported here and some not, indicate that inclusion of systems variables does make a difference. For the most part, however, the difference is a small one (about one percentage point in the computation of $\% \Delta QAPrice$). This may grow

larger as researchers' sophistication about engineering issues grows.

These estimates all derive from unweighted regressions. Comparisons of the unweighted index with an index derived from low-end Ford models, a reasonable proxy throughout the period for the mass market, reveals a significant divergence for a brief (transitional) period but otherwise fairly thoroughgoing conformity. Thus long- and even medium-term measures of the sort discussed above would be unaffected by the choice of index. Comparison of our index with a quantity-weighted BLS index that does not correct for quality change reinforces this point and also underlines the importance of correcting for quality.

This paper is a first quantitative glimpse into one of the most dynamic and interesting periods in the history of modern industrial sectors. A number of substantive questions clearly worthy of further research have emerged. Pursuing most of them would require a database incorporating quantity data. More light may thus be shed in future work.

BIBLIOGRAPHY

- Berndt, E.R., and Z. Griliches. 1993. "Price Indexes for Microcomputers: An Exploratory Study." In Price Measurements and their Uses, 63-93. Chicago: University of Chicago Press.
- Bresnahan, T.F., and D.M.G. Raff. 1991. "Intra-Industry Heterogeneity and the Great Depression: The American Motor Vehicles Industry 1929--1935." Journal of Economic History 51:317-331.
- Bresnahan, T.F., and D.M.G. Raff. 1993. "Technological Heterogeneity, Adjustment Costs, and the Dynamics of Plant Shut-Down Behavior: The American Motor Vehicle Industry in the Time of the Great Depression." Working Paper No. FB-93-09. New York: Columbia University Graduate School of Business.
- Court, A.T. 1939. "Hedonic Price Indices with Automotive Examples." In The Dynamics of Automobile Demand, 77-99. Detroit: General Motors.
- Flink, J.J. 1988. The Automobile Age. Cambridge: MIT Press.
- Gordon, R.J. 1990. The Measurement of Durable Goods Prices. Chicago: University of Chicago Press.
- Griliches, Z. 1961. "Hedonic Price Indexes for Automobiles: An Econometric Analysis of Quality Change." In Price Statistics of the Federal Government, General Series 73, 137-196. New York: National Bureau of Economic Research.
- Griliches, Z. 1971. "Introduction: Hedonic Price Indexes Revisited." In Z. Griliches, ed., Price Indexes and Quality Change: Studies in New Methods and Measurement, 3-15. Cambridge: Harvard University Press.
- Griliches, Z., and P. Ryan. 1971. "Hedonic Price Analysis for Vintage Automobiles." Unpublished.
- Kimes, B.R., and H.A. Clark, Jr. 1985. Standard Catalogue of American Cars 1805-1942 (Second edition). Iola, Minnesota: Krause.
- Nevins, A. 1954. Ford: The Times, the Man, the Company. New York: Scribner's.
- Nevins, A., and F.E. Hill. 1957. Ford: Expansion and Challenge 1915-1933. New York: Scribner's.
- Newcomb, T.P., and R.T. Spurr. 1989. A Technical History of the Motor Car. New York: Adam Hilger.

- Ohta, M., and Z. Griliches. 1976. "Automobile Prices Revisited: Extensions of the Hedonic Hypothesis." In N.E. Terleckyi, ed., Household Production and Consumption, 325-390. New York: National Bureau of Economic Research.
- Pakes, A., S. Berry, and J. Levinsohn. 1993. "Applications and Limitations of Some Recent Advances in Empirical Industrial Organization: Price Indices and the Analysis of Environmental Change." American Economic Review Papers and Proceedings 83:240- 246.
- Raff, D.M.G. 1991. "Making Cars and Making Money in the Interwar Automobile Industry: Economies of Scale, Economies of Scope, and the Manufacturing that Stood Behind the Marketing." Business History Review 65:721-753.
- Trajtenberg, M. 1990. Economic Analysis of Product Innovation: The Case of CT Scanners. Cambridge: Harvard University Press.
- Triplett, J.E. 1969. "Automobiles and Hedonic Quality Measurement." Journal of Political Economy 77:408-417.
- U.S. Bureau of Labor Statistics. 1929. "Wholesale Prices 1913--1927." Bulletin No. 473. Washington: Government Printing Office.
- U.S. Bureau of the Census. 1976. Historical Statistics of the United States. Washington: Government Printing Office.
- Whitney, D.E. 1988. "Manufacturing by Design." Harvard Business Review 66(4):83-91.

APPENDIX:

The Evolution of System Designs

Figure A.1 shows the initial division of rear axle designs between the floating and the lighter and cheaper half- (or semi-) floating design. The main design issue here is how the weight of the car over each half of the axle is carried.³⁹ Initially, the semi-floating approach lost ground to the fully floating, presumably as the inadequacy of contemporary single bearings to carry the loads and stresses emerged. As incremental innovations in bearing design emerged, the proportion of semi- and the three-quarters floating designs in the population grew at the fully floating's expense; finally the bearing innovations seem to have been perfected, the half-floating design itself was perfected, and it essentially drove the others out of the population entirely.

The population of clutch types is displayed in Figure A.2. There were initially a number of competing approaches (and in principle a number of variants of each). The cone design was familiar to machinists and in that sense accessible. But the mechanism needed regular cleaning and adjustment; engagement was abrupt; and the heaviness of the mechanism made gear-changing difficult. The plate family did not have these problems. Initially, inadequacies of the facing materials made single-plate clutches inappropriate for relatively heavy cars. The decline of the multi-plate percentage in the thirties may well represent the declining percentage of heavy automobiles. Improved facing materials probably also play some role.

Figure A.3, badly afflicted with missing data, shows a similar sort of rise and fall. Hydraulic brake systems were at first expensive relative to mechanical ones. (There were also engineering reasons for wanting some of the tubing to be flexible and suspicions about the tubing's integrity persisted for some time.) Relative cost may account for the relative decline in hydraulic systems' incidence in the early Depression years. But they were almost completely

dominant by the end of the decade.

Drive types are the subject of Figure A.4. This variable concerns the means by which power was transmitted to the rear axle. Chain drives were mechanically simple and common in the very earliest cars. They contributed to a smooth ride since they involved a relatively high ratio of sprung to unsprung weight. But they were also noisy and potentially dangerous. They did not last in the population. Ordinary bevel gears had fewer of these still faults but were still noisy relative to spiral bevelled gears. The spiral bevel design emerged as the most desirable for a time but was eventually eclipsed by another innovation, hypoid gearing, that maintained these advantages and allowed the driveshaft to be lowered relative to the body.

Figure A.5 shows spring type population percentages. The transverse design seems to have been effective only for extremely light vehicles. The competition among the other designs for most of our period is best understood as being between the fully elliptic on the one hand and the half-elliptic family on the other.⁴⁰ The latter group included the half-elliptic design, the cantilever (a half-elliptic mounted in a slightly different fashion and requiring additional metal parts to constrain the axle), and the platform design (a more complex and heavier variant with no performance advantages). The issue between the full- and half-elliptics concerned how high above the axle the chassis and body had to sit. Presumably due to some combination of improving roads, evolving fashions in body styles, and the desire to take weight out of designs (so as to increase acceleration, improve fuel economy, etc.), the half-elliptic family and the half-elliptic design within it won out. In the graph, one again observes initial heterogeneity and the emergence of a dominant design.

TABLE 3.1
MANUFACTURERS AND MODELS

Year	Manufacturers	Mechanical models	Body models
1906	na	~100	204
1908	61	132	153
1910	224	424	1006
1912	161	316	977
1914	140	259	871
1916	121	192	495
1918	122	172	681
1920	126	155	569
1922	122	156	780
1924	93	127	696
1926	61	104	603
1928	48	117	784
1930	45	104	874
1932	33	90	752
1934	30	72	420
1936	26	64	460
1938	22	54	387
1940	21	62	414

The number given here for body models is the number for which we have data on price, wheelbase, and displacement. The number of body models in the underlying database is larger since in some early years data on displacement was not consistently available. The number of observations used in the regressions is slightly smaller since the regressions used only observations that also had complete information on the relevant systems.

TABLE 4.1
SYSTEMS VARIABLE DEFINITIONS

Rear Axle:

RAXLEF: rear axle of the fully floating type

RAXLE50F: rear axle "half floating"

Clutch:

CLDISC: clutch using disc

CLPLATE: clutch using plates

CLSPLATE: clutch using a single plate

Brakes:

BRIHYDRA: internal hydraulic brakes

Drive type:

DRSBEVEL: drive, spiral bevel

DRHYPOID: drive, hypoid

Suspension (spring type):

SHELLIP: spring, half elliptical

TABLE 4.2
HEDONIC PRICE REGRESSIONS FOR AUTOMOBILES (SEMILOG)
1906-1920

	1906-08	1908-10	1910-12	1912-14	1914-16	1916-18	1918-20
D-CURRENT*	-0.36 (-9.4)	-0.26 (-8.8)	-0.09 (-6.1)	-0.13 (-8.5)	-0.27 (-8.3)	0.15 (6.8)	0.31 (17.0)
D-CONSTANT**	-0.36 (-9.4)	-0.29 (-10.0)	-0.13 (-9.0)	-0.17 (-11.0)	-0.35 (-11.0)	-0.17 (-7.8)	0.03 (1.5)
WHEELBASE	0.04 (16.0)	0.03 (19.0)	0.02 (14.9)	0.03 (20.0)	0.046 (45.0)	0.05 (45.0)	0.04 (21.0)
HP	0.008 (3.3)	0.015 (11.0)					
DISPLACE			0.002 (18.7)	0.002 (18.0)	0.00 (0.0)	0.00 (0.0)	0.009 (5.3)
RAXLEF			0.076 (4.9)	0.002 (0.1)	-0.08 (-4.1)	-0.07 (-3.6)	-0.04 (-1.9)
CLDISC			0.05 (3.7)	0.08 (5.5)			
CLPLATE					-0.14 (-3.2)	-0.11 (-4.5)	-0.11 (-6.0)
DRSBEVEL					0.099 (2.8)	0.06 (2.1)	0.18 (5.7)
SPHELLIP			0.097 (5.7)	0.074 (3.7)	-0.046 (-1.5)	0.04 (1.6)	0.0005 (0.0)
R ²	0.75	0.70	0.70	0.70	0.69	0.73	0.77
MSE	0.119	0.099	0.087	0.087	0.113	0.111	0.089
# OBSERVATIONS	356	1150	1798	1710	1271	1115	1165

t-statistics in parentheses

*: Second-year dummy, current prices

**: Second-year dummy, constant (CPI-deflated) prices

TABLE 4.3
HEDONIC PRICE REGRESSIONS FOR AUTOMOBILES (SEMILOG)
1920-1930

	1920-22	1922-24	1924-26	1926-28	1928-30
D-CURRENT*	-0.09 (-5.0)	-0.15 (-8.7)	-0.10 (-6.3)	-0.07 (-4.9)	-0.13 (-11.0)
D-CONSTANT**	-0.085 (-4.5)	-0.17 (-9.8)	-0.14 (-8.4)	-0.04 (-2.7)	-0.11 (-9.0)
WHEELBASE	0.05 (25.0)	0.05 (30.0)	0.05 (36.0)	0.04 (39.0)	0.0035 (37.0)
DISPLACE	0.0007 (4.0)	0.001 (5.3)	0.001 (9.5)	0.002 (17.0)	0.003 (22.0)
RAXLE50F	0.005 (0.3)	-0.0008 (-0.5)	0.008 (3.9)	0.13 (6.2)	0.04 (2.5)
CLDISC	0.06 (2.9)	-0.002 (-0.09)			
CLPLATE			0.044 (2.5)	0.006 (0.3)	
DRSBEVEL	0.16 (3.2)				
SPHELLIP	-0.07 (-3.6)	-0.05 (-2.5)	-0.05 (-2.4)	-0.07 (-2.8)	
R ²	0.72	0.75	0.80	0.83	0.86
MSE	0.099	0.099	0.079	0.065	0.057
# OBSERVATIONS	1234	1403	1286	1370	1649

t-statistics in parentheses

*: Second-year dummy, current prices

*: Second-year dummy, constant (CPI-deflated) prices

TABLE 4.4
HEDONIC PRICE REGRESSIONS FOR AUTOMOBILES (SEMILOG)
1930-1940

	1930-32	1932-34	1934-36	1936-38	1938-40
D-CURRENT*	-0.2 (-15.0)	-0.08 (-4.2)	0.01 (0.5)	0.10 (9.7)	-0.05 (-2.4)
D-CONSTANT**	-0.003 (-0.3)	-0.06 (-3.1)	-0.02 (-1.3)	0.15 (8.7)	-0.04 (-2.1)
WHEELBASE	0.04 (37.0)	0.04 (28.0)	0.04 (22.0)	0.03 (21.0)	0.016 (10.7)
DISPLACE	0.002 (12.0)	0.0003 (1.2)	0.03 (13.0)	0.004 (20.0)	0.005 (23.0)
RAXLE50F	-0.09 (-4.2)	-0.16 (5.2)	0.04 (1.4)		
BRIHYDRA	0.06 (3.8)	0.02 (0.8)	-0.11 (-4.8)		
CLSPLATE	0.05 (2.5)	-0.15 (-6.1)	-0.05 (-1.6)		
DRHYPOID		0.22 (7.0)	-0.05 (-2.1)	-0.03 (-1.9)	-0.095 (-4.2)
R ²	0.87	0.89	0.92	0.89	0.83
MSE	0.066	0.064	0.043	0.052	0.072
# OBSERVATIONS	1589	958	787	832	800

t-statistics in parentheses

*: Second-year dummy, current prices

*: Second-year dummy, constant (CPI-deflated) prices

TABLE 5.1
QUALITY-ADJUSTED PRICE INDICES FOR AUTOMOBILES: 1906-1940

	Rate of change using:		Index using:	
	Current prices	Constant prices	Current prices	Constant prices
1908	-0.30	-0.30	70.0	70.0
1910	-0.23	-0.25	54.0	52.4
1912	-0.09	-0.12	49.3	46.0
1914	-0.12	-0.16	43.3	38.8
1916	-0.24	-0.30	33.1	27.4
1918	0.16	-0.16	38.4	23.1
1920	0.36	0.03	53.4	23.8
1922	-0.09	0.09	47.9	25.9
1924	-0.14	-0.16	41.2	21.9
1926	-0.10	-0.13	37.3	19.0
1928	-0.07	-0.12	34.8	16.7
1930	-0.04	-0.10	33.4	15.0
1932	-0.18	0.00	27.4	14.9
1934	-0.08	-0.06	25.3	14.0
1936	0.01	-0.02	25.5	13.8
1938	0.19	0.16	30.2	16.0
1940	-0.05	-0.04	28.8	15.4
<i>Ann. avg. 1906-1940</i>	<i>-0.03</i>	<i>-0.05</i>		

"Constant" prices are CPI-deflated, 1993=100

TABLE 5.2
PRICE AND QUALITY INDICES FOR AUTOMOBILES
(IN CONSTANT 1993 \$)

Year	Mean Price	Mean QAPrice	% Δ Price	% Δ QAPrice	% Δ Quality
1906	52 640	52 640			
1908	46 640	36 848	-0.11	-0.30	0.19
1910	39 860	27 583	-0.15	-0.25	0.10
1912	41 400	24 214	0.04	-0.12	0.16
1914	44 242	20 424	0.07	-0.16	0.23
1916	29 483	14 423	-0.33	-0.30	-0.03
1918	24 875	12 160	-0.16	-0.16	0.00
1920	24 566	12 528	-0.01	0.03	-0.04
1922	27 146	13 634	0.11	0.09	0.02
1924	22 732	11 528	-0.16	-0.16	0.00
1926	22 082	10 002	-0.03	-0.13	0.10
1928	21 241	8 791	-0.04	-0.12	0.08
1930	20 702	7 896	-0.03	-0.10	0.07
1932	25 803	7 843	0.25	0.00	0.25
1934	23 236	7 370	-0.10	-0.06	-0.04
1936	17 842	7 264	-0.23	-0.02	-0.21
1938	19 036	8 422	0.07	0.16	-0.09
1940	16 565	8 107	-0.13	-0.04	-0.09
<i>Avg. 1906-1940</i>			<i>-0.06</i>	<i>-0.10</i>	<i>0.04</i>

QA: Quality-adjustment from the hedonic regressions

TABLE 5.3
RATES OF CHANGE OF AUTO PRICES: SUB-PERIODS

(i) % Δ QAPrice

1906-1918:	-0.22
1918-1922:	0.06
1922-1930:	-0.13
1930-1940:	0.01
<i>1906-1940:</i>	<i>-0.10</i>

(ii) % Δ Quality

1906-1914:	0.17
1914-1924:	-0.01
1924-1932:	0.12
1930-1940:	-0.11
<i>1906-1940:</i>	<i>0.04</i>

TABLE 5.4
COMBINED HEDONIC PRICE INDEX

1906	100.0
1908	70.0
1910	54.0
1912	49.3
1914	43.3
1916	33.1
1918	38.4
1920	53.4
1922	47.9
1924	41.2
1926	37.3
1928	34.8
1930	33.4
1932	27.4
1934	25.3
1936	25.5
1938	30.2
1940	28.8
1947	34.7
1948	39.9
1949	46.9
1950	45.0
1951	48.8
1952	49.7
1953	49.7
1954	48.3
1955	50.8
1956	49.7
1957	50.3
1958	49.7
1959	50.8
1960	50.3
1961	50.8
1962	52.8
1963	51.8
1964	51.3
1965	50.3
1966	50.8
1967	51.3
1968	53.4
1969	52.3
1970	53.9
1971	57.8
1972	55.6
1973	54.5
1974	58.4
1975	68.5
1975	72.0
1977	74.3
1978	85.4
1979	88.9
1980	99.2
1981	124.9
1982	135.3
1983	140.8

The Coefficient on the variable D in Table 4 of Griliches 1961 was used to splice the third column of our Table 4.4 and Column 6 of Table 8.8 in Gordon 1990.

NOTES

1. Trajtenberg 1990.
2. By value-added, it ranked fifth out of three hundred twenty-six in 1929. Combining it with the (Census) Automotive Bodies and Parts industry brings that rank to first as well.
3. U.S. Bureau of the Census 1976, Series F2.
4. For a recent survey see Flink, 1988. His bibliography is extensive.
5. Getting the power generation started poses some problems distinct from those of continuing it. The design of the valves letting the gases into and, eventually out of, the space is also a subject in itself.
6. Early automobile engines had a fairly flat torque curve. As engines became more efficient-- in the engineer's sense of generating more power per unit displacement--torque curves became more peaked. The more this was so, the more convenient it was to operate the engine at a relatively steady pace irrespective of the speed at which one wanted the wheels to turn. This too made multiple gears desirable. (Both the phenomenon and the solution will be familiar to bicycle riders.)
7. When the vehicle turns, the inner and outer wheels cover different distances. They therefore need to rotate at different rates.
8. The more demanding methods, sketched in Footnote 15 below, are potentially more illuminating--for example, they can be used both to quantify welfare gains and to delineate their timing. The problem is that they require quantity data, that is, information on the quantities sold of each individual model in each year. No such database exists as of this writing. It is possible that one could be put together and coupled to the price and attribute data of this study. But doing this would be a major research enterprise in itself and was utterly beyond the scope of this paper.
9. Kimes and Clark 1985 gives somewhat more comprehensive coverage in its descriptive prose and images but not in its attribute descriptions.

10. This may be sensitive to the balance between consumers, the retail and repair trade, and manufacturers and engineers in each periodical's readership.

11. For example, the tables may report manufacturer rather than design type. Or they may report design types, but in a way that blurs the distinction between minor and major variants. With sufficient background research, however, much of this can be rendered useful.

12. It may be possible to obtain additional data for 1903-5, but the information for those early years seems to be less systematic and detailed.

13. Our procedure was to code data on the selected attributes from the most comprehensive source of auto show mechanical attribute tables available to us at the time of initial coding. We then went to that source's body tables to create the fuller row space in the identifier, price, and body type columns, and then copied the mechanical attribute data appropriately. We then went to the other periodical's tables and augmented as appropriate both the row space of individual manufacturers' body models and the column space of attributes we thought worth recording.

14. The most notable unpublished source is Griliches and Ryan 1971.

15. If we had possessed detailed quantity data, we would have estimated discrete choice models of demand, retrieved from them the underlying parameters of a utility function (i.e. marginal utilities of the attributes of cars and of income), and computed with the help of these welfare-based price indices. Trajtenberg 1990 and Berry et al. 1994 illustrate the method. Such procedures obviate most of the thorny problems that arise (see, e.g., Section 6 below) when using the hedonic method.

16. For a more expansive treatment of these matters, see Trajtenberg 1990, pp. 34-44.

17. We see here, for example, how the information conveyed by looking at current prices is greatly distorted by the post World War I inflationary surge. Nominal prices were actually higher in 1920 than in 1906, but controlling for inflation reveals that prices had dropped by more than one-half!

18. Bresnahan and Raff (1991), Raff (1991), and Bresnahan and Raff (1993).

19. Some systems that clearly are important did not exhibit sufficient variation (because a certain type was universally adopted very quickly). In other cases the qualitative categories reported in our sources were not consistent over time and hence could not be expressed as across adjacent years as uniform dummy variables.

20. The results are very similar if one uses weight instead.

21. Rated HP is determined by a formula that is not sensitive to important features of engine design. In general, it is not the same as average or maximum HP. For the years 1906-1910 we did not have consistent measures of displacement or its determinants and were obliged to use rated HP faute de mieux. We can observe that for the years for which we had both regressors, the results were not sensitive to which was chosen.

22. In the case of each dummy, of course, there is a residual category. Thus, for example, RAXLE50F=1 if the rear axle was half floating, RAXLE50F=0 if it was of a different type.

23. Henceforth we refer to the coefficient on the dummy for the later year as the hedonic coefficient. Recall that adjacent years in our database are in fact two years apart.

24. We will not attempt to interpret the magnitudes of particular coefficients here. The literature appears to be divided on whether this is a useful activity; and it would in any case require a technical discussion not germane to the goals of this section.

25. Note that for small values of α , $\% \Delta QAPrice = \alpha$. But as α grows larger in absolute value, so does the difference between $(\exp \alpha - 1)$ and α .

26. Thus in 1922 and 1932 the $\% \Delta QAPrice$ based on current prices shows large declines whereas the $\% \Delta QAPrice$ based on CPI-deflated prices either increases or shows no decline. The largest discrepancies between the two occurred in 1918 and 1920 because of the post-World War I inflation.

27. The one important exception is 1914-16. During that period there was a big

drop in prices (amounting to minus thirty-three percent in CPI-deflated prices), but at the same time there was a significant downsizing of cars (i.e. both mean wheelbase and power declined a great deal). As a result, the drop in quality-adjusted prices is less than that of un-adjusted prices (-0.30 versus -0.33). If one were to exclude wheelbase and power from the regression, but include the "systems", then the quality-adjusted price decline jumps to minus fifty-four percent!

28. See also Griliches, 1961.

29. Nor can it be at this time. Surprisingly little is actually known about the diffusion of these methods on the firm- and establishment-level. See Raff 1991 and Bresnahan and Raff 1993 for a start.

30. Trajtenberg 1990 documents this pattern for the case of CT scanners.

31. T.L. DeFazio, Charles Stark Draper Laboratories, personal communication.

32. This happened again after 1975 (Gordon 1990). In that instance, the improvement in fuel economy offset the estimated value of the decline in size. It is unfortunate that no broadly based data on model fuel economy exists for the period studied in this paper.

33. His regressions do not incorporate our systems approach; but much of the explanatory power in both is carried by the common variables.

34. The break in the series is ultimately due to the cessation of automobile production during World War II.

35. On the Company's post-war troubles, see Nevins and Hill 1957.

36. In the twenties, the Ford mother plant was often said to be the largest single industrial establishment in the world.

37. This came from GM's Chevrolet (circa 1924) and the Chrysler Plymouth (1928).

38. The manufacturers were Buick, Cadillac, Chevrolet, Dodge, Ford, and Packard. See, e.g., U.S. Bureau of Labor Statistics 1929, p. 2 and Table 9.

39. For details and some drawings, see Newcomb and Spurr 1989, pp. 268-270.

40. Towards the end of our period one first begins to see the coil springs that were related to the development of independent front suspension.

Fig 4.1

Auto Prices 1906-1940 in Current Dollars




Figure 4.2

Auto Prices 1906-1940 in Constant (1993) Dollars




Figure 5.1

Quality-Adjusted Price Index 1906-1982 from Current Dollar Data




Figure 5.2

Quality-Adjusted Price Index 1906-1982 Deflated by the Consumer Price Index




Figure 6.1

PPI Cars Component and QAPrice 1914-1930





Fig 6.2

Ford QAPrice versus All Models QAPrice 1910-1940



Figur 6.3

Downsizing Bias




Figure A.1

Rear Axle Designs 1910-1940




Figure A.2

Clutch Designs 1910-1940




Figure A.3

Brake Designs 1930-1940




Figure A.4

Drive Designs 1910-1940




Figure A.5

Spring Designs 1910-1940

