

This PDF is a selection from an out-of-print volume from the National Bureau of Economic Research

Volume Title: Fatal Years: Child Mortality in Late Nineteenth-Century America

Volume Author/Editor: Samuel H. Preston and Michael R. Haines

Volume Publisher: Princeton University Press

Volume ISBN: 0-691-04268-3

Volume URL: <http://www.nber.org/books/pres91-1>

Conference Date: n/a

Publication Date: January 1991

Chapter Title: Index

Chapter Author: Samuel H. Preston, Michael R. Haines

Chapter URL: <http://www.nber.org/chapters/c11552>

Chapter pages in book: (p. 259 - 268)

INDEX BY AUTHOR

- Abbott, S. W., 20, 38
Addams, Jane, 164–65
Alter, George, 231–32n.3
Apple, R., 28
Armstrong, W. A., 232n.2
Aykroyd, W. R., 42
- Baker, Josephine, 31
Behring, Emil von, 19
Bennet, M. K., 44, 132
Biggs, Herman, 9, 22, 24, 26, 200
Blau, Francine, 101
Booth, David, 37, 165
Bowditch, H. I., 7–8
Brass, William, xv
Bremner, R., 31, 32
Buchanan, Charles, 9
- Cassedy, James, 26
Chapin, Charles V., 21–26, 200
Cheney, Rose, 25
Coale, Ansley, 63, 66–67, 83, 89–90, 205, 227
Condran, Gretchen, 25, 38, 83–84, 107
Crimmins Gardner, Eileen, 38
- Davis, Kingsley, 52
Demeny, Paul, 63, 66–67, 83, 89–90, 205, 227
Dewey, John, 30
Douglas, Paul, 211, 222
Dubois, W.E.B., 10–11, 12, 15, 95
Duffy, John, 20
Durch, Jane, 73
Dye, N. S., 34
- Easterlin, Richard A., 51, 221
Eblen, J., 84
Ewbank, Douglas, 85
- Farley, Reynolds, 83
Fisher, Irving, 9, 35–36
Fogel, Robert W., 51, 132
- Gingrich, Paul, 83–84
Ginsberg, Carol, 35
Glover, John W., 75–79, 81–82, 85, 94
- Goldin, Claudia, 31–32
Graham, Stephen, 230n.2
Guest, Avery, 230n.2
Guinnane, Timothy, 232n.4
- Haines, Michael R., 153, 230n.6, 232n.2
Hajnal, John, 232n.4
Handlin, Oscar, 168
Henderson, C. R., 32
Higgs, Robert, 37, 41, 50, 131, 165
Hill, Kenneth, 73
Hoberaft, J. N., 118
Hoffman, Frederick, 10
Holopeter, W. C., 13
Holt, Luther Emmett, 12, 15–19, 35
- Jacobi, Abraham, 9–10, 13
Johansson, Sheila, 32–37, 153
- Katz, Michael, 30–31
Koch, Robert, 8, 19
Koplak, Henry, 16–19
- Leavitt, Judith W., 12, 22
Lebergott, Stanley, 211–12, 221–22
Lentzer, Harold, 23, 25, 200
Letchworth, W. P., 32
Lister, Joseph, 7
Lee, Benjamin, 8
- Matthiessen, Paul, 197
McKeown, Thomas, 52, 208–9
McKinley, J. B., 209
McKinley, S. M., 209
Meckel, Richard, 14
Meeker, Edward, 51, 83
Mensch, Barbara, 200
- Palloni, Alberto, 67
Park, E. H., 35
Parsons, Donald, 31–32
Pasteur, Louis, 7, 20
Pierce, R. H., 44, 132
Preston, Samuel H., 25, 67, 89, 200, 227
- Richmond, Phyllis, 7
Riis, Jacob, 165

- Rives, Norfleet W., 83
Rochester, A., 30, 43–44
Rosenberg, Charles, 7, 11
Rosenkrantz, Barbara, 20
Rothstein, W. G., 9
Rubenstein, W. D., 198

Shrady, George, 10
Smith, Daniel Blake, 34
Smith, Daniel Scott, 133
Steckel, Richard, 132, 134
Stevenson, T.H.C., 232n.2
Stolnitz, George, 72
Swedlund, Alan, 25, 41

Trussell, James, 89,
 227

United Nations, 64, 116–17, 167, 182,
 202, 206, 227
Uselding, Paul, 40

van de Walle, Etienne, 25
Vinovskis, Moris, 38, 51
Vogel, Morris, 12

Waring, George, 8
Watterson, Patricia, 97–98, 131
Weber, Adna Ferrin, 37–38, 132–33
Williams, Henry, 25
Williamson, Jeffrey G., 37, 40
Winslow, C.E.A., 24–25, 207
Wohl, Anthony, 181
Woodbury, Robert Morse, 6, 28–29, Ta-
 ble 1.2, 40–44, 99, 101, 108–9, 123, 142,
 156, 182, 202, 210
Woods, Robert, 37
Wright, Carroll, 31–32, 211
Wrigley, E. A., 40

Zelnik, Melvin, 83–84
Zlotnick, Hania, 73
Zunz, Olivier, 102

INDEX BY SUBJECT

- age of wife, child mortality by, multivariate analysis, 147-48, 166
- agricultural laborers, 233, 234; child mortality of, England and Wales, 182; child mortality of, U.S., 119, 121, 122, 135, 186
- Alabama, 43, 45, 46
- Alaska, 60, 221, 230
- American Economic Association, 10
- American Pediatric Society, 9, 13
- American Public Health Association, 26
- Archives of Pediatrics*, 13
- Argentina, 199
- Arizona, 114, 152, 153, 230
- Australia, 59, 74, 106, 108, 109
- Austria, 59, 100, 106
- Austria-Hungary, 100
- Babies' Hospital of New York City, 15
- Baltimore, 6, 27, 30, 43, 52, 99; infant mortality by literacy and earnings in 1915, 202, Table 5.10
- bathing, 38
- Belgium, 39, 74, 106
- Berlin, 28, 40
- Birmingham, England, 181
- black population: in Alabama, 46; mortality of, 10, 11, 42, 66, 81-85, 94-97, 141-46, 159-63; Tables 2.5, 2.6, 3.2, 3.3 and 3.7
- boarders, child mortality by presence of, 128, 158, 168-69
- Bohemia, 106
- Boston, 12, 13, 24, 28, 42, 52, 99, 110, 111
- Boston City Hospital, 13
- breastfeeding, xvii, 24, 27-30, 35, 40, 42, 95, 99, 101, 103, 107, 125, 147, Table 1.2
- Britain, 37, 103, 108, 146, 177, 184, 188, 192, 194, 197, 198, 232, 234; migrants of, child mortality of, 103-6, Tables 3.1, 3.3-3.5; multivariate analysis of child mortality, 146-47, 164-65, Tables 4.1, 4.4; physicians in, mortality of children of, 188; women of, 101
- bronchitis, 3, 17, 18, Table 1.1
- bronchopneumonia, 18
- Buffalo, New York, 110
- Bulgaria, 59, 106
- Bureau of Labor. *See* United States Bureau of Labor
- California, 222, 230
- cancer, 13
- Census Bureau. *See* United States Bureau of the Census
- Census of 1900, U.S., xv, 3, 59, 60, 199, 211; sample of, xvi
- Census of 1911, England and Wales, 97, 177-78, 182; child mortality rates from, 177-84, Table 5.1
- Census of 1911, Ireland, 177
- Chesapeake area, 45
- Chicago, 20-23, 46, 52, 164, 165; Sanitary District, 20
- chicken pox, 18, 19
- childbed fever, 8
- Children's Bureau, 14, 25-28, 34, 39-41, 43, 118, 152, 202; study of infant feeding and infant mortality, Table 1.2
- Chile, 199
- chlorination, of water, 23
- cholera, 3, 8, 9, 165, Table 1.1; cholera infantum, 3, Table 1.1; cholera morbus, Table 1.1
- coal and iron miners, child mortality among, 186
- Committee of One Hundred on National Health, 35
- Conference on the Prevention of Infant Mortality, 24, 35, 41
- congenital defects, 6
- Connecticut, 110, 167, 229
- consumption. *See* tuberculosis
- convulsions, 6, Table 1.1
- Copenhagen, 197
- Coventry, England, 181
- croup, 18, Table 1.1

- Czechoslovakia, 59
- Death Registration Area (DRA), xv, xviii, 3, 19, 38, 41, 42, 49, 50, 52, 59, 66, 74–76, 79–87, 90, 94, 110, 159, 229; comparisons to the United States as a whole, Table 2.1; definition of, 229
- decline in child mortality. *See* trends
- Delaware, 230
- Denmark, 74, 106
- developing countries, child mortality in, 199–207; comparisons to the United States in 1900, Tables 5.8, 5.9, 5.11
- diarrhea, 3, 16–17, 23, 25, 27, 42, 44, 109, Table 1.1
- diarrheal disease. *See* diarrhea
- diet, 44–47
- diphtheria, 6, 8, 9, 13, 18–20, 24, 35, 47, 207, Table 1.1; antitoxin for, 6, 8, 9, 13, 18, 24, 35, 207
- District of Columbia, 24, 34, 45, 49, 81, 114, 126, 157, 221, 229
- dysentery, Table 1.1
- East Virginia, 26, 43
- Eastern Europe, 11, 74, 101, 107
- earnings, 42–43; by social class of father in the U.S. and England and Wales, Table 5.6
- earnings, state index of, estimation of, 221–23, Table B.2
- economic activity of mothers: child mortality by, 122–25, Tables 3.1 and 3.8; multivariate analysis of child mortality by, 157
- employment status of mothers. *See* economic activity of mothers
- England, xix, 21, 51, 74, 103, 106, 111, 132, 134, 151, 153–55, 167, 168, 174, 184, 185, 186–89, 196–98, 207, 209. *See also* England and Wales
- England and Wales, xx, 37–40, 97, 131, 155, 177, 178, 181, 182, 184–89, 191, 192, 194, 196, 197, 229, 232–35; Census of 1911 in, 97, 177–78; child mortality in 1911 in, 178–84, Tables 5.1, 5.3
- English ability, child mortality by, Table 3.1; of husband, multivariate analysis of child mortality by, 150, 166–67; of wife, multivariate analysis of child mortality by, 149–50, 166–67
- enteritis, 3, 109, Table 1.1
- estimation procedures, child mortality, 60–67
- ethnicity, mortality by, 99–102, Tables 3.1–3.3, 3.7, 3.8. *See also* nativity
- European Russia, 59, 106
- Fall River, Massachusetts, 41
- farm ownership: mortality by, 126, Table 3.1; multivariate analysis of child mortality by, 157–58
- farmers, 38–39, 43, 140, 154, 155, 158, 174, 211; child mortality of, in developing countries, 203; child mortality of, England and Wales, 39; child mortality of, U.S., 119, 121–23, 134–35, 174
- filtration of water, 22, 99
- France, 25, 37, 38, 40, 74, 106
- Franklin County, Massachusetts, 25
- French-Canadians, 28, 42, 101
- gastritis, Table 1.1
- gastroenteritis. *See* enteritis
- genetics, 9, 11
- Georgia, 154
- germ theory of disease, xvii, 6–9, 11, 15, 20, 26, 47, 199, 200, 207
- Germans: child mortality among, 99–103, 106, 108, 113, 133, 135, Tables 3.1, 3.3–3.5; immigrants, 101–3; infant feeding among, 28–29, 42, 101; mothers, 29, 42, 102, 135; multivariate analysis of child mortality, 146–47, 164–65, Tables 4.1, 4.4; second generation immigrants, child mortality, 102, 106; women, 101
- Germany, 106, 146; eastern, 100; mortality in, 24, 39, 40, 59, 74, 103
- Glasgow, 37
- Glover table, 76, 79, 81
- Great Britain. *See* Britain
- Hajnal's method, 232
- Hawaii, 60, 221, 230
- homeownership: mortality by, 126, Table 3.1; multivariate analysis of child mortality by, 157–58

- household relationships, mortality by, 127–28, Table 3.1
- Hungary, 106, 199
- Idaho, 114, 230
- Illinois, 20, 111
- immigrant groups, 11, 99, 106, 164; comparisons of child mortality to countries of origin, 107–14, Table 3.4
- immigrants, xix, 14, 36, 41, 42, 95, 100, 102, 103, 106, 107, 110, 113, 118, 139, 146, 164, 165, 167, 168, 182; second generation, child mortality of, 102
- income, 42–43
- income, occupational: estimation of, 211–20, Tables B.1, B.2; multivariate analysis of child mortality by, 154–56, 169
- Indiana, 229
- industrial structure, 39–41
- inequality, child mortality and, 187–99, Table 5.5
- influenza, 19, Table 1.1
- Iowa, 111
- Ireland, 74, 102, 103, 106, 107, 131, 146, 164, 177, 178, 232; child mortality in, 182–84, Table 5.2
- Irish, the: child mortality in England and Wales among, 182; child mortality in Ireland, 182–84; child mortality in the U.S. among, 99, 101–3, 107–8, 135, 146, 164–65, Tables 3.1, 3.3–3.5; child mortality among second generation immigrants, 102–3, 107–8, 113, 164; mothers, 31, 35, 111, 165; multivariate analysis of child mortality, 146–47, 164–65, Tables 4.1–4.4
- Italians, 101, 164–65; breastfeeding among, 28, 42, 101; infant care among, 42–43
- Italy, 59, 100, 106
- Jamaica, 200
- Japan, 59
- jaundice, Table 1.1
- Jews: areas of, 28; breastfeeding and infant care among, 28, 42, 101, 107; child mortality of, 28, 107; migrants, 107; mothers, 23, 42, 101, 107
- Kansas, 29, 39
- labor force participation of wife, child mortality by, Table 3.1; multivariate analysis of child mortality by, 157
- Lake Michigan, 21
- Latin America, 3, 116
- Leeds, England, 181
- Leicester, England, 181
- Lesotho, 201
- Liberia, 200
- literacy: child mortality by, 116–19, Tables 3.1, 3.6; definition of, 231; of husband, multivariate analysis of child mortality by, 150, 166–67; of wife, multivariate analysis of child mortality by, 149–50, 166–67
- Liverpool, England, 37, 181
- lobar pneumonia, 18
- logarithmic transformations, 140
- London, 37, 97, 178, 181, 182, 197
- Maine, 81, 111, 229
- malformations, 6, Table 1.1
- Manchester, England, 37, 181
- Maryland, 230
- Massachusetts, 8, 20, 25, 35, 38, 50, 51, 110, 111, 154, 167, 229
- measles, 6, 13, 18, 19, Table 1.1
- medicine, practice of, 11–20
- meningitis, 6, 18, Table 1.1
- Metropolitan Life Insurance Company, 84
- miasma/miasmata, xvii, 7, 8, 26
- Michigan, 21, 38, 229
- Midwest region, U.S., 111, 114, 133, 134, 151, 153, 154, 168
- migration status: mortality by, 126–27, Table 3.1; multivariate analysis of child mortality by, 158–59
- military recruits, U.S. Army in World War I, 19, 114
- Minnesota, 23, 111
- Mississippi, 15, 29
- Montana, 29, 39, 114, 152, 230
- Mortality Index, defined, 88–90, 226–28
- mortality trends, xviii, 51, 132, 210
- Mountain region, U.S., xix, 39, 151–53, 168
- mumps, 18
- multivariate analysis. *See regression analysis*

- Naples, 46
 National Bureau of Economic Research, 199
 nativity, 41–43; child mortality by, 99–102, Tables 3.1–3.3, 3.7, 3.8; child mortality comparison to countries of origin, 102–9; child mortality by nativity of wife, multivariate analysis, 146–47, 164–66. *See also* ethnicity
 Nebraska, 111
 Netherlands, 74, 106
 Nevada, 114, 230
 New England, xix, xx, 111, 134, 151, 153, 154, 167, 168, 174
 New Hampshire, 229
 New Jersey, 111, 229
 New Mexico, 114, 153, 230
 New Orleans, 22, 52
 New York City, 7, 9, 12, 14–16, 22–24, 26, 27, 28, 31, 52, 99, 110, 111, 165, 181; Board of Health of, 24; Infant Hospital of, 27
 New York State, 14, 38, 107, 229; Board of Medical Examiners of, 14; mortality in seven upstate counties in, 38
 New Zealand, 59, 74, 106, 108, 109
 Newcastle-upon-Tyne, England, 181
 North Atlantic region, U.S., 45, 110, 111, 113, 122, 125, 126
 North Carolina, 29, 39
 North Dakota, 111
 North Model life tables, 72
 Northeast region, U.S., xviii, 84, 94, 110, 111, 134, 135, 154
 Norway, 37, 59, 74, 106
 occupation of husband: child mortality by, 119–22, Tables, 3.1, 3.8, 5.4; multivariate analysis of child mortality by, 154–56, 169–70, 184–98, Table 5.7. *See also* social class of husband
 occupational structure, 39–41
 Ohio, 230
 Oklahoma, 230
 parenting, 26–36
 Paris, 32, 37, 40, 181
 pasteurization of milk, 23–24
 Pennsylvania, xxi, 8, 107, 200, 205, 229, 230
 Philadelphia, 10, 13, 15, 25, 46, 52, 83, 99, 101, 110, 111; Bureau of Health, 24
 physicians, xvii, xxi, 7–15, 21, 27, 28, 39, 47, 151, 200, 205, 206, 208, 209, 213, 233, 235; mortality of children of, 187–88
 plague, 3
 pleuro-pneumonia, 18
 pneumonia, 3, 8, 9, 17, 18, Table 1.1
 Polish areas of Germany, Russia, and Austria, 106
 Polish mothers; child mortality among, 43; childbirth practices among, 15; infant feeding practices among, 28, 35, 101; migrants from, 106
 Polish women, 15, 28
 Portugal, 199
 Portuguese women, child mortality of, 28
 professional occupations, xvii, 12, 18, 47, 119, 121, 155, 169, 187, 188, 197, 203, 206, 209, 233
 property ownership: child mortality by, 126, Table 3.1; multivariate analysis of child mortality by, 157–58
 Providence, Rhode Island, 14, 24, 26
 Prudential Insurance Company, 10
 Prussia, 37, 59, 103
 public health, practice of, 20–26
 public use sample, xvi, 49, 107, 177, 212; comparisons to published census, Table 2.4
 quarantine measures, 9
 race: child mortality by, 94–97, Tables 2.5, 2.6, 3.1, 3.2, 3.3, 3.5; multivariate analysis of child mortality by, 141–46, 159–63
 regions of residence: child mortality by, 109–16, Tables 3.1, 3.2, 3.5; multivariate analysis of child mortality by, 150–54, 167–68
 Registrar General of England and Wales, 39, 196
 regression analysis of child mortality in the United States: analytical strategy, 137–40; results, 140–76, Tables 4.1, 4.4
 renter status: child mortality by, 126, Table 3.1; multivariate analysis of child mortality by, 157–58

- residence: child mortality decline by size of place of, 133–40, Table 3.9; child mortality by size of place of, 97–102, Tables 3.1, 3.2, 3.3, 3.7; multivariate analysis of child mortality by, 150–54, 167–68
- Rhode Island, 14, 110, 111, 167, 229
- Rochester, New York, 24
- rubella, 18
- rural areas, population, xvi, xix, xx, 14, 15, 25, 26, 28, 29, 35, 37–40, 42, 45, 47, 48, 51, 52, 74, 82, 94, 95, 97–103, 106–11, 113, 118, 119, 121, 122, 131–35, 146, 147, 150–52, 154, 155, 157–59, 164, 166–69, 174, 178, 181, 182, 184, 186, 188, 194, 196, 201, 202, 231, 232
- rural/urban, definition, 231
- rural/urban residence: child mortality by, 97–102, Tables 3.1, 3.2, 3.3, 3.7; multivariate analysis of child mortality by, 150–54, 166–67
- rural black mothers, 29
- Russia, 59, 100, 106
- Saxony, 46
- Scandinavia, 106, 131, 135
- scarlet fever, 6, 13, 18, 19, 23, Table 1.1
- Scotland, 37, 103, 106, 234
- Seine, department of, 37
- servants: child mortality by presence of, 128, 158, 168, Table 3.1; multivariate analysis of child mortality by presence of, 158
- Sheffield, England, 181
- Sierra Leone, 200
- smallpox, 6, 12–14, 18, 19, 22, 25, 206, Table 1.1
- social class of husband: child mortality by, 184–98, Table 5.3; earnings by, 186–87, 192, Tables 5.4, 5.6; multivariate analysis of child mortality by, 194–98, Table 5.7. *See also* occupation of husband
- South Atlantic region, U.S., xix, xx, 45, 111, 125, 153, 167, 174, 231
- South Central region, U.S., 45, 110, 125, 126
- South Korea, 201
- Southern Europe, 59, 106
- Southern region, U.S., xviii, xix, xx, 31, 42, 45, 83, 95, 109–11, 114, 125, 126, 133–35, 151, 153, 154, 231
- Stockholm, 52
- Sudan, 200
- Surrey, England, 37
- Sweden, 37, 59, 74, 106, 132
- Switzerland, 106
- syphilis, 95
- technical occupations, 186
- Tennessee, 45
- tetanus, Table 1.1
- trends, child mortality in the U.S. in the late nineteenth century, 128–34, Table 3.9
- tuberculosis, 6, 8–10, 18, 19, 23, 24, 72, 84, 107, 108, 165; bacillus, 8, 19
- Tulane University, 14
- typhoid, 8, 10, 18, 22, 23, 25, 165
- typhus, 3
- unemployment of husband: child mortality by, 125–26, Table 3.1; multivariate analysis of child mortality by, 156–57, 168
- United States, xv, xvi, xvii, xx, xxi, 3, 16, 19, 22, 23, 26, 34, 36, 37, 40, 41, 43, 47, 49, 50, 52, 59, 60, 66, 73, 74, 76, 81–84, 86, 88, 89, 95, 99, 102, 103, 106–9, 114, 117, 119, 126–28, 132, 138, 139, 150, 158, 164–66, 177, 178, 182, 184–89, 191, 192, 194, 196–203, 205, 206, 208–11, 233–35
- United States Bureau of Labor, 34, 35, 44, 45, 126
- United States Bureau of the Census, 95, 155
- United States Commissioner of Labor Survey of 1889–90, 212; of 1901, 211–12, 233
- United States Department of Agriculture, 44
- United States Population Census of 1900, xv
- University of Washington, xvi, xxi, 60
- urban areas, populations, xvi, xix, xx, 10, 25, 26, 28, 36–42, 45, 49–52, 59, 82, 84, 85, 94, 95, 97–103, 107, 109, 111, 113, 118, 119, 121, 122, 125, 129, 131–35, 147, 150, 151, 153, 157–59, 164–70, 178, 181, 182, 184, 186, 188, 192, 194,

- urban areas (*cont.*)
196, 197, 200, 201–3, 206, 207, 210, 229,
231, 232, 234, 235
- urbanization, 36–39
- urban/rural, definition,
231
- urban/rural residence: child mortality by,
97–102; multivariate analysis of child
mortality by, 150–54, 166–67. *See also*
rural/urban residence
- variables, relative importance of,
170–76
- venereal disease, Table 1.1. *See also* syph-
ilis
- Vermont, 229
- Virginia, 26, 43
- Wales, 103, 106. *See also* England and
Wales
- Washington, D.C. *See* District of Colum-
bia
- West Model life tables, 66, 67, 72–74, 76,
81, 83–85, 89, 90, 128, 129, 205, 228,
233
- Western region, U.S., 111, 113, 114
- white population, child mortality of, 85–
86, 94–97, Tables 2.5, 2.6, 3.1–3.3, 3.7,
3.8
- whooping cough, 6, 18, 19, Table 1.1
- Wisconsin, 15, 29, 230
- Wyoming, 114, 230
- yellow fever, 3, 8, 9
- Yiddish, 107

Jacket illustration: Street scenes, New York City. Mulberry Street children at a water fountain. (The Bettmann Archive)

"Fatal Years: Child Mortality in Late Nineteenth-Century America is an impressive example of the appropriate use of advanced techniques of statistical and demographic analysis to provide significant new information and to correct former mistaken ideas about mortality among children just before the beginning of this century.

"An authoritative discussion of medical knowledge, medical practices, and sanitary conditions at the end of the nineteenth century is particularly illuminating. This book will be useful to social historians as well as to statisticians and demographers."

—Ansley J. Coale, Princeton University

"This is an extremely important contribution to our understanding of early twentieth-century childhood mortality. The new data and the analysis that follows forces everyone to reconsider our previous work and statements about U.S. mortality in that period. It will quickly become the standard work in the field.


"The book is unusually well-written for both the specialist and the general reader. Historians without any quantitative training will be able to follow the logic and overall themes of the work."

—Maris A. Vinovskis, University of Michigan

"This book will be the standard by which future books in American demographic history will be judged. It represents a tremendous advance in the field—a giant step forward in understanding our demographic roots."

—Eileen M. Crimmins, University of Southern California

ISBN 0-691-04268-3



90000

9 780691 042683