

Discussion of “Markets for Anthropogenic Carbon within the Larger Carbon Cycle”

Wolfram Schlenker
Columbia University and NBER

The chapter by Severin Borenstein discusses how market-based approaches might have to be adjusted for human activities that impact the carbon flux differently across locations. The question is whether geographic variations in the carbon flux are large enough and measureable enough to usefully employ a spatially varied carbon-pricing scheme. Experience with markets for sulfur-dioxide emissions indicates that a pollution pricing mechanisms can greatly enhance efficiency, even if they do not perfectly account for geographic differences in the marginal costs and benefits of emissions.

Market-based Regulation

The main appeal of market-based regulations (taxes or permits) is that they minimize abatement cost for a given reduction of pollution. Sulfur-dioxide (SO₂) emissions were subject a permit trading system in the United States in the 1990s. Stavins (1998) argues that it resulted in annual cost savings of more than \$1 billion as firms with lowest abatement cost reduced SO₂ emissions. It is celebrated as a big success story and has been become a benchmark for modern environmental policy.

A tax or permit system can give suboptimal outcomes if it interacts with other distortions or a unit of pollution causes damages that depend on where it is emitted. For example, under the NO_x budget program, regulated or publicly owned utilities were more likely to install costly capital equipment (Fowlie, 2010). These capital investments generated excess permits which could be sold to firms in deregulated and restructured electricity markets. Since NO_x is a local pollutant, it matters where a unit is emitted. As it turns out, deregulated markets are dirtier to begin with. Permit trading therefore shifted pollution towards areas where a unit of pollution is more damaging.

Market-based regulations have the potential to increase pollution damages if the location of the emission matters (a non-uniformly mixing pollutant). In such a case the tax rate would have to differ between locations, or permits would no longer be traded one for one. Instead, differentiated tax and trading ratios incorporate that marginal damages vary between regions.

While CO₂ perfectly mixes in the atmosphere, Borenstein emphasizes that a policy that reduces greenhouse emissions in one area might increase it in another area.

The Carbon Cycle

Anthropogenic emissions are a small part of the annual carbon cycle. Humans account for carbon emissions of roughly 9GtC compared to a “natural” carbon flux of 210GtC. About half of anthropogenic emissions stay in the atmosphere while the other half gets absorbed by oceans, vegetation, and soils. Each GtC of anthropogenic emissions therefore increases global CO₂ levels by roughly 2.25ppm (parts per million).

Is this amount of anthropogenic emissions large? CO₂ levels have fluctuated in the past. Reconstructions for the last 400,000 years by Hansen et al. (2008) show that CO₂ concentrations

fluctuated between 200ppm and 300ppm, or roughly 40 years worth of current emissions (holding current absorption rates constant). Reconstructed temperature records in the Arctic changed in phase by up to 10C. Higher latitudes show larger fluctuations in warming than the global average, and the authors estimate that a doubling of CO₂ concentrations would result in a +3C increase in temperature accounting only for fast feedback processes, and +6C when slow feedback processes are also included. Different models give various estimates of the climate sensitivity as there are large numbers of unresolved uncertainties.

There are at least several layers of uncertainty related to aggregate CO₂ emissions: (i) will sinks continue to absorb CO₂ or will they slow down in the future; (ii) how do changes in greenhouse gas concentrations translate into changes in the global temperature; and (iii) what are the feedback loops between a warming world and greenhouse gases releases, e.g., will there be an extra release of methane when permafrost soils thaw? What is common to all these sources of uncertainty is that they relate to aggregate emissions. If the goal is to minimize compliance cost, a uniform tax rate around the world or a permit system where all countries participate would yield the optimal result. As uncertainty resolves, the regulating agency could adjust the tax rate or number of emissions permits. Several US regulations require periodic reauthorization, at which point these optimal levels could be revised.¹

Another area with deep uncertainty depends on local anthropogenic interactions with the carbon cycle. Since the natural carbon flux is more than 20 times as large as anthropogenic emissions, even small local feedback loops with the natural carbon flux can in principle be an important component of anthropogenic emissions. Two examples can illustrate this point

Agricultural policies can both directly impact the carbon flux (tilling releases carbon, and the use of fertilizer can release greenhouse gases) and indirectly as supply responses to changing prices occur predominantly on the extensive margin (Roberts and Schlenker, 2010). If newly cultivated land comes from deforestation, large amounts of greenhouse gases can be released as 20% of carbon emissions are related to land use change. If, on the other hand, fallow land is brought back into production, the land expansion might be a carbon sink. It crucially depends on where the expansion takes place.

Pollution control policies also affect plant growth and soil practices. Auffhammer et al. (2006) show that climate change due to brown clouds (air pollution) and greenhouse gases contributed to the slowdown in Indian harvest growth rates. A reduction in harvest growth again impacts world food prices and leads to expansions elsewhere. These local interactions have the potential to impact the carbon flux, and are not incorporated in current policy proposals.

Local feedback effects would require locally differentiated taxes or permit trading ratios. Incorporating local differences would increase economic efficiency. At the same time, the countries of the world have a difficult time agreeing to an overall limit, agreeing on local feedback loops might prove even more daunting: every country will have an incentive to argue that it is subject to a feedback loop that reduces the carbon flux to the atmosphere. In doing so it would obtain a more advantageous trading ratio.

¹ Weitzman (1974) demonstrates that the expected deadweight loss can vary under a tax or permit system when there is uncertainty about the marginal abatement cost curve. The optimal choice depends on the slopes of the marginal damage and marginal abatement cost curves.

Conclusions

There is considerable uncertainty about all the feedback effects between rising greenhouse gas concentrations in the atmosphere and changes in climate. Uncertainties related to aggregate emissions are easier to incorporate in a market-based system of taxes or permits as regulators only have to adjust the overall tax rate or pollution cap as more information becomes available. On the other hand, local feedback effects would require location-specific taxes or permit trading systems. Once uncertainties are resolved, the entire set of bilateral coefficients would have to be revised, which directly impact the cost of the regulation in each region. Individual countries have a strong incentive to play up feedback loops that reduce the carbon flux into the atmosphere while ignoring feedback loops that reduce the carbon flux. The potential gains from non-uniform regulations should be weighed against the possible implications they have for additional rent seeking and free-riding, which can also cause significant deadweight losses.

References

- Auffhammer, Maximilian, V. Ramanathan, and Jeffrey R. Vincent. 2006. "Integrated model shows that atmospheric brown clouds and greenhouse gases have reduced rice harvests in India." *Proceedings of the National Academy of Sciences*. 103: 19668-19672.
- Fowlie, Meredith. 2010. "Emissions Trading, Electricity Restructuring, and Investment in Pollution Abatement." *American Economic Review*, 100(3), 837-869.
- Hansen, James , Makiko Sato, Pushker Kharecha, David Beerling, Robert Berner, Valerie Masson-Delmotte, Mark Pagani, Maureen Raymo, Dana L. Royer, and James C. Zachos. 2008. "Target Atmospheric CO₂: Where Should Humanity Aim?" *Open Atmospheric Science Journal*, 2, 217-231.
- Roberts, Michael J. and Wolfram Schlenker, "Identifying Supply and Demand Elasticities of Agricultural Commodities: Implications for the US Ethanol Mandate." *NBER Working Paper 15921*.
- Stavins, Robert N. 1998. "What Can We Learn from the Great Policy Experiment? Lessons From SO₂ Allowance Trading." *Journal of Economic Perspectives*, 12(3), 69-88.
- Weitzman, Martin L. 1974, "Prices vs Quantities." *Review of Economic Studies*. 41(4), 477-491.