

---

# Subject Index

- Activities of daily living (ADLs): information from AHEAD survey, 12, 134–38; kinds of help and people administering care for, 138–54; as predictor of paid care, 143t, 149–50t, 152, 154. *See also* Instrumental activities of daily living (IADLs)
- Acute myocardial infarction (AMI): AR and ARMA processes to estimate mortality resulting from, 212–21, 226; cost of, 4; distribution across demographic groups (1984–91), 63–66; growth in Medicare spending for (1984–91), 61–64; i.i.d. error in measurement of mortality resulting from, 206, 212–13, 216–20; innovation in technologies to treat, 3–4, 52, 222; invasive cardiac procedures, 57; treatment groups, 55–58
- ADLs. *See* Activities of daily living (ADLs)
- AHEAD. *See* Asset and Health Dynamics among the Oldest Old (AHEAD)
- AMI. *See* Acute myocardial infarction (AMI)
- Angioplasty (PTCA): growth rates in different metropolitan statistical areas (1984–91), 67–68; growth rates in relation to major teaching centers, 69–70; Medicare reimbursement for, 57–58; rates for patients grouped by hospital, 72–75; as substitute for bypass surgery, 66–70, 79–80
- Asset and Health Dynamics among the Oldest Old (AHEAD): bracketing, 11–12, 229–31, 233–37; panel data, 8, 230–40, 261–66; recommendation for data collection for, 307; subjective probability measures in, 13, 261–66
- Asset ownership: bracket imputation of, 241–45, 250–57; imputation method to assess, 240–41, 254–57. *See also* Wealth of elderly
- Bracketing methods: critique of use of, 254–57; in HRS and AHEAD survey data, 229–31, 233–37, 254; importance of, 245–50, 254; using AHEAD data to impute wealth of elderly, 237–45. *See also* Imputation method
- Bypass surgery. *See* Coronary artery bypass graft (CABG)
- CABG. *See* Coronary artery bypass graft (CABG)
- Cardiac catheterization rates, 71–72, 80
- Care: determinants of quality in hospitals, 222, 224–26; mortality as indicator of, 224
- Care of elderly: care from children, 150t, 153–54; from child's perspective, 154–61; costs of long-term, 7; kinds of care and people administering, 138–54; paid and unpaid, 150–54. *See also* Activities of daily living (ADLs); Home care; Home health care; Instrumental activities of daily living (IADLs)
- CEX. *See* Consumer Expenditure Survey (CEX)
- CHF. *See* Congestive heart failure (CHF)
- Children: as caregivers to elderly, 140–54, 162; decisions related to care of elderly, 154–61; Engel's measurement of costs

- Children (*cont.*)  
 of, 185–86; motivation for care of elderly, 145–54, 165–66; Rothbarth procedure to estimate costs of, 185–87; using adult goods to estimate costs of, 188–94
- Cognition: model of reporting error related to, 280; relation to subjective survival probabilities, 13, 262–73
- Congestive heart failure (CHF): AR and ARMA processes to estimate mortality resulting from, 212–21, 226; i.i.d. error in measurement of mortality resulting from, 206, 212–13, 216–20
- Consumer Expenditure Survey (CEX), 182, 188–89
- Coronary artery bypass graft (CABG), 57–58; angioplasty as substitute for, 66–70, 79–80; growth rate in different metropolitan statistical areas (1984–91), 67–68; rates for patients grouped by hospital, 72–75
- Current Population Survey (CPS), 86, 90–95, 106, 110, 112; Employee Benefit Supplement data on lump-sum distributions, 90–97, 106; poverty data in, 171; poverty statistics based on, 171–72
- Data: brackets to denote missing, 11–12, 229–31, 233–37; description using GMM, 206, 209, 212–17, 219; mortality risk, 260
- Data sources: AHEAD survey data, 134–38; analysis of hospital mortality rates, 206–8; analysis of lump-sum distributions and uses for, 91–97; analysis of Medicare-retirement relationship, 117–19; for analysis of spending and accumulation in individual health accounts, 22–27; Bureau of the Census public use samples (1980, 1990), 117–19, 126; on cause of death in HISKEW and MEDPAR data, 312–14; Consumer Expenditure Survey (CEX), 182, 188–89; contribution histories of 401(k) participants, 107–8; evidence on relationship of health insurance to retirement, 110–12; Health and Retirement Survey (HRS), 162; health insurance claims (1989–91), 22–23; information about poverty in, 169–70; on lump-sum distributions, 90–97; Medicare insurance claims, 13–14; for official poverty statistics, 171–72; Retirement History Survey, 111–12; U.S. life tables, 311–12; wealth of the elderly, 229
- DB pension plans. *See* Defined benefit (DB) pension plan
- DC pension plans. *See* Defined contribution (DC) pension plan
- Death: cause of as basis for life tables, 312; model for mortality rates, 314; modeling causes of, 314–16. *See also* Diagnosis; Mortality rates; Survival probabilities, subjective
- Defined benefit (DB) pension plan, 86–87, 104
- Defined contribution (DC) pension plan, 86–87, 104
- Diagnosis: mortality rates of elderly in HISKEW and MEDPAR data, 312–14; probability estimates based on cause of death, 316–23
- Diagnosis-related groups (DRGs): hospital admissions under the Prospective Payment System, 53–54; in medical management of AMI, 55–57; reimbursement for surgical and nonsurgical, 78; weighting, 54–58
- Distribution: i.i.d. (independently identically distributed), 206, 212–13, 216–20, 224, 226; p.d.f. (partial distribution function), 211
- Distributions, lump-sum: as determinant of elderly financial status, 85; events precipitating, 107–8; premature, 86–88; probabilities of rollovers, 97–104; research studies on, 90–91; saving of, 87–89, 106; taxation of premature, 87–88
- DRGs. *See* Diagnosis-related groups (DRGs)
- EBS. *See* Employee Benefits Supplement (EBS) to the Current Population Survey
- Economic status: in AHEAD data, 261–66; measurement of elderly, 8–10; variation in mortality rates by, 260. *See also* Poverty; Wealth of elderly
- Economies of scale: alternatives to Rothbarth method, 187; based on family size and private goods spending, 194–99; calculation of, 186–87; in calculation of equivalence scales, 181–99; Engel food share calculation of, 185–87; Nelson's method to calculate, 187–88
- Elderly: caregiving from child's perspective, 154–61, 166; characteristics of impaired population, 138–45; costs of long-term

- care, 7; in CPS data, 172–76; health status in AHEAD data, 230–33, 261–66; kinds of care and people administering care, 138–54; living standards of, 9; mortality rates by diagnosis in HISKEW and MEDPAR data, 312–14; poverty among, 8–10, 169; rising cost of health care for, 7; using data brackets to estimate wealth of, 11–12. *See also* Care of elderly; Wealth of elderly
- Employee Benefits Supplement (EBS) to the Current Population Survey, 86, 90–95, 106
- Employee Retirement Income Security Act (ERISA), 87
- Engel's food share assumption, 185–87, 189–99
- Equivalence scales, 181–85
- Expectations: in HRS and AHEAD data, 12–13, 262–63; in life cycle models of consumption and saving, 306. *See also* Mortality risk; Survival probabilities, subjective
- Expenditures, household: economies of scale estimates based on private goods, 194–99; total expenditures in CEX, 188–89
- Expenditures, medical: actual versus predicted, 30–34; for AMIs in elderly Medicare beneficiaries, 51; comments and criticism of individual health account spending analysis, 46–49; data sources for individual, 22–27; differences in individual, 21; limits with managed care plans, 19; model of working life pattern of, 28–36, 46–47; model specifications, 28–29, 42–44, 47; model to estimate, predict, and simulate pattern of, 28–36, 42–44; as share of GNP, 78; simulation of distribution of lifetime, 36–38
- Family: family connections in AHEAD data, 261–66; poverty of measured in CPS statistics, 171–75; size estimates of economies of scale based on, 194–99
- 401(k) retirement saving plans: lump-sum distributions from, 86–87; separated participants in, 104
- 403(b) retirement saving plans: lump-sum distributions from, 86–87
- Health and Retirement Survey (HRS), 86, 91–92, 94–97, 106, 112, 115; bracketing methods, 11–12, 229–31, 233–37; data on lump-sum distributions, 90–97, 106; information related to financial assistance to elderly, 162; subjective survival probabilities in, 263
- Health care. *See* Care; Care of elderly; Home health care
- Health care costs: for the elderly, 7; inpatient Medicare, 51–55; with new and cheaper technology, 52; rising, 3, 51; variation in individual, 21
- Health Care Financing Administration (HCFA): Health Insurance Skeleton Eligibility Write-Off (HISKEW), 312–14; hospital mortality scores, 10–11, 205; severity-of-illness adjustments, 224
- Health insurance: catastrophic combined with individual health account, 1–2, 19–20, 40; coverage for non-Medicare-eligible women, 114; effect on labor market outcomes, 6; evidence on relationship to retirement, 109–12; medical savings accounts, 1–3; moral hazard in, 19; RAND Health Insurance Experiment, 45. *See also* Individual health accounts (IHAs); Medicare
- Health insurance claims: data (1989–91), 22–23; distribution of expenditures (1989–91), 23–25; individual concentration of expenditures (1989–91), 23, 25–27. *See also* Medicare
- Health maintenance organizations (HMOs), 45
- Health status: in AHEAD data, 230–33, 261–66
- Heart attacks. *See* Acute myocardial infarction (AMI)
- Heterogeneity: of personal survival curves, 274–78
- Home health care: defined, 133n1; payment for Medicaid recipients, 152
- Hospital payments, Medicare, 52–54
- Hospitals: mortality scores, 205–6; outcomes-based measures of quality, 225; strategies to assess quality, 10–11, 224–26; uses of technological change, 70–76; Z-score standardization of size, 207–21. *See also* Acute myocardial infarction (AMI); Angioplasty (PTCA); Cardiac catheterization rates; Coronary artery bypass graft (CABG); Technology; Treatment
- Households: in AHEAD data sample, 231–33; composition of U.S. average, 178; in CPS

- Households (*cont.*)  
 statistics, 171–72; defining poverty threshold for, 9, 202–4; in definition of poverty line, 171–72, 175; effect of scale economies on living standards, 9, 170–72; interviewed for CEX data, 188; resource allocation within, 9, 170, 201–2; saving related to survival probabilities, 300–304
- HRS. *See* Health and Retirement Survey (HRS)
- Imputation method: critique of, 254–57; importance of, 245–50; used with bracketing, 12, 230. *See also* Bracketing methods
- Income: in analysis of care for elderly, 165; influence on functional limitations of elderly, 165; lump-sum distributions as taxable, 87–88. *See also* Wealth of elderly
- Individual health accounts (IHAs): actual and predicted life cycle distributions, 31, 34–36; catastrophic health insurance in, 2–3, 20; differences in accumulations in, 20; distributional implications, 46; distribution of medical expenditures under, 20–21; hypothetical distribution of balances, 38–40; mechanism of, 45–46; plan based on estimates of medical expenditures, 38–40. *See also* Medical savings accounts
- Individual retirement accounts (IRAs): flows in and out of (1990), 88; lump-sum distributions from, 86–87; lump-sum distributions rolled over into, 87–89, 106; probabilities of lump-sum distribution rollovers into, 97–104; taxable income from distributions, 87–88
- Individuals: actual medical expenditures under individual health accounts, 31–33; in AHEAD data sample, 231–33; data sources for medical expenditures by, 22–27; defining poverty threshold for, 202–4; determinants of poverty line for, 171–72; differences in medical expenditures, 21; in personal survival curve model, 273–87; saving related to survival probabilities of, 297–301
- Information: in AHEAD survey data, 12, 134–38; in bracketed data, 11–12, 229–31, 233–37; in life tables of the National Center for Health Statistics, 14; on poverty in HRS survey, 162, 169–70
- Instrumental activities of daily living (IADLs): care from children related to, 143t, 153; information from AHEAD survey, 12, 134–38; kinds of help and people administering care for, 138–54; as predictor of paid care, 143t, 149–50t, 152, 154. *See also* Activities of daily living (ADLs)
- Life cycle hypothesis, 204
- Life cycle models of consumption and saving: expectations in, 306; mortality risk in, 259; survival curves under, 274; wealth levels in, 261
- Life tables: developing new, 14–15, 317–24; mortality risk data in, 260–61; of National Center for Health Statistics, 14, 311–12; survival probabilities (1992), 263–64, 297–99, 306–7
- Living standards: arrangements influencing poverty measurement, 169–70; of the elderly, 9; in estimating poverty rates, 176–81
- Managed care plans, 2, 19, 45
- Measurement error: in classifying causes of death, 325; cognition in subjective survival probability analysis, 13, 262, 280; i.i.d. error, 206, 212–13, 216–20, 224, 226
- Medicaid: payment for home care, 152
- Medical care. *See* Care; Care of elderly; Home health care
- Medical savings accounts, 1–3. *See also* Individual health accounts (IHAs)
- Medical teaching areas: angioplasty rate by proximity to, 70; as leaders in technological innovation, 69–70
- Medicare: characteristics in retirement decision, 113; cost increases, 78–79; differences from other health insurance plans, 112–13; effect on probability of being retired, 6–7, 119–26; eligibility before age 65, 109, 112–13; HISKEW data showing cause of death, 312–14, 324; hospital cost increases, 52–55; hospital payments per beneficiary (1968–93), 52–53; MEDPAR data, 207, 208, 312; role in retirement decision, 112–17, 129–31
- MEDPAR data, 207, 208, 312
- Moral hazard: in health insurance, 19
- Mortality hazard. *See* Mortality risk
- Mortality rates: AR and ARMA processes to estimate AMI and CHF covariance, 212–

- 21, 226; of elderly by diagnosis in HISKEW and MEDPAR data, 312–14, 324; hospital, 10–11, 205–6; i.i.d. measurement error in, 212, 224, 226; requirement for accurate estimates of, 311–12; variation by economic status, 260; Z-scores in model of covariance structure, 207–21
- Mortality risk: in AHEAD data, 261–66; data, 260; in life cycle models of consumption, 259–60; variation in, 260–61. *See also* Survival probabilities
- Mortality risk, subjective: in estimation results of personal survival curve model, 285, 288–97; focal-point responses related to, 266–73, 307; relation to saving behavior, 297–304; specifications for personal survival curve model, 273–87. *See also* Survival probabilities, subjective.
- National Medical Expenditure Survey (NMES), 110
- Pension distributions: ages of recipients of lump-sum, 89; lump-sum, 86–87; premature and normal lump-sum, 88; research on lump-sum, 90–91; rollover decision, 97–104
- Pension plans: 401(k) and 403(b), 86–87, 104; probability of lump-sum distribution rollover into new, 97–104
- Pension plans, defined benefit (DB): lump-sum distributions from, 86–87; separated participants in, 104
- Pension plans, defined contribution (DC): lump-sum distribution from, 86–87; separated participants in, 104
- Personal survival curve model: estimation results, 285–97, 308; specification, 273–87, 307–8
- Poverty: effect of living arrangement on measurement of, 169–70; measurement of among elderly, 8–9; measurement of individual, 170, 171; threshold for households and individuals, 202–4
- Poverty lines: defined, 171, 204; determinants of, 172–75; differences in, 172–73, 181; in United States (1992), 172–74
- Poverty rates: derivation in United States, 171–81; using different household types, 180–81; using official U.S. poverty lines (1992), 174–81
- Prospective Payment System (PPS): for Medicare hospital admissions, 53–54, 78
- PTCA. *See* Angioplasty (PTCA)
- RAND Health Insurance Experiment, 45
- Reimbursement: for AMI by diagnosis-related groups, 55–58; for AMI treatment by Medicare diagnosis-related group (1984–91), 58–66
- Resource allocation, intrahousehold, 9, 170, 201–2
- Retirement: determinants of, 6; distribution of individual health account balances on, 21; evidence on relationship to health insurance, 109–12; role of Medicare in retirement decision, 112–17, 129–31
- Retirement hazard: factors inducing spikes in, 129–30; for men with Medicare eligible and ineligible wives, 7, 119–28, 130; specification under employer-provided health insurance, 116
- Retirement History Survey (RHS), 110, 112
- Retirement Income Act (1984), 87
- Retirement saving plans: 401(k) and 403(b), 86–87, 104; lump-sum distributions from, 4–5, 106–7
- Saving behavior: AHEAD survey data, 297; life cycle models of consumption and saving, 259–61, 274, 297; relation to subjective mortality risk, 297–304; of retirement plan lump-sum distributions, 87–89, 106. *See also* Retirement saving plans
- SIPP. *See* Survey of Income and Program Participation (SIPP)
- Spline technology, 315–16, 324
- Subjective probabilities. *See* Survival probabilities, subjective
- Survey of Income and Program Participation (SIPP), 110, 112
- Survival probabilities: for elderly based on diagnosis, 316–23; longitudinal analysis of, 14–15
- Survival probabilities, subjective: from AHEAD panel survey, 11–12, 263–66, 297–304; estimation results of personal survival curve model, 285–97; focal-point response determinants related to, 266–73, 280–83, 285, 288, 290–93, 307; in Health and Retirement Survey, 263; mortality risk measures to forecast, 297–304; specification of personal survival curve model, 273–87, 307–8

- Taxation: of pension plan lump-sum distributions, 87
- Tax Reform Act (1986), 87
- Technological change: comparisons across metropolitan statistical areas, 66–70; hospital-level analysis, 70–77; related to AMI (1984–91), 58–66
- Technology: correlation across metropolitan statistical areas of utilization of, 68–69; diffusion of medical, 78; innovations in major teaching areas, 69–70; to treat AMI, 3–4, 52; use by hospital type of heart-related, 72–75
- Treatment: for AMI by diagnosis-related groups, 55–58; for AMI by Medicare diagnosis-related groups (1984–91), 58–66, 79
- Wealth of elderly: in AHEAD survey data, 229–37; asset data in Health and Retirement Survey, 229; data brackets in measurement of, 11–12; in SIPP data, 229, 236; using bracketing method to impute, 237–53. *See also* Bracketing methods; Imputation method