

NBER WORKING PAPER SERIES

VIOLENCE WHILE IN UTERO:
THE IMPACT OF ASSAULTS DURING PREGNANCY ON BIRTH OUTCOMES

Janet Currie
Michael Mueller-Smith
Maya Rossin-Slater

Working Paper 24802
<http://www.nber.org/papers/w24802>

NATIONAL BUREAU OF ECONOMIC RESEARCH
1050 Massachusetts Avenue
Cambridge, MA 02138
July 2018, Revised December 2019

We thank seminar and conference participants at the University of Michigan, University of Arizona, the University of Illinois Urbana-Champaign, University of Gothenburg, the Harvard Kennedy School of Government, Stockholm University, Stanford University, Vanderbilt University, the NBER Summer Institute, the Transatlantic Workshop on the Economics of Crime, the America Latina Crime and Policy Network (ALCAPONE) Annual Meeting, and the Conference on Empirical Legal Studies for helpful comments. We are grateful to Ingrid Gould Ellen and the staff at the NYU Furman Center for assisting in assembling the data for this project, Sara Shoener of the NYC Commission on Gender Equity for background information on domestic violence in New York City, and Abigail Lebovitz for excellent research assistance. The views expressed herein are those of the authors and do not necessarily reflect the views of the National Bureau of Economic Research.

NBER working papers are circulated for discussion and comment purposes. They have not been peer-reviewed or been subject to the review by the NBER Board of Directors that accompanies official NBER publications.

© 2018 by Janet Currie, Michael Mueller-Smith, and Maya Rossin-Slater. All rights reserved. Short sections of text, not to exceed two paragraphs, may be quoted without explicit permission provided that full credit, including © notice, is given to the source.

Violence while in Utero: The Impact of Assaults During Pregnancy on Birth Outcomes
Janet Currie, Michael Mueller-Smith, and Maya Rossin-Slater
NBER Working Paper No. 24802
July 2018, Revised December 2019
JEL No. I14,I31,J12,J13,K14

ABSTRACT

We study the effects of prenatal exposure to violent crime on infant health, using New York City crime records linked to mothers' addresses in birth records data. We address endogeneity of assault exposure with three strategies and find that in utero assault exposure significantly increases the incidence of adverse birth outcomes. We calculate that the annual social cost of assault during pregnancy in the US is more than \$3.8 billion. Since infant health predicts long-term wellbeing and disadvantaged women are disproportionately likely to be domestic abuse victims, violence in utero may be an important channel for intergenerational transmission of inequality.

Janet Currie
Department of Economics
Center for Health and Wellbeing
185A Julis Romo Rabinowitz Building
Princeton University
Princeton, NJ 08544
and NBER
jcurrie@princeton.edu

Maya Rossin-Slater
Department of Medicine
Stanford University School of Medicine
615 Crothers Way
Encina Commons, MC 6019
Stanford, CA 94305-6006
and NBER
mrossin@stanford.edu

Michael Mueller-Smith
Department of Economics
University of Michigan
365C Lorch Hall
611 Tappan Ave.
Ann Arbor, MI 48109-1220
mgms@umich.edu

1 Introduction

Crime is considered a canonical example of a negative externality because of its large cost to society. While a large literature in economics is devoted to understanding the determinants of criminal behavior (e.g., Becker, 1968; Erlich, 1973; Freeman, 1999; Deming, 2011; Billings, Deming and Rockoff, 2014; Chalfin and McCrary, 2015) and the impacts of criminal sanctions on offenders (e.g., Hawken and Kleiman, 2009; Buonanno and Raphael, 2013; Aizer and Doyle, 2015; Mueller-Smith, 2015; Bhuller *et al.*, 2016; Dobbie *et al.*, 2018; Agan and Starr, 2018) less is known about the causal effects of crime on *victims*. Estimates of the social cost of crime rely on jury awards (Miller *et al.*, 1996) or contingent valuation studies (Cohen *et al.*, 2004), both of which assume that the impacts of victimization are fully understood. Although these methods yield a very wide range of estimates,¹ they serve a critical role in policy evaluation. Appendix Table A.1 lists examples of studies in which cost of crime estimates are used to evaluate a variety of interventions, including education policies, labor market programs, child development programs, gun regulation, housing programs, and many others. Clearly, improving estimates of the costs of crime on victims can help to inform cost-benefit analyses of a wide range of policies, both within and outside of the criminal justice system.

Intimate partner violence (IPV) is a crime that involves physical, sexual, or psychological harm by a current or former partner or spouse. IPV is endemic in countries all around the world (Campbell *et al.*, 2004; Devries *et al.*, 2010), exists across a range of socioeconomic, religious, and cultural communities (World Health Organization, 2012), and accounts for over one seventh of all violent crimes in the United States (see Appendix Figure A.1a). Economists have studied the determinants of domestic violence from the perspective of household bargaining models (Tauchen *et al.*, 1991; Lundberg and Pollak, 1993; Farmer and Tiefenthaler, 1997; Dee, 2003; Stevenson and Wolfers, 2006; Bowlus and Seitz, 2006; Aizer, 2010; Card and Dahl, 2011; Bobonis *et al.*, 2013; Hidrobo and Fernald, 2013; Tertilt and Van Den Berg, 2015), but there is much less economic research on the impacts of IPV on victims.² This paper focuses on the effects of assault on pregnant women, which is particularly damaging as it can also affect the unborn child. The reported prevalence of physical or sexual abuse among pregnant and postpartum women ranges between 7 and 23 percent (Helton and Snodgrass, 1987; Amaro *et al.*, 1990; McFarlane *et al.*, 1992; Johnson *et al.*, 2003; Charles and Perreira, 2007; Chambliss, 2008), and IPV-related homicide is a leading

¹See Section 2.4 for a description of these methods. The most influential studies in this area differ by a factor of up to 22 on the magnitude of the cost estimate depending on the type of violent crime.

²Other related work has examined the determinants of violence in the prostitution market (e.g., see Cunningham and Shah, 2017).

cause of death during pregnancy (Palladino *et al.*, 2011).

Estimating the causal effects of criminal victimization is challenging for at least two reasons. First, while credible administrative data on alleged offenders (with personal identifying information) is readily available through arrest and incarceration databases, victim identities are generally withheld for confidentiality reasons.³ Research on crime victims is thus typically limited to self-reports in survey data, such as the National Crime Victimization Survey, which may be subject to non-random measurement error or recall bias (Ellsberg *et al.*, 2001).⁴ Second, victimization—especially due to violent crime—is not a random event. Poor women are much more likely to experience domestic violence than their more advantaged counterparts (Jewkes, 2002; Aizer, 2011). There are also substantial differences in victimization rates by race and ethnicity (Lauritsen and White, 2001), and by mental health status (Desmarais *et al.*, 2014). It is therefore difficult to isolate the causal effects of experiencing a violent crime from the influence of other (often unobservable) factors.

This paper attempts to overcome these challenges in order to offer new evidence on how violent crime affects some of the most vulnerable members of society—pregnant women and their children. We leverage a unique source of linked administrative data from New York City: birth records with information on maternal residential addresses merged to the exact locations and dates of reported crimes.

We use three different empirical strategies, each of which relies on different identifying assumptions. First, we compare the outcomes of women who report an assault in the nine months after conception to those who experience an assault one to ten months after the estimated due date.⁵ This comparison relies on the assumption that the determinants of IPV are similar during the pregnancy and postpartum periods, which is consistent with the empirical literature (Charles and Perreira, 2007; Bailey, 2010). This assumption is further supported by balancing tests for differences in maternal and paternal characteristics across the treatment and control groups, smoothness in sample density around the expected birth date, and a supplementary analysis of parental characteristics and family dynamics during the pregnancy and postpartum periods using data from the Fragile Families and Child Well-being Study. Nevertheless, we also use a calculation proposed by Oster (2017) to investigate the extent to which these estimates may be biased by differential selection into IPV during

³Arrests data are available from the Federal Bureau of Investigation (FBI) Uniform Crime Reporting program. Data on prisoners are available through the National Prisoner Statistics program at the Bureau of Justice Statistics.

⁴Social surveys also rely on increasingly selected samples of individuals willing to respond, with unknown consequences for data quality (Dillman *et al.*, 2014).

⁵This approach is similar to that of Black *et al.* (2016) and Persson and Rossin-Slater (2018), who exploit the timing of deaths in the family to study the effects of *in utero* exposure to maternal bereavement on children's outcomes.

the pregnancy and postpartum periods.

Second, we estimate a difference-in-differences (DD) model, in which we compare the difference between mothers who experience an assault during pregnancy and those who have one in the months after, relative to the analogous difference for mothers who report any other type of crime during those two time periods. The DD model allows for there to be a difference in the reporting rate between women who experience an assault during pregnancy and women who experience one postpartum, but assumes that this difference is similar to any difference in the reporting rate for other crimes. In addition, by comparing assaults to other crimes (which are likely to be stressful but involve less direct physical harm to the mother), this method can shed light on any differential effects of prenatal exposure to assault relative to other stressful shocks.

Third, we estimate models with maternal fixed effects, which account for any time-invariant differences across mothers who do and do not experience an assault during pregnancy. These models compare two pregnancies of the same mother, where one was affected by assault and the other was not. Thus, these estimates focus exclusively on the pregnancy period and do not involve comparisons with IPV exposure after pregnancy. Put differently, whereas the control groups in the first two strategies contain mothers who are still experiencing violence, the control group in the fixed effects model is not experiencing violence. Hence, one might expect the estimated effects of assault during pregnancy to be larger in this specification. Consistent with this prediction, the point estimates based on the maternal fixed effects design are larger than those obtained using the first two strategies. The siblings sample also allows us to do a placebo test, in which we drop all mothers who ever experienced an assault during pregnancy, and instead estimate maternal fixed effects models using an indicator for assault in months one to ten *after* the estimated due date as the treatment variable. We do not find any evidence of placebo impacts on infant health outcomes, suggesting that the results from our baseline maternal fixed effects models are not confounded by unobservable differences across siblings around the period of childbirth that are correlated with exposure to assault.

All three strategies indicate that experiencing assault during pregnancy has adverse consequences for infant health. Focusing on the relatively conservative estimates from the “pregnancy vs. postpartum assault exposure” and DD strategies (which are remarkably similar), mothers with an assault during pregnancy have at least a 0.08 standard deviation (SD) higher summary index of severe adverse birth outcomes, compared to mothers who report an assault in the postpartum period and mothers who experience any other crime during either period. This result is driven by 1.5 and 2.1 percentage point (61 and 46 percent) higher rates of very low birth weight births (less than 1,500 grams) and low 1-minute Apgar

score births, respectively.⁶ These impacts stem mainly from assaults in the 3rd trimester of pregnancy. These assaults are also associated with a higher probability of induced labor, a likely medical response to injuries sustained by pregnant victims of abuse. Indeed, we find some evidence that victims of assault during pregnancy are generally more likely to use medical services.

We conduct a back-of-the-envelope calculation to provide an estimate of the average social cost of assault during pregnancy to infants. We use the conservatively estimated 1.5 percentage point increase in the likelihood of a very low birth weight birth, and account for six types of short and long-term costs: Higher rates of infant mortality, increased medical costs during and immediately following birth, increased childhood disability, increased adult disability, decreases in adult income, and reductions in life expectancy. We calculate an average social cost of at least \$36,857 per assault during pregnancy. Assuming that 2.6 percent of pregnant women experience an assault—the national victimization rate estimated from survey data—this figure translates into a total annual social cost to affected infants of at least \$3.8 billion in the U.S. alone. The cost becomes even larger if one applies the estimate we obtain from maternal fixed effects models (\$85,999 per assault; \$8.9 billion per year), which compare affected to unaffected pregnancies, as discussed above.

Importantly, our cost calculation is for affected infants and does not incorporate the costs associated with victimization that the woman experiences herself. Santos (2013) uses British survey data and models the cost of domestic violence as compensating variation in a life satisfaction regression, producing a cost estimate ranging from £27,000 (\$43,200 in 2013) to £70,000 (\$112,000 in 2013). In ongoing work, Bindler and Ketel (2019) use Dutch administrative data to study the impacts of criminal victimization in an event-study framework, finding that victims experience large reductions in earnings and increases in public benefit receipt that last up to 8 years following the crime. These findings suggest that to approach an estimate of the full cost of IPV during pregnancy, one would have to add these costs to mothers to our estimates of the costs to affected infants.

Prior research suggests that shocks in the fetal period can have life-long consequences for adult health, human capital, and labor market outcomes (Almond *et al.*, 2018; Aizer and Currie, 2014; Currie and Almond, 2011; Currie, 2011; Barker, 1990). Since poor pregnant women are much more likely to be victims of assault than their more advantaged counterparts (Jewkes, 2002; Aizer, 2011), and since the majority of all violence against women is perpetrated by domestic partners (Tjaden and Thoennes, 2000), our results suggest that

⁶The Apgar score is based on a doctor’s observation of the baby’s skin color, heart rate, reflexes, muscle tone, and breathing shortly after birth, and is reported on a 0-10 scale. Scores below 7 are considered low. See: <https://kidshealth.org/en/parents/apgar.html>.

intra-family conflict may be an important and previously understudied mechanism through which early-life health disparities perpetuate persistent economic inequality across generations. The possibility of social contagion of violence within neighborhoods (Damm and Dustmann, 2014; Billings, Deming and Ross, 2019) further exacerbates this channel.

The rest of the paper proceeds as follows. Section 2 discusses our paper in the context of the existing literature, and then provides background information about IPV, police responses in New York City, and current approaches to estimating the social cost of crime. Section 3 describes our administrative data sources, while Section 4 discusses the empirical approach. Section 5 presents the results. Finally, Section 6 presents our estimate of the implied social cost of crime to infants and offers some conclusions.

2 Background

2.1 Relationship of Our Work to Previous Research on IPV and Violence during Pregnancy

Prior studies, which compare women who experience IPV during pregnancy to those who do not, have documented a negative association between prenatal IPV and pregnancy and birth outcomes (Newberger *et al.*, 1992; Cokkinides *et al.*, 1999; Murphy *et al.*, 2001; Campbell, 2002; Valladares *et al.*, 2002; Coker *et al.*, 2004; Ahmed *et al.*, 2006; Silverman *et al.*, 2006; Sarkar, 2008).⁷ However, to the best of our knowledge, only one other paper has addressed non-random selection into IPV in order to identify the impacts of IPV on infant health: Aizer (2011) uses a control function approach (Heckman, 1979) and linked hospitalizations and births data from California to estimate the effect of hospitalization for assault during pregnancy. Variation in IPV comes from geographic and time variation in the enforcement of laws against domestic violence.⁸ She finds that hospitalization for assault during pregnancy is associated with a 163 gram reduction in birth weight.

We build on this path-breaking research in three ways: First, we include all assaults reported to the police instead of focusing only on those resulting in hospitalization. Second, we develop several alternative research designs. Third, in addition to birth outcomes, we examine the use of medical interventions and prenatal behaviors in an attempt to understand

⁷There is also a small literature on interventions targeting IPV during pregnancy that have been evaluated using randomized controlled trials. Consistent with our results, interventions that lower IPV also reduce the incidence of very low birth weight and very pre-term births (Kiely *et al.*, 2010; El-Mohandes *et al.*, 2011). These studies are limited by small sample sizes: e.g., Kiely *et al.* (2010) report that out of the 150 pregnant women exposed to IPV who were assigned to their treatment group, only one had a very low birth weight birth.

⁸Specifically, Aizer (2011) uses the ratio of arrests for domestic violence to the number of 911 calls reporting domestic violence in the previous year as an instrument for hospitalization for assault.

the mechanisms driving our estimated effects on infant health.

We also contribute to a literature on the relationship between violence—either due to local criminal activity or due to more global events such as wars and terrorist attacks—and infant health (Berkowitz *et al.*, 2003; Lederman *et al.*, 2004; Lauderdale, 2006; Messer *et al.*, 2006; Eskenazi *et al.*, 2007; Masi *et al.*, 2007; Camacho, 2008; Metcalfe *et al.*, 2011; Mansour and Rees, 2012; Brown, 2013; Torche and Villarreal, 2014; Torche and Shwed, 2015). These studies typically measure potential exposure rather than actual victimization, and focus on maternal stress during pregnancy as an important channel through which potential exposure to violence can affect infant health. Our estimates instead speak to the direct consequences of violent crime on the victims.⁹ Our results are consistent with a physical channel—mothers assaulted in the 3rd trimester of pregnancy are more likely to need to be induced prematurely, and deliver very low birth weight babies as a consequence.

2.2 Intimate Partner Violence in New York City and Beyond

Intimate partner violence is shockingly common. One study from the World Health Organization, which used data from twelve countries, reports that women’s lifetime risk of physical or sexual violence ranges from 15 percent (Japan) to 71 percent (Ethiopia) (Garcia-Moreno *et al.*, 2005). Prevalence rates of IPV during pregnancy have been found to be up to 57 percent, with typical risk for women in industrialized countries ranging between 3.4 and 11 percent (Campbell *et al.*, 2004; Shamu *et al.*, 2011; Devries *et al.*, 2010).

In the United States, recent estimates from the National Intimate Partner and Sexual Violence Survey (NISVS) by the Centers for Disease Control and Prevention indicate that 32 percent of U.S. women experience physical IPV at some point in their lifetimes (Smith *et al.*, 2017). This number represents an increase from a mid-1990s estimate from the National Violence Against Women Survey, which reported that 22 percent of women experienced IPV (Tjaden and Thoennes, 2000). As shown in Appendix Figure A.1a, violent crime where the perpetrator is a stranger has gone down substantially over 1993-2016. Instead, violent crime most commonly occurs between two individuals with a known relationship (either intimate partners, other relatives, or acquaintances). And as noted above, violence originating from an intimate partner accounts for over one seventh of all violent crime.

In New York City—the setting for our paper—survey evidence shows that about 69,000 adult women feared IPV in 2004-2005 (New York City Department of Health and Mental Hygiene, 2008). Administrative records additionally indicate that women in their peak

⁹Duncan *et al.* (2016) show that fetal exposure to the Superbowl increases the probability of low birth weight. The authors argue that domestic violence is one channel through which this effect could arise, but do not have any direct data on the incidence of violence.

childbearing ages of 20 to 29 are at greatest risk of severe IPV, whether measured as female IPV-related homicide, female IPV-related hospitalization, or female IPV-related emergency department visits (New York City Department of Health and Mental Hygiene, 2008).¹⁰ Black and Hispanic women, as well as those living in low-income neighborhoods, are at heightened risk.¹¹

As previously noted, reported prevalence rates of physical or sexual abuse among pregnant and postpartum women range between 7 and 23 percent (Helton and Snodgrass, 1987; Amaro *et al.*, 1990; McFarlane *et al.*, 1992; Johnson *et al.*, 2003; Charles and Perreira, 2007; Chambliss, 2008), with more recent studies documenting relatively higher rates. Thus, pregnant women and their unborn children represent a significant fraction of violent crime victims. Newberger *et al.* (1992) point out that violence during pregnancy can affect infant health through a direct physical channel resulting from blunt trauma to the maternal abdomen, which in turn can result in early onset of labor due to placental abruption, or other complications such as the rupture of the mother’s uterus. There may also be indirect channels, including elevated stress, exacerbation of existing chronic illnesses, changes in access to prenatal care or other services, and engagement in adverse behaviors such as smoking or poor nutrition as a coping mechanism.

2.3 Police Responses to Domestic Violence in New York City

Since we use police reports to measure crimes, it is useful to understand how police treat domestic violence in New York City. New York state law requires that police investigate all reports of domestic violence. In 2017, the New York City Police Department (NYPD) responded to almost 200,000 domestic assault incidents, with over half including an intimate partner (New York Police Department, 2017). Fourteen percent of all felony-level complaints included a domestic incident, making it one of the most common complaints to the NYPD.¹²

¹⁰The second age group at greatest risk was women aged 30 to 39.

¹¹Black and Hispanic women have a 150 to 770 percent higher risk of severe IPV relative to non-Hispanic white women, depending on the specific measure.

¹²When a domestic violence complaint is made, the police may issue an appearance ticket or immediately arrest the accused depending on the degree of the offense. While statistics specific to domestic violence incidents are unavailable, 67 percent of felony and misdemeanor assault suspects were arrested in 2017 (O’Neill, 2018). If arrested, the accused are locally booked and should be arraigned before a judge within 24 hours. At the arraignment, the judge decides whether to issue an order of protection, as well as whether to release the defendant (with or without bail) or to hold the defendant on remand. By New York law, individuals convicted of a misdemeanor assault can be sentenced to anywhere from 0 to 12 months of jail time. Felony assault sentences depend on the degree of the offense: Class B (5-25 years in prison), Class C (3.5-15 years in prison), Class D (2-7 years in prison), or Class E (1.5-4 years in prison or probation). Yet only a fraction of those who are arrested are convicted and sentenced to incarceration. According to NYS Division of Criminal Justice Services (2018), between 2013 and 2017, 23 percent of violent felony arrests were convicted and sentenced to a form of incarceration (prison, jail, time-served or jail and probation). The

State law breaks domestic violence into three distinct categories depending on its severity. Felony domestic assault requires that a crime resulted in serious bodily injury (e.g., a broken bone) or involved a weapon that led to substantial prolonged pain or physical impairment. Misdemeanor offenses are crimes that result in substantial pain or impairment of physical condition, but not over a sustained period. Violations, also known as petty offenses, include verbal threats and physical acts that do not result in injury. In this study, we focus specifically on reported instances of misdemeanor and felony assaults (including aggravated assaults) and exclude violations because less serious offenses have lower reporting rates than misdemeanor and felony assaults (Morgan and Kena, 2017).

The NYPD has over 400 domestic violence prevention officers, investigators, and supervisors (New York Police Department, 2018). Prevention officers receive additional training in how to confront the potentially unpredictable situations associated with domestic violence. New York state has had a “mandatory arrest” law since the passage of the Family Protection and Domestic Violence Intervention Act in 1994. This law implies that police officers must make an arrest when there is probable cause of either a felony or a misdemeanor offense committed by one “member of the same family or household” against another. The fact that felonies and misdemeanors are treated similarly by the police is another reason to exclude violations, where the officer has more discretion about whether to make an arrest.^{13,14}

In summary, domestic violence cases make up a large fraction of the NYPD’s workload. Officers are mandated to respond to domestic violence complaints, and must arrest suspects in cases of felony or misdemeanor assault. The fact that we use data on all such cases that were reported to the NYPD, and not only cases that resulted in a conviction, means that we have a more representative sample of assaults during pregnancy than some previous studies. However, issues of mis-measurement and under-reporting of IPV may still exist in our data, as discussed below in Sections 3 and 4, as well as in Appendix C.

2.4 Estimating the Social Costs of Crime

Attempts to measure the social cost of crime date back to at least the Wickersham Commission on Law Observance and Enforcement (Anderson *et al.*, 1931). Costs include (but are

corresponding figure for all misdemeanor arrests was 15 percent. New York state does not report specific estimates for domestic violence offenses or statistics on the length of sentence.

¹³Members of the same family include spouses, former spouses, individuals who have a child together, individuals who are related by blood, and individuals who are either in or were previously in an intimate relationship together. See <http://www.opdv.ny.gov/help/fss/policecourts.html> for more details.

¹⁴The NYC Confidentiality Policy (Bloomberg, 2003a,b) mandates that police officers should not ask undocumented immigrants who are victims of crime (including IPV) about immigration status. This policy arguably mitigates concerns about under-reporting of violence against immigrants in our data.

not limited to) property loss or destruction,¹⁵ the administrative costs of the justice system, victims’ mental and physical health, and victims’ potential lost productivity.¹⁶ Quantifying these impacts in terms of a common unit of measurement (e.g., dollars) is not trivial, but is crucial for evaluating policy decisions. In fact, many economic analyses use such estimates to assess the potential cost-effectiveness of public programs (see Appendix Table A.1).

Several strategies have been developed to meet this need (Cohen, 2005).¹⁷ The “cost of illness” tradition (Hodgson and Meiners, 1982; Malzberg, 1950) attempts to quantify the tangible impacts of crime on specific outcomes using the “best available information” and assigned prices (McCollister *et al.*, 2010). Often, the “best available information” comes from victim self-reports. The jury-award approach measures the social cost of crime using actual compensation awards from civil personal injury cases (Miller *et al.*, 1996).

Other work uses hedonic methods to estimate the social cost of crime (Thaler, 1978), assuming that both the tangible and intangible costs of crime are capitalized into local housing prices. Contingent valuation studies use a similar logic: Surveys ask respondents about their willingness to pay to avoid being the victim of various crimes, which theoretically provides a measure of both tangible and intangible costs (Cohen *et al.*, 2004; Cook and Ludwig, 2000).¹⁸ All of these methods assume that the impacts of crime are fully known. If the impact is unknown to the researcher, a jury, a home buyer, or a survey respondent, then these estimates of the social cost of crime will be biased towards zero. Conversely, if people have exaggerated fears of crime, then survey methods will overstate the cost of crime.

Appendix Table A.2 reports commonly used upper and lower bound estimates of the cost of several major types of crime. According to these estimates, the social cost of assault is between approximately \$16,000 and \$90,000 per victim. While there is a wide range, available estimates consistently indicate that violent crime is more costly than other offenses. As a result, small changes in violent crime rates can be influential in cost-effectiveness analyses. Benefit-cost calculations have become standard in analyses of interventions that influence criminal activity. It is therefore critical to generate estimates of the cost of violent crime that accurately reflect causal effects, and that fully account for the full range of potential impacts. Our analysis aims to provide new evidence on the cost of assault during pregnancy on infant health outcomes, which are typically omitted from existing calculations. We discuss the costs associated with our estimated impacts on affected infants’ health in Section 6.

¹⁵Whether to consider property theft a social loss or transfer remains an open question in the field.

¹⁶See Table 9B.2 in Donohue (2009) for an extensive discussion of potential costs of crime.

¹⁷Soares (2015) provides a review of these methods for an economic audience and discusses how the approaches measure inherently different theoretical parameters.

¹⁸Often cost strategies are complemented with estimates from the statistical value of life literature, which relies on a compensating wage differences (Viscusi and ALDY, 2003).

3 Data

We merge three restricted administrative data sets from New York City: the universe of reported crimes between 2004 and 2012, the universe of birth records, and a building characteristics database. We merge these data sets using information on exact crime locations, maternal residential addresses, and unique building identifiers, as described in detail in Appendix B.

Crime data. The crime data come from NYPD records. These data cover all criminal complaints reported between 2004 and 2012.¹⁹ Each record includes the exact longitude and latitude where the event allegedly occurred, the date and time of the offense, the degree of the offense, and a categorical description of the nature of the offense. The incidents represent the full universe of reported crimes in New York City over the study period.²⁰ Appendix Table A.3 demonstrates that close to one-fifth of these reported crimes were violent in nature. Violent crimes include assaults, aggravated assaults, murder, manslaughter, and robbery. Property crimes account for an additional third of the crime reports, mainly reflecting larceny, grand larceny, and burglary. Most other crimes involve drug offenses, criminal mischief, or harassment.

Appendix Figure A.1b shows trends in violent crimes in New York City over the study period. Misdemeanor and felony assaults, which represent the majority of violent offenses and are the focus of this study, remained stable at close to 110,000 combined offenses per year.²¹

Births data. Births data come from administrative records held by the New York City Department of Health and Mental Hygiene’s Office of Vital Statistics. These data include detailed information about both the child and the parents.²² We observe a variety of birth

¹⁹Due to privacy concerns, sexual assault crimes were withheld from this database. Administrative records from the NYPD (New York Police Department, 2017) indicate that less than 0.2% of domestic assault incidents included a complaint of rape. In addition, we were permitted to access only a subset of the variables contained in the data system, which was less than what is publicly available in geospatially coarsened data (see <https://data.cityofnewyork.us/Public-Safety/NYPD-Complaint-Data-Historic/qgea-i56i>). Any attempt to merge these additional variables into our analysis data set would be a violation of our data use agreements.

²⁰While there may be some false complaints, it is advantageous to see the uncensored set of criminal reports, particularly when many cases may not proceed further due to victim non-cooperation.

²¹The figure also shows a notable decline in robberies over the study period, particularly in 2009, but we do not focus on robberies in the current study.

²²These data come from two sources: medical information about the child, pregnancy, and delivery are recorded by the hospital of delivery, while information about maternal behaviors are self-reported by the mother in a questionnaire that she completes while in the hospital.

outcomes, including child sex, birth order, plurality, birth weight in grams, gestation length in weeks, the Apgar score, an indicator for any abnormal conditions of the newborn, an indicator for any congenital anomalies, an indicator for whether the child was transferred to the Neonatal Intensive Care Unit (NICU) after birth, and an indicator for whether the child has died by the time the birth certificate is filed. We also have information about the delivery, including whether the birth occurred via cesarean section, whether labor was induced, and an indicator for any complications of labor or delivery. Further, we have data on maternal behaviors during pregnancy and at childbirth, including the date of prenatal care initiation and the total number of prenatal care visits, whether the mother received Special Supplemental Program for Women, Infants, and Children (WIC) benefits, whether the mother smoked before or during pregnancy, whether the mother used any illicit drugs during pregnancy, maternal pregnancy weight gain, and whether the mother reports being depressed during pregnancy.²³

Lastly, these data include rich information about the mothers, including age, education level, marital status, race/ethnicity, nativity, and whether the mother has any pregnancy risk factors (such as diabetes, hypertension, pre-eclampsia, eclampsia, and whether any previous child was born pre-term, low birth weight, or small-for-gestational-age). We also have the following information about fathers: age, education level, race/ethnicity, and nativity.²⁴ The births data include maternal residential addresses, full maiden names, and dates of birth, which allow us to match mothers to crimes occurring in their homes, and also to match siblings born to the same mother, as we discuss below. We calculate the estimated month and year of conception for each birth using information on the month and year of birth and gestation length, and limit the data to conception years 2004 to 2012.

Building characteristics data. Building characteristics come from the NYC Department of City Planning’s (NYC DCP) Primary Land Use Tax Lot Output (PLUTO) data. The PLUTO data include information on the tax lot and building characteristics (type of dwelling, number of floors, estimated value, etc.), as well as on geographic, political, and administrative districts as of 2009. Each property is uniquely identified by the Bureau, Block, Lot (BBL) tax identifier, an identifier that is unique to New York City. Importantly, these data allow

²³The birth certificate format changed in 2008, and information about depression during pregnancy is only available from 2008 onward. Depression is coded on a 5-point scale: 1= not depressed at all; 2= a little depressed; 3= moderately depressed; 4= very depressed and did not get help; 5= very depressed and got help. Our indicator is set to one for mothers in categories 2 through 5.

²⁴About 14 percent of the observations in our sample are missing all father information from the birth certificate. We create indicators for missing values for all paternal characteristics such that we can include them as controls in our regression models without dropping observations that do not have father information. There is no statistically significant difference in the likelihood of missing father information between our treatment and control groups (see Table 2).

us to distinguish between single-family homes and large multi-unit apartment buildings.

Analysis sample and summary statistics. After merging these three data sets (see Appendix B), we make the following additional restrictions to the sample for our main analysis. First, we focus on mothers who reside in single-family homes because for them, we can be sure that a crime occurred in their home (rather than in another apartment in the same building). Second, we consider mothers residing in The Bronx, Brooklyn, or Queens, leaving us with 68,704 observations. We drop mothers in Manhattan since there are few who reside in single-family homes, and we drop mothers in Staten Island because they are less comparable to mothers in the other boroughs in terms of their demographic and socioeconomic characteristics.

To create the analysis sample for our first estimation strategy, we identify women for whom the first reported (misdemeanor or felony) assault that we observe occurred in the month of conception or in the following 9 months, and women for whom the first such assault occurred in months 10 through 19 post-conception (i.e., the months following the expected due date month).²⁵ We use the expected rather than the actual month of birth to define these groups because realized gestation length is a potential outcome. A related issue is that the longer the pregnancy lasts, the more time there is for the woman to be assaulted during pregnancy. For both of these reasons, defining treatment using the actual month of birth may introduce bias into the model.²⁶ These restrictions leave us with a sample of 2,045 births.

Tables 1 and 2 present mean maternal and paternal characteristics, respectively, for three sub-groups of parents that are relevant to our first identification strategy. Column (1) uses all observations where the mother did not experience a first assault at her home in months 0-19 post-conception (i.e., those who are neither in our treatment nor control group). Column (2) uses treatment group observations, column (3) uses control group observations, while column (4) reports the difference in means between the treatment and control groups. Comparing column (1) to columns (2) and (3) in both tables demonstrates that exposure to assault is

²⁵For the majority of women in our primary analysis sample, we only observe one assault. There are 181 observations where a mother experiences assaults in her home both during months 0-9 post-conception and months 10-19 post-conception; these women are included in our treatment group since they experience their first observed assault during the prenatal period. Our results are similar if we instead drop women with multiple assaults across the prenatal and postpartum periods. Additionally, there are 201 observations where a mother has assaults during months 1-10 before conception and months 0-9 post-conception, and 77 observations where a mother has assaults during months 1-10 before conception, months 0-9 post-conception, and months 10-19 post-conception; these women are dropped from our main analysis sample since their first assault occurs before pregnancy, but they are included in a robustness analysis that uses mothers with first assaults before pregnancy as an alternative control group.

²⁶See Currie and Rossin-Slater (2013), Black *et al.* (2016), and Persson and Rossin-Slater (2018) for a detailed discussions of these issues.

not random. Women who have an assault during or shortly after pregnancy are younger, less likely to be married, more likely to be non-Hispanic black or Hispanic, and have lower education levels than other mothers. The fathers of their children are younger, less educated, and more likely to be minorities. However, when we zoom in on mothers who experience a first assault either during pregnancy or in the postpartum period in columns (2) and (3), the differences in parental characteristics are all statistically indistinguishable from zero at the 5% level of confidence. We explore the potential differences between the treatment and control groups for our first identification method further in Section 4 below.

Measurement error. In principle, our measure of exposure to assault could capture the victimization of another household member, who is not the pregnant woman or new mother. In addition, it is possible that women move during pregnancy, implying that they were not residing at the home in which the assault occurred at the time when it occurred. The scope for these misclassification errors is limited, however. The victim is unlikely to be the child—estimates from Maston *et al.* (2011) indicate that only 0.6 percent of assaults are situations in which the victim-offender relationship is child-parent. Moreover, Census data show that only 12.7 percent of mothers of young children living in single-family homes in The Bronx, Brooklyn, or Queens have another non-partner female adult living in their residence, implying that the vast majority of women in our data are the sole adult females in their households and therefore the likely victims of the assaults we observe in the data. Similarly, only 11.3 percent of these mothers have moved in the prior year, indicating that most new mothers maintain residential stability during pregnancy.²⁷ Moreover, our estimate of the number of pregnant women assaulted matches well with survey data from the Center for Disease Control’s Pregnancy Risk Assessment Monitoring System (PRAMS), as shown in Appendix C.²⁸

Outcomes. To address the issue of multiple hypothesis testing, we group our outcomes into four indices: (1) *severe birth outcomes index*, which includes indicators for the following

²⁷Estimates based on authors’ calculations using pooled 2000 and 2010 Census 5% Public Use Microdata Samples. Mothers of young children are defined as women with children less than 2 years old in the household.

²⁸Another data problem is that IPV tends to be under-reported to police. Notably, although IPV is under-reported, victims of IPV are as likely as other victims of assault to call the police (Felson *et al.*, 2002). In addition, Miller and Segal (2018) demonstrate that a higher rate of female representation in the police force increases the reporting rate of domestic violence to law enforcement. Our inclusion of conception year and month fixed effects accounts for this potential source of selection into reporting. We further attempt to limit the scope of potential under-reporting bias through two sample restrictions. First, we use a sample of mothers who have all had a reported assault at their residence at some point in the months surrounding childbirth, indicating a willingness to report to law enforcement in both our treatment and control groups. Second, we focus on misdemeanor and felony offenses, which are less likely to be under-reported than more minor offenses (Morgan and Kena, 2017).

severely adverse outcomes: very low birth weight (<1,500 grams), very pre-term birth (<34 weeks gestation), low 1-minute Apgar score (<7), NICU admission, any abnormal conditions (e.g., use of assisted ventilation or surfactant) or congenital anomalies of the newborn, and death by the time of birth certificate filing; (2) *broad birth outcomes index*, which includes all outcomes included in the main birth outcomes index, as well as other less severe measures: continuous birth weight in grams, indicator for low birth weight (<2,500 grams), gestation in weeks, and indicator for pre-term birth (<37 weeks);²⁹ (3) *use of medical services index*, which includes: indicator for first trimester prenatal care initiation, number of prenatal care visits, indicator for induction of labor, indicator for delivery by c-section, and indicator for any complications during labor or delivery (e.g., premature rupture of membranes); (4) *maternal behavioral and well-being index*, which includes indicators for: mother smoking during pregnancy, mother using illicit drugs during pregnancy, mother being depressed, low pregnancy weight gain (<15 lbs), high pregnancy weight gain (>40 lbs),³⁰ and the mother not receiving WIC benefits.

To create the indices, we first orient each outcome such that a higher value either represents a more adverse outcome (for indices 1, 2, and 4) or more use of medical services (for index 3), and then standardize each oriented outcome by subtracting the control group mean and dividing by the control group standard deviation. For the first analysis, the control group is defined as mothers for whom the first assault that we observe is in months 10 through 19 post-conception. For the maternal fixed effects analysis, the control group is all births with no assault in months 0-9 post-conception. We take an equally weighted average of the standardized outcomes as in Kling *et al.* (2007).

4 Empirical Design

Our goal is to estimate a causal relationship between exposure to an assault during pregnancy and infant health. Consider a stylized model of the form:

$$y_i = \gamma \text{AssaultPreg}_i + \mathbf{x}'_i \omega + u_i \tag{1}$$

²⁹We have also examined an index that additionally includes indicators for high birth weight (>4,000 grams) and a male child, with very similar results. Since male fetuses are more likely to miscarry, a reduction in male births may indicate an increase in miscarriages (see, e.g., Sanders and Stoecker, 2015; Halla and Zweimüller, 2013). We do not find any evidence for changes in the sex ratio at birth.

³⁰Medical recommendations for pregnancy weight gain depend on the woman’s pre-pregnancy BMI. However, our births data only contain information on maternal pre-pregnancy BMI starting in 2008. In order to study pregnancy weight gain for the whole sample, we use the 15 and 40 lbs thresholds, since overweight women are advised not to gain less than 15 lbs, while underweight women are advised not to gain more than 40 lbs. See <https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Weight-Gain-During-Pregnancy>.

for each mother-child pair i . y_i is an outcome of interest such as the severe birth outcomes index, $AssaultPreg_i$ is an indicator that is equal to 1 for mothers who have a first reported assault in their homes during pregnancy and 0 otherwise, \mathbf{x}_i is a vector of observable determinants of y_i , and u_i is a vector of unobservable characteristics. Since assaults during pregnancy are not randomly assigned, unobservable components in u_i are likely to be correlated with the treatment variable, leading to biased estimates of γ in equation (1).

Our empirical strategies aim to overcome this issue by identifying control groups that enable us to approximate a randomized design. We adopt three research designs, which rely on different identifying assumptions, including: (1) comparing the outcomes of women who report an assault in the nine months after conception to those who experience an assault one to ten months after the estimated due date, (2) a difference-in-differences (DD) model, in which we compare the difference between mothers who experience an assault during pregnancy and those who have one in the months after, relative to the analogous difference for mothers who report any other type of crime during those two time periods, and (3) a maternal fixed effects approach, which accounts for any time-invariant differences across mothers who do and do not experience an assault during pregnancy.

During Versus Post-Pregnancy Model. The literature suggests that women who experience an assault in their homes in a short time period *after* pregnancy serve as an appropriate control group for women who have one during pregnancy, and we provide further evidence regarding the comparability of these two groups below.

In particular, consider the sample:

$$S = \{i : \mathbf{1}[c \leq Assault \leq e_b]_i = 1 \mid \mathbf{1}[e_b < Assault \leq e_b + 10]_i = 1\}.$$

where c denotes the month of conception and e_b denotes the *expected* month of birth (i.e., the 9th month after the month of conception). Thus, $\mathbf{1}[c \leq Assault \leq e_b]_i = 1$ indicates that the assault occurred during the expected length of the pregnancy, while $\mathbf{1}[e_b < Assault \leq e_b + 10]_i = 1$ indicates that it occurred in the 9 following months.

We estimate the following model on the sample with $i \in \{S\}$:

$$y_{iymr} = \beta_0 + \beta_1 \mathbf{1}[c \leq Assault \leq e_b]_{iymr} + \psi_y + \phi_m + \rho_r + \mathbf{x}'_i \delta + \nu_{iymr}, \quad (2)$$

where $\mathbf{1}[c \leq Assault \leq e_b]_{iymr}$ is an indicator variable that takes the value of 1 if the assault occurs in or before the expected month of birth, and 0 otherwise. We include conception year and month fixed effects, ψ_y and ϕ_m , respectively, as well as fixed effects for the three boroughs in our analysis, ρ_r . The vector \mathbf{x}_i includes the following control variables: maternal

and paternal age group dummies (<20, 20-24, 25-34, 35+, missing), indicator for the mother being married, indicators for maternal and paternal nativity status (U.S.-born, foreign-born, missing), maternal and paternal race/ethnicity dummies (non-Hispanic white, Hispanic, non-Hispanic black, other, missing), maternal and paternal education dummies (less than high school and no diploma, high school or GED diploma, some college or associate’s degree, bachelor’s degree or more, missing), indicator for a single rather than multiple birth, and parity dummies (1st, 2nd, 3rd+, missing).

The key coefficient of interest, β_1 , represents an estimate of the impact of exposure to an assault during pregnancy. The coefficient β_1 may not capture the stress associated with being in a violent relationship, however. The literature on IPV suggests that an assault where the police are called is unlikely to be a “one-off” event (Straus *et al.*, 2017). In many cases, there was a continuous pattern of abuse before, during, and after pregnancy that may, from time to time, culminate in a more serious assault in which law enforcement gets involved. Therefore, all of the women in our treatment and control groups are likely to be subject to high levels of stress, implying that these estimates capture the effects of the more serious physical assault itself. As noted above, this is a distinction between our work and previous work on the impact of stressful events during pregnancy. However, as discussed, the maternal fixed effects estimates are likely to incorporate both the effects of physical assault and the effects of the stress associated with being at risk of violence; see below for more details on this strategy.

This first analysis relies on the assumption that the timing of assault within a 10-month window surrounding the expected month of birth is exogenous to our outcomes of interest. Put differently, we require that mothers in our treatment and control groups are not selected in systematically different ways that are correlated with infant health. Evidence from a study of the determinants of IPV during and after pregnancy by Charles and Perreira (2007) provides support for this assumption. Using rich longitudinal survey data from the Fragile Families and Child Wellbeing Study (FFCWS)—which includes detailed information on parental demographics, family structure, measures of social support, stress, and substance abuse—they attempt to predict whether violence occurs during pregnancy or postpartum and find that only one out of 26 predictors is statistically significant.

We examine the plausibility of the identifying assumption in our data as well. Tables 1 and 2 have already shown that mothers and fathers in the treatment and control groups are similar in terms of their observable characteristics.³¹ Figure 1 depicts how the number and composition of births varies with the distance between the month of assault and the

³¹We have also checked whether the shares of felony versus misdemeanor assaults differ across our treatment and control groups, finding no statistically significant differences.

conception month. In panel (a), we plot the total number of births in which the first assault that we observe occurs, from 10 months before conception to 19 months after (months -10 to 19). In panel (b), we predict the main birth outcome index using the maternal, paternal, and child characteristics included in vector \mathbf{x}_i (described above), and then plot the mean of the predicted index by the month of assault relative to conception month. The vertical red lines separate the figure into observations with assaults pre-pregnancy (months -10 to -1), assaults during the expected length of pregnancy (months 0 to 9, i.e., our treatment group), and assaults after the expected month of birth (months 10 to 19, i.e., our main control group). We find no jumps in either the number or the composition of births at these markers, suggesting no observable change in selection into our treatment or control groups.

In Appendix Table A.4, we further show that the lack of significant differences in the observable characteristics of mothers and fathers between the treatment and control groups holds up when we include borough, conception year, and conception month fixed effects, as in our main model (2). Specifically, we estimate model (2), using each of the background characteristics as a dependent variable, and omitting the vector \mathbf{x}_i . We report the estimates of β_1 from these regressions; out of 19 coefficients in Appendix Table A.4, only two are marginally significant at the 10% level. We find that mothers and fathers in the treatment group are less than a year older than mothers and fathers in the control group, a difference that is unlikely to drive our main effects on infant health. We have also used all of the characteristics in \mathbf{x}_i to predict our treatment variable. The p -value from an F -test of the joint significance of these regressors is 0.92.

The above discussion makes clear that we cannot detect any systematic differences between the treatment and control groups along margins observable in our administrative data. But one might worry that other factors not recorded in our data—such as parental relationship quality or dynamic patterns in family income or poverty—may vary across women who experience assault during pregnancy and those who experience assault as new mothers. Moreover, the likelihood of calling the police when an assault occurs may differ between the treatment and control groups.

Bindler and Ketel (2019) show that both earnings and government benefit receipt in the Netherlands are stable in the years leading up to a domestic assault incident, which reduces concerns about dynamic selection in our study. To further shed light on these concerns in the U.S. context, we turn to survey data from FFCWS. While the FFCWS sample is substantially smaller than our linked administrative data set, it includes more detailed information on parental relationships and evolving family circumstances and does not rely on reports of IPV to the police. We compare women whose partners initiated IPV during pregnancy and those whose partners initiated IPV in the first year after childbirth.

We find no significant differences in a variety of individual and household measures (e.g., baseline relationship status, household composition, and household income). We also find that the timing of IPV initiation is uncorrelated with factors such as whether the baby resembles the father, the child’s sex, and changes in the household’s income and poverty ratio. Appendix D provides more details and presents these results.

In addition, we follow Oster (2017) to provide a lower bound on our estimated treatment effect after adjusting for selection on unobservable characteristics, and to examine how large selection on unobservables would have to be to make our estimated treatment effect go to zero. We further test the robustness of our results to incorporating women who experience a first assault in the 9 months *before* conception into the control group.

Difference-in-Difference Model. As a second estimation strategy, we estimate a DD model, in which we compare the difference between mothers who experience an assault during pregnancy and those who have one in the months after, relative to the analogous difference for mothers who experience any other type of crime during those two time periods. For these analyses, our sample includes all women with any crime in their home in months 0-19 post-conception; i.e., our DD analysis sample is:

$$S' = \{i : \mathbf{1}[c \leq Crime \leq e_b]_i = 1 \mid \mathbf{1}[e_b < Crime \leq e_b + 10]_i = 1\}.$$

Here, $\mathbf{1}[c \leq Crime \leq e_b]_i = 1$ indicates that the crime occurred during the expected length of the pregnancy, while $\mathbf{1}[e_b < Crime \leq e_b + 10]_i = 1$ indicates that it occurred in the 9 following months.

We then estimate the following model on the sample with $i \in \{S'\}$:

$$y_{iymr} = \pi_0 + \pi_1 \mathbf{1}[c \leq Assault \leq e_b]_{iymr} + \pi_2 \mathbf{1}[c \leq Assault \leq e_b + 10]_{iymr} + \pi_3 \mathbf{1}[c \leq Crime \leq e_b]_{iymr} + \psi_y + \phi_m + \rho_r + \mathbf{x}'_i \delta + \varepsilon_{iymr}, \quad (3)$$

Thus, we augment model (2) by including separate indicators for assault during months 0-9 post-conception ($\mathbf{1}[c \leq Assault \leq e_b]_{iymr}$), assault during months 0-19 post-conception (i.e., either during or after pregnancy, $\mathbf{1}[c \leq Assault \leq e_b + 10]_{iymr}$), and for experiencing any other crime during months 0-9 post-conception ($\mathbf{1}[c \leq Crime \leq e_b]_{iymr}$). The omitted category is thus women who experienced some other type of crime in their home during months 10-19 post-conception. The rest of the variables are as defined in equation (2). We are interested in the coefficient π_1 , which is the estimate of the effect of exposure to assault during pregnancy, relative to exposure to assault post-pregnancy, and relative to exposure to any other crime during either period.

The DD model allows for there to be differences in the characteristics of women who report an assault during pregnancy and those who report one in the postpartum period, but assumes that those differences are similar to the differences between women who report other crimes across these two time periods. Moreover, this model allows us to separate any differential effect of assault during pregnancy relative to the effect of exposure to another crime, such as burglary, which is likely to also be a stressful event. As one indirect test of the identifying assumptions underlying the DD design, we show results from the DD regression models with maternal and paternal characteristics as outcomes in Appendix Table A.5. We observe no systematic differences between mothers who report an assault during versus after pregnancy relative to the differences between mothers who report other crimes during versus after pregnancy.

Maternal Fixed Effects Model. In a third estimation strategy, we leverage the maternal identifiers in our birth records data to link siblings born to the same mother, and use a maternal fixed effects design. Using a sample of all singleton sibling births by mothers who reside in single-family homes in The Bronx, Brooklyn, or Queens during the first pregnancy, we estimate:³²

$$y_{iymk} = \kappa_0 + \kappa_1 \mathbf{1}[c \leq Assault \leq e_b]_{iymk} + \zeta_y + \chi_m + \pi_k + \mathbf{x}'_i \tau + \mu_{iymk} \quad (4)$$

for each child i , conceived in year y and month m , born to mother k . π_k is a maternal fixed effect, while the vector \mathbf{x}_i now only includes characteristics that vary within each mother: maternal and paternal age dummies (<20, 20-24, 25-34, 35+, missing), indicator for mother being married, maternal and paternal education dummies (less than high school and no diploma, high school or GED diploma, some college or associate's degree, bachelor's degree or more, missing), paternal race/ethnicity and nativity dummies (to account for possible different fathers across pregnancies), child parity dummies (1st, 2nd, 3rd+, missing), and birth interval dummies (1st birth, < 12 months from previous birth, 12-24 months from previous birth, 24-36 months from previous birth, 36-48 months from previous birth, 48+ months from previous birth). The key coefficient of interest, κ_1 , is identified using the 451 children of 201 mothers who have at least one pregnancy exposed to an assault, and one unexposed pregnancy.³³ In these models, we cluster standard errors on the mother. The use of mother fixed effects alleviates concerns about mothers who suffer assault during pregnancy

³²We only condition on residence in The Bronx, Brooklyn, or Queens during the first pregnancy since subsequent mobility may be endogenous.

³³We also include children of mothers who never have an assault during pregnancy (18,107 observations) and children of mothers who have an assault during every pregnancy (42 observations) to increase power in identifying the coefficients on the other variables in the regression model.

being differentially selected from those who experience assaults in the postpartum period.

One potential issue for the maternal fixed effects model is that that subsequent fertility is endogenous with respect to exposure to assault, leading to selection into the sibling sample. However, Appendix Table A.6 demonstrates that experiencing an assault during the first pregnancy observed in our data is not correlated with either the likelihood of having a future child or with the total number of subsequent children. Thus, we conclude that our sample of siblings is not subject to selection bias.

Another concern is that unobservable differences across siblings around the period of childbirth may be correlated with exposure to assault (e.g., changes in maternal employment or family structure). To examine this issue, we estimate placebo fixed effects models, in which we drop mothers who ever experience an assault during pregnancy, and instead use as the treatment variable an indicator for assault *after* pregnancy. As we discuss in more detail below, we find no evidence of a significant correlation between post-pregnancy exposure to assault and our main outcomes of interest, assuaging concerns about unobservable time-varying factors confounding the maternal fixed effects estimates.

5 Results

Main results. Table 3 summarizes the estimated results for the outcome indices, using our three empirical strategies. The first row reports results from estimating equation (2) using the sample with $i \in \{S\}$ defined in Section 4 (i.e., the model that compares mothers who experience an assault during pregnancy with those who experience one in the postpartum period). In the second row, we show the treatment coefficient estimate from the DD model, in which we use mothers who experience any other crime in their home during or after pregnancy as an additional control group (note that the full set of DD coefficients is presented in Appendix Table A.7). The final row presents estimates from the maternal fixed effects model (equation (4)).

Across all three methods, the results indicate that exposure to assault during pregnancy causes a deterioration in newborn health. Column (1) shows that an assault during pregnancy is associated with a statistically significant 0.08 SD increase in the severe birth outcome index in both the “during versus post-pregnancy” and DD models. The effect on the broader birth outcome index, which includes less extreme outcomes and continuous birth outcome measures, is a 0.06 to 0.07 SD increase, which is marginally significant at the 10% level (column 2). The similarity of the results between the assault timing and DD models suggests that while there is a significant adverse effect of assault during pregnancy on infant health,

there appears to be no significant impact of exposure to other crimes.³⁴ As other crimes are also stressful events but are less likely to involve direct physical harm to the mother compared to an assault, our evidence of a differential negative impact of exposure to assault implies that direct physical harm to the mother is an important channel for the estimated effect on infant health.

The maternal fixed effects results for the severe and broader birth outcome indices in the third row of Table 3 columns (1) and (2) also show a worsening of newborn health. As expected, the estimated effect magnitudes are larger in the fixed effects specifications than in the other two models. Recall that in the first two models, we are comparing assault during pregnancy to assault postpartum, implying that all of the women in the sample are likely to be in violent, stressful relationships around the time of childbirth. In the maternal fixed effects model, we are instead comparing women who were subject to violence during one pregnancy to themselves at another point in time where they may well have left (or not yet entered) the violent relationship. Thus, the plausible contrast in violence exposure and stress between “treatment” and “control” is starker in the maternal fixed effects model.

Panel A of Appendix Table A.8 presents results for the individual birth outcomes based on the “during versus post-pregnancy” estimation strategy, while Panel A of Appendix Table A.9 does so for the maternal fixed effects models.³⁵ Using the first method, we find that the overall rise in the severe birth outcomes index is driven by 1.5 and 2.1 percentage point increases in the likelihoods of very low birth weight births and low 1-minute Apgar scores, respectively, which constitute 60.6 and 46.4 percent effects when evaluated at the dependent variable sample means. While the signs of the treatment coefficients for other outcomes—very pre-term birth, NICU admission, the presence of abnormal conditions or congenital anomalies, and death—are also consistent with an adverse effect, they are not individually statistically significant. In the maternal fixed effects models, while we lose some power (recall, there are only 451 children of 201 mothers who had one exposed and one unexposed pregnancy), we nevertheless observe impacts on individual birth outcomes. We find increases in the rates of very pre-term and low 1-minute Apgar score births (the latter is marginally significant at the 10% level), as well as a substantial increase in the likelihood of NICU admission (significant at the 5% level). The coefficient for very low birth weight is likewise positive and large in the maternal fixed effects model, but not significant at conventional levels (p -value of 0.15).

³⁴We have also estimated regression model (2) using a sample of mothers who experience a burglary instead of an assault in their homes either during or after pregnancy. We do not find any significant effects of exposure to burglary on our outcome indices. Results available upon request.

³⁵The results for individual outcomes from the DD models are very similar to those from the “during versus post-pregnancy” models and available upon request.

Mechanisms. To shed some light on the mechanisms driving birth outcomes, we examine the mother’s use of medical services during pregnancy and delivery in column (3) of Table 3. Results from the assault timing and DD models (rows 1 and 2) indicate that women with a reported assault during pregnancy are significantly more likely to use medical services than their counterparts with a reported assault in the postpartum period. Panel B of Appendix Table A.8, which shows results for the individual components of the use of medical services index, suggests that this effect in part operates through a 6.0 percentage point higher likelihood of initiating prenatal care in the first trimester and 0.33 more prenatal care visits (marginally significant). It is plausible that women who are assaulted early in the pregnancy may go to the doctor sooner than they otherwise would have to check on the health of the fetus. This finding suggests that women who experience violence during pregnancy may engage in compensatory behaviors, making our impacts on birth outcomes lower bounds. Column (3) of Panel B of Appendix Table A.8 also shows a strong impact on induction of labor—assault during pregnancy is associated with a 5.6 percentage point increase in the likelihood of labor being induced, a 25.7 percent rise at the sample mean.

However, when we examine the use of medical services with the maternal fixed effects specification, we find no statistically significant results (see Panel B of Appendix Table A.9). It is possible that there is less scope for variation in these outcomes when we examine differences across pregnancies within the same mother (i.e., a mother who initiates prenatal care during the first trimester in one pregnancy is also likely to initiate prenatal care at that time during another pregnancy, regardless of assault exposure).

Column (4) of Table 3 examines mechanisms further by studying impacts on the maternal behavioral and well-being index. We do not find any significant effects on this aggregate outcome in any of the models we consider. When examining the individual outcomes in Panels C of Appendix Tables A.8 and A.9, we only observe a significant coefficient for one outcome—it appears that women exposed to assault during pregnancy are less likely to receive WIC benefits.³⁶

³⁶The decline in WIC take-up could arise for a variety of related reasons. One possibility is that perpetrators of IPV may be engaging in controlling behaviors that limit the choices of their victims. For more discussion of the role of control in IPV see, for example: <http://www.opdv.ny.gov/professionals/abusers/coercivecontrol.html>. Abused women may also fear going to a government program office (e.g., a WIC clinic) because of the heightened risk of staff reporting suspicions of abuse and/or the possible reactions of their abusers. In addition, it is possible that the effect on WIC is due to New York’s mandatory arrest law for domestic violence cases, where police are required to arrest at least one person if they respond to a domestic violence incident. If the nature of the incident is unclear, then the police may arrest all individuals in the home, including the pregnant woman, who may consequently place less trust in government programs. Finally, it could be an indication of declining pro-social behaviors resulting from poor mental health and broader social withdrawal.

Timing of effects. In Appendix Figure A.2, we explore differences in impacts across various periods of exposure using a variant of our first estimation strategy. Here, we include all mothers with a first assault in the window from 10 months before conception month to 19 months after conception month. The figures show the coefficients and the corresponding 90% and 95% confidence intervals from event-study models that include separate indicators for any assault occurring during the following periods: 8-10 months before conception month (“-3 Pre”), 5-7 months before conception month (“-2 Pre”), 1-4 months before conception month (“-1 Pre”), months 0-2 post-conception (“1 Tri”), months 3-5 post-conception (“2 Tri”), months 6-9 post-conception (“3 Tri”), months 13-15 post-conception (“2 Post”), and months 16-19 post-conception (“3 Post”). The omitted category is months 10-12 post-conception (i.e., the 3 months after the expected month of delivery).

The graphs suggest that the impacts on very low birth weight, very pre-term, and low 1-minute Apgar score births, as well as induction of labor, are strongest for assaults in the 3rd trimester of pregnancy. Taken together, these results are indicative of a direct physical mechanism driving our effects: pregnant victims of assault may be likely to go to the hospital because of the resulting physical trauma, where they may need to have their labor induced prematurely and therefore deliver very pre-term and very low birth weight babies.

Addressing additional concerns about selection. As discussed in Section 4, a central concern about interpreting our estimated effects as causal is about possible differences in unreported assaults and selection into assault across the treatment and control groups in our first estimation strategy. We have already presented evidence that the observable characteristics of parents in the treatment and control groups—both in our administrative data from NYC and survey data from the FFCWS—are statistically indistinguishable. In Panel A of Appendix Table A.10, we examine the robustness of our estimates to including women with an observed assault in their home up to 10 months prior to the conception month (i.e., *before* pregnancy). Just like women in the treatment group, these women do not (yet) have newborn children, and may therefore have similar reporting behaviors. Using this augmented sample of assaults, we continue to see a significant increase in the summary index of severe adverse birth outcomes.

Even if we do not observe any evidence of selection on observable characteristics, it remains possible that our effects are biased due to selection on unobservables. To assess the magnitude of this bias, we follow Oster (2017) and report a lower bound on our main treatment effect estimate under the assumption of equal degree of selection on unobservable and observable variables. We also calculate how large the degree of selection on unobservable characteristics would have to be to explain away the treatment effect. Columns (1) through

(4) of Appendix Table A.11 show that our treatment effect on the severe birth outcome index is remarkably stable as we include different sets of controls for maternal and paternal characteristics, and borough fixed effects. We also report two parameters: β , which is a lower bound on the treatment effect under the assumption of equal degree of selection on observed and unobserved variables, and δ , the degree of selection on unobservables relative to observables that would be necessary to get a treatment effect of zero. We find that the lower bound on the treatment effect for the severe birth outcome index remains positive, and that selection on unobservables would have to be more than 1.3 times larger than selection on observables in order to explain away our treatment effect.³⁷ As our δ parameter is greater than one, our results pass the rule-of-thumb threshold suggested by Oster (2017).

The siblings sample also allows us to do a helpful placebo test, in which we drop all mothers who ever experienced an assault during pregnancy, and instead estimate maternal fixed effects models using an indicator for assault in months 10-19 post-conception (i.e., *after* pregnancy) as the treatment variable. If our main fixed effects results were driven by unobservable differences across siblings around the period of childbirth that are correlated with exposure to assault (e.g., changes in maternal employment or family structure), then we would expect to see a significant correlation between assault post-pregnancy and our pregnancy and birth outcomes. Instead, Appendix Table A.12 shows insignificant treatment coefficients for both of our birth outcome indices (columns 1 and 2). The magnitudes of the coefficients are about one sixth of those reported in the analogous columns in Panel C of Table 3. We do observe a significant correlation with the maternal behavioral and well-being index in column (4), which suggests positive selection on this set of outcomes. That is, a negative value means better behaviors in the postpartum assault group, which would tend to reduce the estimated difference between the effect of assault during pregnancy and the effect of assault postpartum.

Multi-family homes. Lastly, Panel B of Appendix Table A.10 investigates whether our results hold when we expand beyond our single-family home analysis sample. Here, we consider births by mothers who reside in *multi-family* homes with three floors or less, where the mother experienced an assault in her building during either months 0-9 post-conception

³⁷A central input into the Oster calculation is R^{max} , which is the R^2 from a hypothetical regression of the outcome on treatment and both observed and unobserved controls. Oster (2017) proposes two ways of choosing R^{max} . One way is to use the R^2 from a within-family regression model. Another way is to assume that R^{max} is equal to $1.3 \times \tilde{R}^2$, where \tilde{R}^2 is the R^2 from the regression with all observable controls (column 4 in Appendix Table A.11). We use the former method and set $R^{max} = 0.18$, which is the R^2 from our maternal fixed effects model that includes all time-varying maternal and paternal controls (equation (4)) for the severe birth outcome index as the outcome. If we were to use the latter method, we would set $R^{max} = 1.3 \times 0.054 = 0.07$, obtaining even larger δ and β parameters. Thus, our choice of $R^{max} = 0.18$ is conservative.

or the 9 months after the expected month of delivery. The treatment variable in Panel B is the probability of assault during pregnancy, assuming that the probability is equal to the number of reported assaults in the building divided by the number of units in the building. We continue to see an increase in the severe birth outcomes summary index in this larger and more heterogeneous sample. We also observe a decline in the use of medical services index. The difference in the use of medical care results between the single- and multi-family home samples is likely driven by the difference in parental characteristics across the two groups. To assess this explanation, we have tried re-weighting the multi-family sample to more closely resemble our primary single-family home analysis sample on observable characteristics, and estimating our models using the re-weighted data. The resulting coefficients become more similar to those from our baseline models (results available upon request).

6 Conclusion

Measuring the social cost of crime—and especially violent crime—is crucial for policy debates about the judicial system and programs that impact criminal behavior more broadly. Existing approaches assume that all of the costs of victimization are fully captured. However, causal evidence on the effects of violent crime on victims is sparse due to data constraints and the potential endogeneity of exposure. We break new ground by using linked administrative data from New York City to deliver new estimates of the effects of assault on an important segment of the population, newborn children.

We use three different research designs, which rely on novel administrative data that link birth records for children of mothers living in single-family homes in The Bronx, Brooklyn, and Queens boroughs of New York City to reported crimes that occur in their homes. In the first strategy, we compare the birth and pregnancy outcomes of women who have a reported assault in their home in months 0 through 9 post-conception to those who have an assault in months 1 through 10 after the estimated due date. We find that assault during pregnancy leads to increases in the rates of very low birth weight and low 1-minute Apgar score births of 61 and 46 percent, respectively. The effects appear to be driven by assaults in the 3rd trimester, for which we also observe an increase in the likelihood of induced labor. We show that are results are very similar when we instead estimate a DD model, which compares the difference in outcomes between women who experience an assault in their homes during pregnancy and in the postpartum period to the difference between women who experience other types of crimes across these two periods. We also present results from a third specification, which controls for maternal fixed effects, and thus compares two pregnancies of the same mother, where one was affected by assault and the other was not.

As the control group in the maternal fixed effects model is less likely to be experiencing any violence (whereas the control groups in the first two specifications are exposed to violence in the period surrounding childbirth), the point estimates for the effects on infant health from this third method are larger than those from the first two methods.

What do our findings imply for the measurement of the social cost of crime? We conduct a back-of-the-envelope calculation, focusing on the estimates of the effect of assault on very low birth weight births. We consider the best available evidence on costs arising through six channels: higher rate of infant mortality, increased medical costs at and immediately following birth, increased costs associated with childhood disability, decreases in adult income, increased medical costs associated with adult disability, and reductions in life expectancy. This calculation—presented in detail in Table 4 and using the estimates from our first empirical model—generates an average social cost of \$36,857 per assault during pregnancy. If we use the larger maternal fixed effects estimates, we get an average social cost of \$85,999. Appendix Figure A.3 shows that this cost is largely driven by the higher likelihood of infant mortality and decreased life expectancy among very low birth weight children. We emphasize that these numbers likely underestimate the full social cost of assault on pregnant women for at least five reasons: measurement error in our crime data, under-reporting of IPV to the police, the fact that we do not measure the effects of assault on maternal well-being, possible compensatory responses on the part of mothers that may reduce the damage to the fetus from assault, and the fact that women subject to IPV are likely to be living with high levels of ambient stress, which is also known to affect fetal development.

As noted in Section 2.4, existing work suggests that assaults generate between \$16,000 and \$90,000 in social costs per victim depending on the methodological approach. However, we are not aware of any prior attempts to calculate these costs specifically for the population of newborn infants, whose mothers constitute a shockingly large and vulnerable subgroup of assault victims. The current methods of evaluating these effects—jury award estimates and contingent valuation studies—largely focus on costs that manifest immediately at the time of the violent episode and are not well-suited for incorporating longer-term costs, such as those resulting from the adverse health and human capital consequences on unborn children. With an average of 3,177 pregnant women between 2004 and 2012 in New York City suffering physical abuse, our estimates imply that the total social costs previously unaccounted for in New York City alone are approximately \$117.1 to \$273.2 million per year. Across the United States, we estimate an annual social cost of around \$3.78 to \$8.82 billion based on the best available nationwide victimization estimates for pregnant women, and the fact that there are approximately 3.9 million births per year.³⁸

³⁸Pooling across all participating states in PRAMS 2011 (AR, CO, DE, GA, HI, MA, MD, ME, MI, MN,

Our results imply that interventions that reduce violence against pregnant women can have meaningful consequences not just for the women (and their partners), but also for the next generation and society as a whole. Future research exploring the longer-term consequences of prenatal exposure to assaults on child health and development, as well as on maternal well-being is indicated.

References

- AGAN, A. and STARR, S. (2018). Ban the Box, Criminal Records, and Racial Discrimination: A Field Experiment. *Quarterly Journal of Economics*, **133** (1).
- AHMED, S., KOENIG, M. A. and STEPHENSON, R. (2006). Effects of domestic violence on perinatal and early-childhood mortality: evidence from north india. *American journal of public health*, **96** (8), 1423–1428.
- AIZER, A. (2010). The gender wage gap and domestic violence. *American Economic Review*, **100** (4), 1847–59.
- (2011). Poverty, violence, and health the impact of domestic violence during pregnancy on newborn health. *Journal of Human resources*, **46** (3), 518–538.
- and CURRIE, J. (2014). The intergenerational transmission of inequality: Maternal disadvantage and health at birth. *Science*, **344** (6186), 856–861.
- and DOYLE, J. (2015). Juvenile Incarceration, Human Capital, and Future Crime: Evidence from Randomly Assigned Judges. *Quarterly Journal of Economics*, **130** (2).
- ALMOND, D., CURRIE, J. and DUQUE, V. (2018). Childhood circumstances and adult outcomes: Act ii. *Journal of Economic Literature*, forthcoming.
- AMARO, H., FRIEND, L., CABRAL, H. and ZUCHERMAN, B. (1990). Violence during pregnancy and substance use. *American journal of public health*, **80**.
- ANDERSON, H., PLOSCOWE, M., VAN KLEECK, M., WINSLOW, E. and REID, I. (1931). *Report on the causes of crime*. Tech. rep., US Wickersham Commission.
- ANDERSON, W. L., ARMOUR, B. S., FINKELSTEIN, E. A. and WIENER, J. M. (2010). Estimates of state-level health-care expenditures associated with disability. *Public Health Reports*, **125** (1).
- BAILEY, B. A. (2010). Partner violence during pregnancy: prevalence, effects, screening, and management. *International journal of women’s health*, **2**, 183.
- BARKER, D. J. (1990). The fetal and infant origins of adult disease. *BMJ: British Medical Journal*, **301** (6761), 1111.
- BECKER, G. (1968). Crime and Punishment: An Economic Approach. *Journal of Political Economy*, **72** (2).

MO, NE, NJ, NM, NY, OK, OR, and PA), 2.6 percent of respondents reported being physically hurt by their husband or partner during pregnancy.

- BELFIELD, C., NORES, M., BARNETT, S. and SCHWEINHART, L. (2006). The High/Scope Perry Preschool Program: Cost-Benefit Analysis Using Data from the Age-40 Followup. *Journal of Human Resources*, **41** (1), 162–190.
- BERKOWITZ, G. S., WOLFF, M. S., JANEVIC, T. M., HOLZMAN, I. R., YEHUDA, R. and LANDRIGAN, P. J. (2003). The world trade center disaster and intrauterine growth restriction. *Jama*, **290** (5), 595–596.
- BHARADWAJ, P., LUNDBORG, P. and ROTH, D.-O. (2018). Birth Weight in the Long-Run. *Journal of Human Resources*, **53** (1).
- BHULLER, M., DAHL, G. B., LØKEN, K. V. and MOGSTAD, M. (2016). *Incarceration, recidivism and employment*. Working Paper w22648, National Bureau of Economic Research.
- BILLINGS, S. B., DEMING, D. J. and ROCKOFF, J. (2014). School segregation, educational attainment, and crime: Evidence from the end of busing in charlotte-mecklenburg. *The Quarterly Journal of Economics*, **129** (1), 435–476.
- , — and ROSS, S. L. (2019). Partners in crime. *American Economic Journal: Applied Economics*, **11** (1), 126–50.
- BINDLER, A. and KETEL, N. (2019). Scaring or scarring? Labour market effects of criminal victimisation. University of Gothenburg School of Business, Economics and Law Working Paper in Economics No. 749.
- BLACK, S. E., DEVEREUX, P. J. and SALVANES, K. G. (2016). Does grief transfer across generations? bereavements during pregnancy and child outcomes. *American Economic Journal: Applied Economics*, **8** (1).
- BLOOMBERG, M. (2003a). *City Policy Concerning Immigrant Access to City Services*. Tech. rep., The City of New York, Office of the Mayor.
- (2003b). *City-Wide Privacy Policy and Amendment of Executive Order No. 34 Relating to City Policy Concerning Immigrant Access to City Services*. Tech. rep., The City of New York, Office of the Mayor.
- BOBONIS, G. J., GONZÁLEZ-BRENES, M. and CASTRO, R. (2013). Public transfers and domestic violence: The roles of private information and spousal control. *American Economic Journal: Economic Policy*, **5** (1), 179–205.
- BOWLUS, A. J. and SEITZ, S. (2006). Domestic violence, employment, and divorce. *International Economic Review*, **47** (4), 1113–1149.
- BROWN, R. (2013). The mexican drug war and early-life health: The impact of violent crime on birth outcomes. *Demography*, pp. 1–22.
- BUONANNO, P. and RAPHAEL, S. (2013). Incarceration and Incapacitation: Evidence from the 2006 Italian Collective Pardon. *American Economic Review*, **103** (6).
- BUREAU OF JUSTICE STATISTICS (). Number of violent victimizations by victim-offender relationship, 1993-2016. Generated using the NCVS Victimization Analysis Tool at www.bjs.gov.

- CAMACHO, A. (2008). Stress and birth weight: evidence from terrorist attacks. *The American Economic Review*, pp. 511–515.
- CAMPBELL, J., GARCIA-MORENO, C. and SHARPS, P. (2004). Abuse during pregnancy in industrialized and developing countries. *Violence Against Women*, **10** (7), 770–789.
- CAMPBELL, J. C. (2002). Health consequences of intimate partner violence. *The Lancet*, **359** (9314), 1331–1336.
- CARD, D. and DAHL, G. B. (2011). Family violence and football: The effect of unexpected emotional cues on violent behavior. *The Quarterly Journal of Economics*, **126** (1), 103–143.
- CARPENTER, C. and DOBKIN, C. (2011). The minimum legal drinking age and public health. *Journal of Economic Perspectives*, **25** (2).
- CHALFIN, A. and MCCRARY, J. (2015). Criminal Deterrence: A Review of the Literature. *Journal of Economic Literature*, **55** (1).
- CHAMBLISS, L. R. (2008). Intimate partner violence and its implication for pregnancy. *Clinical obstetrics and gynecology*, **51** (2), 385–397.
- CHARLES, P. and PERREIRA, K. M. (2007). Intimate partner violence during pregnancy and 1-year post-partum. *Journal of Family Violence*, **22** (7), 609–619.
- COHEN, M. (2005). *The Costs of Crime and Justice*. London: Routledge.
- COHEN, M. A., RUST, R. T., STEEN, S. and TIDD, S. T. (2004). Willingness-to-pay for crime control programs. *Criminology*, **42** (1), 89–110.
- COKER, A. L., SANDERSON, M. and DONG, B. (2004). Partner violence during pregnancy and risk of adverse pregnancy outcomes. *Paediatric and perinatal epidemiology*, **18** (4), 260–269.
- COKKINIDES, V. E., COKER, A. L., SANDERSON, M., ADDY, C. and BETHEA, L. (1999). Physical violence during pregnancy: maternal complications and birth outcomes. *Obstetrics & Gynecology*, **93** (5), 661–666.
- COOK, P. and LUDWIG, J. (2000). *Gun Violence: The Real Costs*. Oxford University Press.
- and MACDONALD, J. (2011). Public Safety through Private Action: An Economics Assessment of BIDS. *Economic Journal*, **121**.
- CUNNINGHAM, S. and SHAH, M. (2017). Decriminalizing Indoor Prostitution: Implications for Sexual Violence and Public Health. *The Review of Economic Studies*, **85** (3), 1683–1715.
- CURRIE, J. (2011). Inequality at birth: Some causes and consequences. *The American Economic Review*, **101** (3), 1–22.
- and ALMOND, D. (2011). Chapter 15: Human capital development before age five. In O. Ashenfelter and D. Card (eds.), *Handbook of Labor Economics, Handbook of Labor Economics*, vol. 4, Part 2, Elsevier, pp. 1315–1486.

- and ROSSIN-SLATER, M. (2013). Weathering the storm: Hurricanes and birth outcomes. *Journal of Health Economics*, **32** (3), 487 – 503.
- and TEKIN, E. (2012). Understanding the Cycle: Childhood Maltreatment and Future Crime. *Journal of Human Resources*, **47** (2).
- CUTLER, D. and MEARA, E. (2000). The Technology of Birth: Is It Worth It? In A. Garber (ed.), *Frontiers in Health Policy Research*, MIT Press, vol. 3.
- DAHL, G. and DELLAVIGNA, S. (2009). Does movie violence increase violent crime? *Quarterly Journal of Economics*, **124** (2), 667–734.
- DAMM, A. P. and DUSTMANN, C. (2014). Does growing up in a high crime neighborhood affect youth criminal behavior? *American Economic Review*, **104** (6), 1806–1832.
- DEE, T. S. (2003). Until death do you part: The effects of unilateral divorce on spousal homicides. *Economic Inquiry*, **41** (1), 163–182.
- DEMING, D. (2011). Better schools, less crime? *Quarterly Journal of Economics*, **126**.
- DESMARAIS, S. L., VAN DORN, R. A., JOHNSON, K. L., GRIMM, K. J., DOUGLAS, K. S. and SWARTZ, M. S. (2014). Community violence perpetration and victimization among adults with mental illnesses. *American journal of public health*, **104** (12), 2342–2349.
- DEVRIES, K. M., KISHOR, S., JOHNSON, H., STOCKL, H., BACCHUS, L. J., GARCIA-MORENO, C. and WATTS, C. (2010). Intimate partner violence during pregnancy: analysis of prevalence data from 19 countries. *Reproductive Health Matters*, **18** (36), 158–170, PMID: 21111360.
- DILLMAN, D. A., SMYTH, J. D. and CHRISTIAN, L. M. (2014). *Internet, phone, mail, and mixed-mode surveys: the tailored design method*. John Wiley & Sons.
- DOBBIE, W., GOLDIN, J. and YANG, C. (2018). The Effects of Pretrial Detention on Conviction, Future Crime, and Employment: Evidence from Randomly Assigned Judges. *American Economic Review*, **108** (2).
- DONOHUE, J. (2009). The Overall Change Over the Previous Decades and the Benefits on the Margin. In S. Raphael and M. Stoll (eds.), *Do Prisons Make Us Safer? The Benefits and Costs of the Prison Boom*, Russell Sage Foundation.
- , ANEJA, A. and WEBER, K. (2017). Right-to-Carry Laws and Violent Crime: A Comprehensive Assessment using Panel Data and a State-level Synthetic Controls Analysis.
- DUNCAN, B., MANSOUR, H. and REES, D. I. (2016). It’s just a game: The super bowl and low birth weight. *Journal of Human Resources*, pp. 0615–7213R.
- EL-MOHANDES, A. A., KIELY, M., GANTZ, M. G. and EL-KHORAZATY, M. N. (2011). Very preterm birth is reduced in women receiving an integrated behavioral intervention: a randomized controlled trial. *Maternal and child health journal*, **15** (1), 19–28.
- ELLSBERG, M., HEISE, L., PENA, R., AGURTO, S. and WINKVIST, A. (2001). Researching domestic violence against women: methodological and ethical considerations. *Studies in family planning*, **32** (1), 1–16.

- ERLICH, I. (1973). Participation in Illegitimate Activities: A Theoretical and Empirical Investigation. *Journal of Political Economy*, **81** (3).
- ESKENAZI, B., MARKS, A. R., CATALANO, R., BRUCKNER, T. and TONIOLO, P. G. (2007). Low birthweight in new york city and upstate new york following the events of september 11th. *Human Reproduction*, **22** (11), 3013–3020.
- EVANS, W. and OWENS, E. (2007). COPS and crime. *Journal of Public Economics*, **91**, 181–201.
- FARMER, A. and TIEFENTHALER, J. (1997). An economic analysis of domestic violence. *Review of Social Economy*, **55** (3), 337–358.
- FELSON, R. B., MESSNER, S. F., HOSKIN, A. W. and DEANE, G. (2002). Reasons for reporting and not reporting domestic violence to the police. *Criminology*, **40** (3), 617–648.
- FREEDMAN, M. and OWENS, E. (2011). Low-income housing development and crime. *Journal of Urban Economics*, **70**, 115–131.
- FREEMAN, R. B. (1999). The economics of crime. *Handbook of labor economics*, **3**, 3529–3571.
- GARCIA-MORENO, C., JANSEN, H., ELLSBERG, M., HEISE, L. and WATTS, C. (2005). *WHO Multi-country Study on Women’s Health and Domestic Violence against Women*. Tech. rep., World Health Organization.
- HACK, M., FLANNERY, D., SCHLUCHTER, M., CARTAR, L., BORAWSKI, E. and KLEIN, N. (2002). Outcomes in young adulthood for very-low-birth-weight infants. *The New England Journal of Medicine*, **346** (3).
- HALLA, M. and ZWEIMÜLLER, M. (2013). *Parental Response to Early Human Capital Shocks: Evidence from the Chernobyl Accident*. Discussion Paper 7968, Institute for the Study of Labor (IZA).
- HAWKEN, A. and KLEIMAN, M. (2009). *Managing drug involved probationers with swift and certain sanctions: Evaluating Hawaii’s HOPE*. Tech. rep., National Institute of Justice.
- HEATON, P. (2012). Sunday liquor laws and crime. *Journal of Public Economics*, **96**, 42–52.
- HECKMAN, J. and MASTEROV, D. (2007). The productivity argument for investing in young children. *Review of Agricultural Economics*, **29** (3), 446–493.
- HECKMAN, J. J. (1979). Sample selection bias as a specification error. *Econometrica*, **47** (1), 153–161.
- HELLER, S. (2014). Summer jobs reduce violence among disadvantaged youth. *Science*, **346** (6214).
- HELTON, A. and SNODGRASS, S. (1987). Battering during pregnancy; intervention strategies. *Birth*, **14**.
- HIDROBO, M. and FERNALD, L. (2013). Cash transfers and domestic violence. *Journal of health economics*, **32** (1), 304–319.


- HJALMARSSON, R. (2009). Juvenile Jails: A Path to the Straight and Narrow or to Hardened Criminality. *Journal of Law and Economics*, **52**.
- HODGSON, T. and MEINERS, M. (1982). Cost-of-illness methodology: a guide to current practices and procedures. *Milbank Memorial Fund Quarterly, Health and Society*, **60** (3).
- JEWKES, R. (2002). Intimate partner violence: causes and prevention. *The Lancet*, **359** (9315), 1423–1429.
- JOHNSON, J., HAIDER, F., ELLIS, K., HAY, D. and LINDOW, S. (2003). The prevalence of domestic violence in pregnant women. *BJOG: An International Journal of Obstetrics and Gynaecology*, **110**.
- KIELY, M., EL-MOHANDES, A. A., EL-KHORAZATY, M. N. and GANTZ, M. G. (2010). An integrated intervention to reduce intimate partner violence in pregnancy: a randomized trial. *Obstetrics and gynecology*, **115** (2 Pt 1), 273.
- KLING, J. R., LIEBMAN, J. B. and KATZ, L. F. (2007). Experimental analysis of neighborhood effects. *Econometrica*, **75** (1), 83–119.
- , LUDWIG, J. and KATZ, L. F. (2005). Neighborhood Effects on Crime for Female and Male Youth: Evidence from a Randomized Housing Voucher Experiment. *Quarterly Journal of Economics*, **120**.
- LAUDERDALE, D. S. (2006). Birth outcomes for arabic-named women in california before and after september 11. *Demography*, **43** (1), 185–201.
- LAURITSEN, J. L. and WHITE, N. A. (2001). Putting violence in its place: The influence of race, ethnicity, gender, and place on the risk for violence. *Criminology & Public Policy*, **1** (1), 37–60.
- LEDERMAN, S. A., RAUH, V., WEISS, L., STEIN, J. L., HOEPNER, L. A., BECKER, M. and PERERA, F. P. (2004). The effects of the world trade center event on birth outcomes among term deliveries at three lower manhattan hospitals. *Environmental Health Perspectives*, pp. 1772–1778.
- LEE, C. P., CHERTOW, G. M. and ZENIOS, S. A. (2009). An Empiric Estimate of the Value of Life: Updating the Renal Dialysis Cost-Effectiveness Standard. *Value in Health*, **12** (1).
- LEVITT, S. (1996). The Effect of Prison Population Size on Crime Rates: Evidence from Prison Overcrowding Litigation. *Quarterly Journal of Economics*, **111**.
- LINDEN, L. and ROCKOFF, J. (2008). Estimates of the impact of crime risk on property values from megan’s laws. *American Economic Review*, **98** (3).
- LOCHNER, L. and MORETTI, E. (2004). The Effect of Education on Crime: Evidence from Prison Inmates, Arrests, and Self-Reports. *American Economic Review*, **94** (1).
- LOTT, J. (1998). *More Guns, Less Crime*. University of Chicago Press.
- and WHITLEY, J. (2001). Safe-storage gun laws: Accidental deaths, suicides, and crime. *Journal of Law and Economics*, **44**.

- LUNDBERG, S. and POLLAK, R. A. (1993). Separate spheres bargaining and the marriage market. *Journal of political Economy*, **101** (6), 988–1010.
- MALZBERG, B. (1950). Mental illness and the economic value of a man. *Mental Hygiene*, **34** (4).
- MANSOUR, H. and REES, D. I. (2012). Armed conflict and birth weight: Evidence from the al-aqsa intifada. *Journal of Development Economics*, **99** (1), 190–199.
- MASI, C. M., HAWKLEY, L. C., PIOTROWSKI, Z. H. and PICKETT, K. E. (2007). Neighborhood economic disadvantage, violent crime, group density, and pregnancy outcomes in a diverse, urban population. *Social science & medicine*, **65** (12), 2440–2457.
- MASTON, C. T., KLAUS, P. A. and ROBINSON, J. E. (2011). *Criminal Victimization in the United States, 2008 – Statistical Tables*. Tech. rep., Bureau of Justice Statistics.
- MATTHEWS, T. J., MACDORMAN, M. F. and THOMA, M. E. (2015). *Infant Mortality Statistics From the 2013 Period Linked Birth/Infant Death Data Set*. Tech. rep., U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, National Center for Health Statistics, National Vital Statistics System.
- MCCOLLISTER, K., FRENCH, M. and FANG, H. (2010). The Cost of Crime to Society: New Crime-Specific Estimates for Policy and Program Evaluation. *Drug Alcohol Dependence*, **108** ((1-2)).
- MCCONNELL, S. and GLAZERMAN, S. (2001). *National Job Corps Study: The Benefits and Costs of Job Corps*. Tech. rep., Mathematica Policy Research.
- McFARLANE, J., PARKER, B., SOEKEN, K. and BULLOCK, L. (1992). Assessing for abuse during pregnancy. *JAMA*, **267**.
- MESSER, L. C., KAUFMAN, J. S., DOLE, N., SAVITZ, D. A. and LARAIA, B. A. (2006). Neighborhood crime, deprivation, and preterm birth. *Annals of epidemiology*, **16** (6), 455–462.
- METCALFE, A., LAIL, P., GHALI, W. A. and SAUVE, R. S. (2011). The association between neighbourhoods and adverse birth outcomes: A systematic review and meta-analysis of multi-level studies. *Paediatric and perinatal epidemiology*, **25** (3), 236–245.
- MILLER, A. R. and SEGAL, C. (2018). Do Female Officers Improve Law Enforcement Quality? Effects on Crime Reporting and Domestic Violence. *The Review of Economic Studies*.
- MILLER, T. R., COHEN, M. A., WIERSEMA, B. *et al.* (1996). *Victim costs and consequences: A new look*. US Department of Justice, Office of Justice Programs, National Institute of Justice Washington, DC.
- MORGAN, R. E. and KENA, G. (2017). *Criminal Victimization, 2016*. Report NCJ 251150, U.S. Department of Justice, Bureau of Justice Statistics.
- MUELLER-SMITH, M. (2015). The criminal and labor market impacts of incarceration.

- MURPHY, C. C., SCHEI, B., MYHR, T. L. and DU MONT, J. (2001). Abuse: a risk factor for low birth weight? a systematic review and meta-analysis. *Canadian Medical Association Journal*, **164** (11), 1567–1572.
- NEW YORK CITY DEPARTMENT OF HEALTH AND MENTAL HYGIENE (2008). *Intimate partner violence against women in New York City*. Tech. rep.
- NEW YORK POLICE DEPARTMENT (2017). Domestic Violence Report: Complaint and Radio Run Statistics involving Domestic Incidents. <https://www1.nyc.gov/assets/nypd/downloads/excel/domestic-violence/dv-complaint-radio-run-annual-2017.xlsx>.
- NEW YORK POLICE DEPARTMENT (2018). Domestic violence. <https://www1.nyc.gov/site/nypd/services/law-enforcement/domestic-violence.page>.
- NEWBERGER, E. H., BARKAN, S. E., LIEBERMAN, E. S., MCCORMICK, M. C., YLLO, K., GARY, L. T. and SCHECHTER, S. (1992). Abuse of pregnant women and adverse birth outcome: current knowledge and implications for practice. *Jama*, **267** (17), 2370–2372.
- NYS DIVISION OF CRIMINAL JUSTICE SERVICES (2018). *Adult Arrests Disposed: Bronx County, Kings County and Queens County*. Tech. rep., NYS Division of Criminal Justice Services.
- O’NEILL, J. (2018). *Crime and Enforcement Activity in New York City (Jan 1 - Dec 31, 2017)*. Tech. rep., New York City Police Department.
- OSTER, E. (2017). Unobservable selection and coefficient stability: Theory and evidence. *Journal of Business & Economic Statistics*, pp. 1–18.
- PALLADINO, C. L., SINGH, V., CAMPBELL, J., FLYNN, H. and GOLD, K. (2011). Homicide and suicide during the perinatal period: findings from the national violent death reporting system. *Obstetrics and gynecology*, **118** (5), 1056.
- PERSSON, P. and ROSSIN-SLATER, M. (2018). Family ruptures, stress, and the mental health of the next generation. *American Economic Review*, forthcoming.
- REDCROSS, C., MILLENKY, M., RUDD, T. and LEVSHIN, V. (2012). *More Than a Job: Final Results from the Evaluation of the Center for Employment Opportunities (CEO) Transitional Jobs Program*. Tech. rep., MDRC.
- ROGOWSKI, J. (1998). Cost-effectiveness of care for very low birth weight infants. *Pediatrics*, **102** (1).
- SANDERS, N. J. and STOECKER, C. (2015). Where have all the young men gone? using sex ratios to measure fetal death rates. *Journal of health economics*, **41**, 30–45.
- SANTOS, C. (2013). Costs of domestic violence: a life satisfaction approach. *Fiscal Studies*, **34** (3), 391–409.
- SARKAR, N. (2008). The impact of intimate partner violence on women’s reproductive health and pregnancy outcome. *Journal of Obstetrics and Gynaecology*, **28** (3), 266–271.
- SHAMU, S., ABRAHAMS, N., TEMMERMAN, M., MUSEKIWA, A. and ZAROWSKY, C. (2011). A systematic review of african studies on intimate partner violence against pregnant women: Prevalence and risk factors. *PLOS ONE*, **6** (3), 1–9.

- SILVERMAN, J. G., DECKER, M. R., REED, E. and RAJ, A. (2006). Intimate partner violence victimization prior to and during pregnancy among women residing in 26 us states: associations with maternal and neonatal health. *American Journal of Obstetrics & Gynecology*, **195** (1), 140–148.
- SMITH, J., SHARON AN CHEN, BASILE, K., GILBERT, L., MERRICK, M., PATEL, N., WALLING, M. and JAIN, A. (2017). *The National Intimate Partner and Sexual Violence Survey (NISVS): 2010-2012 State Report*. Tech. rep., National Center for Injury Prevention and Control, Centers for Disease Control and Prevention.
- SOARES, R. (2015). Welfare costs of crime and common violence. *Journal of Economic Studies*, **42** (1).
- STABILE, M. and ALLIN, S. (2012). The economic costs of childhood disability. *The future of children*, **22** (1), 65–96.
- STEVENSON, B. and WOLFERS, J. (2006). Bargaining in the shadow of the law: Divorce laws and family distress. *The Quarterly Journal of Economics*, **121** (1), 267–288.
- STRAUS, M. A., GELLES, R. J. and STEINMETZ, S. K. (2017). *Behind closed doors: Violence in the American family*. Routledge.
- TAUCHEN, H. V., WITTE, A. D. and LONG, S. K. (1991). Domestic violence: A nonrandom affair. *International Economic Review*, pp. 491–511.
- TERTILT, M. and VAN DEN BERG, G. J. (2015). The association between own unemployment and violence victimization among female youths. *Jahrbücher für Nationalökonomie und Statistik*, **235** (4-5), 499–516.
- THALER, R. (1978). A Note on the Value of Crime Control: Evidence From the Property Market. *Journal of Urban Economics*.
- TJADEN, P. and THOENNES, N. (2000). *Prevalence, Incidence, and Consequences of Violence Against Women: Findings from the National Violence Against Women Survey*. Report, National Institute of Justice and the Centers for Disease Control and Prevention.
- TORCHE, F. and SHWED, U. (2015). The hidden costs of war: Exposure to armed conflict and birth outcomes. *Sociological Science*, **2**, 558–581.
- and VILLARREAL, A. (2014). Prenatal exposure to violence and birth weight in mexico: Selectivity, exposure, and behavioral responses. *American sociological review*, **79** (5), 966–992.
- VALLADARES, E., ELLSBERG, M., PEÑA, R., HÖGBERG, U. and PERSSON, L. Å. (2002). Physical partner abuse during pregnancy: a risk factor for low birth weight in nicaragua. *Obstetrics & Gynecology*, **100** (4), 700–705.
- VISCUSI, W. K. and ALDY, J. (2003). The Value of a Statistical Life: A Critical Review of Market Estimates Throughout the World. *The Journal of Risk and Uncertainty*.
- WORLD HEALTH ORGANIZATION (2012). *Understanding and addressing violence against women*. Tech. rep.

Figure 1: Number of Births and Predicted Severe Birth Outcome Index By Month of Assault Relative to Conception



Notes: The top figure plots the total number of births by the month of assault relative to the conception month. The bottom figure plots mean predicted severe birth outcomes index by the month of assault relative to the conception month. The predicted severe birth outcomes index is estimated from a regression of the index on the following characteristics: maternal and paternal age dummies (<20, 20-24, 25-34, 35+, missing), indicator for mother being married, indicators for maternal and paternal nativity status (U.S.-born, foreign-born, missing), maternal and paternal race/ethnicity dummies (non-Hispanic white, Hispanic, non-Hispanic black, other, missing), maternal and paternal education dummies (less than high school and no diploma, high school or GED diploma, some college or associate's degree, bachelor's degree or more, missing), indicator for singleton birth, parity dummies (1st, 2nd, 3rd+, missing). The vertical red lines in each graph denote the month of conception and month 9 of pregnancy, respectively.

Table 1: Maternal Characteristics by Any Assault During vs. Post Pregnancy

| | (1) No Assault | (2) Assault-Preg | (3) Assault-Post | (4) Diff (2)-(3) |
|------------------------------------|-------------------|---------------------|---------------------|---------------------|
| Mother's Age | 29.79 | 27.01 | 26.48 | 0.524* |
| Mother's Age less than 20 | 0.0444 | 0.122 | 0.140 | -0.0184 |
| Mother's Age 35 or more | 0.238 | 0.137 | 0.126 | 0.0110 |
| Mother Married | 0.650 | 0.355 | 0.329 | 0.0252 |
| Mother Non-Hispanic White | 0.308 | 0.121 | 0.113 | 0.00771 |
| Mother Hispanic | 0.166 | 0.256 | 0.258 | -0.00204 |
| Mother Non-Hispanic Black | 0.290 | 0.488 | 0.487 | 0.000334 |
| Mother Non-Hispanic Asian | 0.211 | 0.108 | 0.101 | 0.00655 |
| Mother Foreign-Born | 0.532 | 0.495 | 0.498 | -0.00278 |
| Mother's Education Less than HS | 0.122 | 0.269 | 0.275 | -0.00556 |
| Mother's Education HS | 0.249 | 0.299 | 0.295 | 0.00451 |
| Mother's Education Some College | 0.273 | 0.275 | 0.275 | -0.000433 |
| Mother's Education College or More | 0.355 | 0.152 | 0.151 | 0.00103 |
| Observations | 66,659 | 976 | 1,069 | |

Notes: Sample is limited to births by mothers who reside in single-family homes in the Bronx, Brooklyn, and Manhattan with conception years 2004-2012. Column (1) presents mean maternal characteristics for observations where the mother did not experience an assault in either the 10 months post conception month or 10 months post expected delivery months. Column (2) presents mean maternal characteristics for observations where the mother experienced any assault at her home during 10 months post conception month. Column (3) presents mean maternal characteristics for observations where the mother experienced any assault at her home during 10 months post expected delivery month. Column (4) presents the difference between (2) and (3), where significance levels are denoted as: * $p < 0.1$ ** $p < 0.05$ *** $p < 0.01$

Table 2: Paternal Characteristics by Any Assault During vs. Post Pregnancy

| | (1) No Assault | (2) Assault-Preg | (3) Assault-Post | (4) Diff (2)-(3) |
|------------------------------------|-------------------|---------------------|---------------------|---------------------|
| Father's Age | 33.41 | 30.83 | 30.20 | 0.625 |
| Father's Age less than 20 | 0.0120 | 0.0379 | 0.0458 | -0.00793 |
| Father's Age 35 or more | 0.373 | 0.223 | 0.224 | -0.000213 |
| Father Non-Hispanic White | 0.304 | 0.110 | 0.100 | 0.00954 |
| Father Hispanic | 0.137 | 0.188 | 0.194 | -0.00614 |
| Father Non-Hispanic Black | 0.230 | 0.337 | 0.356 | -0.0193 |
| Father Non-Hispanic Asian | 0.192 | 0.102 | 0.0861 | 0.0164 |
| Father Foreign-Born | 0.530 | 0.514 | 0.505 | 0.00920 |
| Father's Education Less than HS | 0.107 | 0.175 | 0.167 | 0.00869 |
| Father's Education HS | 0.261 | 0.295 | 0.299 | -0.00426 |
| Father's Education Some College | 0.228 | 0.183 | 0.185 | -0.00182 |
| Father's Education College or More | 0.287 | 0.103 | 0.108 | -0.00409 |
| Father Info Missing | 0.0717 | 0.140 | 0.135 | 0.00566 |
| Observations | 66,659 | 976 | 1,069 | |

Notes: Sample is limited to births by mothers who reside in single-family homes in the Bronx, Brooklyn, and Manhattan with conception years 2004-2012. Column (1) presents mean maternal characteristics for observations where the mother did not experience an assault in either the 10 months post conception month or 10 months post expected delivery months. Column (2) presents mean maternal characteristics for observations where the mother experienced any assault at her home during 10 months post conception month. Column (3) presents mean maternal characteristics for observations where the mother experienced any assault at her home during 10 months post expected delivery month. Column (4) presents the difference between (2) and (3), where significance levels are denoted as: * $p < 0.1$ ** $p < 0.05$ *** $p < 0.01$

Table 3: Summary of Estimated Effects of Assault During Pregnancy on Summary Index Outcomes

| Research Design | Severe Birth Outcomes Index | Broad Birth Outcomes Index | Medical Services Index | Behavioral/Wellbeing Index | Observations |
|---|-----------------------------|----------------------------|------------------------|----------------------------|--------------|
| <i>During vs. Post Pregnancy Model:</i> | 0.077** [0.036] | 0.066* [0.035] | 0.057*** [0.022] | 0.025 [0.019] | 2,045 |
| <i>Difference-in-Difference Model:</i> | 0.077** [0.036] | 0.064* [0.035] | 0.040* [0.022] | 0.032 [0.020] | 11,566 |
| <i>Maternal Fixed Effects Model:</i> | 0.30** [0.13] | 0.25** [0.12] | -0.013 [0.063] | 0.040 [0.057] | 18,600 |

Notes: Each coefficient in each row is from a separate regression. The outcomes are four summary indices: severe birth outcomes index, broad birth outcomes index, use of medical services index, and a maternal behaviors and well-being index. See text for more details. The sample is limited to births by mothers who reside in single-family homes in the Bronx, Brooklyn, and Queens with conception years 2004-2012. In the first row, only observations where the mother experienced an assault at her home during either 10 months post conception month or 10 months post expected month of delivery are included, while the second row includes mothers who experienced any crimes at their homes during these periods. In the third row, the sample is limited to singleton sibling births by mothers who resided in single-family homes in the Bronx, Brooklyn, or Queens during the first pregnancy. In the first two rows, the regressions include controls for the following maternal and paternal characteristics: maternal and paternal age dummies (<20, 20-24, 25-34, 35+, missing), indicator for mother being married, indicators for maternal and paternal nativity status (U.S.-born, foreign-born, missing), maternal and paternal race/ethnicity dummies (non-Hispanic white, Hispanic, non-Hispanic black, other, missing), maternal and paternal education dummies (less than high school and no diploma, high school or GED diploma, some college or associate's degree, bachelor's degree or more, missing), indicator for singleton birth, parity dummies (1st, 2nd, 3rd+, missing). The regressions also control for conception year, conception month, and borough fixed effects. The third row includes controls for time-varying characteristics only, including birth interval dummies (see text for more details), conception year, and conception month as well as mother fixed effects. Robust standard errors in the first two rows; standard errors are clustered on the mother in the third row.

Significance levels: * p<0.1 ** p<0.05 *** p<0.01

Table 4: Calculating the Social Cost of Assault on Pregnant Women

| Channel | Estimate | Source |
|---|-------------|---|
| (1) Cost due to infant death = | \$1,068,682 | |
| Change in infant mortality per VLBW × | 0.206 | Matthews <i>et al.</i> (2015) ¹ |
| Cost of infant mortality | \$5,184,000 | Cutler and Meara (2000) ² |
| (2) Infant medical care cost | \$207,739 | Rogowski (1998) ² |
| (3) Childhood disability cost = | \$54,900 | |
| Change neurosensory disability per VLBW × | 0.10 | Hack <i>et al.</i> (2002) |
| Cost of childhood disability (18 years) | \$549,000 | Stabile and Allin (2012) ² |
| (4) Cost due to reduction in adult income = | \$17,185 | |
| Average lifetime income × | \$520,753 | American Communities Survey ³ |
| Percent income loss from VLBW | 0.033 | Bharadwaj <i>et al.</i> (2018) |
| (5) Cost of adult disability (medical care) = | \$69,822 | |
| Change adult disability per VLBW × | 0.10 | Hack <i>et al.</i> (2002) |
| Cost of adult disability medical care (ages 19 to 67) | \$698,220 | Anderson <i>et al.</i> (2010) ² |
| (6) Cost of long-term mortality risk = | \$1,038,786 | |
| Average change in life expectancy × | 11.6 | Bharadwaj <i>et al.</i> (2018) ⁴ |
| Statistical value of year of life | \$89,551 | Lee <i>et al.</i> (2009) ² |
| Estimated cost of assault during pregnancy to infants⁵ | | |
| During/Post Pregnancy Assault Timing: $\Delta^{VLBW} \times [(1) + (2) + (3) + (4) + (5) + (6)] =$ | | \$36,857 |
| Maternal Fixed Effects Model: $\Delta^{VLBW} \times \underbrace{[(1) + (2) + (3) + (4) + (5) + (6)]}_{\text{Cost of VLBW}} =$ | | \$85,999 |

Notes: This table presents the details of our calculation of the social cost of assault on pregnant women. We use our estimated effects on the likelihood of very low birth weight births from our assault timing model (1.5 percentage points, see Appendix Table A.8) and from the maternal fixed effects model (3.5 percentage points, see Appendix Table A.9). This adverse infant health outcome is associated with increased costs through numerous channels, including: higher rate of infant mortality, increased medical costs at and immediately following birth, increased costs associated with childhood disability, decreases in adult income, increased medical costs associated with adult disability, and reductions in life expectancy.

¹ We conservatively assume that in the absence of the assault, the victims would face the infant mortality risk associated with low birth weight but not very low birth weight babies (i.e., birth weights in the range 1,500-2,499g).

² Dollar amounts have been inflation adjusted to 2018 values using the US consumer price index.

³ In order to calculate the present discounted value of lifetime earnings, we sum over the distribution of earnings from ages 16 to 64 in the 2017 American Communities Survey, and assume that earnings are discounted at a 3 percent real rate (i.e., a 5 percent discount rate with 2 percent wage growth) back to age zero.


⁴ We use the Social Security Administration's Period Life Table from 2015, and multiply the probability of death in each year of life following the first year by 2.8 based on the estimate from Bharadwaj *et al.* (2018). We exclude the first year to avoid double counting the impacts to infant mortality. We calculate the changes in life expectancy separately for men (12.3 years) and women (10.9 years), and then average them.

⁵ $\Delta_{During/Post}^{VLBW} = 0.015$; $\Delta_{Mat.FE}^{VLBW} = 0.035$


A Additional Results

Appendix Figure A.1: Trends in Violent Crimes

(a) By Victim-Offender Relationship in the NCVS




(b) By Type in New York City




Notes: Authors' calculations based on the Bureau of Justice Statistics 1993-2016 National Crime Victimization Survey (panel a) and administrative records from the New York Police Department (panel b).

Appendix Figure A.2: Timing of Effects of Exposure to Assault



Notes: See notes under Table 3 for a description of the sample and control variables. Each graph shows the coefficients and the corresponding 90 and 95% confidence intervals from event-study models that include indicators for any assault during the following windows: 8-10 months before conception month (“-3 Pre”), 5-7 months before conception month (“-2 Pre”), 1-4 months before conception month (“-1 Pre”), months 0-2 post-conception (“1 Tri”), months 3-5 post-conception (“2 Tri”), months 6-9 post-conception (“3 Tri”), months 13-15 post-conception (“2 Post”), and months 16-19 post-conception (“3 Post”). The omitted category is months 10-12 post-conception (i.e., the 3 months after the expected month of delivery).

Appendix Figure A.3: Distribution of the Total Social Cost of Assault by Source



Notes: We estimate the total social cost of assault during pregnancy to infants at \$36,857 in 2018 dollars. See Table 4 for details on this calculation.

Appendix Table A.1: Examples of Economic Research Using Social Cost of Crime Estimates

| Research Field | Illustrative Studies |
|------------------------------|---|
| Active Labor Market Programs | McConnell and Glazerman (2001); Redcross <i>et al.</i> (2012); Heller (2014) |
| Child Development | Belfield <i>et al.</i> (2006); Heckman and Masterov (2007); Currie and Tekin (2012) |
| Education | Lochner and Moretti (2004); Deming (2011) |
| Gun Regulation | Lott (1998); Lott and Whitley (2001); Donohue <i>et al.</i> (2017) |
| Justice and Law Enforcement | Levitt (1996); Evans and Owens (2007); Hjalmarsson (2009); Buonanno and Raphael (2013); Mueller-Smith (2015); Dobbie <i>et al.</i> (2018) |
| Media | Dahl and DellaVigna (2009) |
| Public Health | Carpenter and Dobkin (2011); Heaton (2012) |
| Urban Policy | Kling <i>et al.</i> (2005); Linden and Rockoff (2008); Cook and MacDonald (2011); Freedman and Owens (2011) |

Notes: Studies listed in this table represent a non-exhaustive sample of economic research that uses social costs of crime estimates in the analysis.

Appendix Table A.2: Common Estimates of the Social Cost of Crime

| | Cohen, Miller and Wiersema (1996) | Cohen, Rust, Steen and Tidd (2004) |
|---------------------|---|--|
| Murder | \$4,980,360 | \$12,569,260 |
| Rape | \$147,378 | \$307,105 |
| Robbery | \$13,552 | \$300,626 |
| Assault | \$15,924 | \$90,706 |
| Burglary | \$2,372 | \$32,395 |
| Motor Vehicle Theft | \$6,268 | * |
| Larceny | \$627 | * |
| Study Design | Jury Award | Contingent Valuation |

Notes: Estimates have been converted to 2017 dollars. *Estimates not calculated in original article.

Appendix Table A.3: Total NYPD Criminal Reports by Crime Type and Offense Level (2004-2012)

| Crime Type | Offense Level | | | Total |
|------------|---------------|-------------|-----------|-----------|
| | Felony | Misdemeanor | Violation | |
| Drug | 128,248 | 552,351 | 1 | 680,600 |
| Other | 330,978 | 1,627,416 | 762,730 | 2,721,124 |
| Property | 1,175,072 | 1,132,586 | 0 | 2,307,658 |
| Violent | 644,117 | 694,638 | 0 | 1,338,755 |
| All Types | 2,278,415 | 4,006,991 | 762,731 | 7,048,137 |

Notes: Authors' calculations based on administrative records from the New York Police Department.

Appendix Table A.4: Association Between Assaults During Pregnancy, Maternal, and Paternal Characteristics, Pregnancy vs. Postpartum Exposure Sample

| A. Maternal Characteristics | | | | | | | | | | | |
|------------------------------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|
| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| | Age | Mar | For | Wh | Hsp | Bl | LowEd | HighEd | Any Risk | 1st Par | Sngle |
| Assault During Pregnancy | 0.525* | 0.0310 | 0.000309 | 0.0113 | 0.000830 | -0.00400 | -0.00291 | 0.00206 | 0.0199 | -0.0161 | -0.00780 |
| | [0.291] | [0.0216] | [0.0228] | [0.0146] | [0.0198] | [0.0226] | [0.0226] | [0.0225] | [0.0218] | [0.0227] | [0.00692] |
| Dept. var mean | 26.73 | 0.341 | 0.496 | 0.117 | 0.257 | 0.488 | 0.569 | 0.426 | 0.632 | 0.465 | 0.977 |
| Indiv. obs. | 2045 | 2045 | 2045 | 2045 | 2045 | 2045 | 2045 | 2045 | 2045 | 2045 | 2045 |
| B. Paternal Characteristics | | | | | | | | | | | |
| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | | | |
| | Age | For | Wh | Hsp | Bl | LowEd | HighEd | Missing | | | |
| Assault During Pregnancy | 0.674* | 0.00895 | 0.0121 | -0.00479 | -0.0263 | 0.00814 | -0.0145 | 0.0171 | | | |
| | [0.408] | [0.0223] | [0.0140] | [0.0177] | [0.0215] | [0.0227] | [0.0205] | [0.0152] | | | |
| Dept. var mean | 30.50 | 0.510 | 0.105 | 0.191 | 0.347 | 0.468 | 0.290 | 0.137 | | | |
| Indiv. obs. | 1565 | 2045 | 2045 | 2045 | 2045 | 2045 | 2045 | 2045 | | | |

Notes: Sample is limited to births by mothers who reside in single-family homes in the Bronx, Brooklyn, or Queens with conception years 2004-2012. Only observations where the mother experienced an assault at her home during either 10 months post conception month or 10 months post expected month of delivery are included. All regressions include conception year, conception month, and borough fixed effects. Robust standard errors. Significance levels: * p<0.1 ** p<0.05 *** p<0.01

Appendix Table A.5: Association Between Assaults During Pregnancy, Maternal, and Paternal Characteristics, DD Model

| A. Maternal Characteristics | | | | | | | | | | | |
|------------------------------------|----------------------|-----------------------|-----------------------|-----------------------|------------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|
| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | (9) | (10) | (11) |
| | Age | Mar | For | Wh | Hsp | Bl | LowEd | HighEd | Any Risk | 1st Par | Single |
| Assault During Pregnancy | 0.304 [0.326] | 0.0154 [0.0242] | 0.00106 [0.0258] | -0.0128 [0.0157] | 0.00739 [0.0223] | -0.00212 [0.0257] | 0.0208 [0.0253] | -0.0221 [0.0253] | 0.00268 [0.0247] | -0.0314 [0.0258] | -0.00562 [0.00826] |
| Assault During or Post Pregnancy | -2.316*** [0.221] | -0.228*** [0.0163] | -0.0106 [0.0174] | -0.145*** [0.0108] | 0.0604*** [0.0150] | 0.150*** [0.0174] | 0.146*** [0.0172] | -0.148*** [0.0171] | -0.0146 [0.0168] | 0.0453*** [0.0174] | 0.00768 [0.00496] |
| Any Crime During Pregnancy | 0.118 [0.135] | 0.00743 [0.0104] | 0.00669 [0.0105] | 0.00159 [0.00861] | -0.000580 [0.00822] | -0.00547 [0.0103] | -0.00242 [0.0106] | 0.00253 [0.0106] | 0.0178* [0.0101] | 0.00624 [0.0106] | -0.00269 [0.00356] |
| Indiv. obs. | 10156 | 10156 | 10156 | 10156 | 10156 | 10156 | 10156 | 10156 | 10156 | 10156 | 10156 |
| B. Paternal Characteristics | | | | | | | | | | | |
| | (1) | (2) | (3) | (4) | (5) | (6) | (7) | (8) | | | |
| | Age | For | Wh | Hsp | Bl | LowEd | HighEd | Missing | | | |
| Assault During Pregnancy | 0.230 [0.458] | -0.0139 [0.0253] | -0.0112 [0.0150] | 0.0119 [0.0200] | -0.0174 [0.0247] | 0.0197 [0.0257] | -0.0228 [0.0231] | 0.0202 [0.0173] | | | |
| Assault During or Post Pregnancy | -2.347*** [0.310] | 0.00987 [0.0170] | -0.152*** [0.0102] | 0.0296** [0.0135] | 0.103*** [0.0167] | 0.0745*** [0.0173] | -0.156*** [0.0158] | 0.0319*** [0.0113] | | | |
| Any Crime During Pregnancy | 0.251 [0.175] | 0.0166 [0.0105] | 0.00467 [0.00854] | -0.0141* [0.00761] | -0.00504 [0.00958] | -0.00807 [0.0105] | -0.000556 [0.0105] | 0.00515 [0.00647] | | | |
| Dept. var mean | 32.14 | 0.517 | 0.220 | 0.162 | 0.286 | 0.417 | 0.411 | 0.111 | | | |
| Indiv. obs. | 8466 | 10156 | 10156 | 10156 | 10156 | 10156 | 10156 | 10156 | | | |

Notes: Sample is limited to births by mothers who reside in single-family homes in the Bronx, Brooklyn, or Queens with conception years 2004-2012. Only observations where the mother experienced a crime at her home during either 10 months post conception month or 10 months post expected month of delivery are included. All regressions include conception year, conception month, and borough fixed effects. Robust standard errors. Significance levels: * p<0.1 ** p<0.05 *** p<0.01

Appendix Table A.6: Association Between Assault During the First Pregnancy and Subsequent Fertility

| | (1) Any More Kids | (2) Number Future Kids |
|--------------------------------|-----------------------|---------------------------|
| Assault During First Pregnancy | -0.000805 [0.0131] | -0.00670 [0.0170] |
| Dept. var mean | 0.239 | 0.291 |
| Indiv. obs. | 49593 | 49593 |

Notes: Each coefficient is from a separate regression. Sample is limited to first observed births by mothers who reside in single-family homes in the Bronx, Brooklyn, and Queens with conception years 2004-2012. Controls are the same as in Panel A of Table 3. Robust standard errors. Significance levels: * $p < 0.1$ ** $p < 0.05$ *** $p < 0.01$

Appendix Table A.7: Difference-in-Difference Effects of Assault During Pregnancy on Summary Index Outcomes, Relative to Any Crime

| | (1) Severe Birth Out | (2) Broad Birth Out | (3) Med Serv | (4) Behav/Well |
|-------------------------------------|-------------------------|------------------------|----------------------|-----------------------|
| Assault During Pregnancy | 0.0767** [0.0360] | 0.0643* [0.0346] | 0.0403* [0.0223] | 0.0320 [0.0196] |
| Assault During or Post Pregnancy | -0.0111 [0.0222] | -0.0123 [0.0218] | 0.000177 [0.0157] | -0.0132 [0.0139] |
| Any Crime During Pregnancy | 0.00912 [0.0133] | 0.00621 [0.0131] | 0.00651 [0.00920] | -0.00677 [0.00775] |
| Indiv. obs. | 11566 | 11566 | 11566 | 11566 |

Notes: This table presents the DD coefficients for the four summary index outcomes: severe birth outcomes index, broad birth outcomes index, use of medical services index, and a maternal behaviors and well-being index. Sample is limited to births by mothers who reside in single-family homes in the Bronx, Brooklyn, and Queens with conception years 2004-2012. Only observations where the mother experienced any crime at her home during either 10 months post conception month or 10 months post expected month of delivery are included. Regressions include controls for the following maternal characteristics: maternal age dummies (<20, 20-24, 25-34, 35+, missing), indicator for mother being married, indicator for mother being foreign-born, maternal race/ethnicity dummies (non-Hispanic white, Hispanic, non-Hispanic black, other, missing), maternal education dummies (less than high school and no diploma, high school or GED diploma, some college or associate's degree, bachelor's degree or more, missing), indicator for singleton birth, parity dummies (1st, 2nd, 3rd+, missing). The regressions also control for conception year, conception month, and borough fixed effects. Robust standard errors.

Significance levels: * p<0.1 ** p<0.05 *** p<0.01

Appendix Table A.8: Effects of Assault During Pregnancy on Individual Outcomes, Pregnancy vs. Postpartum Exposure Strategy

| A. Severe Birth Outcomes | | | | | | |
|---|-----------------------|-----------------------|-----------------------|---------------------|----------------------|----------------------|
| | (1) | (2) | (3) | (4) | (5) | (6) |
| | VLBW | V Pret | Low 1m Apg | NICU | Abn/Con | Death |
| Assault During Pregnancy | 0.0154** [0.00732] | 0.0136 [0.00922] | 0.0214** [0.00941] | 0.0185 [0.0150] | 0.0124 [0.0146] | 0.00186 [0.00279] |
| Dept. var mean | 0.0254 | 0.0421 | 0.0461 | 0.124 | 0.116 | 0.00342 |
| Indiv. obs. | 2045 | 2045 | 2037 | 2045 | 2000 | 2045 |
| B. Use of Medical Services | | | | | | |
| | (1) | (2) | (3) | (4) | (5) | |
| | PNC 1Tri | NVis | Induc | Csec | Compl | |
| Assault During Pregnancy | 0.0596*** [0.0215] | 0.325* [0.174] | 0.0555*** [0.0187] | -0.0101 [0.0210] | -0.0147 [0.0148] | |
| Dept. var mean | 0.646 | 10.05 | 0.216 | 0.325 | 0.120 | |
| Indiv. obs. | 1975 | 2010 | 2037 | 2045 | 2040 | |
| C. Maternal Behaviors and Well-Being | | | | | | |
| | (1) | (2) | (3) | (4) | (5) | (6) |
| | Smoke | Drugs | Depr | Low Wgt | High Wgt | No WIC |
| Assault During Pregnancy | 0.00601 [0.00730] | -0.00369 [0.00421] | 0.0126 [0.0270] | 0.0155 [0.0146] | -0.00992 [0.0190] | 0.0443** [0.0198] |
| Dept. var mean | 0.0284 | 0.00854 | 0.272 | 0.112 | 0.221 | 0.361 |
| Indiv. obs. | 2042 | 1990 | 1178 | 2021 | 2021 | 2036 |

Notes: Each coefficient in each panel is from a separate regression. The outcomes in Panel A are indicators for: very low birth weight, very pre-term birth, low 1-minute APGAR score, NICU admission, any abnormal conditions or congenital anomalies of the newborn, death. The outcomes in Panel B are: indicator for any prenatal care, indicator for first trimester prenatal care initiation, number of prenatal care visits, indicator for induction of labor, indicator for delivery by c-section, indicator for any complications during labor or delivery. The outcomes in Panel C are indicators for: mother smoking during pregnancy, mother using illegal drugs during pregnancy, mother being depressed, too low weight gain, too high weight gain, and no WIC take-up. Sample is limited to births by mothers who reside in single-family homes in the Bronx, Brooklyn, and Queens with conception years 2004-2012. Only observations where the mother experienced an assault at her home during either 10 months post conception month or 10 months post expected month of delivery are included. Controls are the same as in Panel A of Table 3. Robust standard errors.

Significance levels: * $p < 0.1$ ** $p < 0.05$ *** $p < 0.01$

Appendix Table A.9: Effects of Assault During Pregnancy on Individual Outcomes, Maternal Fixed Effects Model

| A. Severe Birth Outcomes | | | | | | |
|---|---------------------|-------------------------|----------------------|----------------------|----------------------|---------------------|
| | (1) | (2) | (3) | (4) | (5) | (6) |
| | VLBW | V Pret | Low 1m Apg | NICU | Abn/Con | Death |
| Assault During Pregnancy | 0.0352 [0.0244] | 0.0568** [0.0286] | 0.0491* [0.0275] | 0.0722** [0.0338] | 0.0350 [0.0315] | 0.0109 [0.00964] |
| Dept. var mean | 0.00973 | 0.0178 | 0.0261 | 0.0704 | 0.0707 | 0.00167 |
| Indiv. obs. | 18599 | 18600 | 18570 | 18600 | 18279 | 18599 |
| B. Use of Medical Services | | | | | | |
| | (1) | (2) | (3) | (4) | (5) | |
| | PNC 1Tri | NVis | Induc | Csec | Compl | |
| Assault During Pregnancy | 0.00663 [0.0594] | -0.259 [0.485] | 0.000829 [0.0491] | -0.0206 [0.0310] | -0.00622 [0.0387] | |
| Dept. var mean | 0.780 | 10.67 | 0.178 | 0.277 | 0.0957 | |
| Indiv. obs. | 18002 | 18358 | 18566 | 18600 | 18558 | |
| C. Maternal Behaviors and Well-Being | | | | | | |
| | (1) | (2) | (3) | (4) | (5) | (6) |
| | Smoke | Drugs | Depr | Low Wgt | High Wgt | No WIC |
| Assault During Pregnancy | 0.0128 [0.0235] | 0.0000715 [0.000746] | -0.0196 [0.0910] | 0.0131 [0.0362] | -0.0605 [0.0436] | 0.0895* [0.0538] |
| Dept. var mean | 0.0120 | 0.00181 | 0.172 | 0.0858 | 0.176 | 0.678 |
| Indiv. obs. | 18586 | 18217 | 11527 | 18481 | 18481 | 18508 |

Notes: Each coefficient in each panel is from a separate regression. See notes under Appendix Table A.8 for description of the outcomes. The sample is limited to singleton sibling births by mothers who resided in single-family homes in the Bronx, Brooklyn, or Queens during the first pregnancy with conception years 2004-2012. Regressions include controls for the following time-varying maternal and paternal characteristics: maternal and paternal age dummies (<20, 20-24, 25-34, 35+, missing), indicator for mother being married, maternal and paternal education dummies (less than high school and no diploma, high school or GED diploma, some college or associate's degree, bachelor's degree or more, missing), paternal race/ethnicity and nativity dummies (to account for possible different fathers across pregnancies), child parity dummies (1st, 2nd, 3rd+, missing), and birth interval dummies (1st birth, < 12 months from previous birth, 12-24 months from previous birth, 24-36 months from previous birth, 36-48 months from previous birth, 48+ months from previous birth). The regressions also control for conception year, conception month, and mother fixed effects, and the standard errors are clustered on the mother. Significance levels: * p<0.1 ** p<0.05 *** p<0.01

Appendix Table A.10: Effects of Assault During Pregnancy on Summary Index Outcomes, Additional Specifications

| A. Include Mothers with Assaults Before Pregnancy | | | | |
|--|----------------------|----------------------|------------------------|---------------------|
| | (1) | (2) | (3) | (4) |
| | Severe Birth Out | Broad Birth Out | Med Serv | Behav/Well |
| Assault During Pregnancy | 0.0643** [0.0324] | 0.0512* [0.0309] | 0.0513*** [0.0189] | 0.0252 [0.0164] |
| Indiv. obs. | 3074 | 3074 | 3074 | 3074 |
| B. Multi-Family Home Sample | | | | |
| | (1) | (2) | (3) | (4) |
| | Severe Birth Out | Broad Birth Out | Med Serv | Behav/Well |
| Prob. of Assault During Pregnancy | 0.0261* [0.0151] | 0.0359** [0.0154] | -0.0446*** [0.0110] | 0.00762 [0.0107] |
| Indiv. obs. | 29183 | 29183 | 29183 | 29183 |

Notes: Each coefficient in each panel is from a separate regression. The outcomes are four summary indices: severe birth outcomes index, broad birth outcomes index, use of medical services index, and a maternal behaviors and well-being index. See text for more details. In Panel A, the sample is limited to births by mothers who reside in single-family homes in the Bronx, Brooklyn, and Queens with conception years 2004-2012, where the mother experienced an assault at her home during either 10 months before the conception month, 10 months post conception month or 10 months post expected month of delivery. In Panel B, the sample is limited to births by mothers who reside in multi-family homes with 3 floors or less in the Bronx, Brooklyn, and Queens with conception years 2004-2012, where the mother experienced an assault in her building during either 10 months post conception month or 10 months post expected month of delivery (mothers in single-family homes are excluded). The treatment variable in Panel B is the probability of assault, assuming that the probability is equal to the number of assaults in the 10 months post conception divided by the number of units in the building. Controls are the same as in Panel A of Table 3. Robust standard errors.

Significance levels: * $p < 0.1$ ** $p < 0.05$ *** $p < 0.01$

Appendix Table A.11: Sensitivity of Estimates to Changing Control Variables, with Oster (2017) Calculation

| | Outcome: Severe Birth Outcomes Index | | | |
|--|---|--------------------|--------------------|--------------------|
| | (1) | (2) | (3) | (4) |
| Assault During Pregnancy | 0.083** [0.037] | 0.083** [0.037] | 0.080** [0.036] | 0.077** [0.036] |
| Conception Year & Month FE | Y | Y | Y | Y |
| Child Characteristics | Y | Y | Y | Y |
| Maternal Characteristics | N | Y | Y | Y |
| Paternal Characteristics | N | N | Y | Y |
| Borough FE | N | N | N | Y |
| R ² | 0.040 | 0.048 | 0.052 | 0.054 |
| Lower Bound Treatment Effect (β) | 0.031 | 0.044 | 0.035 | 0.025 |
| Null Effect Selection Ratio (δ) | 1.411 | 1.759 | 1.556 | 1.361 |
| No. of obs. | 2045 | 2045 | 2045 | 2045 |

Notes: Each coefficient is from a separate regression, where the dependent variable is the severe birth outcomes index. Sample is limited to births by mothers who reside in single-family homes in the Bronx, Brooklyn, and Queens with conception years 2004-2012. Only observations where the mother experienced an assault at her home during either 10 months post conception month or 10 months post expected month of delivery are included. The controls for child characteristics are: indicator for singleton birth and parity dummies (1st, 2nd, 3rd+, missing). The controls for maternal characteristics are: maternal age dummies (<20, 20-24, 25-34, 35+, missing), indicator for mother being married, indicators for maternal nativity status (U.S.-born, foreign-born, missing), maternal race/ethnicity dummies (non-Hispanic white, Hispanic, non-Hispanic black, other, missing), maternal education dummies (less than high school and no diploma, high school or GED diploma, some college or associate's degree, bachelor's degree or more, missing). The controls for paternal characteristics are: paternal age dummies (<20, 20-24, 25-34, 35+, missing), indicators for paternal nativity status (U.S.-born, foreign-born, missing), paternal race/ethnicity dummies (non-Hispanic white, Hispanic, non-Hispanic black, other, missing), paternal education dummies (less than high school and no diploma, high school or GED diploma, some college or associate's degree, bachelor's degree or more, missing). The reported β parameter is a lower bound on the treatment coefficient under the assumption of equal degree of selection on included control variables in the model and the unobservables ($\delta = 1$). The reported δ parameter is the ratio of the selection on unobservables to the selection on included control variables that would be required to obtain a treatment coefficient of zero ($\beta = 0$). The calculation assumes $R^{max} = 0.18$, which is the R^2 from our maternal fixed effects model that includes all time-varying maternal and paternal controls (equation (4)) for the severe birth outcome index as the outcome. We follow Oster (2017) in using a within-family regression model to choose R^{max} . Note that Oster (2017) also proposes setting R^{max} to be equal to $1.3 \times \bar{R}^2$, where \bar{R}^2 is the R^2 from the regression with all observable controls (column 4). If we were to set $R^{max} = 1.3 \times 0.054 = 0.07$, we would obtain larger δ and β parameters, making our choice of $R^{max} = 0.18$ conservative. Robust standard errors. Significance levels: * p<0.1 ** p<0.05 *** p<0.01

Appendix Table A.12: Placebo Effects of Assault Post-Pregnancy, Maternal Fixed Effects Model

| | (1) Severe Birth Out | (2) Broad Birth Out | (3) Med Serv | (4) Behav/Well |
|---------------------------|-------------------------|------------------------|---------------------|---------------------|
| Assault Post Pregnancy | 0.0545 [0.126] | 0.0480 [0.118] | 0.00597 [0.0722] | -0.144* [0.0744] |
| Indiv. obs. | 18107 | 18107 | 18107 | 18107 |

Notes: Each coefficient is from a separate regression. The outcomes are four summary indices: birth outcomes index, broad birth outcomes index, use of medical services index, and a maternal behaviors and well-being index. See text for more details. The sample is limited to singleton sibling births by mothers who resided in single-family homes in the Bronx, Brooklyn, or Queens during the first pregnancy with conception years 2004-2012, where mothers who experience an assault in their home *during any pregnancy* are additionally dropped. Regressions include the same controls as in Appendix Table A.9. Standard errors are clustered on the mother.

Significance levels: * p<0.1 ** p<0.05 *** p<0.01

B Details on the Data Merge

This section provides details about the merge of the administrative data sets described in Section 3. First, we use the mother’s self-reported residential address from the birth certificate, and standardize it in the form of the BBL. We rely on a program known as “Geosupport” (specifically `NYCgbat.exe`), published by New York City Department of City Planning (NYC DCP), which is a customized “fuzzy matching” algorithm designed specifically to address common matching challenges in New York City.³⁹ `NYCgbat.exe` reads in the recorded street address along with the borough of residence and returns the BBL on file at NYC DCP for the address. Once the BBLs are identified, they are then merged back onto the original birth records data.

The crime data, which also includes latitude and longitude for each event, is mapped onto BBLs using ArcGIS. Our BBL shapefile is published by NYC DCP, and allows us to calculate the minimum distance between a crime and the surrounding BBLs. Crimes are assigned to the nearest BBL.⁴⁰ The crime and births data are linked using the common BBL identifier, yielding a data set that matches mothers with crimes that occurred at their building of residence.

The PLUTO data set is merged in at this stage using the BBL. Since our crime data is recorded at the building level and does not include an exact apartment number, we cannot tell whether an assault happened in the mother’s apartment or in another one in the same building. PLUTO allows us focus our main analysis on single-family homes where this problem does not arise. We also investigate a larger sample of assaults in multi-family complexes as a robustness check.

³⁹The issue at hand is that there are potentially many different spellings for the same street name or address, which need to be harmonized into one single identifier. Geosupport also accounts for nuances in address formats in each borough.

⁴⁰We use a minimum distance measure to deal with the fact that all crime reports appear geocoded on the sidewalk in front of a building or residence based on data processing practices at the NYPD, which would otherwise not be directly mapped to a BBL identifier.

C Comparison of Our Estimates to Data From PRAMS

To determine the degree of bias that may arise from measurement error issues in our data, we compare our counts of the total number of pregnant women impacted by assaults with NYC-specific estimates from the Center for Disease Control’s Pregnancy Risk Assessment Monitoring System (PRAMS). PRAMS starts with the universe of vital statistics natality records, and then surveys a random sample of new mothers. PRAMS data for 2004 to 2012 suggest that 28,593 NYC mothers suffered physical abuse during pregnancy. Since PRAMS may include some offenses that were never reported to law enforcement, we could scale this number down by 0.42, the average reporting rate in the NCVS for violent offenses from a known offender between 2004 and 2012 (Bureau of Justice Statistics). This scaling would yield 12,009 *reported* episodes of abuse among pregnant women from PRAMS.

Appendix Table C.1 shows a variety of scaling factors based on different assumptions about measurement error. In our data, 25 percent of births were to mothers who resided in a building with a reported felony or misdemeanor assault during months 0-9 post-conception. An additional 25 percent of births were to women who lived in a building with a harassment claim (harassment includes cases of physical altercations that did not result in serious injury, e.g., a slap, a push, etc.).⁴¹ However, these figures dramatically overstate the actual likelihood that someone in the woman’s own home was victimized. Assuming each residential unit in a building has an equal probability of having an incident of victimization, we can scale the counts down by the inverse of the number of residential units in each building. This simple correction results in prevalence rates of 0.011 for felony and misdemeanor assaults and 0.011 for harassment, respectively, which is much closer to estimates in the literature. Remarkably, if we apply this unit-adjustment, and focus only on counts of felony and misdemeanor assaults, our count is within 250 cases of the 12,009 cases we estimated from PRAMS, under the assumption of a police reporting rate of 0.42.

⁴¹The PRAMS data does not differentiate by degree of abuse. Harassment charges can also include non-physical offenses.

Appendix Table C.1: Assessing Measurement Error in the Merged Data

| | | | |
|--|---------|---------|--------|
| Total Affected Pregnancies | 267,241 | 534,482 | 11,759 |
| Share mismeasured relative to PRAMS baseline | 0.96 | 0.98 | -0.02 |
| Implied Scaling Factor for Estimates | 22.25 | 44.51 | 0.98 |
| Types of Crimes included: | | | |
| Felony Assaults | × | × | × |
| Misdemeanor Assaults | × | × | × |
| Criminal Harassment | | × | |
| Rewighted according to # Residential Units in Building | | | × |

Notes: Authors' calculations based on administrative records from the New York City Department of Hygiene and Mental Health, the New York Police Department, and the New York City Department of City Planning. To determine the mismeasurement rate and implied scaling factor, we count all reports of physical abuse during pregnancy from the PRAMS data between 2004-2012 (28,593) scaled by the average violent crime reporting rate for known offenders (42%), which gives us a baseline target of 12,009 domestic violence episodes.

D Supplementary Analysis of Data from the Fragile Families and Child Wellbeing Study

An important concern for our research design is that our treatment and comparison groups differ on margins not observable in our administrative data set. To address this concern, we supplement our analysis with one of the few other data sources that has information on IPV exposure during pregnancy and in the postpartum period: The Fragile Families and Child Wellbeing Study (FFCWS). FFCWS is a panel survey data set that follows a cohort of new births in 20 large U.S. cities between 1998 and 2000. Although the survey yields a much smaller sample size than our administrative data from New York City, FFCWS oversamples births to unmarried parents, which leads to an increased prevalence rate of domestic violence among respondents. Importantly, FFCWS contains detailed information on the mothers, as well as their relationships and evolving family circumstances, which helps us provide a more thorough evaluation of the plausibility of our identifying assumptions. Specifically, we examine differences in available time-invariant and time-varying characteristics across mothers with exposure to IPV during pregnancy and those with exposure in the year following childbirth.

Among respondents who completed both the baseline survey and the year one follow-up survey, 295 (11%) of respondents report some degree of IPV either while pregnant or in the year following childbirth.⁴² In Appendix Table D.1, we divide the sample into two groups: those who report IPV initiation in the baseline survey (“IPV Baseline”) and those who report IPV initiation in the year one follow-up (“IPV 1-Year”). Note that these groups conform with the definitions that we use in our main analysis.

Appendix Table D.1 shows that the sample is roughly equally split between mothers for whom IPV initiated during the baseline (pregnancy) period and those for whom IPV initiated one year later, which is consistent with the fact that we observe similar levels of assault initiations in our treatment and comparison groups in the administrative data. The table also demonstrates balance on a range of fixed baseline characteristics observed in FFCWS, both factors that we can also measure in the administrative records as well as a number of additional individual and household characteristics only available in survey data (e.g., baseline relationship status, household composition, and household income).

Dynamic selection, however, is likely the larger concern given that we show balanced on fixed maternal characteristics in our main analysis sample. It may be that the determinants

⁴²We measure this rate through combining several questions from the baseline and year one follow-up survey. From the mother’s baseline survey, we use questions: B7B, B13B, and B25B. From the mother’s year one follow-up survey, we use questions: D6H, D6I, D8H, D8I, D9A2, D9A3, E8H, E8I, E9A2, and E9A3. When questions ask about the frequency of occurrence, we code any positive response as experiencing IPV.

of IPV during versus after pregnancy are different, and that these omitted characteristics evolve over time and directly influence both IPV and birth outcomes. For example, some men may initiate IPV because of paternity uncertainty, which is amplified once the baby is born and has a physical resemblance to someone other than the father. Thus, the types of children exposed to IPV during gestation may be systematically different from those whose mothers experience IPV postpartum. Another possibility is that changes in household income or employment could both influence IPV and infant health.

Appendix Table D.2 examines these hypotheses. The first four rows evaluate whether the resemblance of the baby at baseline and the child's sex are correlated with the timing of IPV. The last two rows consider whether changes in the household's income and poverty ratio from the baseline survey to the one year follow-up influence the likelihood of post-natal IPV initiation. The results show only modest differences between those with IPV initiation during versus post pregnancy in each of these potential dynamic mechanisms. Across all of the comparisons, we cannot reject the null hypothesis that there is no difference in the sample means. We conclude that, even if this form of dynamic selection is a factor, it likely plays only a modest role in the overall determinants of IPV in the household.

Appendix Table D.1: Balance on Fixed Baseline Characteristics in the FFCWS Sample

| Variable | IPV Baseline | IPV 1-Year | Difference |
|---------------------------------------|-------------------|-------------------|-------------------|
| Race/Ethn. = Hispanic | 0.350 (0.030) | 0.310 (0.030) | -0.040 (0.050) |
| Race/Ethn. = White, Not Hisp. | 0.140 (0.020) | 0.150 (0.030) | 0.010 (0.040) |
| Race/Ethn. = Black, Not Hisp. | 0.470 (0.040) | 0.530 (0.040) | 0.060 (0.050) |
| Age at Birth | 23.98 (0.420) | 23.2 (0.360) | -0.780 (0.550) |
| Educ. = Less than High School | 0.560 (0.040) | 0.520 (0.040) | -0.040 (0.050) |
| Educ. = High School | 0.220 (0.030) | 0.230 (0.030) | 0.010 (0.040) |
| Educ. = Post-Secondary Education | 0.230 (0.030) | 0.250 (0.030) | 0.020 (0.040) |
| Married | 0.090 (0.020) | 0.080 (0.020) | -0.010 (0.030) |
| Cohabiting, Not Married | 0.430 (0.040) | 0.490 (0.040) | 0.060 (0.050) |
| Years knowing father before pregnancy | 3.720 (0.270) | 3.150 (0.230) | -0.570 (0.360) |
| Total minors in Household | 1.410 (0.090) | 1.280 (0.100) | -0.130 (0.140) |
| Total adults in Household | 2.290 (0.080) | 2.270 (0.070) | -0.020 (0.100) |
| Baseline Household Income | 21,185 (1,380) | 23,596 (1,672) | 2,411 (2,163) |
| Observations | 200 | 195 | |

* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$.

Appendix Table D.2: Potential IPV response to Birth Characteristics in the Fragile Families Sample

| Variable | IPV Baseline | IPV 1-Year | Difference |
|----------------------------------|-------------------|-------------------|-------------------|
| Baby resembles Mother | 0.260 (0.040) | 0.330 (0.040) | 0.070 (0.050) |
| Baby resembles Father | 0.570 (0.040) | 0.520 (0.040) | -0.050 (0.060) |
| Baby resembles non-parent | 0.170 (0.030) | 0.150 (0.030) | -0.020 (0.040) |
| Baby is male | 0.540 (0.040) | 0.470 (0.040) | -0.070 (0.050) |
| Δ Household Income | -1,558 (1,380) | -1613 (1,984) | -55 (2,406) |
| Δ Household Poverty Ratio | -0.260 (0.080) | -0.390 (0.120) | -0.130 (0.140) |
| Observations | 200 | 195 | |

* $p < 0.1$, ** $p < 0.05$, *** $p < 0.01$.